

A04 - ASPHALT PLANT, DRUM MIX, DISTILLATE FIRED, BAGHOUSE

CALCULATION METHODS

$E_a = U_a \times EF$

$E_h = U_h \times EF$

NOTES:

- NOx and CO emissions are based on fuel usage (1000 gal/hr or yr). Emission factors are lbs/1000 gallons fuel burned.
- NOx and CO factors are from the D. Smith memo (6/26/97) or site specific source test results, or AP-42 Section 11.1 (3/04).
- TOG, VOC, SOx, TSP, PM10, and trace toxic emissions are based on production (tons asphalt/hr or yr). Emission factors are lbs/ton asphalt.
- TOG, VOC, SOx, TSP, PM10, and trace toxic emissions factors are from site specific source test results or AP-42 Section 11.1 (3/04).
- TSP and PM10 uncontrolled drop zone emissions are assumed to be 0.018 lbs/ton of production as specified in the M. Lake memo (3/20/96).
- Drop zone emissions are unspciated at this time. The factors listed below are for the control system exhaust only and do not include fugitive drop zone emissions.

POLLUTANT	District Emission Factor	EPA REFERENCE	EPA	(UNITS)	COMMENTS
	(lbs/1000 gal or lbs/ton production)	DOCUMENT	FACTOR		
NOX	41.670	AP-42 factor in lbs/ton not used as default.	0.0550	lbs/ton	Assume 1.8 gallons distillate burned per ton of asphalt production.
CO	20.000	AP-42 factor in lbs/ton not used as default.	0.1300	lbs/ton	Assume 1.8 gallons distillate burned per ton of asphalt production.
SOX	0.0580	AP-42, Sect. 11.1 (3/04), Table 11.1-7	0.0580	lbs/ton	Sulfur sources may include the fuel, aggregate, and asphalt oil/slurry.
TOG	0.0440	AP-42, Sect. 11.1, (3/04) Tables 11.1-8	0.0440	lbs/ton	TOG value = VOC value + methane in Table 11.1-8.
VOC	0.0320	AP-42, Sect. 11.1 (3/04), Table 11.1-8	0.0320	lbs/ton	Use site specific NMHC test data if available. TOG should be more than VOC.
TSP	0.0330	AP-42, Sect. 11.1 (3/04), Table 11.1-3	0.0330	lbs/ton	Use site specific TSP test information if available.
PM10	0.0230	AP-42, Sect. 11.1 (3/04), Table 11.1-3	0.0230	lbs/ton	Use site specific PM10 test data if available. PM10 should not exceed TSP.
1,1,1-TRICHLOROETHANE	4.80E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	4.80E-05	lbs/ton	
2,2,4-TRIMETHYLPENTANE	4.00E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	4.00E-05	lbs/ton	
ACETALDEHYDE	1.30E-03	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.30E-03	lbs/ton	
ACETONE	8.30E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	8.30E-04	lbs/ton	
ACROLEIN	2.60E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.60E-05	lbs/ton	
ANTIMONY	1.80E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	1.80E-07	lbs/ton	
ARSENIC	5.60E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	5.60E-07	lbs/ton	
BARIUM	5.80E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	5.80E-06	lbs/ton	
BENZENE	3.90E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	3.90E-04	lbs/ton	
CADMIUM	4.10E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	4.10E-07	lbs/ton	
CHROMIUM HEXAVALENT	4.50E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	4.50E-07	lbs/ton	
TOTAL CHROMIUM	5.50E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	5.50E-06	lbs/ton	
COBALT	2.60E-08	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	2.60E-08	lbs/ton	
COPPER	3.10E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	3.10E-06	lbs/ton	

CROTONALDEHYDE	8.60E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	8.60E-05	lbs/ton	
ETHYL BENZENE	2.40E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.40E-04	lbs/ton	
ETHYLENE	7.00E-03	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	7.00E-03	lbs/ton	
FORMALDEHYDE	3.10E-03	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	3.10E-03	lbs/ton	
HEXANE	9.20E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	9.20E-04	lbs/ton	
HYDROGEN CHLORIDE	2.10E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-8	2.10E-04	lbs/ton	
ISOBUTYALDEHYDE	1.60E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-9 & 11	1.60E-04	lbs/ton	
LEAD	1.50E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	1.50E-05	lbs/ton	
MANGANESE	7.70E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	7.70E-06	lbs/ton	
MERCURY	2.60E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	2.60E-06	lbs/ton	
METHANE	3.20E-02	AP-42, Sect. 11.1 (3/04), Table 11.1-8	3.20E-02	lbs/ton	
METHYL ETHYL KETONE	2.00E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.00E-05	lbs/ton	
NICKEL	6.30E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	6.30E-05	lbs/ton	
2-METHYLNAPHTHALENE	1.70E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.70E-04	lbs/ton	
ACENAPHTHENE	1.40E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.40E-06	lbs/ton	
ACENAPHTHYLENE	2.20E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.20E-05	lbs/ton	
ANTHRACENE	3.10E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	3.10E-06	lbs/ton	
BENZO(A)ANTHRACENE	2.10E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.10E-07	lbs/ton	
BENZO(A)PYRENE	9.80E-09	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	9.80E-09	lbs/ton	
BENZO(B)FLUORANTHENE	1.00E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.00E-07	lbs/ton	
BENZO(E)PYRENE	1.10E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.10E-07	lbs/ton	
BENZO(G,H,I)PERYLENE	4.00E-08	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	4.00E-08	lbs/ton	
BENZO(K)FLUORANTHENE	4.10E-08	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	4.10E-08	lbs/ton	
CHRYSENE	1.80E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.80E-07	lbs/ton	
FLUORANTHENE	6.10E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	6.10E-07	lbs/ton	
FLUORENE	1.10E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.10E-05	lbs/ton	
INDENO(1,2,3-CD)PYRENE	7.00E-09	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	7.00E-09	lbs/ton	
NAPHTHALENE	6.50E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	6.50E-04	lbs/ton	
PERYLENE	8.80E-09	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	8.80E-09	lbs/ton	
PHENANTHRENE	2.30E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.30E-05	lbs/ton	
PYRENE	3.00E-06	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	3.00E-06	lbs/ton	
PHOSPHORUS	2.80E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	2.80E-05	lbs/ton	
PROPIONALDEHYDE	1.30E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.30E-04	lbs/ton	

QUINONE	1.60E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	1.60E-04	lbs/ton	
SELENIUM	3.50E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	3.50E-07	lbs/ton	
SILVER	4.80E-07	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	4.80E-07	lbs/ton	
THALLIUM	4.10E-09	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	4.10E-09	lbs/ton	
TOLUENE	2.90E-03	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.90E-03	lbs/ton	
XYLENE	2.00E-04	AP-42, Sect. 11.1, (3/04) Tables 11.1-10	2.00E-04	lbs/ton	
ZINC	6.10E-05	AP-42, Sect. 11.1, (3/04) Tables 11.1-12	6.10E-05	lbs/ton	

Last Updated on 5/21/2019

By A.D. Weller