Attachment D.

Geologic Reconnaissance and Slope Stability Analysis

June 21, 2018

El Monte Nature Preserve, LLC

Job No. 15383-8

1335 San Lucas Court

Solana Beach, California 92075

Attention: Mr. Bill Adams

Dear Mr. Adams:

This letter transmits two copies of our slope stability investigation report, prepared for the proposed El Monte Sand Mining project, located at 13964 El Monte Road in Lakeside, California.

We appreciate this opportunity to provide geotechnical services for this project. If you have questions or comments concerning this report, please contact us at your convenience.

> Respectfully submitted, **CHJ CONSULTANTS**

Jay J. Martin, E.G. Vice President

JJM:lb

Distribution: El Monte Nature Preserve, LLC (2 and electronic)

SLOPE STABILITY INVESTIGATION
PROPOSED EL MONTE SAND MINING
PROJECT
LAKESIDE, CALIFORNIA
PREPARED FOR
EL MONTE NATURE PRESERVE, LLC
JOB NO. 15383-8

June 21, 2018

El Monte Nature Preserve, LLC

Job No. 15383-8

1335 San Lucas Court

Solana Beach, California 92075

Attention: Mr. Bill Adams

Dear Mr. Adams:

Attached herewith is the report of slope stability investigation prepared for the proposed El Monte Sand Mining project, located at 13964 El Monte Road in Lakeside, California.

This report was based upon a scope of services generally outlined in our proposal dated June 24, 2015, and other written and verbal communications.

We appreciate this opportunity to provide geotechnical services for this project. If you have questions or comments concerning this report, please contact us at your convenience.

> Respectfully submitted, **CHJ CONSULTANTS**

Jay J. Martin, E.G. Vice President

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
INTRODUCTION	1
SCOPE OF SERVICES	2
PROJECT CONSIDERATIONS	3
SITE DESCRIPTION	4
PREVIOUS INVESTIGATIONS	5
FIELD INVESTIGATION	6
LABORATORY ANALYSIS	7
SITE GEOLOGY Geologic Units Geologic Structure	7 8 11
FAULTING AND SEISMICITY Regional Faults Regional Seismicity	12 12 13
GROUND-SHAKING HAZARD	14
GROUNDWATER	15
SLOPE STABILITY	17
SLOPE STABILITY EVALUATION Global Stability Calculations Surficial Stability Calculations Slope Stability Conclusions	17 18 20 20
LIQUEFACTION POTENTIAL AND SEISMIC SETTLEMENT	21
CONCLUSIONS	25
RECOMMENDATIONS Compacted Fills Fill Slope Construction Slope Protection	26 26 26 26
LIMITATIONS	26
CLOSURE	29
REFERENCES	30
A ERIAT PHOTOGRAPHS EXAMINED	32

TABLE OF APPENDICES

APPENDIX A—MAPS AND CROSS SECTIONS

APPENDIX B—BORING LOGS

APPENDIX C—LABORATORY TEST RESULTS

APPENDIX D—GLOBAL STABILITY CALCULATIONS

APPENDIX E—GEOTECHNICAL CALCULATIONS

SLOPE STABILITY INVESTIGATION
PROPOSED EL MONTE SAND MINING
PROJECT
LAKESIDE, CALIFORNIA
PREPARED FOR
EL MONTE NATURE PRESERVE, LLC
JOB NO. 15383-8

INTRODUCTION

During August and September of 2015, this firm conducted exploratory drilling, laboratory testing and slope stability analysis for the proposed El Monte Sand Mining project that includes sand mining operations. A revised reclamation plan was evaluated during January 2016. The purposes of this investigation were to explore and evaluate the engineering geologic conditions at the subject site and to provide slope stability analysis for the mining and reclamation plan.

To orient our investigation, several documents and maps were provided for our use. These include the following:

- Project description for the El Monte Sand Mining and Nature Preserve project by EnviroMINE revised January 2016
- Reclaimed Bench Configuration Diagram dated January 20, 2016
- Reclamation Plan Set (6 sheets), dated January 24, 2016
- Preliminary Geotechnical Evaluation, El Monte Mining, Reclamation and Groundwater Recharge Project, by Ninyo & Moore, dated July 18, 2011
- Compendium Report of Geotechnical Investigations, El Capital Golf Course, Lakeside, California, by Shepardson Engineering Associates, Inc., dated July 28, 2003
- Attachment 1 of the Scope for Geotechnical Investigation document dated June 18, 2015

The approximate location of the site excavation area is shown on the attached Location Map (Enclosure A-1).

The results of our investigation, together with our conclusions and recommendations, are presented in this report.

SCOPE OF SERVICES

The scope of services provided during this investigation included the following:

- Review of published and unpublished literature and maps including geologic mapping by Todd (2004) and Tan (2002)
- Examination of aerial imagery dated 1953, 1964, 1966, 1968, 1971, 1980, 1981, 1989, 1994, 1996, 2002, 2004, 2005, 2006, 2010, 2011, 2012 and 2015
- Review of studies by prior consultants
- Geologic mapping of the site and adjacent area
- Marking of the exploration locations and notification of Underground Service Alert
- Coordination with County of San Diego Department of Environmental Health to obtain a waiver for grouting of the geotechnical borings
- Drilling and sampling four hollow-stem auger borings in the excavation area
- Laboratory testing of selected samples retrieved from the borings
- Slope stability calculations (limit equilibrium and surficial) for the proposed slopes under static and seismic conditions
- Evaluation of potential geologic hazards to the project including seismic shaking hazard

PROJECT CONSIDERATIONS

The project description indicates that the site will produce approximately 12.5 million tons of construction aggregate/sand material over a 12-year production period, followed by four years of reclamation. The project will include disturbance and reclamation of approximately 262 acres of a 479.5-acre site. Total reclaimed slope heights will be approximately 36 feet. A prior study considered deeper pit elevations; therefore, geotechnical borings up to 100 feet deep are available for the project. The purpose of the slope stability investigation is to provide reclaimed slope configurations consistent with the requirements of the Surface Mining and Reclamation Act, County of San Diego, and the Office of Mine Reclamation. This report addresses the items included in the County's "Scope for Geotechnical Investigation" dated June 18, 2015. That document includes requirements to address future groundwater levels as a result of an upstream dam breach, the stability of temporary slopes, and compaction of fill.

According to the Reclamation Plan (EnviroMINE, 2016), the project will be developed in four phases working from east to west. A drop structure to mitigate erosion by surface flows entering the pit along the upstream portion is planned at the east end. Wash fines will be used in backfilling excavations from water features (ponds) associated with a former golf course project. Wash fines will also be distributed on disturbed site areas. Excavations are not planned below the groundwater table. Reclamation of each phase area is planned to commence at the start of the subsequent phase.

A maximum pit depth of approximately 36 to 41 feet is anticipated based on proposed bottom elevations that range from 399 feet to 434 feet above mean sea level (amsl) and existing surfaces ranging from 438 feet amsl to 450 feet amsl at the west and east ends of the excavation area, respectively. Slopes are planned at 3 horizontal (h) to 1 vertical (v) inclination with an intervening bench. Excavation is not proposed beneath the groundwater table.

Our slope stability calculations for the proposed reclaimed slopes are based on configurations consistent with the Reclamation Plan. We modeled and evaluated a typical slope proposed for

development of the excavation area. Slopes flatter than 2(h) to 1(v) in alluvial materials situated above the groundwater table are typically considered stable. For completeness, we include engineering calculations of the gross stability of the proposed slope configuration under static and seismic conditions.

SITE DESCRIPTION

The site consists of an elongate area of undeveloped land within the margins of the San Diego River floodplain bounded by unpaved Willow Road to the north and paved El Monte Road to the south. The vegetated channel of the San Diego River trends roughly east to west as it bisects the site. A mine pit with surface water is adjacent to the site on the west, and residences are located near the southeast boundary. Land marginal to the floodplain is elevated above the active river channel forming terrace risers or benches north and south of the channel area. These benches were generally undeveloped at the time of our investigation. Site elevations range from approximately 450 feet amsl at the northeast limit of the proposed excavation area to 430 feet amsl at the western limit. Vegetation on the benches generally consists of a low growth of dried annual grasses and weeds with few large trees. The river channel includes a dense growth of trees. Bedrock slopes are locally bouldery north and south of the river floodplain. The eastern portion of the site includes areas formerly graded for an uncompleted golf course project that produced undulatory terrain and areas of fill.

Examination of aerial imagery indicates that the bench areas have previously been utilized for borrow material, material processing and equipment storage. Small structures were located in the northwest corner and southwest portion of the site as early as 1989. A covered open-sided structure remains in the northwest corner. No structures remain in the southwest portion of the site. Equipment and/or materials were stored in cleared areas adjacent to Willow Road and north of El Monte Road in the western portion of the site between 2005 and 2006. Materials processing areas were located in the western and northeastern portions of the site between 2005 and 2006 and included use of heavy equipment and sorting/stacking equipment. Grading for the golf course project in the eastern portion

of the site is visible in imagery dated May 2005. Changes to the site do not appear in aerial imagery since 2012 when equipment/materials were removed from an extensive fenced area in the southwest portion of the site.

Evidence of geologic hazards including landsliding or surface faulting was not observed in the aerial imagery examined.

The proposed reclamation configuration including the excavation area boundary and slope geometries is depicted on Enclosure A-2. Geologic cross sections are presented on Enclosures A-4.2 and A-4.4.

PREVIOUS INVESTIGATIONS

Several reports documenting geologic mapping, subsurface explorations and sampling, and groundwater monitoring for projects at and adjacent to the site were examined (Shepardson, 2003; Ninyo & Moore, 2011). Subsurface information and groundwater data from these investigations were utilized in our evaluation. Findings include:

- Alluvial soils up to 106 feet thick overlie granitic and metavolcanic bedrock along the floodplain axis.
- Groundwater occurs at elevations ranging from approximately 420 feet amsl on the east to 391 feet amsl on the west (Ninyo & Moore, 2011).
- Cut slopes at 2(h) to 1(v) should be grossly stable against deep-seated failure.
- Materials should be excavatable with standard heavy equipment; well drilling (depending on depth) may encounter hard bedrock formation below the alluvium.
- The site is subject to liquefaction.
- Faulting is not anticipated within the project area.
- Unprotected site soils are susceptible to erosion.

FIELD INVESTIGATION

Four hollow-stem auger borings were drilled to depths up to 100 feet below the existing ground surface (bgs) in the excavation area during August 2015 to supplement prior exploration by others. Existing roads were utilized and no access improvements were required. Drilling was performed using a CME 75 truck-mounted drilling rig equipped for soil sampling. The eastern portion of the project was added to the proposed excavation area after our field program was completed; therefore, we utilized prior explorations by others to characterize the subsurface conditions in the eastern portion of the project. The approximate locations of our exploratory borings are indicated on the attached Site Plan (Enclosure A-2).

Both a standard penetration test (SPT) sampler (2-inch outer diameter and 1-3/8-inch inner diameter) and a modified California ring sampler (3-inch outer diameter and 2.42-inch inner diameter) were utilized in our investigation. The penetration resistance was recorded on the boring logs as the number of hammer blows used to advance the sampler in 6-inch increments (or less if noted). The sampler was driven with an automatic hammer that drops a 140-pound weight 30 inches for each blow. After the required seating, samplers are advanced up to 18 inches, providing up to three sets of blowcounts at each sampling interval. The recorded blows are raw numbers without any corrections for hammer type (automatic vs. manual cathead) or sampler size (ring sampler vs. standard penetration test sampler). Both relatively undisturbed and bulk samples of typical soil types obtained were returned to the laboratory in sealed containers for testing and evaluation.

Exploratory boring logs, together with the uncorrected blowcount data and in-place density data, are presented in Appendix B. The stratification lines presented on the boring logs represent approximate boundaries between soil types, which may include gradual transitions.

At the completion of drilling, all borings were backfilled to the initial grade of the boring with soil drill cuttings and tamped using the drilling equipment augers. This backfilling operation is expected to compact the boring to a density approximating that of the existing soils. It is possible that some settlement of the backfilled material may occur. Our firm will not monitor boring locations for any settlement. This is deemed to be, and is accepted to be, the responsibility of our client.

Exploratory borings reported for prior investigations are included in Appendix B for reference.

A Site Plan indicating current and prior exploration locations, proposed slopes and the limits of proposed excavation is provided as Enclosure A-2.

LABORATORY ANALYSIS

Included in our laboratory testing program were field moisture content tests on all samples returned to the laboratory and field dry density tests on all relatively undisturbed samples. The results are included on the boring logs. Direct shear testing was performed on selected relatively undisturbed samples and one remolded sample in order to provide shear strength parameters for slope stability evaluations. Sieve analyses were performed on selected samples as an aid to classification.

Laboratory test results are presented in Appendix C. Soil classifications provided are in accordance with the Unified Soil Classification System (USCS).

SITE GEOLOGY

The site is located near the community of Lakeside in unincorporated San Diego County, east of Highway 67 and north of Interstate Highway 8. The site is situated in a broad river valley formed in bedrock terrain of the Peninsular Ranges geomorphic province. The Peninsular Ranges include plutonic and metamorphic crystalline rocks of Cretaceous and older age. The crystalline basement rocks are locally mantled by residual soils and capped by isolated alluvial/sedimentary remnants.

Valley bottoms are typically alluviated. Geologic units in the area include metavolcanic rocks likely coeval with the plutonic rocks of the Peninsular Ranges batholith, intrusive granitics and alluvial sediments deposited in the San Diego River floodplain.

GEOLOGIC UNITS:

The site was mapped on a topographic base using the geologic nomenclature of Todd (2004) for bedrock units, and alluvial nomenclature established for this investigation based on relative landscape position above the river channel. A Site Plan and Geologic Map is presented as Enclosure A-4.1. Cross sections are presented as Enclosures A-4.2 through A-4.4. The units designated for this investigation are described below. Structural examination of bedrock units was not included in the field investigation as excavations are not proposed within the bedrock materials and planned slope angles are very flat relative to the strength and ability of bedrock units to stand at steep angles.

Fill (f)

Fill associated with prior site use as a borrow area, dirt roads/tracks and pond/river channel embankments are derived from local materials including sand, silt and gravel from alluvium and soil. The eastern portion of the proposed excavation area includes fill and disturbed native soils associated with an uncompleted golf course project. Based on examination of aerial imagery, the entire bench area above the active river channel has previously been disturbed by ploughing or disking. The entire site should be considered disturbed ground based on its history of ploughing/disking and use for materials storage, borrow and processing. Larger areas of fill are shown on the Site Plan and Geologic Map (Enclosure A-4.1). Minor areas of fill occur within the Qya unit, primarily within the northeastern area of the future excavation area that was graded for the golf course project. All fill materials are considered undocumented and unsuitable for support of engineered improvements.

Recent Wash Deposits (Qw)

Wash deposits consisting of sand, silt and gravel are present in the active San Diego River channel. These sediments are unconsolidated, include clasts of the more durable bedrock types in the larger size fraction and incise the Qya unit. A dense growth of trees is present within these sediments.

Young Alluvium (Qya)

Alluvium consisting of unconsolidated sand and silt with gravel forms the elevated bench area adjacent to the river channel. The upper surface of these sediments is commonly a gray-brown, fine-grained sand and micaceous silt that is compressible and soft. This surface is heavily disturbed by burrowing and plant growth. This unit was mapped as young alluvium (Qya) by Todd (2004). These sediments are derived from weathering and erosion of adjacent bedrock hillsides that include granitic and metavolcanic rock types and reflect the color and mineral composition of the parent materials. Over bank deposits of fine-grained sand and silt deposited during river flooding are also present locally.

Older Alluvium (Qoa)

An isolated remnant of older alluvium may occur northwest of the excavation area; however field relations suggest that a portion of these materials is either disturbed or imported. These materials consist of strong reddish-brown silty sands that form a bench elevated relative to the Qya surfaces. Geomorphic relations and soil color suggest that these are older than Qya and represent an old land surface preserved above the active modern floodplain; however, the southern margin of the bench includes abundant concrete and metavolcanic debris/clasts that are inconsistent with granitic outcrops nearby. Concrete debris was observed to be buried within/beneath the reddish materials along the margin of the bench, and pedogenic soil development (clay coating, prismatic structure) was lacking in soils exposed at the margin. Aerial imagery indicates that this area was ploughed/furrowed in 1994, fallow in 2002 and cleared/graded in 2005 with equipment stored on a flattened surface. Several large trees visible since imagery dated 1953 remain near the margin of the deposit and are rooted in the Qya surface. The reddish-brown materials terminate near the trees as if placed to avoid burying the trunks. For purposes of this investigation, we interpret the Qoa unit to consist of a

natural terrace deposit (reddish-brown sediments) that was partially altered by clearing and placement of a fill derived from the Qoa surface along the unit margin that incorporates imported debris and rock fragments. The alternative interpretation is that these materials were imported from an offsite area, end-dumped and spread/flattened with equipment. Explorations are not available to make a more definitive conclusion as to the source of the unit designated Qoa. This unit is not within the proposed excavations area.

Granitic Bedrock (Kgr)

As described by Todd (2004), these rocks consist of undivided tonalite and granodiorite of early Cretaceous age, most lithologically similar to tonalite of Alpine (Ka), Japatul Valley Tonalite (Kjv), and Corte Madera Monzogranite (Kcm). Includes lesser gabbro and metavolcanic rocks. This unit forms bouldery hillsides along the northwest margin of the proposed excavation area and is interpreted to underlie the site at depth. Clasts of this unit were observed as rounded cobbles in the Qya unit.

Metavolcanic Rocks (Kmv)

As described by Todd (2004), these rocks consist of amphibolite-facies tuff, tuffbreccia and volcanic flow rock of andesitic, dacitic and basaltic composition of early Cretaceous age. Also includes rare feldspathic metaquartzite, pelitic schist and granitoid-cobble metaconglomerate. Typically forms screens between and within plutons in the western part of the El Cajon quadrangle. These rocks form a more subdued topography along the southern boundary of the proposed excavation area, are exposed in rock cuts along El Monte Road and stand at very steep to vertical angles where cut. Clasts of this unit were observed as sub-rounded to angular clasts in the Qya unit and include boulder of angular breccia in a finer groundmass.

Chiquito Peak Monzogranite (Kcp)

As described by Todd (2004), these rocks consist of hornblende-biotite monzogranite and granodiorite and lesser tonalite, leucogranite, alaskite and pegmatite of early Cretaceous age. Forms lenticular plutons and narrow, sheet-like bodies. Medium grained; moderately to strongly foliated. Variable from one body to another; partly dependent on lithology of nearby units. These rocks are exposed in road cuts along El Monte Road at the southeastern portion of the proposed excavation area.

Consolidated Sediment

As encountered in geotechnical explorations, cemented sediments occur within the alluvial column at elevations below approximately 360 feet amsl. These materials are gray to dark gray, coarse-grained sand and silty sand with clay and gravel. The density of and clay content in these materials suggest possible weathered bedrock.

GEOLOGIC STRUCTURE:

The alluvial sediments of the San Diego River valley are anticipated to be crudely bedded and stratified due to deposition by alluvial processes. As encountered in subsurface explorations, alluvial units include thickly bedded silty sand and sand beds with gravel, and gravel lenses. Sands are locally coarse-grained where gravel content is higher. Few silt layers where encountered at intermediate and deeper depths in the borings. Individual units are anticipated to be discontinuous due to depositional processes that include channel meander, braided stream flow and variable transport energy. For slope stability, the alluvial units are anticipated to act as homogenous, relatively flat-lying layers that are not prone to slide on steep contacts or bedding planes.

FAULTING AND SEISMICITY

Regional seismic sources and historic earthquakes were assessed to determine ground motion conditions for evaluation of potential seismic effects on stability of proposed finished slopes. We calculated deterministic peak ground accelerations for the regional seismic sources. These data are presented in the following sections.

REGIONAL FAULTS:

The tectonics of Southern California are dominated by the interaction of the North American and Pacific tectonic plates, which slide past each other in transform motion. Although some motion may be accommodated by rotation of crustal blocks such as the western Transverse Ranges (Dickinson, 1996), the San Andreas fault zone is the major surface expression of the tectonic boundary and accommodates most transform slip between the Pacific and North American Plates. The Rose Canyon – Newport-Inglewood, Elsinore and other offshore transform faults also accommodate strain between the Pacific and North American plates. Recent seismic activity in the greater San Diego region includes the magnitude 7.2 El Mayor – Cucapah earthquake of April 2010. This event occurred on the Laguna Salada fault zone at an epicentral distance of 165 kilometers (102 miles) from the site and was felt over a wide region.

Rose Canyon Fault Zone

The coastal San Diego region is traversed by a broad zone of faulting associated with the Rose Canyon fault zone (RCFZ), a system of faults that accommodates motion between the Pacific and North American tectonic plates. The RCFZ is considered a southern extension of the offshore Newport-Inglewood fault zone. North of downtown San Diego, the RCFZ diverges southward into three named strands—the Coronado, Silver Strand and Spanish Bight faults. The RCFZ is located approximately 30 kilometers (19 miles) southwest of the site.

Elsinore Fault Zone

The Julian segment of the Elsinore fault zone is located about 37 kilometers (23 miles) northeast of the site. The Elsinore fault zone is typified by multiple en echelon and diverging faults. To the north, the Elsinore zone splays into the Whittier and Chino faults. The Elsinore is primarily a strike-slip fault zone; however, transtentional features such as the graben of the Elsinore and Temecula Valleys also occur. Most Elsinore fault traces are demonstrably active (Holocene) as documented by Saul (1978), Rockwell and others (1986) and Wills (1988).

Coronado Bank Fault Zone

The Coronado Bank fault is located approximately 55 kilometers (35 miles) southwest of the site in the offshore region of San Diego. The Coronado Bank fault zone is a system of strike-slip and normal fault that trends north-northwest in the offshore region. The fault trend is reflected in alignment of bathymetric features including the Coronado Escarpment, Lasuen Knoll, and connection with the Palos Verdes fault zone is postulated.

San Jacinto Fault Zone

The Borrego segment of the San Jacinto fault zone (SJFZ) is located approximately 70 kilometers (43 miles) northeast of the site. The SJFZ is a system of northwest-trending, right-lateral, strike-slip faults that roughly parallels the trend of the southern San Andrea fault zone. More large historic earthquakes have occurred on the San Jacinto fault than any other fault in Southern California (Working Group on California Earthquake Probabilities, 1988).

REGIONAL SEISMICITY:

A map of recorded earthquake epicenters is included as Enclosure A-5 (Epi Software, 2000). The epicenters and magnitudes are based on data from the California Institute of Technology - Southern California Earthquake Data Center catalog. This enclosure presents circles as epicenters of earthquakes with magnitude equal to or greater than magnitude 4.0 recorded from 1932 through 2012.

The most significant fault with regard to generation of ground shaking is the Rose Canyon zone, about 30 kilometers (19 miles) to the southwest.

GROUND-SHAKING HAZARD

The ground-shaking hazard at the site was evaluated from a deterministic standpoint for use as a guide to formulate an appropriate seismic coefficient for use in slope stability analyses.

A deterministic evaluation of seismic hazard was performed for the Rose Canyon fault and other regional faults using the attenuation relations of Boore and Atkinson (2008), Campbell and Bozorgnia (2008) and Chiou and Youngs (2008). The deterministic evaluation considers the magnitude, distance and attenuation characteristics of the site based on soil conditions. These data are summarized in the following table.

Table 1: Summary of Seismic Sources				
Fault Name	Distance (kilometers)	Direction	Magnitude	PGA (g)
Rose Canyon	30	SW	6.9	0.14
Elsinore (Julian)	37	NE	7.6	0.16
Coronado Bank	53	SW	7.4	0.11
San Jacinto (Borrego)	72	NE	7.4	0.09

We utilized $K_h = 0.12$ to model the psuedostatic condition for slope stability calculations, consistent with conservative application of methods described by Seed (1979). Seed (1979) considered the size of a sliding mass and earthquake magnitude in selection of K_h . For large slopes, Seed suggested $K_h = 0.15$ for sites near faults capable of generating magnitude 8.5 earthquakes. The closest fault to

the site, the Rose Canyon fault, is assigned a characteristic magnitude of 6.9. Based on the method of Seed (1979), selection of $K_h = 0.12$ is conservative based on the seismic setting of the site.

GROUNDWATER

The site is located in the San Diego River Valley groundwater basin and is underlain by an alluvial aquifer with variable recharge based on seasonal climatic conditions. Groundwater data compiled by State of California Department of Water Resources (2015) for Helix Water District observation well HWD-2 are summarized in the following table. This well is located in the north-central portion of the future excavation area.

Table 2.1: Summary of Water Level Data – HWD-2			
Date of Measurement	Reference Point Elevation (feet amsl)	Water Surface Elevation (feet amsl)	Depth to Water at Well (feet bgs)
4/27/2012		414.61	32.63
10/9/2012	447.24	414.81	32.43
4/24/2013		414.62	33.62
6/6/2014		410.98	36.26
10/17/2014		409.74	34.50

Groundwater data from exploratory borings and monitoring wells that encountered groundwater utilized for site investigations is summarized in the following table.

Table 2.2: Summary of Groundwater Data from Explorations and Monitoring Wells					
Data ID	Reference Point Elevation (feet amsl)	Water Surface Elevation (feet amsl)	Depth to Water at Well (feet bgs)		
CHJ (2015)					
B-1	435	394.9	40.1		
B-2	440	397.7	42.3		
B-3	448	405.7	42.3		
B-4	443	406.3	36.7		
	Ninyo & Mo	ore (2011)			
B-2	438	397	41		
B-3	440	401	39		
B-4	442	407	35		
B-5	450	407	43		
B-6	455	420	35		
B-7	453	423	30		
B-8	456	416	40		
B-9	460	425	35		
B-10	475	431	44		
B-15	436	391	45		
B-19	444	409	35		
B-23	455	420	35		
B-24	453	413	40		
B-26	469	424	45		
	Shepardso	on (2003)			
B-7	465	444	21		
B-8	455	440	15		
B-9	457	434	23		
B-10	455	436	19		
B-11	453	434.4	18.6		
B-12	449	432.2	16.8		
B-14	447	428.2	18.8		
B-16	447	418.8	28.2		
EarthTech (1998)					
MW-1	450	435	15		
MW-2	465	446	19		
MW-5	458	445	13		
MW-6	450	440	10		

The water surface elevation (WSE) encountered in Boring No. 1 (current investigation) is consistent with the WSE (depicted on the topographic contour map dated April 21, 2013) in the existing pit adjacent to the western boundary of the site. The quarry bottom is planned at elevations between 394 and 434 feet amsl at the west and east ends, respectively. Surface water is not anticipated to occur in the final pit except during times of high flow in the San Diego River. Water elevation in the subsurface mimics the surface topography so that depth to water is relatively consistent along the river axis through the excavation area. For evaluation of liquefaction effects and slope stability, we have utilized a water surface elevation at 420 feet amsl based on an anticipated high groundwater surface and in consideration of potential flooding events.

SLOPE STABILITY

The term "landslide", as used in this report, refers to deep-seated slope failures that involve mine pit-scale features that have the potential to reduce the long-term stability of finished quarry reclamation slopes. Surficial failures refer to shallow failures within approximately 4 feet of the surface that may result in localized raveling of soil material.

The susceptibility of a geologic unit to landsliding is dependent upon various factors, primarily:

1) the presence and orientation of weak structures, such as fractures, faults or clay beds and degree of cementation of the material; 2) the height and steepness of the natural or cut slope; 3) the presence and quantity of groundwater and 4) the occurrence of strong seismic shaking. The primary influences on the stability of mine and reclaimed slopes are anticipated to be slope geometry and material strengths of native alluvial and planned fill units.

SLOPE STABILITY EVALUATION

We evaluated the global slope and surficial stability of the proposed slopes for representative material types. Material strength properties for stability calculations were modeled using Mohr-Coulomb criteria and the ultimate mining depth (tallest slopes) anticipated for the mine pit and reclaimed

geometries. We analyzed the reclamation configuration. Discussion and summary of these analyses are presented below. Slope stability data and calculations are presented in Appendix D.

GLOBAL STABILITY CALCULATIONS:

The global stability of future reclamation slopes, as depicted on the Mining and Reclamation Plan, was analyzed using Spencer's method under both static and seismic conditions for rotational and composite failure surfaces using the SLIDE computer program, version 6.038 (Rocscience, Inc., 2016). The materials strengths of the fill and native sedimentary units were determined by laboratory tests using samples from the current borings.

A representative slope, derived from the Mining and Reclamation Plan, was modeled as follows:

• 30-foot-high benched mine slope, cut into alluvium consisting of a 10-foot upper section and 20-foot lower section separated by a 20-foot-wide bench.

The seismic stability calculations were performed using a lateral pseudostatic coefficient " K_h " of 0.12, based on a very conservative interpretation of regional seismic conditions. Groundwater was not considered in the global stability evaluation as excavations will remain above the groundwater table.

Laboratory tests of samples collected from borings included sieve analysis and direct shear of relatively undisturbed samples and one remolded sample. The results of direct shear tests are summarized below and are based on saturated conditions.

Table 3: El Monte Sand Project—Shear Test Summary				
C	Cohesion (psf)		ф (degrees)	
Sample	Peak	Residual	Peak	Residual
B-1 at 20 Feet (SP-SM)	134.0	57.5	36.8	33.6
B-1 at 90 Feet (SM)	362.2	229.9	40.7	36.2
B-2 at 45 Feet (SP-SM)	198.7	144.4	32.9	30.2
B-2 at 60 Feet (SM)	245.1	107.4	31.7	29.9
B-3 at 40 Feet (silt remolded to 80%)	214.2	250.0	29.8	28.1
B-4 at 15 Feet (SM)	117.0	108.6	30.0	30.1

The strength of sand and silty sand units in the Qya was taken as the average of the five results from Boring Nos. 1, 2 and 4 (residual cohesion = 129; residual $\phi = 32^{\circ}$). The silt sub-unit of Qya, represented by the sample from Boring No. 3, was modeled with cohesion = 220 pounds per square foot (psf); residual $\phi = 28^{\circ}$. Laboratory test results are included in Appendix C.

Bedrock units were not included in the model as mining is anticipated to terminate above the bedrock surface. Bedrock units under global stability conditions would exhibit infinite strength relative to alluvial and fill units.

The results of the global slope stability analyses are summarized below in Table 4. Details of stability calculations including material type boundaries, strength parameters and the minimum factor of safety and critical slip surface are included in Enclosures D-1.1 through D-1.3.

Table 4: Summary of Slope Stability Results—El Monte Sand Project			
Slope Configuration	Static F.S.	Seismic F.S. (K _h =0.12)	Enclosure
30-foot-High Cut Slope with 20-Foot-Wide Bench	2.43		D-1.1
Separating Upper 3(h) to 1(v) and Lower 3(h):1(v) Sections		1.73	D-1.2
Flooded Condition at 420 Feet Elevation		1.44	D-1.3

SURFICIAL STABILITY CALCULATIONS:

Surficial stability of reclamation slopes was modeled using the infinite slope model method as presented in Enclosure D-2. This model uses a saturated zone 4 feet thick extending downward from the slope surface. The factor of safety estimated by this model is 1.63.

SLOPE STABILITY CONCLUSIONS:

As indicated by calculation for global stability, a static factor of safety in excess of 1.5 and seismic factor of safety in excess of 1.1 were indicated for the modeled reclaimed slope configuration and satisfy Office of Mine Reclamation and County of San Diego criteria. The global slope configurations appear suitably stable for mining and reclamation of the proposed slopes according to regulatory requirements.

The surficial stability model indicates a suitably stable configuration for the proposed end use of the reclaimed mine slopes as open space. The proposed pit configuration and lack of structures within the future reclaimed pit preclude the potential for erosion or raveling to affect adjacent property or on-site improvements.

LIQUEFACTION POTENTIAL AND SEISMIC SETTLEMENT

Based on the groundwater, soil and seismic conditions of the site, the potential for liquefaction was evaluated. Liquefaction is a process in which strong ground shaking causes saturated soils to lose their strength and behave as a fluid (Matti and Carson, 1991). Ground failure associated with liquefaction can result in severe damage to structures. Soil types susceptible to liquefaction include sand, silty sand, sandy silt and silt, as well as soils having a plasticity index (PI) less than 7 (Boulanger and Idriss, 2006). Loose soils with a PI less than 12 and moisture content greater than 85 percent of the liquid limit are also susceptible to liquefaction (Bray and Sancio, 2006). For sandy soils, the geologic conditions for increased susceptibility to liquefaction are: 1) shallow groundwater (generally less than 50 feet in depth), 2) the presence of unconsolidated sandy alluvium, typically Holocene in age, and 3) strong ground shaking of sufficient duration. All three of these conditions must be present for liquefaction to occur.

Due to the potential for the presence of shallow groundwater beneath the site (34 feet), the liquefaction potential of site soils has been evaluated based on the SPT data obtained and using the simplified procedure described by Seed and Idriss (1982), Seed and others (1985), modified in the 1996 National Center for Earthquake Engineering Research (NCEER) and 1998 NCEER/National Science Foundation (NSF) workshops (Youd and Idriss, 2001) and recently summarized by Idriss and Boulanger (2008). The method of evaluating liquefaction potential consists of comparing the cyclic stress ratio (CSR) developed in the soil by the earthquake motion to cyclic resistance ratio (CRR), which will cause liquefaction of the soil for a given number of cycles. In the simplified procedure, the CSR developed in the soil is calculated from a formula that incorporates ground surface acceleration, total and effective stresses in the soil at different depths (which in turn are related to the location of the groundwater table), non-rigidity of the soil column and a number of simplifying assumptions.

For sandy soils, the CRR that will cause liquefaction is related to the relative density of the soil, expressed in terms of SPT blowcounts (N_1)₆₀ (Seed and Idriss, 1982; Seed and others, 1985; Youd and Idriss, 2001; Idriss and Boulanger, 2008), cone penetration resistance (q_{c1N}) (Robertson and Wride, 1998; Youd and Idriss, 2001; Idriss and Boulanger, 2008) or shear wave velocity (V_{s1}) (Andrus and Stokoe, 2000; Youd and Idriss, 2001; Andrus and others, 2004), all normalized for an effective overburden pressure of 1 ton per square foot and corrected to equivalent clean sand resistance. For clayey soils, the CRR is related to cyclic undrained shear strength ratio, s_u/σ_{vc} ' (Idriss and Boulanger, 2008). For this investigation, SPT blowcounts were obtained and utilized in the analysis. A projected future depth to groundwater of 34 feet below the existing ground surface (bgs) was utilized to calculate the liquefaction potential in the area. A peak ground acceleration of 0.35g (geomean MCE level consistent with 2013 CBC) and a deaggregated earthquake magnitude of 6.2 were utilized as input into the liquefaction analysis program GeoSuite[©], version 2.4 (Yi, 2015).

The procedures and corrections summarized by Idriss and Boulanger (2008) were utilized to evaluate the liquefaction potential of saturated sandy soils for SPT data. These methods were incorporated into a liquefaction and seismic settlement program, GeoSuite[©], version 2.4 (Yi, 2015).

Liquefaction potential was evaluated for the soil profile encountered in Boring No. 3 with the SPT sampler. The results of liquefaction potential evaluations are shown in Enclosure E-1. Our calculation indicates that liquefaction could occur in layers at depths ranging from approximately 40 to 45 feet bgs and from approximately 70 to 75 feet bgs based on SPT data.

Ishihara (1985) published a paper containing observations on the protective effect that an upper layer of non-liquefied material had against the manifestation of liquefaction at the ground surface. The paper contained graphs that plotted thickness of the upper non-liquefied layer (H₁) and the thickness of underlying liquefied material (H₂). The maximum acceleration is 400 to 500 gal in Ishihara's graph. The term "surface manifestation" is utilized to describe liquefaction-induced surface damage.

A quantitative method using an index called the liquefaction potential index (LPI) was developed and presented by Iwasaki (1978, 1982). The LPI is defined as:

$$LPI = \int_0^{20} F_1 W(z) dz$$

where W(z) = 10 - 0.5z, $F_1 = 1$ - FS for FS < 1.0, $F_1 = 0$ for FS > 1.0 and z is the depth below the ground surface in meters. The LPI presents the risk of liquefaction damage as a single value with the following indicators of liquefaction-induced damage:

Table 5: LPI Range and Damage		
LPI Range	Damage	
LPI = 0	Liquefaction risk is very low.	
0 < LPI ≤ 5	Liquefaction risk is low.	
5 < LPI ≤ 15	Liquefaction risk is high.	
LPI > 15	Liquefaction risk is very high.	

The most recent development for quantitative descriptions of liquefaction-induced surface damage, called "liquefaction vulnerability", was made by Tonlin & Taylor (2013) after the Christchurch, New Zealand earthquakes occurred between 2010 and 2011 and is based on field observations and analyses of approximately 7,500 cone penetrometer test (CPT) investigations. A new index, the liquefaction severity number (LSN), was proposed and defined as:

$$LSN = \int \frac{\varepsilon_v}{z} dz$$

where ε_{ν} is the calculated volumetric densification strain in the subject layer from Zhang et al. (2002) and z is the depth to the layer of interest in meters below the ground surface. The typical behaviors of sites with a given LSN are summarized in following table.

Table 6: LSN Ranges and Observed Land Effects		
LSN Range	Predominant Performance	
0 – 10	Little to no expression of liquefaction, minor effects	
10 – 20	Minor expression of liquefaction, some sand boils	
20 – 30	Moderate expression of liquefaction, with sand boils and some structural damage	
30 – 40	Moderate to severe expression of liquefaction, settlement can cause structural damage	
40 – 50	Major expression of liquefaction, undulations and damage to ground surface, severe total and differential settlement of structures	
>50	Severe damage, extensive evidence of liquefaction at surface, severe total and differential settlements affecting structures, damage to services	

Both LPI and LSN indices were calculated. The results indicate that the liquefaction risk of the site is low as per the LPI index. The site exhibits little to minor expression of liquefaction as per the LSN index. A minor expression of liquefaction means that some sand boils may occur during or after earthquake shaking per Tonlin & Taylor (2013).

CONCLUSIONS

On the basis of our field investigation and slope stability analyses, it is the opinion of this firm that the proposed slope excavations and reclamation of the proposed mine slopes are feasible from geotechnical engineering and engineering geologic standpoints, provided the recommendations contained in this report are implemented during mining.

In general, it appears that the strength of the alluvial resource is sufficient to accommodate the proposed overall slope angles under static and seismic conditions. Transient flooding of the working pit is not anticipated to destabilize slopes cut to 3(h) to 1(v) or flatter.

Based on our analyses, the proposed overall reclamation slope configuration is suitably stable against gross failure for the anticipated long-term conditions, including the effects of seismic shaking and a flooded pit.

Adherence to an approved slope excavation plan and consideration/mitigation of newly exposed potentially adverse geologic features (if present) during mining can result in stable slopes after completion of reclamation.

Evidence of active faulting was not observed on the site during this investigation. The results of liquefaction analysis indicate that the risk of liquefaction effects to the proposed site end use/improvements is low.

Moderate seismic shaking of the site can be expected to occur during the lifetime of the proposed mining and reclamation. This potential has been considered in our analyses and evaluation of slope stability.

With time, natural processes during and after quarry operation will result in deposition of soil on benches and shallow slopes. This material can facilitate revegetation and lend a more natural appearance to the reclaimed slopes.

RECOMMENDATIONS

Overall final cut slopes in soil/alluvial materials should be no steeper than approximately 18-1/2 degrees [3(h) to 1(v)] up to the maximum proposed height (approximately 30 feet). The benching plan appears to be suitable for mining and reclamation.

Geotechnical evaluation and design, management of mine slope and bench geometry based on encountered conditions, or use of mechanical support systems can enhance the safety of or mitigate hazards in mining; however, monitoring of slope conditions for failure warning signs is the most important means for protecting mine workers (Girard and McHugh, 2000) as it can prevent exposure of personnel to potentially hazardous conditions. As is typical for any surface mining operation, we recommend periodic observation of mine benches above working areas for indications of potential instability during mine operations.

COMPACTED FILLS:

If engineered fills are needed, the on-site soils and sand production by products should provide adequate quality fill material provided they are free from organic matter and other deleterious materials. Fill should be inorganic, non-expansive granular soils.

Fill should be spread in near-horizontal layers, approximately 8 inches thick. Thicker lifts may be approved by the geotechnical engineer if testing indicates that the grading procedures are adequate to

achieve the required compaction. Each lift should be spread evenly, thoroughly mixed during spreading to attain uniformity of the material and moisture in each layer, brought to near optimum moisture content and compacted to a minimum relative compaction of 90 percent in accordance with ASTM D1557.

FILL SLOPE CONSTRUCTION:

Fill slopes should be constructed no steeper than 2(h):1(v). Fill slopes should be overfilled during construction and then cut back to expose fully compacted soil. A suitable alternative would be to compact the slopes during construction and then roll the final slopes to provide dense, erosion-resistant surfaces.

SLOPE PROTECTION:

Inasmuch as the native materials are susceptible to erosion by wind and running water, it is our recommendation that project slopes be protected from erosion by establishment of vegetation as soon as possible.

Slopes should be protected with drainage improvements such as berms and/or levees as necessary to prevent slope erosion.

LIMITATIONS

CHJ Consultants has striven to perform our services within the limits prescribed by our client, and in a manner consistent with the usual thoroughness and competence of reputable geotechnical engineers and engineering geologists practicing under similar circumstances. No other representation, express or implied, and no warranty or guarantee is included or intended by virtue of the services performed or reports, opinion, documents, or otherwise supplied.

This report reflects the testing conducted on the site as the site existed during the study, which is the subject of this report. However, changes in the conditions of a property can occur with the passage of time, due to natural processes or the works of man on this or adjacent properties. Changes in applicable or appropriate standards may also occur whether as a result of legislation, application, or the broadening of knowledge. Therefore, this report is indicative of only those conditions tested at the time of the subject study, and the findings of this report may be invalidated fully or partially by changes outside of the control of CHJ Consultants. This report is therefore subject to review and should not be relied upon after a period of one year.

The conclusions and recommendations in this report are based upon observations performed and data collected at separate locations, and interpolation between these locations, carried out for the project and the scope of services described. It is assumed and expected that the conditions between locations observed and/or sampled are similar to those encountered at the individual locations where observation and sampling was performed. However, conditions between these locations may vary significantly. Should conditions that appear different than those described herein be encountered in the field by the client, any firm performing services for the client or the client's assign, this firm should be contacted immediately in order that we might evaluate their effect.

If this report or portions thereof are provided to contractors or included in specifications, it should be understood by all parties that they are provided for information only and should be used as such.

The report and its contents resulting from this study are not intended or represented to be suitable for reuse on extensions or modifications of the project, or for use on any other project.

CLOSURE

We appreciate this opportunity to be of service and trust this report provides the information desired at this time. Should questions arise, please do not hesitate to contact this office.

Respectfully submitted, CHJ CONSULTANTS

John S. McKeown, E.G. 2396 Project Geologist

Fred Yi, Ph.D., G.E. 2967 Chief Engineer

Jay J. Martin, E.G. 1529 Vice President

REFERENCES

Boore, D. M., and G. M. Atkinson, 2008, Ground-motion prediction equations for the average horizontal component of PGA, PGV, and 5%-damped PSA at spectral periods between 0.01s and 10.0s, Earthquake Spectra, Vol. 24, No. 1, p. 99-138.

California Department of Water Resources, 2015, water well data at web site http://wdl.water.ca.gov/gw.

Campbell, K. W., and Y Bozorgnia, 2008, NGA ground motion model for the geometric mean horizontal component of PGA, PGV, PGD and 5% damped linear elastic response spectra for periods ranging from 0.01 to 10 s, Earthquake Spectra, Vol. 24, No. 1, p. 139-171.

Chiou, B. S. J., and Youngs, R. R., 2008, Chiou-Youngs, NGA ground motion relations for the geometric mean horizontal component of peak and spectral ground motion parameters, Earthquake Spectra, v. 24, no 1, pp. 173-215.

CHJ Incorporated, 2015, Slope Stability Investigation, Proposed El Monte Sand Mine and Nature Preserve Project, Lakeside, California, prepared for El Monte Nature Preserve, LLC, Job No. 15383-8.

Dickinson, W. R., 1996, Kinematics of transrotational tectonism in the California Transverse Ranges and its contribution to cumulative slip along the San Andreas transform fault system: Geological Society of America Special Paper 305, pp. 1-46.

Epi Software, 2000, Epicenter Plotting Program, compiled by Wes Reeder.

Ninyo & Moore, 2011, Preliminary Geotechnical Evaluation, El Monte Mining, Reclamation and Groundwater Recharge Project, dated July 18, 2011.

Petersen, Mark D., Frankel, Arthur D., Harmsen, Stephen C., Mueller, Charles S., Haller, Kathleen M., Wheeler, Russell L., Wesson, Robert L., Zeng, Yuehua, Boyd, Oliver S., Perkins, David M., Luco, Nicolas, Field, Edward H., Wills, Chris J., and Rukstales, Kenneth S., 2008, Documentation for the 2008 Update of the United States National Seismic Hazard Maps: U.S. Geological Survey Open-File Report 2008–1128, 61 p.

Rockwell, T. K., McElwain, R. S., Millman, D. E., and Lamar, D. L., 1986, Recurrent late Holocene faulting on the Glen Ivy North strand of the Elsinore fault at Glen Ivy marsh, in Ehlig, P. L., ed., Neotectonics and faulting in southern California: Geological Society of America, 82nd Annual Meeting of the Cordilleran Section, Guidebook and Volume, p. 167-175.

REFERENCES

Rocscience, Inc., 2015, SLIDE computer software program, ver. 6.036: 2D Limit equilibrium slope stability for soil and rock slopes.

Saul, R., 1978, Elsinore Fault Zone (South Riverside County Segment) with Description of the Murrieta Hot Springs Fault: California Division of Mines and Geology Fault Evaluation Report 76.

Seed, H. B., 1979, "Considerations in the Earthquake-Resistant Design of Earth and Rockfill Dams", Geotechnique, v. 29, no. 3, pp. 215-263.

Shepardson Engineering Associates, Inc., 2003, Compendium Report of Geotechnical Investigations, El Capital Golf Course, Lakeside, California, dated July 28, 2003.

Tan, Siang S., 2002, Geologic Map of the San Vicente Reservoir 7.5-minute quadrangle, San Diego County, California: a digital database, California Geological Survey, ftp://ftp.consrv.ca.gov/pub/dmg/rgmp/Prelim_geo_pdf/san_vicente_layout_highres.pdf.

Todd, V. R., 2004, Preliminary Geologic Map of the El Cajon 30' x 60' quadrangle, southern California, U.S. Geological Survey Open-File Report 2004-1361.

Wills, C. J., 1988, Ground Cracks in Wolf and Temecula Valleys, Riverside County: California Division of Mines and Geology Fault Evaluation Report 195.


Working Group on California Earthquake Probabilities, 1988, Probabilities of large earthquakes occurring in California on the San Andreas fault: U.S. Geological Survey Open-File Report 88-398.


AERIAL PHOTOGRAPHS EXAMINED


Google Earth software application, 2015, aerial photographs dated May 30, 1994; June 3, 1996; Ma 27, 2002; December 31, 2002; February 11, 2004; January 11, 2005; May 15, 2005; January 31, 2006; April 24, 2010; November 13, 2011; October 27, 2012; and January 57, 2015.


NETROLine Historical Aerial Imagery web-based software application, accessed September 2015; imagery dated 1953, 1964, 1966, 1968, 1971, 1980, 1981, 1989 and 1994.


APPENDIX A MAPS AND CROSS SECTIONS











✓ ELEVATION OF GROUNDWATER IN BORINGNOTE: SECTION USES VERTICAL EXAGGERATION AT 2.5X

GEOLOGIC CROSS SECTION A-A'

FOR: EL MONTE NATURE PRESERVE, LLC

DATE: JANUARY 2016


GEOLOGIC CROSS SECTION A-A'

SLOPE STABILITY INVESTIGATION PROPOSED EL MONTE SAND MINE AND NATURE PRESERVE "A-4.2"

JOB NUMBER 15383-8

CHJ Consultants

SCALE: V = 40' H = 100'



☑ ELEVATION OF GROUNDWATER IN BORINGNOTE: SECTION USES VERTICAL EXAGGERATION AT 2.5X

GEOLOGIC CROSS SECTION B-B'


FOR: EL MONTE NATURE
PRESERVE, LLC


DATE:
JANUARY 2016

SLOPE STABILITY INVESTIGATION
PROPOSED EL MONTE SAND MINE AND NATURE PRESERVE
13964 EL MONTE ROAD
LAKESIDE, CALIFORNIA

CHJ Consultants

SCALE: V = 40' H = 100'





SITE LOCATION: 32.8723 LAT. -116.8863 LONG.

MINIMUM LOCATION QUALITY: C

TOTAL # OF EVENTS ON PLOT: 1373

TOTAL # OF EVENTS WITHIN SEARCH RADIUS: 310

MAGNITUDE DISTRIBUTION OF SEARCH RADIUS EVENTS:

4.0- 4.9 : 283 5.0- 5.9 : 22 6.0- 6.9 : 5 7.0- 7.9 : 0

8.0- 8.9 : 0

CLOSEST EVENT: 4.2 ON WEDNESDAY, DECEMBER 04, 1991 LOCATED APPROX. 23 KILOMETERS NORTH OF THE SITE

LARGEST 5 EVENTS:

6.6 ON TUESDAY, NOVEMBER 24, 1987 LOCATED APPROX. 97 KILOMETERS EAST OF THE SITE

6.6 ON WEDNESDAY, OCTOBER 21, 1942 LOCATED APPROX. 83 KILOMETERS EAST OF THE SITE

6.5 ON TUESDAY, APRIL 09, 1968 LOCATED APPROX. 78 KILOMETERS NORTHEAST OF THE SITE 6.4 ON FRIDAY, MARCH 19, 1954 LOCATED APPROX. 79 KILOMETERS NORTHEAST OF THE SITE

6.0 ON THURSDAY, MARCH 19, 1934 LOCATED APPROX. 79 KILOMETERS NORTHEAST OF THE SITE

	EAR	THQUAKE EPICENTER MAP	
FOR:	EL MONTE NATURE PRESERVE, LLC	SLOPE STABILITY INVESTIGATION PROPOSED EL MONTE SAND MINE AND	ENCLOSURE "A-5"
DATE:	JANUARY 2016	NATURE PRESERVE PROJECT LAKESIDE, CALIFORNIA	JOB NUMBER 15383-8
		⇔ CHJ ⇔	onsultants

50

KILOMETERS

100

APPENDIX B BORING LOGS

Date Drilled: 8/17/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 435 Logged by: VJR Measured Depth to Water(ft): 40.1

				IVICa	Surci	u D	pm to	water		
	DEPTH (ft)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
-			(SM) Silty Sand, fine to medium, few gravel to 2", dark brown	Native	X	***	8 8 8	2.4	Dist.	Ring
-	5 -		(SP-SM) Sand, fine to coarse, with silt and gravel to 2", dark brown	Auger Chatter		***	11 19 22	1.2	Dist.	Ring SA
-	10 -						7 9 14	2.5	117	Ring
-	15 -				X		6 10 14	4.5	104	Ring
-	20 -						11 11 15	2.1	108	DS, Ring
1/15	25 -		(SM) Silty Sand, fine to medium, dark grayish brown		X	***	3 7 13	8.0 23.9	117	Ring
10331-3 15383-8.GPJ CHJ.GDT 9/10/15	30 -		(SP-SM) Sand, fine to coarse, with silt and few gravel to 1/2", light brownish gray	Iron Oxide Staining		***	6 11 15	2.8 4.1	106	Ring
								T.1. N		Zm ologumo



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure

B-1a

Date Drilled: 8/17/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 435 Logged by: VJR Measured Depth to Water(ft): 40.1

				1.100			- F	vv attr	` '	
					SAM	PLES		(%)	VT.	
(9) 111414	DEРІН (п)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
-	- - -		(SP-SM) Sand, fine to coarse, with silt and few gravel to 1/2", light brownish gray		X		9 14 16	4.1	107	Ring
- 4 - -	40 — - - -		(SM) Silty Sand, fine to medium with coarse, grayish brown	Gröundwater		,	8 11 16	23.0 28.7	103	Ring
- 4 - -	15 — - -			Sand Plug	X		5 6 9	25.7	97	Ring
- 5 -	50 — - - -						4 9 21	24.7	99	Ring
- 5	55 — - -		(SP-SM) Sand, fine to coarse, with silt and gravel to 1", dark olive gray	Sand Plug	X		5 11 14	11.9	115	Ring
+	- 50 – - -				X	,	8 15 28	10.5 17.4	124	Ring
10331-3 15383-8.GPJ CHJ.GDT 9/10/15	- 55 — - -				X		12 16 21	15.4	113	Ring
103	100									



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure B-1b

Date Drilled: 8/17/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 435 Logged by: VJR Measured Depth to Water(ft): 40.1

	(IVICa	Surc	u D	pui to	water	(11). +	0.1
DEPTH (ft)	DO7	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
		(SP-SM) Sand, fine to coarse, with silt and gravel to 1", dark olive gray		X		6 10 16	N.R.	N.R.	Ring
75		(SM) Silty Sand, fine to medium, with gravel to 2", black	Gravel lens		***	8 17 25	14.4 21.3	118	Ring
- 80		(SP-SM) Sand, fine to coarse, with silt and gravel to 1", dark yellowish olive			***	18 23 27	9.3	149	Ring
- 85		(SM) Silty Sand, fine to coarse, with clay and gravel to 2", gray [Consolidated Sediment]	Very Hard drilling, chatter			23 50/1"	17.9	110	Ring
90 -						17 38 50/3"	18.6	116	DS, Ring
95 -						50/5"	13.5	127	Ring
10331-3 15383-8 GPJ CHJ.GDT 9/10/15		END OF BORING AT 105.25'				30 50/4"	21.6	115	Ring
10331-3 15:		NO REFUSAL, NO FILL, NO BEDROCK MODERATE CAVING IN UPPER 10' GROUNDWATER AT 40'				50/2"	N.R.	N.R.	Ring



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No.

Enclosure B-1c

15383-8 **B-**

Date Drilled: 8/19/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 440 Logged by: VJR Measured Depth to Water(ft): 42.3

_			C C C	11100			Pui to	water	` ′	
					SAM	PLES	Þ.	(%)	WT.	
	DEPTH (ft)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
F			(SM) Silty Sand, fine with medium, brown	Native		,	2	2.1	92	Ring
-				,	X		2 3 3	2.8	7-	Tung
- - -	5 -		(SP-SM) Sand, fine to coarse, with silt and gravel to 1", light olive brown		X	,	4 8 8	1.5	Dist.	Ring
-	10 -					,	_	2.0	00	D.
-					X	,	5 9 13	5.3	98	Ring
-	15 -					,	6	3.3	101	Ring
-					X		6 8 11	3.3	101	Kilig
-	20 -		(SM) Silty Sand, fine to medlum, dark grayish brown			7	4	18.0	97	Ring
-			(SW) Sifty Saild, file to incutuin, dark grayish brown		X	***	4 6 7	12.4		SA
-	25 -					7	4 5	19.7	92	Ring
0/10/15							8			
PJ CHJ.GD	30 -		(SP-SM) Sand, fine to coarse, with silt, light olive brown		X	, , , , , , , , , , , , , , , , , , , ,	7 10	2.7	104	Ring
10331-3 15383-8.GPJ CHJ.GDT 9/10/15							17	2.8		
1033	1 1000									



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure

B-2a

Date Drilled: 8/19/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 440 Logged by: VJR Measured Depth to Water(ft): 42.3

						pui to		` ′	
				SAM	PLES	. ;	(%)	WT.	
DEPTH (#)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
-		(SM) Silty Sand, fine to medium, few clay, olive gray		X		7 9 11	11.8 12.0	88	Ring
- - - 40	0 -			X	,	4 7 8	33.0	88	Ring
-		dark olive gray	▼ Groundwate: Auger Chatter	r		8			
- 45 - -	5 -			X	,	6 11 15	21.0 19.5	100	DS, Ring
- 50	0	(SM) Silty Sand, fine to medium, few clay, gray		X	, 	2 7 14	27.4 27.2	95	Ring
- - 55	5 -			X		3 6 7	35.1	87	Ring
- 60 - 60	0 -			X		3 7 12	30.5	91	DS, Ring
10331-3 15383-8.GPJ CHJ.GDT 9/10/15	5 -	(SP-SM) Sand, fine to coarse, with silt, dark gray		X		6 17 28	22.0	106	Ring
10331-3 15383-8.		(



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure B-2b

Date Drilled: 8/19/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 440 Logged by: VJR Measured Depth to Water(ft): 42.3

			1,100,	Jui	u D	opui to		(11). $+2$	
				SAM	PLES		(%)	VT.	
DEPTH (ft)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
-		(SP-SM) Sand, fine to coarse, with silt, dark gray		X		7 12 18	20.9	107	Ring
- - - 75 -			Sand Plug			10 21 45	24.2	101	Ring
- 80				X		10 12 50/5"	13.9	123	Ring
- - - 85 -		(SM) Silty Sand, fine to coarse, with clay and gravel to 2", gray [Consolidated Sediment]	Very Hard Drilling	>		50/4"	N.R.	N.R.	Ring
- - 90 -		END OF BORING NO REFUSAL, NO FILL, NO BEDROCK		>><	****	50/3"	N.R.	N.R.	Ring
- - - 95		SLIGHT CAVING IN UPPER 10' GROUNDWATER AT 42.25'							
10331-3 15383-8.GPJ CHJ.GDT 9/10/15									
103									



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure B-2c

Date Drilled: 8/18/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./2.0" O.D.

Surface Elevation(ft): 448 Logged by: VJR Measured Depth to Water(ft): 42.3

_			=======================================	IVICO	isurc	u D	pm to	water	` ′	
	DEPTH (ft)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
-			(SM) Silty Sand, fine, brown	Native		***	5 6 5	2.6		Pass #200, SPT
-	5 -	- 1: 1: 1: 1: 1 	(SP) Sand, fine to coarse, few gravel to 1/2", dark brown				2 2 3			Pass #200, SPT
-	- 10 -					***	2 2 2	1.9		Pass #200, SPT
-	- 15 -	- - - -					1 2 3			Pass #200, SPT
-	- 20 -	- - - - - -					4 4 3			Pass #200, SPT
T 9/10/15	- 25 -	- - -	(ML) Sandy Silt, fine with medium, dark brown				3 3 4			Pass #200, SPT
10331-3 15383-8.GPJ CHJ.GDT 9/10/15	30 -		(SP-SM) Sand, fine to coarse, with silt and few gravel to 1/2", light yellowish brown				3 5 6			Pass #200, SPT
·- L		10 10 10 10 10 10 10 10 10 10 10 10 10 1						T - 1- N	1	Zmalagura



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure B-3a

Date Drilled: 8/18/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./2.0" O.D.

Surface Elevation(ft): 448 Logged by: VJR Measured Depth to Water(ft): 42.3

			ivicas	surc	u D	cpui to	water(2 .5
(ft)	IIC	VISUAL CLASSIFICATION	KKS		PLES	3/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	ELD
DEPTH (ft)	GRAPHIC LOG		REMARKS	DRIVE	BULK	BLOWS/6 IN	FIELD MOIST	DRY U	LAB/FIELD TESTS
-	-	(SP) Sand, fine to coarse, few gravel to 1/2", light yellowish brown (ML) Sandy Silt, fine, with clay, olive brown	Iron Oxide Staining	X		3 1 3			Pass #200, SPT
- - 40 - - -	-	1", dark grayish brown	Interbedded sand and silt lenges Groundwater	X		3 3 2			DS, Pass #200, SPT
- 45 - -		(SM) Silty Sand, fine to medium with coarse, grayish brown		X		3 6 8			Pass #200, SPT
- 50 -			Interbedded coarse sand lenses	X		4 9 11			Pass #200, SPT
- - 55 - - -					,	3 5 5			Pass #200, SPT
- 60 -		(SM) Silty Sand, fine with medium, black		X		3 5 5			Pass #200, SPT
10331-3 15383-8.GPJ CHJ.GDT 9/10/15		(SP-SM) Sand, fine to coarse, with silt and gravel to 1/2", black		X		4 7 12			Pass #200, SPT
10331								·	



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure B-3b

Date Drilled: 8/18/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./2.0" O.D.

Surface Elevation(ft): 448 Logged by: VJR Measured Depth to Water(ft): 42.3

	DEPTH (ft)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
-	-		(SP-SM) Sand, fine to coarse, with silt and gravel to 1/2", black	and Plug	\times		2 4 5			Pass #200, SPT
- - -	75 -				X		5 7 10			Pass #200, SPT
- - -	80 -				X		9 10 14			Pass #200, SPT
- - - -	85 -			ery Hard Orilling	X		6 9 13			Pass #200, SPT
- -	90 -				X		39 43 25			Pass #200, SPT
-	95 –		END OF BORING		X		12 18			Pass #200, SPT
J.GDT 9/10/15	-		PRACTICAL REFUSAL ON HARD SOIL NO BEDROCK, NO FILL, SLIGHT CAVING GROUNDWATER AT 42.25'							
10331-3 15383-8.GPJ CHJ.GDT 9/10/15	- 100 — - - -							Joh N		inclosure



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. 15383-8 Enclosure B-3c

Date Drilled: 8/18/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 443 Logged by: VJR Measured Depth to Water(ft): 36.7

_			C C C		5410	<u></u>	pui to			
	DEPTH (ft)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
			(SM) Silty Sand, fine, brown	Native	X	7	9 15 19	4.1	108	Ring
-	· -					*	19	4.8		
	- 5 - · -		(SM) Silty Sand, fine to medium, dark yellowish brown		X	2	5 7 9	5.1	104	Ring
	-									
	- 10 - 				X		6 11 11	6.3	107	Ring
	· -							6.4		SA
	- 15 - 				X	2	4 5 6	4.3	99	DS, Ring
			(SP-SM) Sand, fine to coarse, with silt, light yellowish							
	- 20 -		brown (ML) Sandy Silt, fine, few clay, brown		X	2	6 13 13	16.1	Dist.	Ring
	· -	-								
	- 25 - · -		(SP-SM) Sand, fine to coarse, with silt, light olive brown		X	2	5 8 12	1.7	Dist.	Ring
GDT 9/10/15	· -									
8.GPJ CHJ.	- 30 -				X		6 8 12	N.R.	N.R.	Ring
10331-3 15383-8.GPJ CHJ.GDT 9/10/15	- - -									
9		<u>Persit dal</u>								



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No.

Enclosure

15383-8 **B-4**a

Date Drilled: 8/18/15 Client: El Monte NP

Equipment: CME75 Truck Rig Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D.

Surface Elevation(ft): 443 Logged by: VJR Measured Depth to Water(ft): 36.7

			1.1000	Jui		P til to	vv attr		
				SAM	IPLES	ż	3 (%)	WT.	
H (ft)	НІС	VISUAL CLASSIFICATION	ARKS	田		I 9/S/	TUR	UNIT	FIELL S
DEPTH (ft)	GRAPHIC LOG		REMARKS	DRIVE	BULK	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
	-	(SP-SM) Sand, fine to coarse, with silt, light olive brown		X		7 8 11	23.2	97	Ring
			▼ Groundwater			11			
- 40 -									
- 40 -				X		3 6 9	20.2	100	Ring
-	-								
- 45 -	-		·			2	N.R.	N.R.	Ring
_				X		3 4 9	IV.IX.	IV.IX.	Kilig
50 -		(SP-SM) Sand, fine to coarse, with silt and gravel to 1",				5	14.6	117	Ring
-	-	dark gray				5 11 19			
-	-								
- 55 -				X		4 18 20	13.6	116	Ring
-	-					20			
- 60 -				X		3 12 13	16.6	110	Ring
cr/UF -	-					13			
103313 15383-8 GPJ 0410715									
75 C45 C45 C45 C45 C45 C45 C45 C45 C45 C4				X		7 17 46	17.2	115	Ring
15585-									
-10301									



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No.

Enclosure B-4b

15383-8

Date Drilled: 8/18/15 Client: El Monte NP

Driving Weight / Drop / Sampler Size: 140lbs./30in./3.0" O.D. Equipment: CME75 Truck Rig

Logged by: VJR Surface Elevation(ft): 443 Measured Depth to Water(ft): 36.7

			1	_		cptii to			
DEPTH (ft)	GRAPHIC LOG	VISUAL CLASSIFICATION	REMARKS		PLES	BLOWS/6 IN.	FIELD MOISTURE (%)	DRY UNIT WT. (pcf)	LAB/FIELD TESTS
DEPT	GRA			DRIVE	BULK			DRY (pcf)	LAB/ TEST
-	-	(SP-SM) Sand, fine to coarse, with silt and gravel to 1", dark gray	Sand Plug	X		4 4 7	N.R.	N.R.	Ring
- 75 - -				X		8 23 40	16.2	115	Ring
- 80 -			Sand Plug	X	7	9 12 50	9.9	126	Ring
- 85 -			Very Hard Drilling	><		50/4"	6.1	135	Ring
90		END OF BORING NO REFUSAL, NO FILL, NO BEDROCK		>		50	10.1	123	Ring
- - 95		SLIGHT CAVING IN UPPER 10' GROUNDWATER AT 36.67'							
-	-								
10331-3 15383-8.GPJ CHJ.GDT 9/10/15	-								
10331-5	-								



SLOPE STABILITY INVESTIGATION 13964 EL MONTE ROAD, LAKESIDE, CALIFORNIA Job No. Enclosure B-4c

15383-8

		LOG OF	F TEST BORING NO. B- 5
Drilling Date(s			
Logged By:	KLS	Method/He	ole Size: HOLLOW STEM AUGER/8" Bottom Elevation: 453'
Depth (feet) Sample Type	Blow Count (/foot) Dry Density (pcf) Moisture Content	(%) Lab Tests USCS	MATERIAL DESCRIPTION
		SM	TOPSOIL: silty sand, loose, moist, brown.
- 2		sw	ALLUVIUM (Oal): medium to coarse grained sand, loose, damp, gray brown to gray.
- 4			
- 6-H	7 98 2.7	7 GS	
8			
-10- B H	13		:Becomes medium grained sand.
-12-			
-14-		SM-SP	
16 H	12 95 24.0	o GS	(Qal): very silty fine grained micaceous sand, loose to medium dense, wet, gray brown.
-18-			:Becomes fine grained micaceous sand with silt.
-20- X H	16		
-22			End of boring at -21 ft. No free water encountered.
-24-			
Drive Energy Da	ata: Hammer Type Weight Drop	e CAT HEAD 140 lbs. 30 in.	
Please refer to s	symbols and note i	limitations shown	on "Explanation of Logs"
S EN	HEPAR IGINEERING ASSO	D S O N OCIATES INC.	Date: May, 1998 Project No.: 97157-01 Log of Test Boring No. B- 5
	eotechnical Cons ngineers-Geologi		El Monte Golf Course 1 of 1


L3 98

	· · ·				LO	G O	F TI	EST BORING NO. B- 6
	ng Date(s ed By:	s): _		2/98 LS		illing Eq ethod/H		
Depth (feet)	Sample Type	Blow Count (/foot)	Dry Density (pcf)	Moisture Content (%)	Lab Tests	SOSN	Graphic Log	MATERIAL DESCRIPTION
						SM		TOPSOIL: silty sand, loose, moist, brown.
- 2-	_ _	 		- 		ร ีм ี -รีพี	1	ALLUVIUM (Oal): fine grained micaceous sand to silty sand, loose, gray brown.
- 4- 6-	×н	9	105	4.6	GS	- šŵ -		c(Qal): fine to coarse grained sand, loose, damp, gray.
- 8- - 10-		11						
-12- -14-	Ж							
-16- 	ЖН	14	-		GS			:Becomes medium to coarse grained sand.
 -20-	ЖН	15						:Becomes fine to medium grained sand.
-22-								End of boring at -21 ft. No free water encountered.
-24-								
	Energy D	D	eight rop		140 lb 30 in.	15.	n on '	"Explanation of Logs"
Pleas								Explanation of Logs* Date: May, 1998 Project No.: 97157-01
ڠ	E (H E NGINEL Teoteci Ingine	RING 	ASSOC Consu	iates Liants	NC.		Log of Test Boring No. B- 6 El Monte Golf Course Plate B7 1 of 1

A1 2 98

LOG OF TEST BORING NO. B- 7 01/22/98 Drilling Equipment: MOBILE B-57 Surface Elevation: **~465**' Drilling Date(s): Method/Hole Size: HOLLOW STEM AUGER/8" Bottom Elevation: -443° Logged By: Graphic Log USCS MATERIAL DESCRIPTION ALLUVIUM: fine grained micaceous silty sand to sand, loose, moist to wet, gray brown to olive. :Becomes fine to coarse grained sand and drier. GS 11 Н GS :Becomes damp. 16 10 :Becomes moist. :Becomes fine to medium grained. 18 :Becomes very wet to saturated. 17 End of boring at -21 ft. Free intergranular moisture at bottom of boring, near the water 22 24 Drive Energy Data: Hammer Type CAT HEAD 140 lbs. Weight Drop 30 in. Please refer to symbols and note limitations shown on "Explanation of Logs" SHEPARDSON Project No.: 97157-01 Date: May, 1998 Plate Log of Test Boring No. B- 7 88 El Monte Golf Course Geotechnical Consultants: 1 of 1 Engineers-Geologists

1 2 O.R



Engineers-Geologists

RI 3 98

LOG OF TEST BORING NO. B- 9 Drilling Date(s): 01/23/98 Drilling Equipment: MOBILE B-57 Surface Elevation: 457' HOLLOW STEM AUGER/8" Bottom Elevation: -435' Logged By: ВМН Method/Hole Size: Graphic Log USCS MATERIAL DESCRIPTION ALLUVIUM (Oal): fine to coarse grained sand, loose, damp, light gray. Contains gravel at -1 ft. : Layer of 1" gravels at -3 ft. GS 13 :Becomes moist. 12 : 1" diameter gravels present between -11 ft. and -12ft.. Becomes coarser grained, micaceous. รีพี-รีพี (Oal): fine to medium grained sand to silty sand, medium dense to GS ×П 20 loose, wet to saturated, medium gray. 18 20 :Water standing at -22.8 ft.. 14 End of boring at -21 ft. -22 Water table at -22.8 ft. 24 Drive Energy Data: Hammer Type CAT HEAD Weight 140 lbs. 30 in. Drop Please refer to symbols and note limitations shown on "Explanation of Logs" SHEPARDSON Date: May, 1998 Project No.: 97157-01 Plate ENGINEERING ASSOCIATES INC. Log of Test Boring No. B- 9 810 Geotechnical Consultants: El Monte Golf Course 1 of 1

Engineers-Geologists

LOG OF TEST BORING NO. B-10 Drilling Date(s): 01/23/98 Drilling Equipment: MOBILE B-57 Surface Elevation: 455 Logged By: вмн Method/Hole Size: HOLLOW STEM AUGER/8" Bottom Elevation: 433' Graphic Log USCS MATERIAL DESCRIPTION ALLUVIUM (Qal): fine to coarse grained sand, loose, damp to dry, light gray. :Scattered gravel at - 3 ft.. Н 2 G\$:Becomes gray-tan. <u>GS</u> ŠМ (Qal): silty fine grained sand, loose, moist, medium dark brown. \$W (Qal): fine to coarse grained sand, loose, wet to saturated, gray. 20 :Contains scattered gravel. :Water table measured at -19 ft. (Qai): sandy silt, soft, saturated, dark brown. End of boring at -21 ft.. 22 Water table at -19 ft. 24 Drive Energy Data: Hammer Type CAT HEAD Weight 140 lbs. 30 in. Drop Please refer to symbols and note limitations shown on "Explanation of Logs" Project No.: 97157-01 Date: June, 1998 SHEPARDSON ENGINEERING ASSOCIATES INC. Plate Log of Test Boring No. B-10 B11 Geotechnical Consultants: El Monte Golf Course 1 of 1 Engineers-Geologists

31.3.98

LOG OF TEST BORING NO. B-11 Drilling Date(s): 01/23/98 **Drilling Equipment:** MOBILE B-57 Surface Elevation: ~4531 Logged By: **BMHKLS** Method/Hole Size: HOLLOW STEM AUGER/8" Bottom Elevation: ~431' Graphic Log Sample Type USCS MATERIAL DESCRIPTION ALLUVIUM (Qal): medium to coarse grained sand, loose, moist, SM-SW yellow brown. :Becomes interlayered with silty sand. 10 104 6.5 ΣН İGS :Becomes light gray. Interlayered silty sand layers are 1" to 2" **∄** ⊬ 7 GS thick. 94 4.2 \boxtimes H 14 16 :Water table measured at -18.6 ft.. 20 20 End of boring at -21 ft... 22 Water table at -18.6 ft... Drive Energy Data: Hammer Type CAT HEAD Weight 140 lbs. Drop 30 in. Please refer to symbols and note limitations shown on "Explanation of Logs" Date: May, 1998 Project No.: 97157-01 SHEPARDSON ENGINEERING ASSOCIATES INC. Plate Log of Test Boring No. B-11 **B12** Geotechnical Consultants: El Monte Golf Course

Engineers-Geologists

al 3 98

LOG OF TEST BORING NO. B-12 Surface Elevation: Drilling Date(s): 01/23/98 Drilling Equipment: MOBILE B-57 ~449¹ HOLLOW STEM AUGER/8" Bottom Elevation: -427' Method/Hole Size: Logged By: **BMH USCS** MATERIAL DESCRIPTION SW ALLUVIUM (Qal): fine to coarse grained sand, loose, damp, light gray. Contains scattered 1" diameter gravel. GS В :Contains 1" size gravel between -5 ft. and -6 ft. 12 10 GS Н 8 :Below -11 ft, contains thin layers or lenses of dark brown silt. -12-17 16 :Water table measured at -16.8 ft. 18-:Becomes coarse grained sand. 20 26 End of boring at -21 ft. Water table measured at -16.8 ft. 22-Drive Energy Data: Hammer Type CAT HEAD 140 lbs. Weight Drop 30 in. Please refer to symbols and note limitations shown on "Explanation of Logs" Project No.: 97157-01 Date: May, 1998 SHEPARDSON ENGINEERING ASSOCIATES INC. Plate Log of Test Boring No. B-12 **B13** El Monte Golf Course Geotechnical Consultants: 1 of 1

Engineers-Geologists

3L3 98

	LOG OF	F TEST BORING NO. B-14
Drilling Date(s):	01/23/98 Drilling Eq BMH Method/H	
Sample Type Blow Count (/foot)	Density (pcf) Moisture Content (%) Lab Tests	Graphic MATERIAL DESCRIPTION
2 - 4- - 6 × H 6. 1	03 2.2 GS	ALLUVIUM (Qal): fine to coarse grained sand, loose, damp, yellow brown.
12-	14 1.4 GS	(Oal): fine to coarse grained micaceous sand, loose, damp to saturated, orange brown. :Becomes medium brown with scattered blebs of silt.
H 10		≅ :Water table measured at -18.8 ft.
Drive Energy Data: Hame Weig	ght 140 lbs. o 30 in.	End of boring at -21 ft. Water table at -18.8 ft.
S H E P ENGINEERIN Geotechnic	PARDSON NG ASSOCIATES INC. cal Consultants:	Date: May, 1998 Project No.: 97157-01 Log of Test Boring No. B-14 El Monte Golf Course 1 of 1

LOG OF TEST BORING NO. B-15 Drilling Date(s): 01/23/98 Drilling Equipment: MOBILE B-57 Surface Elevation; 436' Logged By: **BMH** Method/Hole Size: HOLLOW STEM AUGER/8" Bottom Elevation: 414 Graphic Log **USCS** MATERIAL DESCRIPTION ALLUVIUM (Oal): fine to medium grained slightly silty sand, loose, medium brown. ŜŴ (Ωal): medium to coarse grained sand, loose, moist, brownish gray to olive gray. 7 GS 13 GS 12-14 ŜМ (Oal): silty fine grained sand, loose, moist, olive gray. :Contains some silt lenses. Becomes wet. End of boring at -21 ft. 22 No free water encountered. 24 Drive Energy Data: Hammer Type CAT HEAD 140 lbs. Weight Drop 30 in. Please refer to symbols and note limitations shown on "Explanation of Logs" Date: May, 1998 Project No.: 97157-01 SHEPARDSON ENGINEERING ASSOCIATES INC. Plate Log of Test Boring No. B-15 El Monte Golf Course **B16** Geotechnical Consultants:

Engineers-Geologists

313 98

LOG OF TEST BORING NO. B-16 447 **Drilling Equipment:** MOBILE B-57 Surface Elevation: Drilling Date(s): 01/26/98 Logged By: **BMH** Method/Hole Size: HOLLOW STEM AUGER/8" Bottom Elevation: ⁻371' Graphic Log **USCS** MATERIAL DESCRIPTION TOPSOIL/ALLUVIUM (Qal): silty fine grained sand, loose, medium dense, silty sand. Ī₩ ALLUVIUM (Oal): fine to coarse grained sand, loose, dry, brown gray. GS 7 6 GS Н 8 ЯΗ 13 :Becomes coarser grained. 20 18 26 ริพี-รีพี ∇ (Qal): variable well graded to silty sand, loose to medium dense, 28 wet to saturated, gray brown. :Water table measured at -28.2 ft. 30 32 ŜŴ. (Oal): fine to coarse grained sand, loose to medium dense, saturated, gray. Contains occasional small amounts of gravel. 34 36-38 Drive Energy Data: Hammer Type CAT HEAD Weight 140 lbs. Drop 30 in. Please refer to symbols and note limitations shown on "Explanation of Logs" Project No.: 97157-01 Date: May, 1998 SHEPARDSON ENGINEERING ASSOCIATES INC. Plate Log of Test Boring No. B-16 817 El Monte Golf Course Geotechnical Consultants:

Engineers-Geologists

3 98

maa a	g Date(s d By:):		26/98 MH		ng Equ nod/Ho		
(feet)	Sample Type	Blow Count (/foot)	Dry Density (pcf)	Moisture Content (%)	Lab	nscs	Log	MATERIAL DESCRIPTION
12-								(Ωal): fine to coarse-grained sand, loose to medium dense, saturated, gray. Contains occasional small amounts of gravel
8-								(Oal): fine to coarse-grained sand, loose to medium dense, saturated, gray. Contains occasional small amounts of gravel
7 7 7								
								End of boring at -75 ft. Water table measured at -28.2 ft.
	rgy Data:	Weig Drop	ht	140 30) lbs. in.			lanation of Logs"

Geotechnical Consultants: Engineers-Geologists

El Monte Golf Course

LOG OF TEST BORING NO. B-17 Drilling Date(s): 01/26/98 Drilling Equipment: MOBILE 8-57 Surface Elevation: <u>-470'</u> Logged By: **BMH** Method/Hole Size: HOLLOW STEM AUGER/8" Bottom Elevation: ~3931 **USCS** MATERIAL DESCRIPTION ALLUVIUM (Qal): silty fine grained sand, loose, moist, medium dense. ŜЙ Qal: silty fine grained micaceous sand, loose, dry, medium brown. Contains organic fragments, porous. 74 5.3 GS 10 SM-ML Qal: interbedded silt and sand, loose, dry, light gray to medium brown with orange staining, porous. £L Бм-SW (Oal): clean sand with interbeds of silty sand, loose, dry, light gray. SW-SP (Qal): medium to coarse grained sand, loose, dry, light gray. 16 :Becomes mostly fine grained sand, damp to moist. 20 15 :Becomes fine to coarse grained sand, wet. .26-🔀 H 18 :Water table measured at -27.6 ft. -28 19 SS 38 :Becomes medium gray. Drive Energy Data: Hammer Type CAT HEAD Weight 140 lbs. Drop 30 in. Please refer to symbols and note limitations shown on "Explanation of Logs" SHEPARDSON Date: May, 1998 Project No.: 97157-01 Plate Log of Test Boring No. B-17

El Monte Golf Course

Geotechnical Consultants:

Engineers-Geologists

818

1 of 2

LOG OF TEST BORING NO. B-17 Drilling Date(s): MOBILE B-57 01/26/98 Drilling Equipment: Surface Elevation: ~470¹ Logged By: Method/Hole Size: HOLLOW STEM AUGER/8" Bottom Elevation: 73931 **BMH** nscs MATERIAL DESCRIPTION 18 (Oal): medium to coarse-grained sand, medium dense, saturated, SS dry, light gray 50 :Contains dark gray to black silt interbeds. 19 SS -58 60 -62 64 :Laminated layers of fine to very fine grained sand, dark gray. 20 SS 47 76 End of boring at -76.5 ft. Water table measured at -27.6 ft. 78 Drive Energy Data: Hammer Type CAT HEAD 140 lbs. Weight 30 in. Drop Please refer to symbols and note limitations shown on "Explanation of Logs" SHEPARDSON Date: May, 1998 Project No.: 97157-01 Plate Log of Test Boring No. B-17 818 El Monte Golf Course Geotechnical Consultants:

Engineers-Geologists

3L3 98

2 of 2

LOG OF TEST BORING NO. B-18 Drilling Date(s): 01/28/98 Drilling Equipment: JEEP RIG Surface Elevation: - 437' 415 Logged By: Method/Hole Size: FLIGHT AUGER/6" **Bottom Elevation: BMH** Graphic Log Sample Type **USCS** MATERIAL DESCRIPTION TOPSOIL/ALLUVIUM 7: silty fine grained sand, loose, moist, medium to dark brown. GS B ŝΨ ALLUVIUM: medium to coarse grained sand, loose, moist, yellow to brownish gray. Contains scattered 1" size gravel. GS 18 -20 End of boring at -20 ft. No free water encountered. 22 Drive Energy Data: Hammer Type Weight ibs. Drop in. Please refer to symbols and note limitations shown on "Explanation of Logs" Date: May, 1998 Project No.: 97157-01 S H E P A R D S O N ENGINEERING ASSOCIATES INC. Plate

Geotechnical Consultants: Engineers-Geologists

B19 1 of 1

Drilling Date	(s):	02/	10/98	Drilli	na E	quipm	ent: <u>ROTARY WASH</u> Surface Elevation:	⁻ 457'
Logged By:			МН		_	lole S		-347'
Depth (feet) Sample Type	Blow	Dry Density	Moisture Content (%)	Lab Tests	nscs	Graphic Log	MATERIAL DESCRIPTION	
- 2-					sw		ALI UVIUM (Qal): welll-graded sand, fine to medium -grained humid, light gray	d, loose,
4					GM		Qal: gravelly sand, medium dense, moist, light gray, contain rounded gravels	s 1"
6- - 8-	31	119	14.3	-	SW		Ωal: well-graded sand, medium dense, moist, light gray; con scattered 3/4" gravel	tains
-10-XH	30	116	10.9					-
-14 - H	44	113	14.1		i		77	
-18- -20-	16	112	18.2				water table at 16.5 feet : saturated, contains intermittent silt layers, medium stiff	
SS -24 SS	21						:well-graded sand, medium dense, saturated, medium gray, contains interlayered fine and coarse sand	
28 30- 32-	21						:1 to 4 inch layers of silt, to 32 feet	
34 SS	20						:well-graded sand, minor amounts of silt and gravel, mediun dense, saturated, light gray	n
38 40 40 42	23	:						-
44-		:					ALLUVIUM (Oal): well-graded sand, medium dense, saturated medium gray	d,
48 SS 50-	10						:becomes loose	
54- 56-								
rive Energy Da	We Dre	eight op	14 30	Olbs. In.		on "Fy	xplanation of Logs"	
							te: May, 1998 Project No.: 97157-01	
Ge	SHEPARDS ON ENGINEERING ASSOCIATES INC. Geotechnical Consultants: Engineers-Geologists						Log of Test Boring No. B-19 El Monte Golf Course	Plate B20 1 of 2

	LOG OF TEST BORING NO. B-19											
Drillin	g Date(s	s): _	02/1	0/98	Dri	illing Ed	quipme	nt: ROTARY WAS	SH Surface Elevation:	⁻ 457'		
Logge	-		BI	ИΗ	_ Me	thod/H	lole Siz	ze: WASH BORING/3	.5" Bottom Elevation:	~347'		
Depth (feet)	Sample Type	Blow Count (foot)	Dry Density (pcf)	Moisture Content (%)	Lab Tests	nscs	Graphic Log	MATERIA	L DESCRIPTION			
	SS	22						:medium dense				
-60 -62									· · · · · · · · · · · · · · · · · · ·			
-64-				! 	-				•			
-66 -68 -70	ss	42			:			:medium-grained sand with dark gray	n silt, poorly graded, dense, satura	- sted,		
-72- -74- -76-												
-78 -80-	ss	15						:contains 1/2" gravel; well-	-graded but coarser ed sand, medium dense, saturated	i dark —		
-82-						GW		gray (Qal): sandy gravels, dense,				
-84 -86 -88								town sandy gravers, dense,	, saturated, meurum gray			
-92-								:heavy gravels				
94-					-	CL	1//	ALLUVIUM: :clay layer, soft	, saturated, blue gray			
96						gw-sw		(Oal): gravel and sand, dens		<u>.</u>		
100-						SM		DECOMPOSED GRANITE BE saturated, dark gray	DROCK: silty sand, coarse, very	dense,		
104-		:			!							
106-	≤ ss	50 50/2"								,		
110-		50/2"					1.1.	End of boring at 110.2 feet				
114-												
Drive	energy C) ata: H	ammer	Type (Cable v	vînch						
SH.		W D	eight rop	;	140 lb 30 in.	s.						
						s show		explanation of Logs"	Broject No : 07157.01			
SHEPARDSON ENGINEERING ASSOCIATES INC. Geotechnical Consultants:							- <u>U</u>	Log of Test Boring No. B-19 El Monte Golf Course				
12-		inginee						El Monte Goir Course 2 of 2				

BL3 98

LOG OF TEST BORING NO. B-21 Drilling Date(s): 02/18/98 Drilling Equipment: MOBILE B-61 Surface Elevation: ~466° HOLLOW STEM AUGER/8" Bottom Elevation: Logged By: **BMH** Method/Hole Size: -440' Blow Count (/foot) Dry Density (pcf) Voisture Content (%) Graphic Log **USCS** MATERIAL DESCRIPTION ALLUVIUM(Qal): sandy silt, medium stiff, moist, dark brown ML SM-ML Qal: sandy silt to silty sand, medium dense, moist, yellow brown and medium brown, porous Qal: silty fine sand, medium dense, moist, medium gray and SM medium brown Qal: well-graded sand, medium dense, moist, light gray :gravelly layer to 13 feet :becomes more coarse-grained SS 26 16 20 SS 32 SP Qal: poorly-graded fine sand, medium dense, moist, light gray 22 24 :water table encountered at 24.5 feet SS 22 26 End of boring at 26.5 feet 28 Remarks: Please refer to symbols and note limitations shown on "Explanation of Logs" Date: April, 1998 Project No.: 97157-01 S H E P A R D S O N ENGINEERING ASSOCIATES INC. Plate Log of Test Boring No. B-21 B22 El Monte Golf Course Geotechnical Consultants:

Engineers-Geologists

LOG OF TEST BORING NO. B-24 **Drilling Equipment:** Drilling Date(s): 02/20/98 ROTARY WASH Surface Elevation: 436' Logged By: Method/Hole Size: WASH BORING/3.5" <u>BMH</u> **Bottom Elevation:** <u>~331'</u> Graphic Log **USCS** MATERIAL DESCRIPTION ALLUVIUM (Oal): well graded sand, fine to coarse-grained, medium dense, moist, brownish-gray to light gray 16 contains thin silt layers 20--22 :gravelly at 25 feet 26-28 30-32-34 36 :silt layers at 37-38 feet 38-:gravel layer at 42 to 43 feet 46 50-52--54-Drive Energy Data: Hammer Type Cable winch 140 lbs. Weight Drop 30 in. Please refer to symbols and note limitations shown on "Explanation of Logs" Project No.: 97157-01 Date: May, 1998 S H E P A R D S O N ENGINEERING ASSOCIATES INC. **Plate** Log of Test Boring No. B-24 B25 El Monte Golf Course Geotechnical Consultants: 1 of 2 Engineers-Geologists

80. 80.

	LOG OF TEST BORING NO. B-24											
Drillin	ng Date(:	s): _	02/:	20/98	Dr	illing Ed	mqiup	nent: <u>ROTARY WASH</u> Surface Elevation: <u>*436</u>				
Logg	ed By:		8	мн		ethod/H						
Depth (feet)	Sample Type	Blow Count (/foot)	Dry Density (pcf)	Moisture Content (%)	Lab Tests	nscs	Graphic Log	MATERIAL DESCRIPTION				
-58- -60- -62- -64- -66- -70- -72- -74- -78- -80-						- ģw,-		ALLUVIUM (Ωal): well graded sand, fine to coarse-grained, medium dense, moist, brownish-gray to light gray :silt layers Ωal: sandy gravels, dense, saturated, gray Ωal: well-graded sand				
-82 -84 -86 -90 -92 -94 -96 -98 -102 -104 -106	ss	. 69				SM		Cal: Gravel and cobble in a sandy matrix; dense, saturated, gray :layer of sand or smaller gravels to 92 feet DECOMPOSED GRANITE BEDROCK: silty sand, dense to very dense, saturated, yellow gray :hard rock veins or inclusions to 97.5 feet				
108- 10- 10- Drive E	108- 1-											
Geotechnical Consultants: Engineers-Geologists								Log of Test Boring No. B-24 El Monte Golf Course 2 of 2				

rilling Da		2	7/03	Dri	lling Ed	quipme	ont	B-61	Surface Elevation:	465
ogged B	y:		BMH	Me	thod/H	lole Siz	ze: <u>Hollow s</u>	tem auger/8"	Bottom Elevation:	<u>~435</u>
(feet) Sample	Type Blow Count	(/foot) Dry Density	Moisture Content (%)	Lab Tests	nscs	Graphic Log	M A	TERIAL D	ESCRIPTION	
В				MD DS	sw		ALLUVIUM (Qai): w dense, moist, mediur	ell-graded sand, r n brown to mediur	nedium to coarse-grained, n	nedium
4- 6 × H	32	96	8.6						:	-
Se Se	4				,					
ss	26									
ss	25		G	s			:cobble layer, appro	kimately one foot	thick	·
× ss	50/6"									٠
ss	50/2"				SM [₽	DECOMPOSED GRAN to very dense, moist, or groundwater at 28 f	ange-gray	ck, silty fine to coarse sand,	dense
arks:						1.	End of boring at 30.2	feet; boring back	filled with bentonite chips	
	symbols ar				n "Expla					
-	SHE	O A B	B 6 4	80 6	1	Date	: February, 2003	Projec	t No.: 97157-03	

Geotechnical Consultants: Engineers-Geologists

B34 g

et) SAMPLES OT		-)			DATE DRILLED	2/24/11	BORING NO.	B-2
sAM	(%)	, (PCF		NOI .	GROUND ELEVATION	ON 438' ± (MSL)	SHEET	Γ <u>2</u> OF <u>5</u>
DEPTH (feet) tulk iven SA BLOWS/FOOT	TURE	SITY	SYMBOL	IFICA S.C.S	METHOD OF DRILL	ING 8" Hollow-Stem Au	uger (Diedrich D-120) (T	Γri-County Drilling)
DEP' Bulk Driven BLOV	MOISTURE (%)	DRY DENSITY (PCF)	SΥ	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT	140 lbs. (Auto. Trip H	ammer) DROF	P30"
	_	DR		O	SAMPLED BYN	LOGGED BY DESCRIPTION	MBG REVIEW	VED BYGTF
20				SP	ALLUVIUM: (Conti Grayish brown, mois	inued) it, medium dense, poo	rly-graded, fine to co	oarse SAND; few gravel.
25 — 12				SP-SM	Grayish brown, mois	it, medium dense, poo	rly-graded, fine to m	nedium SAND with silt.
30 ————————————————————————————————————				SM	Light brown, moist,	medium dense, silty fi	ine to medium SANI	D. — — — — — — — — — — — — — — — — — — —
25					Fine to coarse, silty s	sand.		
40							BORING LO)G
	ny.	10 8	&	M_{D}	ore		EY MINING, RECLAMATIO RGE PROJECT, LAKESIDE	ON, AND GROUNDWATER E, CALIFORNIA
_ ~ ▼	J		_	_		PROJECT NO. 106200005	DATE 7/11	FIGURE A-4

	SAMPLES			E)		_	DATE DRILLED	2/24/11	BORING NO.	B-2
eet)	SAM	DOT	(%) :	/ (PC		NOIE :	GROUND ELEVATION	V 438' ± (MSL)	SHEET	3 OF5
DEPTH (feet)		BLOWS/FOOT	TURE	LSIT	SYMBOL	IFICA S.C.S	METHOD OF DRILLIN	IG 8" Hollow-Stem Auge	er (Diedrich D-120) (Tr	i-County Drilling)
DEP	Bulk Driven	BLOV	MOISTURE (%)	DRY DENSITY (PCF)	S	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT	140 lbs. (Auto. Trip Ham	nmer) DROP	30"
	۵			DR		O	SAMPLED BY MB		MBG REVIEWI	ED BYGTF
		8				SM	ALLUVIUM: (Conting Light brown, saturated	ued) , medium dense, silty	fine to coarse SAN	D.
45		67/10"				SP	Light brown, saturated			
50 -		18				SW-SM	Light brown, saturated fine gravel.	, medium dense, well-	graded, fine to coa	rse SAND with silt; trace
55 -		25					Dense with fine gravel			
60_					####				BORING LO	
		$\mathbf{N}/1$	n_{ℓ}	[0 8	&	Ma	ore	RECHARO	MINING, RECLAMATIO GE PROJECT, LAKESIDE,	
	_	V	U		_			PROJECT NO. 106200005	DATE 7/11	FIGURE A-5

et) SAMPLES OT		F)		_	DATE DRILLED	2/24/11	BORING NO.	B-2
SAM	(%)	/ (PC	_	NOIT :	GROUND ELEVATION	ON 438' ± (MSL)	SHEET	4 OF5
DEPTH (feet) Julk Iven BLOWS/FOOT	TURE	LISN	SYMBOL	S.C.S	METHOD OF DRILL	ING 8" Hollow-Stem Aug	ger (Diedrich D-120) (Tr	i-County Drilling)
DEP Bulk Driven BLOV	MOISTURE (%)	DRY DENSITY (PCF)	S	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT	140 lbs. (Auto. Trip Ha	mmer) DROP	30"
		DR			SAMPLED BY	BG LOGGED BY DESCRIPTION/	MBG REVIEWE	ED BY
15				SW-SM		nued) od, medium dense, wel		
65 — 49				SF-SIVI	Eight orown, surulut	a, delise, postily grade	A, TING STATES WHAT	
70 — 21				SW-SM	Gray, saturated, dens	e, well-graded, fine to	medium SAND with	ı silt.
75 — 23					Dark gray; fine to co	arse sand; trace fine gr	avel.	
	9		uutti	A A -			BORING LOC	
		[D 8	2	Ma	ore	RECHAR	Y MINING, RECLAMATION RGE PROJECT, LAKESIDE,	CALIFORNIA
_ ~ \	U		_	_		PROJECT NO. 106200005	DATE 7/11	FIGURE A-6

DEPTH (feet)	IK SAMPLES en	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED
	Bulk Driven	B	MG	DRY		70	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
		25				SM	ALLUVIUM: (Continued) Brownish black, saturated, medium dense, silty fine SAND. Gray; very dense; fine to medium sand.
85 -		50/1"					Refusal to further drilling.
90 -							Total Depth = 85.5 feet. Groundwater encountered at approximately 41 feet during drilling. Backfilled with approximately 30 cubic feet of bentonite grout shortly after drilling on 2/24/11. Note: Groundwater, though not encountered at the time of drilling, may rise to a higher level due to seasonal variations in precipitation and several other factors as discussed in the report.
95 -							
100		Vi		in i	e i	AAn	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA DROJECT NO. DATE EIGURE
		V	-3	, 2		AI	RECHARGE PROJECT, LAKESIDE, CALIFORNIA

7/11

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/11/11 BORING NO. B-3 GROUND ELEVATION 440' ± (MSL) SHEET1 OF4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT140 lbs. (Auto. Trip Hammer) DROP30" SAMPLED BYMBGLOGGED BYMBGREVIEWED BYGTFDESCRIPTION/INTERPRETATION
5		SP	ALLUVIUM: Gray, moist, loose, poorly-graded, fine to medium SAND; trace subangular gravel (up to ½ inch).
10 —		SM	Brown, moist, medium dense, silty fine SAND.
15 ————————————————————————————————————		SW	Gray, moist, loose, well-graded, fine to coarse SAND.
20	nyo & j	\	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATION METHOD OF DRILL DRIVE WEIGHT	3/11/11 ON 440' ± (MSL) ING 8" Hollow-Stem And 140 lbs. (Auto. Trip Hollow LOGGED BY DESCRIPTION	SHEET uger (Diedrich D-120) (Tr	2 OF4
20 14			SW-SM	ALLUVIUM: (Conti Light brown, moist,			n SAND with silt.
25 — 9			ML		nedium dense, fine sa		
28			SM	Light brown, moist,	medium dense, silty f	ine SAND.	
35 — 5			ML	Dark brown, wet, Too	ose, fine sandy SILT.		
40	<u> </u>			Saturated.			
		_			FI MONTE VALLE	BORING LOC EY MINING, RECLAMATIO	
	nyu :	Š	\mathbf{M}_{I_I}	ore		RGE PROJECT, LAKESIDE,	
Y			Y		106200005	7/11	A-9

DEPTH (feet)	Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/11/11 BORING NO. B-3 GROUND ELEVATION 440' ± (MSL) SHEET 3 OF 4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
45 —		9				SP-SM	ALLUVIUM: (Continued) Dark brown, saturated, medium dense, silty fine SAND; trace fine gravel. Gray, saturated, medium dense, poorly-graded, fine to medium SAND with silt; few fine gravel.
50 —		26					Dark brown, saturated, dense, silty fine to medium SAND.
55 —		30					
60		26					Becomes finer.
00_1	4			in .	e_ 1		BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
		Y "	44		×	$\mathbf{A}I_{\mathcal{A}}$	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
		*				,	106200005 7/11 A-10

et) SAMPLES	L	(9)	CF)		NO	DATE DRILLED3/11/11 BORING NOB-3
DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	BOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATION 440' ± (MSL) SHEET 4 OF 4
EPTF	LOWS	JISTU	DENS	SYMBOL	ASSIFI U.S.0	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
DEP Bulk Driven	ā	Ž	DRY		CC	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF
60	46				SP	DESCRIPTION/INTERPRETATION ALLUVIUM: (Continued)
					OI.	Brown, saturated, dense, poorly-graded, fine to medium SAND.
						Total Depth = 61.5 feet. Groundwater encountered at approximately 39 feet during drilling. Backfilled with approximately 21 cubic feet of bentonite grout on shortly after drilling on 3/11/11.
						Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
65						
70						
75						
80						
			in .	o_		BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
	Y //	14	JU 4	×	$\mathbf{A}I_{\mathcal{A}}$	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

7/11

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED GROUND ELEVATION METHOD OF DRILLIN DRIVE WEIGHT SAMPLED BYM	ON 442' ± (MSL) ING 8" Hollow-Stem Au 140 lbs. (Auto. Trip H BG LOGGED BY	SHEET uger (Diedrich D-120) (Transmer) DROP	1OF4
5 - 7			SP	ALLUVIUM: Light brown, moist, le	oose, poorly-graded,		D.
15			SW-SM	Gray; medium dense; Grayish brown, moist sand.		fine to medium SAN	ID with silt; few coarse
25	nyo ingo	& <u>/</u>	₩a	ore		BORING LOO EY MINING, RECLAMATIO RGE PROJECT, LAKESIDE DATE 7/11	N, AND GROUNDWATER

et) SAMPLES			F)		_	DATE DRILLED	3/11/11 and 3/14/11	BORING NO.	B-4
SAN	ТОС	(%) :	/ (PC	DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATI	ON <u>442' ± (MSL)</u>	SHEE	T2 OF4
DEPTH (feet)	BLOWS/FOOT	TURE	NSIT			METHOD OF DRILL	ING 8" Hollow-Stem Aug	ger (Diedrich D-120) (Tri-County Drilling)
DEP Bulk Driven	BLOV	MOISTURE (%)	Y DEI	ς	LASS U.	DRIVE WEIGHT	140 lbs. (Auto. Trip Har	mmer) DRC	OP
		_	DR		O	SAMPLED BY N	LOGGED BY DESCRIPTION/II	MBG REVIE	WED BYGTF
25 —	17				SP-SM	ALLUVIUM: (Conti Gray, moist, medium	inued) n dense, poorly-graded,	fine to coarse SA	ND; with few fine gravel.
30 —	9				SM	Boring terminated on Boring resumed on 3	nedium dense, silty find n 3/11/11. /14/11. medium dense, fine sand		
35	5	₩.			Saturated; loose.				
				11111111	A A -			BORING LO	
	V//		[0 8	&	Ma	ore	RECHAR	GE PROJECT, LAKESII	
	V	U		_	y -		PROJECT NO. 106200005	DATE 7/11	FIGURE A-13

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED 3/11/11 and 3/14/11 BORING NO. B-4 GROUND ELEVATION 442' ± (MSL) SHEET 3 OF 4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
21		SM	ALLUVIUM: (Continued) Brown, saturated, medium dense, silty fine to medium SAND.
45 ————————————————————————————————————		SP-SM SM	Brown, saturated, medium dense, poorly-graded, fine to coarse SAND with silt. Brown, saturated, medium dense, silty fine to coarse SAND.
29			
15		SW-SM	Brown, saturated, medium dense, well-graded, fine to coarse SAND with silt.
		. AA-	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
	nyu s		EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
Y		V	106200005 7/11 A-14

	Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/11/11 and 3/14/11 BORING NO. B-4 GROUND ELEVATION 442' ± (MSL) SHEET 4 OF 4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION DROP 30" 30" 30"
60		77/9"	127			SP-SM	ALLUVIUM: (Continued) Grayish brown, saturated, very dense, poorly-graded, fine SAND with silt
65 -							Total Depth = 61.5 feet. Groundwater encountered at approximately 35 feet during drilling. Backfilled with approximately 21 cubic feet of bentonite grout shortly after drilling on 3/14/11. Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
70 -					4		
75							
				in i	e- 1	AAn	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
		V "	44		~_	AIn	RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO DATE FIGURE

7/11

DEPTH (feet)	Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/14/11 BORING NO. B-5 GROUND ELEVATION 450'± (MSL) SHEET1 OF4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT140 lbs. (Auto. Trip Hammer) DROP30" SAMPLED BYMBGLOGGED BYMBGREVIEWED BYGTF
5						SM	ALLUVIUM: Dark brown, moist, loose, silty fine SAND; trace roots.
-		8				SP-SM	Grayish brown, moist, loose, poorly-graded, fine to medium SAND with silt.
10		5				SM	Dark brown, moist, loose, silty fine SAND. Gray, moist, medium dense, poorly-graded, fine to medium SAND with silt; trace coarse
15		16				SP-SM	sand.
20_1		N #2					BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
		Y //	14		&	\mathbf{M}_{II}	RECHARGE PROJECT, LAKESIDE, CALIFORNIA
		Y	-			▼	PROJECT NO. DATE FIGURE 106200005 7/11 A-16

DEPTH (feet) Bulk Bulk SAMPLES BI OWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED GROUND ELEVATION 2 METHOD OF DRILLING DRIVE WEIGHT 14 SAMPLED BY MBG ALLUVIUM: (Continued)	8" Hollow-Stem A 0 lbs. (Auto. Trip H LOGGED BY DESCRIPTION	SHEET uger (Diedrich D-120) (Tr	2 OF4
20			Gi	Gray, moist, medium den	se, poorly-graded		
25			SW-SM	gravel.			with silt; trace angular
7			ML SM	Dark brown, moist, loose			
35			ЭМ				
40	-•					BORING LO	<u> </u>
	M	10 8	M	ore	RECHA	EY MINING, RECLAMATIO RGE PROJECT, LAKESIDE,	N, AND GROUNDWATER CALIFORNIA
_ ~ ▼	U		- 🔻 -		PROJECT NO. 106200005	DATE 7/11	FIGURE A-17

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED
6	<u></u>		ML	ALLUVIUM: (Continued) Dark brown, moist, loose, fine sandy SILT. Saturated.
20			SM	Dark brown, saturated, medium dense to dense, silty fine SAND.
22			SP-SM	Dark brown, saturated, medium dense, poorly-graded, fine SAND with silt.
23			SW-SM	Brown, saturated, dense, well-graded, fine to medium SAND with silt.
	nuo	&	Mn	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
- V	J-		A "	PROJECT NO. DATE FIGURE 106200005 7/11 A-18

	SAMPLES			.F)		7	DATE DRILLED 3/14/11 BORING NO B-5
eet)	SAN	ТОО	(%) =	Y (PC	٦	CLASSIFICATION U.S.C.S.	GROUND ELEVATION 450' ± (MSL) SHEET 4 OF 4
DEPTH (feet)		BLOWS/FOOT	MOISTURE (%)	NSIT	SYMBOL		METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
BE	Bulk	BLO	MOIS	DRY DENSITY (PCF)	်		DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
				PA			SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
60		39				SP-SM	ALLUVIUM: (Continued) Dark brown, saturated, medium dense, poorly-graded, fine to medium SAND with silt; trace coarse sand.
							Total Depth = 61.5 feet. Groundwater encountered at approximately 43 feet during drilling. Backfilled with approximately 21 cubic feet of bentonite grout shortly after drilling on 3/14/11.
							Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
65 -							variations in precipitation and several outer ractors as discussed in the report.
70 -					<		
75 -							
80							BORING LOG
		Vi		10	&	AAn	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO DATE FIGURE
		V	J	_		A 7 7	PROJECT NO. DATE FIGURE

7/11

DEPTH (feet) Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 2/25/11 BORING NO. B-6 GROUND ELEVATION 455' ± (MSL) SHEET1 OF4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP
5	9				SM	ALLUVIUM: Light brown, damp, loose, silty, fine to medium SAND. Grayish brown, damp, loose, well-graded, medium to coarse SAND.
10 —	12				SM-SM	Brown, moist, loose, silty SAND; trace roots. Gray, damp, loose, well-graded, fine to medium SAND with silt. Gray and light brown, moist, medium dense, poorly-graded, fine to medium SAND with
20	13	74	10 s	& /	Νa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE 106200005 7/11 A-20

et) SAMPLES OT		(-			DATE DRILLED2/25/11 BORING NOB-6
et) SAMI	(%)	PCF	DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATION 455' ± (MSL) SHEET _ 2 OF _ 4
DEPTH (feet) ulk SAl iven SAl	URE	\TIS\			METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEP7 Bulk Driven BLOW	MOISTURE (%)	Y DEN	λS		DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
		DR		Ö	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
20				SW-SM	ALLUVIUM: (Continued) Dark brown, moist, medium dense, well-graded, fine to coarse SAND with silt and gravel.
25 20				SP-SM	Grayish brown, moist, medium dense to dense, poorly-graded, fine to medium SAND with silt.
30 ————————————————————————————————————					Medium dense.
35 10	¥				Saturated.
	<u> </u>		<u>116661</u>		BORING LOG
	N	[0 8	&	Ma	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
	U		_		PROJECT NO. DATE FIGURE 106200005 7/11 A-21

SAMPLES OT (%) (PCF)	DATE DRILLED
SAM SAM (%) (%) LION LION	GROUND ELEVATION 455' ± (MSL) SHEET3 OF4
DEPTH (feet) sulk iven BLOWS/FOOT MOISTURE (%) Y DENSITY (PC SYMBOL ASSIFICATIO U.S.C.S.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEPTH (feet) Bulk Driven BLOWS/FOOT MOISTURE (%) DRY DENSITY (PCF) SYMBOL CLASSIFICATION U.S.C.S.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
40 8 ML 45 2 50/2"	ALLUVIUM: (Continued) Dark brown, saturated, loose, fine sandy SILT. Very dense.
50 50/2"	METAVOLCANIC ROCK: Dark brown, saturated, soft, weathered METAVOLCANIC ROCK.
55 50/5"	Light brown and gray.
60	BORING LOG
<i>Minyo & M</i> o	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA
'Y3- 'Y\-	PROJECT NO. DATE FIGURE 106200005 7/11 A-22

£	SAMPLES	Τ	%)	PCF)		NOIL	DATE DRILLED 2/25/11 BORING NO. B-6 GROUND ELEVATION 455' ± (MSL) SHEET 4 OF 4
DEPTH (feet)	05	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	ICATI .C.S.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
===	Bulk Driven	NOM8	OIST	DEN	SYN	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
	P. D.	ш	2	DRY			SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF
60		50/4"			#55.5		DESCRIPTION/INTERPRETATION METAVOL CANIC ROCK: (Continued)
							METAVOLCANIC ROCK: (Continued) Light brown and gray, saturated, soft, weathered METAVOLCANIC ROCK. Total Depth = 60.3 feet.
							Groundwater encountered at approximately 35 feet during drilling. Backfilled with approximately 21 cubic feet of bentonite grout shortly after drilling on 2/25/11. Note:
							Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
65 -							
70 -							
/0							
75 -							
/3							
80							
		A #2				44-	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
		Y //	14		&	\mathbf{M}_{II}	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

7/11

et) SAMPLES OT	(%)	(PCF)		NOI	DATE DRILLED 3/1/11 BORING NO. B-7 GROUND ELEVATION 453' ± (MSL) SHEET 1 OF 5
H (fee	WS/FO // YEITURE // YEITURE	SITY (SYMBOL	CLASSIFICATION U.S.C.S.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEPT Bulk Driven BLOW		/ DEN			DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
	2	DR		Ö	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
				SM	ALLUVIUM: Brown, moist, loose, silty fine to medium SAND.
5 — 15				SP	Grayish brown, damp, medium dense, poorly-graded, fine to coarse SAND with fine gravel.
10 — 15				SP-SM	Light brown, moist, medium dense, poorly-graded, fine to medium SAND with silt; trace roots.
15 11				SW-SM	Gray to light brown, moist, medium dense, well-graded, fine to medium SAND with silt.
			autiti:		BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
	74	JU 8	&	\mathbf{M}_{II}	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
Y				▼	106200005 7/11 A-24

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/1/11 BORING NO. B-7 GROUND ELEVATION 453' ± (MSL) SHEET _ 2 OF _ 5 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT
20 18		S	SW-SM	ALLUVIUM: (Continued) Gray to light brown, moist, medium dense, well-graded, fine to coarse SAND with silt.
19				
17		, ,	SP-SM	Gray to light brown, saturated, medium dense, poorly-graded, fine to medium SAND with silt; micaceous
17			ML	Brown, saturated, medium dense, fine sandy SILT; micaceous.
40		<u></u>		BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
	nyo	Š.	M_{II}	RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
Y			Y	106200005 7/11 A-25

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED
40 25		ML_ SP-SM	ALLUVIUM: (Continued) Brown, saturated, medium dense, fine sandy SILT; micaceous. Brown, saturated, dense, poorly-graded, fine to medium SAND with silt.
45 ————————————————————————————————————		SM	Brown, saturate, dense, silty fine SAND; micaceous.
50		SP	Light brown, saturated, medium dense, poorly-graded, fine to coarse SAND.
55 — 27		SW-SM	Light brown, saturated, dense, well-graded, fine to coarse SAND with silt.
	nyo		BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA
- - - - - - - - - -	7	A 7 -2	PROJECT NO. DATE FIGURE 106200005 7/11 A-26

Bulk SAMPLES	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	S CLASSIFICATION U.S.C.S.	DATE DRILLED 3/1/11 BORING NO. B-7 GROUND ELEVATION 453'± (MSL) SHEET 4 OF 5 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION ALLUVIUM: (Continued)
65 —	26				<u>-</u>	Reddish brown, saturated, dense, silty fine to coarse SAND; few gravel. Reddish brown, saturated, medium dense, fine sandy SILT.
70 —	19				SM	Reddish brown, saturated, medium dense, silty fine to coarse SAND with fine gravel.
75 —	18					
80	23					Dense; no gravel. BORING LOG
	V ii	74	10	&	Mα	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
	Y				▼	106200005 7/11 A-27

DEPTH (feet)	Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/1/11 BORING NO. B-7 GROUND ELEVATION 453' ± (MSL) SHEET 5 OF 5 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
		89/11"			一個人のないできるないないないできるからないないできるからないないないないないないないないないないないないないないないないないないない	SM	ALLUVIUM: (Continued) Dark brown, saturated, very dense, silty fine to medium SAND; with fine gravel. METAVOLCANIC ROCK: Yellow and brown, saturated, soft, weathered METAVOLCANIC ROCK.
		76			The state of the s		Total Depth = 86.5 feet. Groundwater encountered at approximately 30 feet during drilling. Backfilled with approximately 30 cubic feet of bentonite grout shortly after drilling on 3/1/11. Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
		Vi		10	&	Mo	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA DROJECT NO. DATE FIGURE
		V		, —			PRO JECT NO DATE FIGURE

7/11

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED
5 — 22		SM	ALLUVIUM: Brown, moist, loose, silty fine SAND. Gray, moist, medium dense, poorly-graded, fine to medium SAND; trace coarse sand and gravel (up to ½ inch).
15		SP-SM	Gray, moist, medium dense, poorly-graded, fine to medium SAND with silt. Medium dense to dense.
	nyo	• M a	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
,		Y	106200005 7/11 A-29

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED
27			SP	ALLUVIUM: (Continued) Gray, moist, medium dense, poorly-graded, fine to medium SAND. Reddish brown; fine to coarse sand.
25 — 36			SM	Brown, wet, dense to very dense, silty fine SAND; with gravel.
			SW 	Gray, moist, very dense, well-graded, fine to coarse SAND with some gravel (up to 1 inch). Reddish brown, wet, dense, fine sandy SILT; micaceous.
29				
51				
40				BORING LOG
	nyo	&	Mα	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA
_ 🔻	U		V –	PROJECT NO. DATE FIGURE 106200005 7/11 A-30

et) SAMPLES OT	<u>(</u>		DATE DRILLED3/3/11 BORING NOB-8
SAM	(%) (PCF	NOIT:	GROUND ELEVATION 456' ± (MSL) SHEET 3 OF 4
DEPTH (feet) ulk SAI	MOISTURE (%)	SYMBOL SSIFICAT U.S.C.S.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEP Bulk Driven BLOV	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DRIVE WEIGHT140 lbs. (Auto. Trip Hammer) DROP30"
		0	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
15	<u></u>	ML	ALLUVIUM: (Continued) Reddish brown, saturated, medium dense, fine sandy SILT.
45		 SM	Grayish brown, saturated, dense, silty fine to coarse SAND.
27			Trace gravel (up to ½ inch).
50			
55			Reddish brown; silty fine sand.
55			
79/8"		,6°C °2, °C	METAVOLCANIC ROCK:
60			Dark gray, saturated, soft, weathered METAVOLCANIC ROCK.
			BORING LOG
	740 s	\$ M 0	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
V	•	T	PROJECT NO. DATE FIGURE 106200005 7/11 A-31

	SAMPLES)	CF)			DATE DRILLED3/3/11 BORING NOB-8	
(feet)	-SA	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	占	CLASSIFICATION U.S.C.S.	GROUND ELEVATION 456' ± (MSL) SHEET 4 OF 4	
DEPTH (feet)		WS/F	STUR	ISNE	SYMBOL	SYMB SIFIC	SIFIC J.S.C.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
	Bulk	BLC	MOIS	א אצ	S	CLAS	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"	
							SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION	
60	1	50/5"			(18) = (18) = (18) =		METAVOLCANIC ROCK: (Continued) Dark gray, saturated, soft, weathered METAVOLCANIC ROCK.	
	\coprod	30/5"			· 1888		Dark gray, saturated, soft, weathered METAVOLCANIC ROCK. Total Depth = 61.0 feet.	
							Groundwater encountered at approximately 40 feet during drilling. Backfilled with approximately 21 cubic feet of bentonite grout shortly after drilling on 3/3/11. Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal	
65 -							variations in precipitation and several other factors as discussed in the report.	
70 -						4		
					<			
75 -								
	+							
	+							
80_							DODING LOG	
		A / i		in.	e I	AAn	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO DATE FIGURE	
		7 -	4		~	AIn	RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE	

DEPTH (feet) Bulk Driven BLOWS/FOOT MOISTURE (%)	DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/2/11 BORING NO. B-9 GROUND ELEVATION 460' ± (MSL) SHEET 1 OF 4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
		SP SP	ALLUVIUM: Brown, moist, loose, silty fine to medium SAND. Gray, moist, medium dense, poorly-graded, fine to medium SAND; trace fine to coarse gravel.
5 —————————————————————————————————————			
22		SW-SM	Gray, moist, dense, well-graded, fine to coarse SAND with silt.
16			Medium dense.
	TA e		BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
Miny		AIn	RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE 106200005 7/11 A-33

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL CLASSIFICATION	GROUND ELEVAT	TION 460' ± (MSL) LING 8" Hollow-Stem Au 140 lbs. (Auto. Trip Ha MBG LOGGED BY	ager (Diedrich D-120) (Tri	2 OF 4 -County Drilling)
20 6			ML		tinued) pose, fine sandy SILT; r	nicaceous.	
25 — 17			SM		ense, well-graded, fine		
24							
28	₩/		SP-S	micaceous.	, saturated, medium der		
40			SW-S	Gray, saturated, ver	y dense, well-graded, fi	ne to coarse SAND v	vith silt.
				l		BORING LOC	
		1 8	: //	oore		Y MINING, RECLAMATION RGE PROJECT, LAKESIDE,	N, AND GROUNDWATER
_ ~ ▼ -	J	_	- Y •		PROJECT NO. 106200005	DATE 7/11	FIGURE A-34

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	STMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED 3/2/11 BORING NO. B-9 GROUND ELEVATION 460' ± (MSL) SHEET 3 OF 4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
51		SW-SM	ALLUVIUM: (Continued) Gray, saturated, very dense, well-graded, fine to coarse SAND with silt; trace fine to coarse gravel.
23		SM	Reddish brown, saturated, dense, silty fine SAND; micaceous.
59		ML	Reddish brown, saturated, dense, fine sandy SILT.
31			
	niin .	AAc	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
	nyo &	Min	
<u> </u>			106200005 7/11 A-35

DEPTH (feet)	Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATION METHOD OF DRILL DRIVE WEIGHT	3/2/11 ON 460' ± (MSL) ING 8" Hollow-Stem Au 140 lbs. (Auto. Trip H BG LOGGED BY DESCRIPTION	SHEET ager (Diedrich D-120) (Tr ammer) DROP	4 OF4
60		18				ML		rated, medium dense,		
		50/6"				SP-SM	to coarse gravel.			AND with silt; some fine
		65			さいているとうとないないないでき	SM	METAVOLCANIC	nse, silty fine SAND. ROCK: urated, soft, weathere		PROCK.
		53			メラット でいかい		Backfilled with appr 3/2/11. Note: Groundwater may ris	tered at approximatel oximately 27 cubic fe	et of bentonite grout s an that measured in bo or factors as discussed	orehole due to seasonal in the report.
		Vi	T L	10 8	& <i> </i>	DN	ore		BORING LOC EY MINING, RECLAMATION RGE PROJECT, LAKESIDE,	N, AND GROUNDWATER
		V	J					PROJECT NO. 106200005	DATE 7/11	FIGURE A-36

DEPTH (feet) Bulk SAMPLES	WS/FO	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATI		SHEET uger (Diedrich D-120) (Tr	1OF4
5——————————————————————————————————————	6				SM	ALLUVIUM: Grayish brown, mois Medium dense; few	st, loose, silty fine SA		
15	8				SM SM	Brown, moist, mediu	m dense, well-graded, find SA	AND.	
	Ŋi	ny	[0	&	Mα	ore		BORING LOC EY MINING, RECLAMATIO RGE PROJECT, LAKESIDE, DATE 7/11	N, AND GROUNDWATER

Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED GROUND ELEVATION METHOD OF DRILLIN DRIVE WEIGHT SAMPLED BYM	ON 475' ± (MSL) NG 8" Hollow-Stem At 140 lbs. (Auto. Trip H BG LOGGED BY DESCRIPTION	SHEE siger (Diedrich D-120) (Sammer) DRO	Γ <u>2</u> OF <u>4</u>
7				ML	ALLUVIUM: (Conting Dark brown, moist, lo	oose to medium dense	•	
25 ————————————————————————————————————				SM	Light brown, moist, n	nedium dense, silty fi	ine SAND.	
21					Dense; trace medium Boring terminated on Boring resumed on 3/			
35 ————————————————————————————————————				SW-SM	Light brown, moist, n coarse sand.	nedium dense, well-g	raded, fine to mediu	ım SAND with silt; little
40				SM	Grayish brown, moist	, medium dense, silty	fine to coarse SAN	ĪD.
	9			A A -			BORING LC	
		[D 8	&	Ma	ore	RECHA	RGE PROJECT, LAKESID	
- 7	U	'	_	V -		PROJECT NO. 106200005	DATE 7/11	FIGURE A-38

et) SAMPLES			CF)			DATE DRILLED
feet)	.00T	MOISTURE (%)	DRY DENSITY (PCF)	占	CLASSIFICATION U.S.C.S.	GROUND ELEVATION <u>475' ± (MSL)</u> SHEET <u>3</u> OF <u>4</u>
DEPTH (feet)	BLOWS/FOOT	STUR	INSI	SYMBOL	SIFIC.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEP Bulk Driven	BLO	MOIS	۲Y DE	S) LAS	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
			<u> </u>			SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
40	15				SM	ALLUVIUM: (Continued) Grayish brown to dark brown, wet, medium dense, silty fine SAND.
45 —	20	\ <u>\</u>				Brown, saturated, medium dense to dense, silty fine to medium SAND; trace coarse sand
50					SW-SM	Brown, saturated, dense, well-graded, fine to medium SAND with silt.
	26					
55	50/2"				SM	Dark brown, saturated, very dense, silty fine SAND; trace gravel (up to 11/4 inches).
	50/3"					
60				<u> </u>		BORING LOG
	VŽ	n_{ℓ}	10	&	Ma	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
	V	U			V -	PROJECT NO. DATE FIGURE 106200005 7/11 A-39

DEPTH (feet)	SAMPLES	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	SSIFICATION U.S.C.S.	DATE DRILLED 3/9/11 - 3/10/11 BORING NO. B-10 GROUND ELEVATION 475' ± (MSL) SHEET 4 OF 4 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEP.	Bulk Driven	BLOV	SIOM	DRY DEI	SY	CLASS U.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION	
60		34				SM	ALLUVIUM: (Continued) Dark brown, saturated, very dense, silty fine SAND.	
65 -							Total Depth = 61.5 feet. Groundwater encountered at approximately 44 feet during drilling. Backfilled with approximately 21 cubic feet of bentonite grout shortly after drilling on 3/10/11. Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.	
70 -					<			
75 -								
80_					<u> </u>	A A -	BORING LOG	
		Y //	14		&	\mathbf{M}_{II}	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE	

	Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED
5 10 15		11 7	3.2	91.1		SW	ALLUYIUM: Grayish and yellowish brown, damp, loose, well-graded, fine to medium SAND; trace silt; micaceous. Loose to medium dense; well-graded, fine to coarse SAND; fewer silt. Dry to damp; medium dense.
20		V i	74	10	&	Μa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.	DATE DRILLED
20 7		SM	ALLUVIUM: (Continued) Dark brown, damp to moist, loose to medium dense, silty fine SAND; micaceous. Grayish brown, dry to damp, medium dense, well-graded, fine to coarse SAND;
25 28	4.1 100.7	SW	Grayish brown, dry to damp, medium dense, well-graded, fine to coarse SAND; micaceous.
30 —			Total Depth = 26.5 feet. Groundwater not encountered. Backfilled with approximately 9 cubic feet of bentonite grout shortly after drilling on 2/23/11. Note: Groundwater, though not encountered at the time of drilling, may rise to a higher level due to seasonal variations in precipitation and several other factors as discussed in the report.
35			
	nyo &	Wa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

7/11

A-53


DEPTH (feet) Bulk Driven BLOWS/FOOT MOISTURE (%) DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED
10	ML	Dark brown, damp, loose to medium dense, fine sandy SILT; scattered medium to coarse sand; micaceous. Dark brown, damp, loose to medium dense, silty fine SAND; scattered medium to coarse sand; micaceous.
Minyo	× Mi	
		106200005 7/11 A-54

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED				
25			SM	ALLUVIUM: (Continued) Dark brown, damp, loose to medium dense, silty fine SAND; scattered medium to coarse sand; micaceous. Few medium to coarse sand; fewer silt.				
30								
35								
40	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE							
_ 🔻	U		V -	PROJECT NO. DATE FIGURE 106200005 7/11 A-55				

DEPTH (feet) Bulk Driven BLOWS/FOOT MOISTURE (%) DRY DENSITY (PCF) SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED 2/23/11 BORING NO. GROUND ELEVATION 436' ± (MSL) SHEET METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (T DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROF SAMPLED BY MJB LOGGED BY MJB REVIEW DESCRIPTION/INTERPRETATION	ri-County Drilling) 3 OF 5 ri-County Drilling)
40 SM	Brown, damp, medium dense, silty fine SAND; some medium	
45 SW	Grayish brown, saturated, medium dense to dense, well-graded micaceous.	, fine to coarse SAND;
55	DODING I O	C
<i>Ninyo & M</i>	EL MONTE VALLEY MINING, RECLAMATION RECHARGE PROJECT, LAKESIDE PROJECT NO. DATE 106200005 7/11	ON, AND GROUNDWATER

eet)	DOT	(%) :	DRY DENSITY (PCF)	ب	CLASSIFICATION U.S.C.S.	DATE DRILLED	2/23/11 ON 436' ± (MSL)	BORING NO	B-15 4 OF5
DEPTH (feet)	iven Car	MOISTURE (%)	NSIT	SYMBOL		METHOD OF DRILL	ING 8" Hollow-Stem Au	ger (Diedrich D-120) (Tr	ri-County Drilling)
DEP	Oriven BLO	MOIS	۲Y DE	S		DRIVE WEIGHT _	140 lbs. (Auto. Trip Ha	ammer) DROP	30"
			AQ					MJB REVIEW	ED BY GTF
60	20				SW-SM	ALLUVIUM: (Cont Grayish brown, satur with silt; micaceous.	rated, medium dense to	o dense, well-graded,	, fine to coarse SAND
65	51					Dense.			
75	21								
-	39				SW+GW	Medium dense.	vn, saturated, very den	se well-graded fine	to coarse SAND and
80				3	SVV+GVV	GRAVEL; micaceou		so, wen-graded, fille	to coarse SAND and
		50 F		_			FL MONTE VALLE	BORING LO	
	/ \//	14	JU 8	Ý	\mathbf{M}_{I}	ore		RGE PROJECT, LAKESIDE, DATE	
	▼	3			▼		106200005	7/11	A-57

DEPTH (fee	Driven SAMPLES	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 2/23/11 BORING NO. B-15 GROUND ELEVATION 436' ± (MSL) SHEET 5 OF 5 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MJB LOGGED BY MJB REVIEWED BY GTF DESCRIPTION/INTERPRETATION
85		50/4"				SW+GW	
90 —		50/4"				GP-GM	Gray, saturated, very dense, poorly-graded, fine to coarse GRAVEL with silt; some cobbles. Refusal to further drilling. Total Depth = 91.0 feet. Groundwater encountered at approximately 45 feet during drilling. Backfilled with approximately 32 cubic feet of bentonite grout shortly after drilling on 2/23/11. Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
100	Ninyo & Moore						BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA
	_	Y	U		_	V	PROJECT NO. DATE FIGURE 106200005 7/11 A-58



DEPTH (feet) Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/14/11 BORING NO. B-16 GROUND ELEVATION 444' ± (MSL) SHEET 2 OF 3 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF	
20	12				SP-SM	ALLUVIUM: (Continued) Gray, damp, medium dense, fine sandy SILT; trace medium sand.	
25	9				SM	Brown to gray, moist, medium dense, silty fine SAND.	
30	16				ØP	Gray, moist, medium dense, poorly-graded, fine SAND.	
35	9				SM	Gray to brown, moist, medium dense, silty fine SAND.	
40				意		METAVOLCANIC ROCK: Yellow, moist, soft, weathered METAVOLCANIC ROCK. ROPING LOG	
	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE 106200005 7/11 A-60						

DATE DRILL (A) (B) (B) (B) (B) (B) (B) (B)	LED
\$\\ \frac{1}{2} \rightarrow \frac{1} \rightarrow \frac{1}{2} \rightarrow \frac{1}{2} \rightarrow \f	SHEET 3 OF 3 OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
BLOWS	GHT 140 lbs. (Auto. Trip Hammer) DROP 30"
SAMPLED	
40 METAVOI	DESCRIPTION/INTERPRETATION CANIC ROCK: (Continued)
Yellow, mo	ist, soft, weathered METAVOLCANIC ROCK.
45 Refusal to fi	urther drilling. = 45.2 feet.
Groundwater Groundwater	r not encountered.
Backfilled v 3/14/11.	vith approximately 16 cubic feet of bentonite grout shortly after drilling on
Note:	
due to seaso	r, though not encountered at the time of drilling, may rise to a higher level nal variations in precipitation and several other factors as discussed in the
report.	
50	
55	
<i>Ninyo & M</i> oore	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER

7/11

A-61

DEPTH (feet) Bulk SAMPLES	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED GROUND ELEVATION METHOD OF DRILLI DRIVE WEIGHT SAMPLED BYMI	DN 443' ± (MSL) ING 8" Hollow-Stem At 140 lbs. (Auto. Trip H BG LOGGED BY	ammer) DROP	1 OF2 i-County Drilling)
0					SM	ALLUVIUM: Grayish brown, damp			
5	9	3.8	100.0		SW	Gray, dry to damp, lo	ose, well-graded, fine	e to coarse SAND.	
10	14	15.2	97.4		SM	Light brown, moist, n	nedium dense, silty, 1	fine to coarse SAND;	trace roots.
20	14	15.2	97.4			Brown.			
			in i	e- 1	AAn	nro		BORING LOC	N, AND GROUNDWATER
		"3		× /	AIG	ore	RECHA PROJECT NO. 106200005	RGE PROJECT, LAKESIDE, DATE 7/11	CALIFORNIA FIGURE A-62

	Bulk SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 2/25/11 BORING NO. B-17 GROUND ELEVATION 443' ± (MSL) SHEET 2 OF 2 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
20		8				SM SW	ALLUVIUM: (Continued) Brown, moist, medium dense, silty fine to coarse SAND. Gray, dry to damp, medium dense, well-graded, fine to medium SAND.
25 +			3.2	101.0		SM	Brown, moist, medium dense, silty SAND. Total Depth = 26.5 feet. Groundwater not encountered.
30 —							Backfilled with approximately 9 cubic feet of bentonite grout shortly after drilling on 2/25/11. Note: Groundwater, though not encountered at the time of drilling, may rise to a higher level due to seasonal variations in precipitation and several other factors as discussed in the report.
35 —							
40		V i	ny	[0 8	&	W a	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE


7/11

A-63

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED 3/10/11 - 3/11/11 BOF GROUND ELEVATION 444' ± (MSL) METHOD OF DRILLING 8" Hollow-Stem Auger (Diec DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) SAMPLED BY MBG LOGGED BY MBG DESCRIPTION/INTERF	SHEET 1 OF 3 drich D-120) (Tri-County Drilling) DROP 30" G REVIEWED BY GTF			
5 — 20		SW	ALLUVIUM: Light brown, moist, loose, well-graded, fine to coa	arse SAND.			
15 18		SW-SM	Gray, moist, medium dense, well-graded, fine to n				
	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE						
'		· · · · · · · · · · · · · · · · · · ·	106200005	7/11 A-66			

et) SAMPLES			F)		-	DATE DRILLED	3/10/11 - 3/11/11	BORING NO.	B-19
set)	700	(%)	Y (PC	بِ	TION :	GROUND ELEVATION	ON 444' ± (MSL)	SHEET	2 OF3
DEPTH (feet)	BLOWS/FOOT	TURE	NSIT	SYMBOL	SIFICA S.C.S	METHOD OF DRILL	ING 8" Hollow-Stem Aug	ger (Diedrich D-120) (Tr	i-County Drilling)
DEP Bulk Driven	BLO\	MOISTURE (%)	DRY DENSITY (PCF)	S	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT	140 lbs. (Auto. Trip Ha	mmer) DROP	30"
			DR			SAMPLED BY M	BG LOGGED BY DESCRIPTION/	MBG REVIEWI	ED BY
20	7				SM SW-SM		nued) bose to medium dense, t, medium dense, well-		um SAND with silt.
25	27					Boring terminated on Boring resumed on 3	/11/11.	Alima CAND	
30	4	↓			SM		t, loose, silty fine to m		
40	17				SP	Grayish brown, satur	ated, medium dense, p	oorly-graded, fine to	medium SAND.
	1 /2				44-	one	EL MONTE WALLEY	BORING LOC	
	VII	$I_{+}^{\prime\prime}$		&	$\mathbf{M}_{\boldsymbol{\mathcal{G}}}$	ore	RECHAR	MINING, RECLAMATIO GE PROJECT, LAKESIDE,	CALIFORNIA
	V			_	V		PROJECT NO. 106200005	DATE 7/11	figure A-67

	Bulk SAMPLES	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATI METHOD OF DRILL DRIVE WEIGHT		SHEET ager (Diedrich D-120) (Tr ammer) DROP	3 OF3
45 —		19				SP	coarse sand.	ed, medium dense, poo		edium SAND; little
-		9				SM	Dark brown, saturate	ed, medium dense, silt	y fine SAND.	
50		10					Loose.			
55 —		21					Dense. Refusal on gravel an	d cobbles		
60		50/1"			EFFEFE		Total Depth = 57.1 f Groundwater encour Backfilled with appr 3/11/11. Note: Groundwater i	eet. Attered at approximately oximately 20 cubic fermay rise to a level high	et of bentonite grout her than that measure	shortly after drilling on
	1		5e =	ıe	_			FI MONTE VALLE	BORING LOC	
		Y //	14		Ý	\mathbf{M}_{I_I}	ore		RGE PROJECT, LAKESIDE, DATE	
		7				▼		106200005	7/11	A-68



et) SAMPLES OT	%) (PCF)		NOI	DATE DRILLED 3/10/11 BORING NO. B-20 GROUND ELEVATION 445' ± (MSL) SHEET 2 OF 2					
DEPTH (feet) ulk iven SAL	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)					
DEPT Bulk Driven BLOW	MOIST	SYI	LASSI U.S	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"					
	DR		O	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION					
20 21			SM	ALLUVIUM: (Continued) Light brown, moist, dense, silty fine SAND.					
				Dark brown, moist, loose, fine sandy SILT; some fine to medium sand.					
25 ————————————————————————————————————									
				Total Depth = 26.5 feet. Groundwater not encountered.					
				Backfilled with approximately 9 cubic feet of bentonite grout shortly after drilling on 3/10/11.					
				Note: Groundwater, though not encountered at the time of drilling, may rise to a higher level					
30			4	due to seasonal variations in precipitation and several other factors as discussed in the report.					
35									
40				BORING LOG					
	nyo	&	\mathbf{W}_{a}	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE					

et) SAMPLES OT		(-		DATE DRILLED	3/10/11	BORING NO.	B-21
et) SAMI	(%)	(PCF	NO E .	GROUND ELEVATION	N 450' ± (MSL)	SHEET	1OF2
DEPTH (feet) ulk iven SAI	IURE	VSITY	SYMBOL SSIFICAT U.S.C.S.	METHOD OF DRILLIN	IG 8" Hollow-Stem Aug	ger (Diedrich D-120) (Tri	i-County Drilling)
DEP' Bulk Driven BLOW	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DRIVE WEIGHT	140 lbs. (Auto. Trip Ha	mmer) DROP	30"
	_	DR	Ö	SAMPLED BY MB		MBG REVIEWE	ED BY
5			SM	ALLUVIUM: Brown, moist, loose, s Trace coarse sand; trace Trace gravel (up to 3/4) Silty fine to medium sales	e roots.		
		<u></u>				BORING LOC	
	NY	1 8	M	ore	RECHAR	Y MINING, RECLAMATION RGE PROJECT, LAKESIDE,	N, AND GROUNDWATER CALIFORNIA
- V	J	·	- y -		PROJECT NO. 106200005	DATE 7/11	FIGURE A-71

Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF) SYMBOL	GROUND EL METHOD OF DRIVE WEIG SAMPLED B	LED 3/10/11 BORING NO. B-21 LEVATION 450' ± (MSL) SHEET 2 OF 2 F DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) GHT 140 lbs. (Auto. Trip Hammer) DROP 30" BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
25		Refusal to fur Total Depth = Groundwater Backfilled wi 3/10/11. Note: Groundwater	
40	nyo & /	Noore	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

et) SAMPLES OT	(E		_	DATE DRILLED	2/24/11	BORING NO.	B-22
SAM	(%)		NOIL :	GROUND ELEVATION	ON 454' ± (MSL)	SHEET	1OF2
DEPTH (feet) sulk iven SA	TURE 	SYMBOL	CLASSIFICATION U.S.C.S.	METHOD OF DRILL	ING 8" Hollow-Stem Au	nger (Diedrich D-120) (Tr	i-County Drilling)
DEP Bulk Driven BLOV	MOISTURE (%) DRY DENSITY (PCF)	S	LASS U.	DRIVE WEIGHT	140 lbs. (Auto. Trip H	ammer) DROP	30"
	, A		0	SAMPLED BYM	LOGGED BY DESCRIPTION	MBG REVIEWI	ED BYGTF
			SM		silty, fine to medium		
5 — 18			SW	Gray, moist, medium	dense, well-graded, f	fine to coarse SAND.	
9				Loose.			
15 ————————————————————————————————————	3.6 103.	7		Dry to damp; mediur	n dense.		
20						BORING LO	
	nyo	&	DM	ore		EY MINING, RECLAMATIO RGE PROJECT, LAKESIDE,	N, AND GROUNDWATER
- V	U		_		PROJECT NO. 106200005	DATE 7/11	FIGURE A-73

DEPTH (feet) Bulk Briven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.	DATE DRILLED
18		ML	ALLUVIUM: (Continued) Gray to grayish brown, moist, medium dense, fine sandy SILT.
19		SC	Brown, moist, stiff, clayey fine SAND. Total Depth = 26.5 feet. Groundwater not encountered. Backfilled with approximately 9 cubic feet of bentonite grout shortly after drilling on 2/24/11. Note: Groundwater, though not encountered at the time of drilling, may rise to a higher level due to seasonal variations in precipitation and several other factors as discussed in the
30			report.
35			
	nyo & j	Wa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

DEPTH (feet) Bulk Bulk BLOWS/FOOT MOISTURE (%) DRY DENSITY (PCF) SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED 2/2 GROUND ELEVATION METHOD OF DRILLING DRIVE WEIGHT 1. SAMPLED BY MBG	455' ± (MSL) 8 " Hollow-Stem Aug 40 lbs. (Auto. Trip Ha	SHEET ger (Diedrich D-120) (Tr	1OF5
5 - SM	ALLUVIUM: Brown, damp, loose, silty Medium dense; scattered	y fine to medium S	AND.	
<i>Ninyo & M</i> o	ore	RECHAR	BORING LOO Y MINING, RECLAMATION GE PROJECT, LAKESIDE,	N, AND GROUNDWATER CALIFORNIA
- 7 6 - 7 -		PROJECT NO. 106200005	DATE 7/11	FIGURE A-75

et) SAMPLES OT				DATE DRILLED 2/28/11 and 3/1/11 BORING NO B-23
et) SAMI	(%)	(PCF	NOL .	GROUND ELEVATION 455' ± (MSL) SHEET2 OF5
DEPTH (feet) ulk ven sLOWS/FOOT	J. L.	DENSITY (FICA.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
	2	DR	l g	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
20			SM	ALLUVIUM: (Continued) Brown, damp, medium dense, silty fine to medium SAND.
25 —				Brown, damp, medium dense, silty fine to medium SAND. Scattered fine to coarse gravel.
30				
35	<u>₹</u>			Saturated.
40				
	50 = =		44-	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER
	114	U &	Ma	RECHARGE PROJECT, LAKESIDE, CALIFORNIA
_ 🔻			y –	PROJECT NO. DATE FIGURE 106200005 7/11 A-76

et) SAMPLES OT		(-		DATE DRILLED2/28/11 and 3/1/11 BORING NO B-23
et) SAMI	(%)	(PCF	NOI OI	GROUND ELEVATION 455' ± (MSL) SHEET 3 OF 5
DEPTH (feet) ulk ven sLOWS/FOOT	J. J. L.	DENSITY (FICA.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
		DR	ਹ	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
45			SM	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION ALLUVIUM: (Continued) Brown, saturated, medium dense, silty fine to medium SAND. Dense.
60				
		.		BORING LOG EL MONTE VALLEY MINING DECLAMATION, AND GROUNDWATER
	744	. &	\mathbf{M}_{I}	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
- 🔻	U		V -	PROJECT NO. DATE FIGURE 106200005 7/11 A-77


DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.	DATE DRILLED
65 — 41		SP-SM	ALLUVIUM: (Continued) Brown to grayish brown, saturated, dense, poorly-graded, fine to medium SAND with silt. Very dense; fine to coarse sand; scattered gravel; trace roots.
70 — 50		SW-SM	Brown to grayish brown, saturated, very dense, well-graded, fine to coarse SAND with silt.
75 — 34			Gray.
80	nyo &	<u> </u>	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER DECHARGE PROJECT LAVESTON OF ALTERNATION OF A
7 7 7 7 7	7	A	RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE 106200005 7/11 A-78

et)	2		F)		_	DATE DRILLED	2/28/11 and 3/1/11	BORING NO.	B-23
eet)	TOC	(%)	, (PC	_ ا	NOI .	GROUND ELEVATION	ON 455' ± (MSL)	SHEET	5 OF5
DEPTH (feet)	iven ST	TURE	NSIT	SYMBOL	S.C.S	METHOD OF DRILL	ING 8" Hollow-Stem Au	ger (Diedrich D-120) (T	ri-County Drilling)
DEP	Driven BLOV	MOISTURE (%)	DRY DENSITY (PCF)	λS	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT	140 lbs. (Auto. Trip Ha	mmer) DROF	30"
	Ο		DR			SAMPLED BY M		MBG REVIEW	ED BYGTF
80	59				SP	ALLUVIUM: (Conting Gray, saturated, very) Boring terminated on Boring resumed on 3/	dense, poorly-graded, 2/28/11.	fine to medium SA	ND.
85 —	61				SW-SM	Gray. saturated, very Trace cobbles.	dense, well-graded, fi	ne to coarse SAND	with silt.
						Refusal to further dril Total Depth = 88.0 fe	et.		
90				~		Backfilled with appro 3/1/11. Note: Groundwater m	nay rise to a level high	et of bentonite grout her than that measure	shortly after drilling on
95									
100						,,,			
				0		nro	EL MONTE VALLE	BORING LO	G N, AND GROUNDWATER
	/ Y//	14		×	$\mathbf{M}_{I_{I}}$	ore		RGE PROJECT, LAKESIDE	
	Y				7		106200005	7/11	A-79

et) SAMPLES	(F)		7	DATE DRILLED 3/3/11 BORING NO B-24
set) SAN	: (%) Y (PC	پ ا	CLASSIFICATION U.S.C.S.	GROUND ELEVATION 453' ± (MSL) SHEET 1 OF 5
DEPTH (feet) sulk iven SA	MOISTURE (%)	SYMBOL		METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEP Bulk Driven BLO\	MOISTURE (%) DRY DENSITY (PCF)	S	LASS U.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
	AO N		0	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
5			SP	ALLUVIUM: Light brown, damp, loose, poorly-graded, fine SAND. Medium dense; trace gravel (up to ½ inch). Light brown, damp, medium dense, silty fine SAND; little coarse sand.
20	nyo	&	W	Moist; trace roots. BORING LOG
_ 🔻	U		▼ -	PROJECT NO. DATE FIGURE 106200005 7/11 A-80

DEPTH (feet) Bulk SAMPLES Driven	BLOWS/FOOT MOISTURE (%)	DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.	GROUND ELEVATI METHOD OF DRILL DRIVE WEIGHT	ING 8" Hollow-Stem Au 140 lbs. (Auto. Trip H 1BG LOGGED BY	SHEET uger (Diedrich D-120) (Transmer) DROP	2 OF 5 ii-County Drilling)
25			SM	Brown; wet.	inued) medium dense, silty fi); trace roots. I; little coarse sand; tra		ium to coarse sand; trace
35 40	Ving	70 &	We we	Brown, moist, dense		BORING LOO EY MINING, RECLAMATIO RGE PROJECT, LAKESIDE, DATE 7/11	N, AND GROUNDWATER

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	GROUND ELEVATION METHOD OF DRILL	140 lbs. (Auto. Trip H	SHEET uger (Diedrich D-120) (Tr	3OF5
40	<u> </u>		SW	ALLUVIUM: (Conti Brown, saturated, de			
45							
50							
55				Grayish brown; mica	aceous.		
60			AAs		EL MONTE VALLI	BORING LO	
	"	U	Alg	ore	PROJECT NO. 106200005	ARGE PROJÉCT, LAKESIDE DATE 7/11	CALIFORNIA FIGURE A-82



DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/3/11 BORING NO. B-24 GROUND ELEVATION 453' ± (MSL) SHEET 5 OF 5 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
80 12		SM SP-SM	ALLUVIUM: (Continued) Brown, saturated, medium dense, silty fine SAND. Brown, saturated, medium dense, poorly-graded, fine SAND with silt.
90			Refusal to further drilling. Total Depth = 87.0 feet. Groundwater encountered at approximately 40 feet during drilling. Backfilled with approximately 30 cubic feet of bentonite grout shortly after drilling on 3/3/11. Note: Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
95			
	nyo & j	Μa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE 106200005 7/11 A-84

DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED
5 — 19	3.5 110.5		SM SW-SM	ALLUVIUM: Gray, damp, loose, silty fine to medium SAND. Gray, damp, medium dense, well-graded, fine to coarse SAND with silt.
15 — 45	6.2 100.0			Dense.
20	nyo	& <u>/</u>	Μa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE 106200005 7/11 A-85

DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%) DRY DENSITY (PCF) SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 3/4/11 BORING NO. B-25 GROUND ELEVATION 465' ± (MSL) SHEET 2 OF 2 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
			SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
20		SM	ALLUVIUM: (Continued) Gray, damp, medium dense, silty fine SAND.
25 — 6		ML	Brown, moist, medium dense, fine sandy SILT. Loose.
30 —			Total Depth = 26.5 feet. Groundwater not encountered. Backfilled with approximately 9 cubic feet of bentonite grout shortly after drilling on 3/4/11. Note: Groundwater, though not encountered at the time of drilling, may rise to a higher level due to seasonal variations in precipitation and several other factors as discussed in the report.
35			
	nyo & j	Μa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

106200005

7/11

et) SAMPLES OT	F)		DATE DRILLED 3/4/11 BORING NO. B-26
set) SAM	: (%)	YTION	GROUND ELEVATION 469' ± (MSL) SHEET 1 OF 6
DEPTH (feet) tulk SAiven SA	MOISTURE (%)	SYMBOL SSIFICAT U.S.C.S.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEP Bulk Driven BLO\	MOISTURE (%) DRY DENSITY (PCF)	SYMBOL CLASSIFICATION U.S.C.S.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
	AO	0	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
5		ML	
15			Trace coarse sand.
20	<u> </u>		BORING LOG
Ni	nuo	& M O	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
7	J	- V •	PROJECT NO. DATE FIGURE 106200005 7/11 A-87

SAMPLES OT (%) (PCF)			DATE DRILLED 3/4/11 BORING NO. B-26
SAM OT (%)	Ι.	NOL .	GROUND ELEVATION 469' ± (MSL) SHEET2 OF6
DEPTH (feet) uulk iven BLOWS/FOOT MOISTURE (%)	SYMBOL	FICA S.C.S.	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEPTH (feet) Bulk Driven BLOWS/FOOT MOISTURE (%) DRY DENSITY (PCF)	SY	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
		ō	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
25		SM	
40			
40	EEEEEE		BORING LOG
Minyo	&	Mo	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA
,			PROJECT NO. DATE FIGURE 106200005 7/11 A-88

SM ALLUYUM: (Continued) Brown, wet, medium dense, silty fine to coarse SAND. Saturated; micaccous. Trace gravel (up to ½ inch). Silty fine sand; trace coarse sand. ML Dark brown, saturated, dense, fine sandy SILT.	DEPTH (feet) Bulk SAMPLES Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATI		SHEE uger (Diedrich D-120) (Tammer) DRO	T3 OF6
	45 ————————————————————————————————————					ALLUVIUM: (Cont. Brown, wet, medium) Saturated; micaceous Trace gravel (up to 1)	inued) in dense, silty fine to co inuch).	MINTERPRETATION oarse SAND.	
BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE		ny	10 8	3			EL MONTE VALLI RECHA	BORING LC EY MINING, RECLAMATI RIGE PROJECT, LAKESID	ON, AND GROUNDWATER E, CALIFORNIA

et) SAMPLES			F)		7	DATE DRILLED	3/4/11	BORING NO	B-26
eet)	DOT	(%)	Y (PC	ب	CLASSIFICATION U.S.C.S.	GROUND ELEVATION	ON 469' ± (MSL)	SHEET	4 OF6
DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL		METHOD OF DRILL	ING 8" Hollow-Stem Au	ger (Diedrich D-120) (Tri	i-County Drilling)
DEP Bulk Driven	BLO\	MOIS	۲Y DE	S)LASS	DRIVE WEIGHT	140 lbs. (Auto. Trip Ha	ammer) DROP	30"
			JO		0	SAMPLED BY M	LOGGED BY DESCRIPTION	MBG REVIEWE	ED BY
60	20				SM	ALLUVIUM: (Conti Dark brown, saturate	nued) d, medium dense, silt	y fine SAND.	
				EEEEEE	SW	Dark gray, saturated,	medium dense to den	se, well-graded, fine	to coarse SAND.
					SM	Grayish brown, satur	ated, dense, silty fine	SĀND.	
65	23								
70									
	55				SW-SM	Grayish brown, satur	$\overline{\text{ated}}, \overline{\text{dense}}, \overline{\text{well-grad}}$	led, fine to coarse SA	ND with silt.
75									
	42					Very dense; few grav	rel up to $(1\frac{1}{2} \operatorname{inch})$.		
80		<u> </u>	1	1111111	<u> </u>	<u> </u>		BORING LOC	
	Mi	n	10	&	Mo	ore		Y MINING, RECLAMATION RGE PROJECT, LAKESIDE,	N, AND GROUNDWATER
		J	_				PROJECT NO. 106200005	DATE 7/11	FIGURE A-90

et) SAMPLES OT		F)		_	DATE DRILLED3/4/11 BORING NOB-26
set) SAM	(%)	r (PC	SYMBOL	CLASSIFICATION U.S.C.S.	GROUND ELEVATION 469' ± (MSL) SHEET 5 OF 6
DEPTH (feet) tulk iven SA BLOWS/FOOT	TURE	LISN		S.C.S	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEP Bulk Driven BLO\	MOISTURE (%)	DRY DENSITY (PCF)	Ś	LASS U.	DRIVE WEIGHT140 lbs. (Auto. Trip Hammer) DROP30"
		DR		O	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
38				SP-SM	ALLUVIUM: (Continued) Grayish brown, saturated, very dense, poorly-graded, fine to medium SAND with silt; micaceous.
85				SW-SM	Gray, saturated, very dense, well-graded, fine to coarse SAND with silt.
78/10"				SM	Grayish brown, saturated, very dense, silty fine to medium SAND.
95				Sivi	Fine to coarse sand.
24					Dense. Dark brown; silty fine sand.
	• <u> </u>		<u>cettttt</u>	A A -	BORING LOG
	$n_{\underline{I}}$	[D 8	ž	$N_{\it 0}$	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
_ 🔻	U		_	V -	PROJECT NO. DATE FIGURE 106200005 7/11 A-91

	SAMPLES			CF)		Z	DATE DRILLED 3/4/11 BORING NO B-26
feet)	SA	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	7	CLASSIFICATION U.S.C.S.	GROUND ELEVATION 469' ± (MSL) SHEET 6 OF 6
DEPTH (feet)		WS/F	STUR	ISNE	SYMBOL		METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
B	Bulk Driven	BLC	MO	RY DI	o	CLAS	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
				О			SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
100		50/3"				SM	ALLUVIUM: (Continued) Dark brown, saturated, very dense, silty fine SAND; some gravel (up to 2 inches).
							Refusal to further drilling. Total Depth = 101.0 feet. Groundwater encountered at approximately 45 feet during drilling. Backfilled with approximately 35 cubic feet of bentonite grout shortly after drilling on 3/4/11. Note:
105 -							Groundwater may rise to a level higher than that measured in borehole due to seasonal variations in precipitation and several other factors as discussed in the report.
110 -							
115 -							
120							BORING LOG
		Mi	n	10	&	Μπ	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA
		V	-7	_		A 7.	PROJECT NO. DATE FIGURE

106200005

7/11

et) SAMPLES OT		(:			DATE DRILLED
et) SAME	(%)	(PCF		NOI NOI	GROUND ELEVATION 477' ± (MSL) SHEET 1 OF 2
DEPTH (feet) Ulk ven SLOWS/FOOT	URE	ISITY	SYMBOL	FICA:	METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling)
DEPTH (feet) Bulk Driven BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SΥ	CLASSIFICATION U.S.C.S.	DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30"
		DR		Ö	SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
0				SM	ALLUVIUM: Brown, damp, medium dense, silty SAND.
5——					Scattered gravel (up to 1 inch).
52	6.0	121.2			Dense; trace gravel (up to 1 inch).
20					Medium dense to dense; trace roots; few gravel.
34					Medium dense.
20)		EEEEEE		BORING LOG
	74	[0 8	&	Ma	EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE
_ ~ V	U		_		PROJECT NO. DATE FIGURE 106200005 7/11 A-93


DEPTH (feet) Bulk CAMPLES	WS/FO	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED 2/25/11 BORING NO. B-27 GROUND ELEVATION 477' ± (MSL) SHEET 2 OF 2 METHOD OF DRILLING 8" Hollow-Stem Auger (Diedrich D-120) (Tri-County Drilling) DRIVE WEIGHT 140 lbs. (Auto. Trip Hammer) DROP 30" SAMPLED BY MBG LOGGED BY MBG REVIEWED BY GTF DESCRIPTION/INTERPRETATION
20	24	3.1	103.1		SW	ALLUVIUM: (Continued) Gray, dry to damp, medium dense, well-graded, fine to coarse SAND.
25 —	22				SM	Grayish brown, damp, dense, silty fine to coarse SAND. Total Depth = 26.5 feet.
30 —				•		Groundwater not encountered. Backfilled with approximately 9 cubic feet of bentonite grout shortly after drilling on 2/25/11. Note: Groundwater, though not encountered at the time of drilling, may rise to a higher level due to seasonal variations in precipitation and several other factors as discussed in the report.
35 —						
40	Ŋi	ny	10	&	Μa	BORING LOG EL MONTE VALLEY MINING, RECLAMATION, AND GROUNDWATER RECHARGE PROJECT, LAKESIDE, CALIFORNIA PROJECT NO. DATE FIGURE

106200005

7/11

A-94

APPENDIX C LABORATORY TEST RESULTS



	Sample No.	Gravel	Sand	Fines	Clay	\mathbf{D}_{10}	D_{30}	\mathbf{D}_{50}	\mathbf{D}_{60}	C_u	$\mathbf{C}_{\mathbf{c}}$
	1B (10 - 13 ft)	6.5	83.8	9.8		0.0768	0.275	0.565	0.798	10.4	1.2
	(SW-SM) Well-graded sand with silt, fine to coarse										
_	2C (20 - 22 ft)		66.2	33.8			0.070	0.099	0.118		
_	(SM) Silty sand, fine	(SM) Silty sand, fine									
•	4B (10 - 13 ft)	1.3	69.0	29.8			0.075	0.132	0.179		
	(SM) Silty sand, fine	to medium									




	PARTICLE SIZE DISTRIBUTION (ASTM D422)							
Project:	Slope Stabilit	Slope Stability Investigation						
Location:	13964 EI MO	13964 El MOnte Road, Lakeside, California						
Job Number:	15383-8	Engineer:	fy	Enclosure:	C-1			

FINES CONTENT (ASTM C117)

Boring No.	3	3	3	3	3
Depth (ft)	0 - 5	5 - 25	25 - 30	30 - 35	35 - 40
Original Dry Mass	189.9	195.8	165.4	197.2	153.1
Dry Mass after Washing	122.1	189.3	78.9	190.2	48.1
Fine Contents (%)	35.7	3.3	52.3	3.5	68.6
Classification	SM	SP	ML	SP	ML
Boring No.	3	3	3	3	3
					Ŭ
Depth (ft)	40 - 45	45 - 60	60 - 65	65 - 87	87 - 95
			60 - 65		
Depth (ft)	40 - 45	45 - 60		65 - 87	87 - 95
Depth (ft) Original Dry Mass	40 - 45 158.7	45 - 60 158.2	151.2	65 - 87 168.8	87 - 95 166




	TEST DATA SUMMARY						
Project:	Slope Stabilit	Slope Stability Investigation					
Location:	13964 EI MO	nte Road, Lak	eside, Californ	ia			
Job Number:	15383-8	Engineer:	fy	Enclosure:	C-2		



	Boring No.	Depth (ft)	_d (pcf)	w (%)	C _{pk} (psf)	pk (°)	C _{rs} (psf)	rs (°)
	1	20	108.0	2.1	134.0	36.8	57.5	33.6
	(SP-SM) Sand, fine to coarse / Undisturbed							
_	1	90	116.0	18.6	362.2	40.7	229.9	36.2
-	(SM) Silty sar	nd, fine to coarse	/ Undisturbed					




DIRECT SHEAR TESTS (ASTM D3080)								
Project:	Slope Stabilit	Slope Stability Investigation						
Location:	13964 EI MO	13964 El MOnte Road, Lakeside, California						
Job Number:	15383-8	Engineer:	fy	Enclosure:	C-3			



	Boring No.	Depth (ft)	_d (pcf)	w (%)	C _{pk} (psf)	pk (°)	C _{rs} (psf)	rs (°)		
	2	45	100.0	21.0	198.7	32.9	144.4	30.2		
	(SP-SM) Sand, fine to coarse / Undisturbed									
	2	60	91.0	30.5	245.1	31.7	107.4	29.9		
•	(SM) Silty sand, fine to medium / Undisturbed									




	DIRECT SHEAR TESTS (ASTM D3080)							
Project:	Slope Stabilit	Slope Stability Investigation						
Location:	13964 EI MO	nte Road, Lak	eside, Californ	ia				
Job Number:	15383-8	Engineer:	fy	Enclosure:	C-4			




	Boring No.	Depth (ft)	_d (pcf)	w (%)	C _{pk} (psf)	pk (°)	C _{rs} (psf)	rs (°)
	3	40	92.0	28.0	214.2	29.8	250.0	28.1
	(ML) Sandy silt, fine / Remolded (RC=80%)							
_	4	15	99.0	4.3	117.0	30.0	108.6	30.1
-	(SM) Silty sar	nd, fine to mediu	m / Undisturbed					



DIRECT SHEAR TESTS (ASTM D3080)							
Project:	Slope Stabilit	Slope Stability Investigation					
Location:	13964 EI MO	13964 El MOnte Road, Lakeside, California					
Job Number:	15383-8	Engineer:	fy	Enclosure:	C-5		




	DIRECT SHEAR TESTS (ASTM D3080)								
Project: Slope Stability Investigation									
	Location: 13964 El MOnte Road, Lakeside, California								
	Job Number:	15383-8	Job Number: 15383-8 Engineer: fy Enclosure: C-6						




(4) C	HJ	Consultants
--------------	----	-------------

	DIRECT SHEAR TESTS (ASTM D3080)						
Project: Slope Stability Investigation							
Location: 13964 El MOnte Road, Lakeside, California							
Job Number: 15383-8 Engineer: fy Enclosure: C-7							




CHJ Cons	sultants
----------	----------

	DIRECT SHEAR TESTS (ASTM D3080)							
Project: Slope Stability Investigation								
Location: 13964 El MOnte Road, Lakeside, California								
	Job Number:	Job Number: 15383-8 Engineer: fy Enclosure: C-8						




	CHJ	Consultants
--	-----	-------------

	DIRECT SHEAR TESTS (ASTM D3080)								
Project: Slope Stability Investigation									
Location: 13964 El MOnte Road, Lakeside, California									
	Job Number:	15383-8	Job Number: 15383-8 Engineer: fy Enclosure: C-9						




	DIRECT SHEAR TESTS (ASTM D3080)						
Project: Slope Stability Investigation							
Location: 13964 El MOnte Road, Lakeside, California							
	Job Number:	Job Number: 15383-8 Engineer: fy Enclosure: C-10					



CH1 c	onsultants
-------	------------

	DIRECT SHEAR TESTS (ASTM D3080)							
Project: Slope Stability Investigation								
	Location: 13964 El MOnte Road, Lakeside, California							
	Job Number:	Job Number: 15383-8 Engineer: fy Enclosure: C-11						




	Boring No.	Depth (ft)	Soil/Sample Type	γ _d (pcf)	MC(%)	C (psf)	φ(°)
•	2	10	(MH) Elastic silt	51	73.0	822	28
=	3	20	(MH) Elastic silt	57	71.6	336	35
A	3	45	(MH) Elastic silt	56	69.9	120	34



C.H.J. Incorporated


DIRECT SHEAR TEST						
Project:	Project: Proposed Amended Reclamation of CalPortland Colton Cement Plan					
Location:	Colton, California					
Job No.: 11691-3 Enclosure:						



Во	ring No.	Depth (ft)	Soil/Sample Type	γ _d (pcf)	MC (%)	C _{peak} (psf)	φ _{peak} (°)	C _{res} (psf)	φ _{res} (°)
	2	10	(MH) Elastic silt, CKD	51.0	73.0	1344	38	822	28




DIRECT SHEAR TEST					
Project: Proposed Amended Reclamation of CalPortland Colton Cement					
Location Colton, California					
Job Number	11691-3	Enclosure	9 3 790 0		





DIRECT SHEAR TEST						
Project:	Proposed Amended Reclamation of CalPortland Colton Cement Plant					
Location	Colton, California					
Job Number	11691-3	Enclosure	C-15			








C.H.J. Incorporated

DIRECT SHEAR TEST						
Project: Proposed Amended Reclamation of CalPortland Colton Cement P						
Location	Location Colton, California					
Job Number	11691-3	Enclosure	C-17			


APPENDIX D GLOBAL STABILITY CALCULATIONS







D:	4	ft
z_w :	4	ft
γ:	99	pcf
$\gamma_{\rm w}$:	62.4	pcf
slope, α	26.5	0
Friction Angle, Φ'	30	o
Cohesion, c'	117	psf
Factor of Safety, F:	1.17	



$$F = \frac{c' + [\gamma D - \gamma_w z_w] \cos^2 \alpha \tan \phi'}{\gamma D \sin \alpha \cos \alpha}$$



Surficial Stability Analysis					
Project:	Project: El Monte Sand Reclamation Slopes				
Location:	Location: Lakeside Area, San Diego County				
Job Number:	15383-8	Enclosure:	D-2		

APPENDIX E GEOTECHNICAL CALCULATIONS

