



County of San Diego

THOMAS J. PASTUSZKA, CMC, CCB
EXECUTIVE OFFICER/CLERK

AIR POLLUTION CONTROL DISTRICT HEARING BOARD
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471
PHONE (619) 531-5600 FAX (619) 595-4616
www.sandiegocob.com

**STATEMENT OF PROCEEDINGS
SAN DIEGO COUNTY
AIR POLLUTION CONTROL DISTRICT HEARING BOARD
Regular Meeting, Thursday, June 12, 2014**

ADMINISTRATIVE ITEM:

- A. Approval of Minute Orders for May 22, 2014.

ACTION:

ON MOTION of Member Gabrielson, seconded by Member Smith, the Air Pollution Control District Hearing Board approved the Minute Order for April 10, 2014 as amended.

AYES: Rodriguez, Tonner, Gabrielson, Smith

ABSENT: Rappolt

Petition No.

- 4405 ILLUMINA, INC:** Requests a Modification of Schedule of Increments of Progress for a Regular Variance granted on December 12, 2013 pertaining to Permit No. APCD2011-APP-001685, located at 5200 Illumina Way, San Diego CA 92122.

ACTION:

ON MOTION of Member Gabrielson, seconded by Vice Chair Tonner, the Air Pollution Control District Hearing Board granted the Modification of Schedule of Increments of Progress.

AYES: Rodriguez, Gabrielson, Tonner, Smith

ABSENT: Rappolt

- 4415 NORTHROP GRUMMAN SYSTEMS CORPORATION:** Request for a Regular Variance (filed April 22, 2014) from District Rule 21, Condition 10 of Permit to Operate Nos. APCD2007-PT0-976302 and APCD2007-PT0-976303 for two (2) separate engines located at 15120 Innovation Drive, San Diego, CA 92128. These engines are not currently operating and therefore cannot be tested until they are repaired.

ACTION:

ON MOTION of Chair Rodriguez, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board granted the Regular variance.

AYES: Rodriguez, Gabrielson, Tonner, Smith

ABSENT: Rappolt

4417 COUNTY OF SAN DIEGO DEPARTMENT OF GENERAL SERVICES: Requests a Regular Variance from District Rule 21 of Permit to Operate APCD2006-PT0-981118 for a LPG-fueled standby engine located at 650 Benet Hill Road, Oceanside, CA 92058. Request is to run for 84.8 hours of non-emergency use in 2014 instead of the 52 allowed.

ACTION:

ON MOTION of Member Gabrielson, seconded by Chair Rodriguez, the Air Pollution Control District Hearing Board granted the Regular variance.

AYES: Rodriguez, Gabrielson, Tonner, Smith

ABSENT: Rappolt

PUBLIC COMMUNICATION:

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction, but not on an item on today's Agenda. (Five minutes total will be allocated; each speaker's presentation may not exceed one minute and may not relate to pending litigation.)

ASSISTANCE FOR THE DISABLED:

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5434 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the Americans with Disabilities Coordinator at **(858) 505-6521**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.