



THOMAS J. PASTUSZKA
CMC, CCB
EXECUTIVE OFFICER/CLERK

County of San Diego
AIR POLLUTION CONTROL DISTRICT HEARING BOARD
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471

TELEPHONE (619) 531-5434
FAX (619) 531-6098

STATEMENT OF PROCEEDINGS
SAN DIEGO COUNTY
AIR POLLUTION CONTROL DISTRICT HEARING BOARD
Regular Meeting, Thursday, July 25, 2013

ADMINISTRATIVE ITEM:

- A. Approval of Minute Orders of June 27, 2013.

ACTION:

ON MOTION of Member Gabrielson, seconded by Member Tonner, the Air Pollution Control District Hearing Board approved the minutes of June 27, 2013 as amended.

Petition No.

- 4396 DYK INC:** Requests the Interim portion of an Interim/Regular Variance (filed April 23, 2013) from District Rule 67.20 pertaining to District Permit No. APCD2003-PTO-940763 regarding paint booth operations, located at 351 Cypress Lane, El Cajon, CA 92020. Petitioner requests to continue to use coatings containing Toxic Air Contaminants until the health risks can be evaluated.

ACTION:

NO ACTION WAS TAKEN

- 4396 DYK INC:** Requests the Regular portion of an Interim/Regular Variance (filed April 23, 2013) from District Rule 67.20 pertaining to District Permit No. APCD2003-PTO-940763 regarding paint booth operations, located at 351 Cypress Lane, El Cajon, CA 92020. Petitioner requests to continue to use coatings containing Toxic Air Contaminants until the health risks can be evaluated.

ACTION:

ON MOTION of Member Gabrielson, seconded by Member Tonner, the Air Pollution Control District Hearing Board granted the Regular variance.

4400 ENCINA WASTEWATER AUTHORITY: Request for 90-Day Variance (filed June 25, 2013) from District Rule 21, Condition Nos. 10 and 11 pertaining to Permit No. APCD2011-PTO-001004 located at 6200 Avenida Encinas, Carlsbad, CA 92011 regarding waste digester gas flare that has failed a carbon monoxide source test.

ACTION:

ON MOTION of Vice-Chair Rodriguez, seconded by Member Tonner, the Air Pollution Control District Hearing Board granted the 90-Day variance.

ACTION:

ON MOTION of Member Tonner, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board accepted the Encina Wastewater Authority Timeline of Events submitted by the Petitioner to the Board on July 25, 2013 to be entered into the official record as Exhibit 1.

4401 USN: COMMANDER NAVY REGION SOUTHWEST: Requests the Interim portion of an Interim/Regular Variance (filed July 17, 2013) from Health and Safety Code 41954, 41956.1(a), 17 CCR 94016, G-70-213, and District Rule 10(b) for Permit APCD2003-PTO-007649 & Authority to Construct APCD2013-APP-2628 regarding a gas station located at Naval Amphibious Base Coronado, Coronado CA 92155. Petitioner requests to continue to operate the existing aboveground gasoline tank until the procurement, permitting and installation of the new tank are complete.

ACTION:

ON MOTION of Member Gabrielson, seconded by Member Tonner, the Air Pollution Control District Hearing Board continued the item until the next regular hearing.

LAST MATTER OF BUSINESS:

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction but not on an item on today's Agenda. (Five minutes total will be allocated; each speaker's presentation may not exceed one minute and may not relate to pending litigation.)

ASSISTANCE FOR THE DISABLED:

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5434 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the Americans with Disabilities Coordinator at **(619) 531-5205**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.