



# County of San Diego

THOMAS J. PASTUSZKA  
CLERK

TELEPHONE (619) 531-5777  
FAX (619) 531-6098

## AIR POLLUTION CONTROL DISTRICT HEARING BOARD

1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471

### STATEMENT OF PROCEEDINGS SAN DIEGO COUNTY AIR POLLUTION CONTROL DISTRICT HEARING BOARD Regular Meeting, Thursday, November 13, 2008

#### ADMINISTRATIVE ITEM:

A. Approval of Minute Orders for October 23, 2008

**ACTION: APPROVED AS AMENDED**

B. Submission of a progress report to the APCD Hearing Board from Marine Corps Base Camp Pendleton, detailing the estimate of excess emissions related to its weapons cleaning operations, per Condition No. 1 Petition No. 4220

**ACTION: ACCEPTED**

#### Petition No.

**4222 BJ'S RENTALS INC.:** Requests for a Regular One-year Variance (filed May 2, 2008) from District Rule 10(b), involving 23 Isuzu model C240PC07 Tier 1 portable diesel engines that provide power to 23 Airman PDS185 air compressors used in a rental fleet at a light construction and homeowner equipment rental business located at 3959 Pacific Highway, San Diego, CA 92110. The engines do not have permits, and are used at various locations in San Diego County.

**ACTION: WITHDRAWN BY APPLICANT: NOVEMBER 12, 2008**

**4252 A & B FAMILY INVESTMENTS, INC.:** Requests for a Regular 1-Year Variance (filed September 29, 2008) from District Rules 61.4.1 pertaining to District Permit No. 006758 and the State installation deadline for EVR Phase II, involving a gas station located at 5111 College Avenue, San Diego, CA 92115. The Petitioner is requesting additional time to comply with the state-mandated EVR Phase II requirements.

**ACTION: CONTINUED TO DECEMBER 11, 2008**

**4254 GREG HOHN, WEST WIND CONSULTING/CHEVRON PRODUCTS CO.:** Requests for a 90-Day Variance (filed September 30, 2008) from District Rule 61.4.1, EO VR-202-H, and Rule 21 (permit conditions) requiring a performance test be completed within 60 days of installation, pertaining to District Permit Application No. 985576, involving a gas station located at 970 Tamarack Avenue, Carlsbad, CA 92008.

**ACTION: WITHDRAWN BY APPLICANT: NOVEMBER 5, 2008**

- 4260 L M RETAIL LP/ DON A. LYNN:** Requests for a 90-Day Variance (filed October 29, 2008) from District Rules 61.4.1--the requirement to submit an application to install Phase II EVR—involving a gas station located at 2131 East Vista Way, Vista, CA 92084.  
**ACTION: CONTINUED TO DECEMBER 11, 2008**
- 4261 SHARP GROSSMONT MEDICAL PLAZA:** Requests for a 90-Day Variance (filed October 30, 2008) from District Rule 21 and the state ATCM for stationary diesel engines—involving a 250 brake-horsepower John Deere emergency generator, Model 6076AF010/S/N RG607A175813, that needs additional run hours for testing in calendar year 2008, at a medical outpatient surgery center located at 5525 Grossmont Center Drive, La Mesa, CA 91942.  
**ACTION: GRANTED WITH CONDITIONS**
- 4263 GREENWOOD CREMATORY:** Requests for the Interim Variance hearing portion of an Interim/Regular Variance (filed November 7, 2008) from District Rule 21, as it applies to Condition 8, of Authorities to Construct Nos. 985205, 985206 and 985207, involving afterburner temperatures failing to reach the required temperature on cremation machines at a crematory located at 4300 Imperial Avenue, San Diego, CA 92113.  
**ACTION: GRANTED WITH CONDITIONS**

LAST MATTER OF BUSINESS:

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction but not as an item on today's Agenda.

**ACTION: NO SPEAKERS**