

**FOR YOUR INFORMATION**

**The Following Notice was Published by the District**

**NOTICE OF PRELIMINARY DECISION BY THE  
SAN DIEGO COUNTY AIR POLLUTION CONTROL DISTRICT  
TO ISSUE A RENEWAL FEDERAL TITLE V OPERATING PERMIT**

Notice is hereby given that, in accordance with Regulation XIV - Title V Operating Permits of the San Diego Air Pollution Control District's Rules and Regulations, the Air Pollution Control Officer has made a preliminary decision to approve application APCD2015-APP- 004016 for a renewal Federal Title V Operating Permit APCD2002-TVP-961008 for the City of San Diego, Public Utilities Department, for a wastewater treatment plant located at 1902 Gatchell Rd., San Diego, CA.

The District performed an evaluation of the air pollution impacts of this proposal. The equipment is expected to operate in compliance with all applicable District Rules and Regulations and all applicable federal requirements. The proposed Title V Operating Permit incorporates conditions necessary to ensure compliance with all federal and District requirements. The facility is currently operating in compliance with District requirements.

The District is seeking comments on the Title V Operating Permit for this facility. Written comments concerning the District's proposed action may be submitted for a period of 30 days commencing on August 26, 2016 and ending on September 25, 2016. Please direct your comments or questions to the attention of Doug Erwin, Air Pollution Control District, 10124 Old Grove Road, San Diego, California, 92131; phone (858) 586-2717; [douglas.erwin@sdcounty.ca.gov](mailto:douglas.erwin@sdcounty.ca.gov). Documents relating to the proposed action are available for public review at this address.

Members of the public may petition for a public hearing to receive comments on the proposed Title V Operating Permit. If the Air Pollution Control Officer determines that good cause exists, a public hearing will be scheduled.

.....

Published: August 26, 2016  
DE:cm – 08/22/2016