



# County of San Diego

DAVID HALL, CCB  
EXECUTIVE OFFICER/CLERK

AIR POLLUTION CONTROL DISTRICT HEARING BOARD  
CLERK OF THE BOARD OF SUPERVISORS  
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471  
PHONE (619) 531-5600 FAX (619) 595-4616

NICOLE C. TEMPLE  
ASSISTANT CLERK OF THE BOARD

## STATEMENT OF PROCEEDINGS SAN DIEGO COUNTY AIR POLLUTION CONTROL DISTRICT HEARING BOARD Regular Meeting, Thursday, April 09, 2015

### ADMINISTRATIVE ITEM:

- A. Approval of Minute Orders for March 12, 2015.

#### ACTION:

ON MOTION of Member Smith, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board approved the Minute Orders as amended for March 12, 2015.

AYES: Tonner, Gabrielson, Rodriguez, Rappolt, Smith

### Petition No.

- 4434 Sanders Composites:** Requests the Interim portion of an Interim/Regular Variance filed on February 20, 2015 from Permit APCD2001-PTO-976656 Rule 1200 and 21, permit condition 4 to continue use of an adhesive that contains unapproved toxic air contaminant ethyl benzene (0.1-1%) operating at 4075 Ruffin Rd, San Diego, CA 92123 for manufacturing composite structures.

#### ACTION:

ON MOTION of Member Gabrielson, seconded by Member Smith, the Air Pollution Control District Hearing Board continued petition no. 4434 to be heard on April 23, 2015.

AYES: Tonner, Gabrielson, Rodriguez, Smith  
OPPOSED: Rappolt

- 4435 Pacira Pharmaceuticals, Inc.:** Requests the Interim portion of an Interim/Regular Variance filed on March 04, 2015 from Permit APCD2012-PTO-001234 Rules 21 and 1200 to increase the daily limit of methylene chloride usage due to patient care and product demand; pharmaceutical manufacturing operation is at 10450 Science Center Drive, San Diego, CA 92121.

#### ACTION:

ON MOTION of Vice-Chair Tonner, seconded by Chair Rodriguez, the Air Pollution Control District Hearing Board continued petition no. 4435 to be heard on April 23, 2015.

AYES: Tonner, Rodriguez, Smith

OPPOSED: Rappolt

ABSENT: Gabrielson

**4437 Honeywell Safety Products, Inc.:** Requests the Interim portion of an Interim/Regular Variance filed on March 24, 2015 from Permit APCD2008-PTO-950430 Rule 21, permit condition 1 for testing of toluene diisocyanate containing pre-polymers for acceptability due to the supplier curtailment of the current pre-polymer that is used for production of foam ear plugs for hearing protection located at 7828 Waterville Rd., San Diego, CA 92154. **The Regular Portion of the Variance will be heard on May 14, 2015.**

**ACTION:**

ON MOTION of Member Gabrielson, seconded by Vice-Chair Tonner, the Air Pollution Control District Hearing Board continued the Interim portion of petition no. 4437 to be heard on April 23, 2015.

AYES: Tonner, Gabrielson, Rodriguez, Smith

RECUSED: Rappolt

**PUBLIC COMMUNICATION:**

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction, but not on an item on today's Agenda. (Five minutes total will be allocated; each speaker's presentation may not exceed one minute and may not relate to pending litigation.)

**ACTION:** No Speakers

**ASSISTANCE FOR THE DISABLED:**

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5434 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the Americans with Disabilities Coordinator at **(858) 505-6521**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.