



# County of San Diego

**DAVID HALL, CCB**  
EXECUTIVE OFFICER/CLERK

AIR POLLUTION CONTROL DISTRICT HEARING BOARD  
CLERK OF THE BOARD OF SUPERVISORS  
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471  
PHONE (619) 531-5600 FAX (619) 595-4616

**NICOLE C. TEMPLE**  
ASSISTANT CLERK OF THE BOARD

## STATEMENT OF PROCEEDINGS SAN DIEGO COUNTY AIR POLLUTION CONTROL DISTRICT HEARING BOARD Regular Meeting, Thursday, June 11, 2015

### **ADMINISTRATIVE ITEM:**

- A. Approval of Minute Orders for May 14, 2015.

#### **ACTION:**

ON MOTION of Member Rappolt, seconded by Member Smith, the Air Pollution Control District Hearing Board approved the Minute Orders for May 14, 2015.

AYES: Tonner, Gabrielson, Rodriguez, Rappolt  
ABSENT: Smith

- B. Discussion regarding jurisdiction and determination of a variance revocation and District presentation to provide the Board clarification of their approach to violations of Board Orders.

#### **ACTION:**

ON MOTION of Chair Rodriguez, seconded by Member Rappolt, the Air Pollution Control District Hearing Board moved to take no action on this item.

AYES: Tonner, Gabrielson, Rodriguez, Rappolt  
ABSENT: Smith

- C. Discussion regarding APCD Hearing Board jurisdiction of the matter for when there is: 1) an existing permit for which revision of the permit conditions are requested, or 2) modification of the permit based on Board Orders that have been granted by the APCD Hearing Board.

#### **ACTION:**

ON MOTION of Chair Rodriguez, seconded by Member Rappolt, the Air Pollution Control District Hearing Board moved to take no action on this item.

AYES: Tonner, Gabrielson, Rodriguez, Rappolt  
ABSENT: Smith

**Petition No.**

**4434 Sanders Composites:** Requests the Regular portion of an Interim/Regular Variance filed on February 20, 2015 from Permit APCD2001-PTO-976656 Rule 1200 and 21, permit condition 4 to continue use of an adhesive that contains unapproved toxic air contaminant ethyl benzene (0.1-1%) operating at 4075 Ruffin Rd, San Diego, CA 92123 for manufacturing composite structures.

**ACTION:**

ON MOTION of Member Rappolt, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board granted the Regular Variance.

AYES: Tonner, Gabrielson, Rodriguez, Rappolt

ABSENT: Smith

**PUBLIC COMMUNICATION:**

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction, but not on an item on today's Agenda. (Five minutes total will be allocated; each speaker's presentation may not exceed one minute and may not relate to pending litigation.)

**ACTION:** No Speakers

**ASSISTANCE FOR THE DISABLED:**

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5434 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the Americans with Disabilities Coordinator at **(858) 505-6521**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.