



# County of San Diego

DAVID HALL, CCB  
EXECUTIVE OFFICER/CLERK

CLERK OF THE BOARD OF SUPERVISORS  
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471  
PHONE (619) 531-5600 FAX (619) 595-4616  
www.sandiegocob.com

ANDREW POTTER  
ASSISTANT CLERK OF THE BOARD

**STATEMENT OF PROCEEDINGS  
SAN DIEGO COUNTY  
AIR POLLUTION CONTROL DISTRICT HEARING BOARD  
Regular Meeting, Thursday, July 14, 2016**

**ADMINISTRATIVE ITEM:**

- A. Approval of Minute Orders for June 23, 2016.

**ACTION:**

ON MOTION of Member Gabrielson, seconded by Vice-Chair Tonner, the Air Pollution Control District Hearing Board approved the Minute Orders for June 09, 2016.

AYES: Rodriguez, Tonner, Gabrielson, Smith  
ABSENT: Rappolt

**Petition No.**

- 4465 ESCONDIDO ASPHALT:** request for 90-day variance from Rule 21 Condition 12 as applied to Permit Nos. APCD2009-PTO-982505, for a baghouse for hot mix asphalt plant located at 500 North Tulip Street, Escondido CA 92025. Variance requested as plant failed particulate standards on source test.

**ACTION:**

ON MOTION of Member Gabrielson, seconded by Member Smith, the Air Pollution Control District Hearing Board accepted the Petitioner's written request for withdrawal received on July 11, 2016.

AYES: Rodriguez, Tonner, Gabrielson, Smith  
ABSENT: Rappolt

- 4466 COMMANDER NAVY REGION SOUTHWEST:** Requests the Interim portion of an Interim/Regular Variance (filed on July 06, 2016) from Rule 21 Condition 27 as applied to Permit to Operate Nos. APCD2007-PTO-860537 thru 860539 and APCD2016-APP-004480 for emission control systems catalysts that need replacement located at Naval Air Station North Island, Building 1482.

**ACTION:**

ON MOTION of Vice-Chair Tonner, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board granted the Interim Variance.

AYES: Rodriguez, Tonner, Gabrielson, Smith

ABSENT: Rappolt

- 4467 PIO PICO ENERGY CENTER, LLC:** Requests the Interim portion of an Interim/Regular Variance (filed on July 06, 2016) from Rule 69.3.1(d)(1) and FDOC Condition 28 as applied to Permit to Operate No. APCD2014-APP-003627 to allow for turbine commission process that requires operation of turbine without water injection, and catalysts that have not yet been installed located at 7363 Calzada de la Fuente Otay Mesa CA 92154.

**ACTION:**

ON MOTION of Chair Rodriguez, seconded by Member Gabrielson, the Air Pollution Control District Hearing Board granted the Interim Variance.

AYES: Rodriguez, Tonner, Gabrielson, Smith

ABSENT: Rappolt

**PUBLIC COMMUNICATION:**

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction, but not on an item on today's Agenda. (Five minutes total will be allocated; each speaker's presentation may not exceed one minute and may not relate to pending litigation.)

**ACTION:** No Speakers

**ASSISTANCE FOR THE DISABLED:**

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5434 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the Americans with Disabilities Coordinator at **(858) 505-6521**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.