



THOMAS J. PASTUSZKA,  
CMC, CCB  
EXECUTIVE OFFICER/CLERK

County of San Diego  
AIR POLLUTION CONTROL DISTRICT HEARING BOARD  
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471

TELEPHONE (619) 531-5600  
FAX (619) 595-4616

STATEMENT OF PROCEEDINGS  
SAN DIEGO COUNTY  
AIR POLLUTION CONTROL DISTRICT HEARING BOARD  
Regular Meeting, Thursday, September 10, 2009

ADMINISTRATIVE ITEM:

- A. Approval of Minute Orders for August 27, 2009  
**ACTION: APPROVED AS AMENDED**
- A2. Request for County Counsel to provide a written Policy on Noticing for Increments of Progress and Reports on September 24, 2009  
**ACTION: ACCEPTED**
- B. Submission of Revised Increments of Progress Schedule to the APCD Hearing Board from Marine Corps Air Station Miramar, pertaining to Petition No. 4295  
**ACTION: ACCEPTED**
- C. Submission of a report to the APCD Hearing Board from Commander Navy Region Southwest, pertaining to Board Order Condition No. 5, of Petition No. 4282  
**ACTION: ACCEPTED**

Petition No.

- 4299 MARINE CORPS BASE CAMP PENDLETON:** Requests a Regular 1-Year Variance (filed July 20, 2009) from District Rule 10 (b), pertaining to District Application Nos. 988049 and 987700, involving a diesel generator being used for mission critical training located at Camp Pendleton's Kilo-Two MOUT/Iraqi Village training site without a permit.  
**ACTION: ITEM CONTINUED TO SEPTEMBER 24, 2009**
- 4301 ENCINA WASTEWATER AUTHORITY:** Requests the Regular portion of an Interim / Regular Variance (filed August 7, 2009) from District Rule 21 and Rule 20.2, pertaining to Authority to Construct No. 983830, involving control equipment for Biosolids Dryer located at 6200 Avenida Encinas, Carlsbad, CA 92011-1009 that failed a NOx source test. Variance requested to modify permit to operate the Biosolids Processing Operation.  
**ACTION: APPROVED**

**4307 RRD COMMERCIAL PRESS:** Requests the Interim portion of an Interim / Regular Variance (filed September 8, 2009) from District Rule 21, pertaining to District Permit Nos. 978765, 978766, 978767, 978769, involving four printing presses which are used to facilitate the printing process that contain R1200 chemicals located at 955 & 960 Gateway Center Way San Diego, CA 92102.

**The Regular Portion of the Variance will be heard on October 22, 2009**

**ACTION: APPROVED**

LAST MATTER OF BUSINESS:

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction but not on an item on today's Agenda.

**SPEAKER: KATHERYN RHODES SPOKE TO THE BOARD AND PROVIDED A DOCUMENT TO BE ENTERED INTO OFFICIAL RECORD AS EXHIBIT 1.**

**ACTION: ACCEPTED**