



THOMAS J. PASTUSZKA,
CMC, CCB
EXECUTIVE OFFICER/CLERK

County of San Diego
AIR POLLUTION CONTROL DISTRICT HEARING BOARD
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471

TELEPHONE (619) 531-5600
FAX (619) 595-4616

STATEMENT OF PROCEEDINGS
SAN DIEGO COUNTY
AIR POLLUTION CONTROL DISTRICT HEARING BOARD
Regular Meeting, Thursday, September 24, 2009

ADMINISTRATIVE ITEM:

- A. Approval of Minute Orders for September 10, 2009
ACTION: APPROVED AS AMENDED
- A2 . Request for County Counsel to provide a written opinion on Noticing for Increments of Progress Reports and other Variance related reporting on September 24, 2009.
ACTION: ITEM CONTINUED TO OCTOBER 8, 2009

Petition No.

- 4299 MARINE CORPS BASE CAMP PENDLETON:** Requests a Regular 1-Year Variance (filed July 20, 2009) from District Rule 10 (b), pertaining to District Application Nos. 988049 and 987700, involving a diesel generator being used for mission critical training located at Camp Pendleton's Kilo-Two MOUT/Iraqi Village training site without a permit.
ACTION: WITHDRAWN BY PETITIONER: SEPTEMBER 24, 2009
- 4303 CALPINE-OTAY MESA ENERGY CENTER, LLC:** Requests the Regular portion of an Interim / Regular Variance (filed August 13, 2009) from District Rule 69.3 and Rule 69.3.1(NOx concentration) during cold startups, pertaining to District Permit No. 986419, involving two GE 7FA gas turbines with a corresponding steam turbine generator located at 647 Alta Road, San Diego, CA 92154.
ACTION: WITHDRAWN BY PETITIONER: SEPTEMBER 21, 2009
- 4308 SAN DIEGO GAS & ELECTRIC COMPANY:** Requests a 90-Day Variance (filed September 9, 2009) from District Rule 21 as applied to Condition No. 1 of Certificates of Registration Nos. 972335, 981696, 981697 and 17 CCR 93115 regarding three emergency stand-by diesel engines, each rated at 1482 BHP located at 10975 Technology Place, San Diego, CA 92127-1811. Variance requested to allow non-emergency operation in excess of the annual limits.
ACTION: ITEM CONTINUED TO OCTOBER 8, 2009

LAST MATTER OF BUSINESS:

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction but not on an item on today's Agenda.

SPEAKER: TERRY WIRTH, SPOKE TO THE BOARD ON BEHALF OF PETITION NO. 4299 AND HEALTH RISK OF USING CATALYTIC CONVERTER.