

# Appendix I References

## CONTENTS OF APPENDIX I

### I. General References

- A. California Health and Safety Code (HSC)
- B. California Code of Regulations (CCR)
- C. San Diego County Code
- D. Water Code

### II. Technical References

- A. General References
- B. San Diego Area Geology and Hydrogeology
- C. Environmental Audit References
- D. Soil and Rock Sampling Guideline References
- E. Vapor Phase Sampling Guideline References
- F. Well Development Guideline References
- G. Well Sampling Guideline References
- H. General Fate and Transport References
- I. Residual Saturation References
- J. Leaching and Migration In Soil References

## **I. GENERAL REFERENCES**

### **A. California Health and Safety Code (HSC)**

Division 20, Chapter 6.5, Hazardous Waste Control  
Division 20, Chapter 6.7, Underground Storage of Hazardous Substances  
Division 20, Chapter 6.75, Petroleum Underground Storage Tank Cleanup

### **B. California Code of Regulations (CCR)**

Title 22, Div. 4, Chapter 30, Hazardous Wastes  
Title 23, Chapter 3, Subchapter 16, Underground Tank Regulations

### **C. San Diego County Code**

Title 6, Div.7, Chapter 4, Wells

### **D. Water Code**

Porter-Cologne Water Quality Control Act.  
Division 7 Water Quality

## II. TECHNICAL REFERENCES

### A. General References

1. State of California, Department of Health Services, Environmental Laboratory Accreditation / Registration: Environmental Laboratory, California Department of Health Services, 2151 Berkeley Way, Berkeley, CA 94704, (415) 540-3105.
2. State of California, Department of Toxic Substances Control (DTSC), *Guidance on Ecological Risk Assessments*, July 4, 1996.
3. State of California, State Water Resources Control Board, 1989, Leaking Underground Fuel Tank Manual, Guidelines for Site Assessment, Cleanup, and Underground Storage Tank Closure: Underground Tanks, P.O. Box 944212, Sacramento, CA 94244-2120, (916) 739-2421.
4. State of California, Department of Water Resources, 1981, Water Well Standards: State of California, Bulletin 74-81.
5. State of California, Department of Water Resources, 1990, California Well Standards, Bulletin 74-90.
6. U.S. Environmental Protection Agency, 1986, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods: Office of Solid Waste and Emergency Response, November 1986, SW-846, Third Edition.
7. U.S. Environmental Protection Agency, *Quality Criteria for Water*, 1986 (also known as the "Gold Book").
8. U.S. Environmental Protection Agency, *Ambient Water Quality Criteria*, volumes on specific pollutants or classes of pollutants (1980, 1984, 1985, 1986, 1987, 1988, 1989, 1991, 1993, 1995 and 1998).
9. U.S. Environmental Protection Agency, *Quality Criteria for Water*, 1976, (also known as the "Red Book").
10. U.S. Environmental Protection Agency, *Water Quality Criteria*, 1972, (also known as the "Blue Book").
11. U.S. Environmental Protection Agency, *Framework for Ecological Risk Assessment*, 1992, (EPA/630/R-92/001).
12. U.S. Environmental Protection Agency, *Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk assessments: Interim Final*, 1997, (EPA 540-R-97-006).

13. U.S. Environmental Protection Agency, *Guidance for Ecological Risk Assessments*, 1998, (EPA/630/R-95/002Fa).
14. Water Quality Control Plan for the Colorado River Basin (7), California Regional Water Quality Control Board, Colorado River Region, February 17, 1994.
15. Water Quality Control Plan for the San Diego Basin (9), California Regional Water Quality Control Board, San Diego Region, September 8, 1994.

## **B. San Diego Area Geology and Hydrogeology**

1. California Division of Mines and Geology, Bulletin 200, Geology of the San Diego Metropolitan area, California 1975.
2. California Division of Mines and Geology, Map Sheet 29, Geology of National City, Imperial Beach and Otay Mesa Quadrangles, Southern San Diego Metropolitan area, California 1977.
3. California Division of Mines and Geology, County Report 3, Geology and mineral resources of San Diego County, California, 1963.
4. California Department of Water Resources, Bulletin 106-2, Ground Water occurrence and quality: San Diego region, 1967.

## **C. Environmental Audit References**

1. Chase Manhattan Bank, 1988, Guidelines for the assessment of environmental conditions for real estate transactions.
2. Funderburk, J.R., 1990, Site Assessments call for a variety of approaches, *Hazmat World*, March 1990, pp. 40-48.
3. Geria, P.J. and Jehn-Dellaport, T., 1989, Environmental Impact.
4. Assessment for Commercial Real Estate Transfers, Bulletin of Engineering Geologists, v. 26, n. 4, pp. 531-540.
5. Mauch, J.C., 1990, Site Assessment standards sorely needed. *Hazmat World*, March 1990, pp. 36-39.
6. California Governor's Office Planning and Research, 1991, Hazardous Waste and Substances List Pursuant to Government Code Section 2. 65962.5, dated July 1989.
7. State Water Resources Control Board (SWRCB), 1992. Polluted Wells list for Riverside, San Bernardino, Orange, San Diego and Los Angeles Counties.

**D. Soil and Rock Sampling Guideline References**

1. American Geological Institute, 1989, AGI Data Sheets, for Geology in the Field, Laboratory, and Office: Compiled by Dutro, J.T., Dietrich, R.V., and Fosse, R.M., Third Edition, 1989.
2. American Society for Testing and Materials, 1990, Standard Practice for Description and Identification of Soils (Visual Manual Procedures): D2488-90, Vol. 4.08, ASTM, Philadelphia, PA.
3. Compton, R.R., 1962, Manual of Field Geology, John Wiley and Sons: New York, NY, 398p.
4. U.S. Environmental Protection Agency, 1986, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods: Office of Solid Waste and Emergency Response, November 1986, SW-846, Third Edition.
5. U.S. Environmental Protection Agency, 1991, Description and Sampling of Contaminated Soils, A Field Pocket Guide: Washington D.C., US-EPA, EPA/625/12-91/002.
6. U.S. Environmental Protection Agency, 1993, Subsurface Characterization and Monitoring Techniques, A Desk Reference, Volume 1, Solids and Ground Water Appendices A and B: Washington DC, US-EPA, EPA/625/R-93/003a.
7. U.S. Environmental Protection Agency, 1988, Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA: October 1988, EPA/540/G-89/004.

**E. Vapor Phase Sampling Guideline References**

1. ASTM, 1995, Standard Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites, Designation E 1739-95, American Society for Testing and Materials, West Conshohocken, Pennsylvania.
2. CalEPA, 1994, California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, California Cancer Potency Factors: Update. November 1, 1994.
3. CRA, 1991, Center for Risk Analysis, Harvard School of Public Health, Annual Report 1991, Boston, Massachusetts.
4. DHS, 1986, California Site Mitigation Decision Tree Manual, California Department of Health Services Toxic Substances Control Division Alternative Technology and Policy Development Section, May 1986.
5. Dragun, James, 1988, The Soil Chemistry of Hazardous Materials, Hazardous Materials Control Research Institute, Silver Spring, Maryland.
6. Hillel, Daniel, 1982, Introduction to Soil Physics, Academic Press, Inc., San Diego, California.

7. Hsieh, Dennis P.H., Thomas E. McKone, Florence F. Chiao, 1994, Draft Final Report, Intermedia Transfer Factors for Contaminants Found at Hazardous Waste Sites, Benzene: Department of Toxic Substances Control (DTSC) and the California Environmental Protection Agency in Support of the CALTOX Model, University of California, Davis, p. 4, December, 1994.
8. Kenega, E.E. and Goring, 1980. C.A. I. Relationship between water solubility soil-sorption, octanol-water partitioning, and biconcentration of chemicals in biota. In aquatic Toxicology. ASTM STP 707. Philadelphia, PA: American Society for Testing and Materials
9. Lyman, Warren J., Partrick J. Reidy, Benjamin Levy, 1992, Mobility and Degradation of Organic Contaminants in Subsurface Environments, C.K. Smoley, Inc., Chelsea Michigan.
10. Montgomery, John H., 1991, Groundwater Chemicals Field Guide, Lewis Publishers, Chelsea, Michigan, Oak Ridge National Laboratory, 1989, Toxicological Profile for Benzene, ATSDR/TP-88/03, May 1989.
11. U.S. Environmental Protection Agency, 1989, Risk Assessment Guidance for Superfund, Volume I, Human Health Evaluation Manual, Interim Final, Office of Emergency and Remedial Response, Washington DC, December, 1989.
12. U.S. Environmental Protection Agency, 1991, Risk Assessment Guidance for Superfund: Volume I - Human Health Evaluation Manual (Part B, Development of Risk-Based Preliminary Remediation Goals), EPA/540/R-92/003, page 12, December, 1991.
13. MADEP, Draft Indoor Air Sampling and Evaluation Guide, February 2001, [www.state.ma.us/dep/bwsc/files/workgrps/inair/inair.html](http://www.state.ma.us/dep/bwsc/files/workgrps/inair/inair.html)
14. USEPA, Standard Operating Procedure Sampling Volatile Organic Compounds Using SUMMA Polished Stainless Steel Canisters, EPA-REG1-ESD/CAN-SAM-SOP, March 1994, New England Regional Laboratory, Lexington, MA
15. Hartman, B. (2002), How to collect Reliable Soil Vapor Data for Risk Based Applications, Part 1-Active Soil Gas Method, LustLine #42, NEIWPIC, October 2002.

#### **F. Well Development Guideline References**

Aller, L., Bennett, T.W., Hackett, G., Petty, R.J., Lehr, J.H., Sedoris, H. and Nelsen, D.M., 1989, In: Handbook of Suggested Practices for the Design and Installation of Ground-water Monitoring Wells. NWWA, pp. 228-245.

#### **G. Well Sampling Guideline References**

1. Driscoll, F.G., 1986, Groundwater and Wells, second edition: Johnson Division, St. Paul, 1089P.
2. Gibs, J. and Imbriglofta, T.E., 1990, Well-Purging Criteria for Sampling Purgeable Organic Compounds: Vol. 28, No. 1, Ground Water, pp. 68-78.

3. Guswa, J.H. and Lyman, W.J., 1982, Groundwater Contamination Response Guide, Volume 11, Desk Reference: Arthur D. Little, Inc., Acorn Park, Cambridge, MA 02140, June 1983, Final Report June - September 1982.
4. Keely, J.F. and Boateng, K., 1987, Monitoring Well Installation, Purging, and Sampling Techniques - Part 1, Conceptualizations: Vol. 25, No. 3, Ground Water, pp. 300-313.
5. McAlary, T.A. and Barker, J.F., 1987, Volatilization Losses of Organics During Ground Water Sampling from Low Permeability Materials: Fall 1987, GWMR
6. Nielsen, D.M. and Yeates, G.L., 1985, A Comparison of Sampling Mechanisms Available for Small-Diameter Ground Water Monitoring Wells: Spring 1985
7. Palmer, C.D., Keely, J.F. and Fish, W., 1987, Potential for Solute Retardation on Monitoring Well San Packs and its Effect on Purging Requirements for Groundwater Sampling: Spring 1987, GWMR.
8. Pearsall, K.A. and Eckhardt, D.A.V., Effects of Selected Sampling Equipment and Procedures on the Concentration of Trichloroethylene and Related Compounds in Ground Water Samples.
9. Pennino, J.D., 1988, There is No Such Thing as a Representative Ground Water Sample: Summer 1988, GWMR.
10. Pettyjohn, W.A., Dunlap, W.J., Cosby, R. and Keeley, J.W., 1981, Sampling Ground Water for Organic Contaminants: Vol. 19, No. 2, Ground Water.
11. Robbins, G.A., Hayden, J.M. and Bristol, R. D., Vertical Dispersion of Ground Water Contaminants in the Near-Field of Leaking Underground Gasoline Storage Tanks: Department of Geology and Geophysics, University of Connecticut, Storrs, CT 06269.
12. Robbins, G.A., 1989, Influence of Using Purged and Partially Penetrating Monitoring Wells on Contaminant Detection, Mapping, and Modeling: Vol. 27, No. 2, Ground Water.
13. Robin, M.J.L. and Gillham, R.W., 1987, Field Evaluation of Well Purging Procedures: Fall 1987, GWMR.
14. U.S. Environmental Protection Agency, 1977, Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities: U.S. Department of Commerce, National Technical Information Service (NTIS), Washington DC.
15. U.S. Environmental Protection Agency, 1986, RCRA Ground Water Monitoring Technical Enforcement Guidance Document (TEGD): National Water Well Association, September 1986.
16. U.S. Environmental Protection Agency Symposium on Waste Testing and Quality Assurance, Volume I.: American Public Works Association, July 11-15, 1988.
17. U.S. Environmental Protection Agency, 1987, Handbook, Ground Water: Office of Research and Development, March 1987.

18. U.S. Environmental Protection Agency, 1988, Draft Guidance on Oversight of Potentially Responsible Party Remedial Investigations and Feasibility Studies: Office of Waste Programs Enforcement, August 1988.
19. U.S. Environmental Protection Agency, 1986, Test Methods for Evaluating Solid Waste, Volume 1A, Laboratory Manual, Physical/Chemical Methods: Office of Solid Waste and Emergency Response, November 1986, SW-846, Third Edition.
20. Unwin, J.P., 1984, Sampling Ground Water for Volatile Organic Compounds, The Effects of Sampling Method, Compound Volatility and Concentration: Fourth National Symposium on Aquifer Restoration and Ground Water Monitoring, sponsored by National Water Well Association, May 23-25, 1984.

#### H. General Fate and Transport References

1. Bouwer, H., 1978, Groundwater Hydrology, New York: McGraw-Hill Publishers.
2. Bumb, A.C., Murphy, C.L. and Everett, L.G., 1992, A comparison of three functional forms of representing soil moisture characteristics: Ground Water, Vol. 30, pp. 177-185.
3. Cohen, Y. and Ryan, P.A., 1990, Diffusion of Sorbed Solutes in Gas and Liquid Phases of Low Moisture Soils: Journal of Soil Science Society of America, Vol. 54, pp. 341-346.
4. Davis, A. and Olsen, R.L., 1990, Predicting the Fate and Transport of Organic Compounds in Groundwater, Part 11: Hazardous Materials Control, July-August 1990, pp. 18-37.
5. Dotson, G.K., 1991, Migration of Hazardous Substances through Soils. Washington DC: U.S. Environmental Protection Agency publication, May 1991, 3p.
6. Dragun, J., 1988, The Soil Chemistry of Hazardous Materials. Silver Spring, MD, Hazardous Materials Research Institute, 458p.
7. Keith, L.H., 1988, Principles of Environmental Sampling: Washington DC, American Chemical Society, 458p.
8. La Pointe, P.R. and Hudson, J.A., 1985, Characterization and Interpretation of Rock Moss Joint Patterns: Geological Society of America, Special Paper # 199, 37 p.
9. Lupo, M.J., Chacon, D.L. and Sadowski, P.W., 1991, Field Test for An Unsaturated Zone Fate and Transport Model: Hazardous Materials Control, May-June 1991, pp. 26-34.
10. Lyman, W.J., Reehl, W. F. and Rosenblat, D. H. (eds), 1990, Handbook of Chemical Property Estimation Methods, Environmental Behavior of Organic Compounds: Washington DC, American Chemical Society.
11. Mackay, D., 1979, Finding Fugacity Feasible: Environmental Science & Technology, Vol. 13, pp. 1218-1223.
12. Mackay, D.M., Roberts, P.V. and Cherry, J.A., 1985, Transport of Organic Contaminants In Groundwater, Distribution and Fate of Chemicals In sand and gravel aquifers: Environmental Science and Technology, Vol. 19, pp. 384-392.

13. Mackay, D. and Paterson, S., 1981, Calculating Fugacity: Environmental Science and Technology, Vol. 15, pp. 1006-1014.
14. Mackay, D. and Paterson, S., 1982, Fugacity Revisited, The fugacity approach to environmental transport: Environmental Science and Technology. Vol. 16, pp. 654A-660A.
15. MacKay, D., Shiu, W.Y., Maijanen, A. and Feenstra, S., 1991, Dissolution of non-aqueous phase liquids in groundwater: Journal of Contaminant Hydrology, Vol. 8, pp. 23-42.
16. Marrin, D.L., 1991, Assessing Mobility of Chemicals In the Vadose Zone: San Diego Geological Society of America Short Course Notes, GSA Annual Meeting Oct. 21-24,1991, San Diego, CA.
17. Mehran, M., Olsen, R.L. and Rector, B.M., 1987, Distribution Coefficient of Trichloroethylene In Soil-Water Systems: Ground Water, Vol. 25, pp. 275-282.
18. Mishra, S., Parker, J.C. and Singhal, N., 1989, Estimation of soil hydraulic properties and their uncertainty from particle size distribution data: Journal of Hydrology, Vol. 108, pp. 1-18.
19. Montgomery, J.H. and Welkom, L.M., 1990, Groundwater Chemical Desk Reference, Chelsea, MI: LevAs Pub.
20. Olsen, R.L. and Davis, A., 1990, Predicting the Fate and Transport of Organic Compounds In Ground Water, Part 1: Hazardous Materials Control, May-June 1990, pp. 38-64.
21. Piftman, E.D., 1992, Relationship of Porosity and Permeability to Various Parameters Derived from Mercury Injection-Capillary Pressure Curves for Sandstone: American Association of Petroleum Geologists, Vol. 76, pp. 191-198.
22. Sal, J.O. and Anderson, D.C., 1991, State-of-the-Art Field Hydraulic Conductivity Testing of Compacted Soils: Washington DC, U.S. Environmental Protection Agency, Risk Reduction Engineering Laboratory, EPA/600/S2-91/022.
23. Weaver, J., Enfield, C.G., Yates, S., Kreamer, D. and Whtte, D., 1989, Predicting Subsurface Contaminant Transport and Transformation, Considerations for Model Selection and Field Validation: U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, EPA/600/2-89/045.
24. Zalidis, G.C., Annable, M.D., Wallace, R.B. and Voice, T.C., 1991, A laboratory method for studying the aqueous phase transport of dissolved constituents from residually held NAPL In unsaturated soil columns: Journal of Contaminant Hydrology, Vol. 8, pp. 143-156.

### **I. Residual Saturation References**

1. Chatzis, I, Kuntamukkala, M. S., and Morrow, N. R., 1988, Effect of capillary number on the microstructure of residual oil in strongly water-wet sandstones: SPE Reservoir Engineering, August 1988, pp. 902-912.

2. Chatzis, I, Morrow, N. R., and Lim, H. T., 1983, Magnitude of detailed structure of residual oil saturation: SPE Journal, April 1983, pp. 311-326.
3. Hoag, G.E., and Marley, M.C., 1986. Gasoline residual saturation in unsaturated uniform aquifer materials: Journal of Environmental Engineering, Proceedings of the American Society of Civil Engineering, 112 (3), pp. 586-604.
4. Huntley et al., 1994a, Nonaqueous Phase Hydrocarbon in a fine-grained sandstone: 1. Comparison between measured and predicted saturations and mobility: Ground Water, v.32, no.4, pp. 626-634.
5. Huntley et al., 1994b, Nonaqueous Phase Hydrocarbon in a fine-grained sandstone: 2. Effect of local sediment variability on the estimation of hydrocarbon volumes: Ground Water, v.32, no.5, pp. 778-783.
6. Melrose, J. C., and Brandner, C. F., 1974, Role of capillary forces in determining microscopic displacement efficiency for oil recovery by water flooding: Journal of Canadian Petroleum Technology, v. 13, pp. 54-62.
7. Mercer, J.W., Cohen, R.M., 1990. A review of immiscible fluids in the subsurface: properties, models, characterization and remediation. J. of Contaminant Hydrology, 1990, #6.
8. Rathmell, J.J., Braun, P.H., and Perkins, T.K., 1973. Reservoir waterflood residual oil saturation from laboratory tests: Journal of Petroleum Technology, pp. 175-185.
9. Tyler, N., and Finley, R. J., 1991, Architectural controls on the recovery of hydrocarbons from sandstone reservoirs: In Miall, A. D., and Tyler, N. (eds.), The three-dimensional facies architecture of terrigenous clastic sediments and its implications for hydrocarbon discovery and recovery: Society of Economic Paleontologists and Mineralogists, Tulsa, Oklahoma, Concepts in Sedimentology and Paleontology, volume 3, pp. 1-5.
10. Parker, J.C., and Kayal, A., 1990, Technical documentation for the numerical modeling code, ARMOS. Environmental Science and Technology, Blacksburg, Virginia.

#### **J. Leaching and Migration in Soil References**

1. B.A. Bekins, E. Warren, E.M. Godsy, 1998, A Comparison of Zero-Order, First-Order, and Monod Biotransformation Models: Groundwater, v.36, no.2, pp. 261-268