CE 2050 (Rev. 03/16) Page 1 of 2

PROJECT NAME AND SITE ADDRESS:					CONTRACT NUMBER:				
					ORACLE NUM	MBER:			
					WDID NUMBER:				
CONTRACTOR NAME AND ADDRESS:					PROJECT SITE RISK LEVEL:				
					☐ Risk Level 1 ☐ LUP Type 1				
					☐ Risk Level	Risk Level 2			
					☐ Risk Level	Risk Level 3			
Submitted by (Print Name and Sign):					Date:				
Daily Sample Record									
Location				Date	Date of sampling				
Sample location identification number				Sample collected for  Storm Event					
Sampled by (Signature)				☐ Discharge of stored stormwater					
					Dewatering discharge				
Sampled by (Print Name)					☐ Other Samples to be analyzed for parameters				
				□⊤	☐ Turbidity ☐ pH				
Company					☐ Other				
					☐ Other				
		S	ample In	forma	ation			T	
Sample Identification		Sample Collection Time	ection Precipital		Sample Preservative		Comments Photos		
Preservative Key: 0 – None 1 – Sto				tored a	ed at 4 Celsius 2 – Other				
			Chain of	Custo	ody				
Relinquished by	Received By				Relinquished by		Received by		
Signature	Signature			Signature		Signature			
Print name	Print name			Print name		Print name			
Company	Company			Company		Company			
Date and time	Date and time			Date	Date and time		Date and time		

Page 2 of 2

PROJECT NAME AND SITE ADDRESS:	CONTRACT NUMBER:					
	ORACLE NUMBER:					
	WDID NUMBER:					
Review and Record Keeping						
I have reviewed this document and based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, to the best of my knowledge and belief, the information submitted is true, accurate and complete.						
Has sampling information been entered into "Stormwater Sampling Collection Log"?	Yes No					
Water Pollution Control Manager (Name)	Date					
Water Pollution Control Manager (Signature)						
Accepted by Resident Engineer (Name)	Date					
Resident Engineer's (Signature)						

## Instructions

## **General Information**

- This form is required for compliance with provisions in Section 1 of Attachments C, D, and E of the National Pollutant Discharge Elimination Systems (NPDES) General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities, Order No. 2009-0009-DWQ, NPDES No. CAS000002.
- Sampling guidance is in the current edition of the Construction Site Monitoring Program Guidance Manual
- Conduct sampling and sample preservation according to the current edition of "Standard Methods for the Examination of Water and Wastewater" (American Public Health Association).
- Collect, maintain, and ship samples according to the Surface Ambient Monitoring Program's 2008 Quality Assurance Program Plan. (http://www.swrcb.ca.gov/water\_issues/programs/swamp/docs/qapp/qaprp082209.pdf)
- · Complete a separate Sample Information, Identification, and Chain-of-Custody Record for each sampling location daily.
- Include a copy of the completed form in the project Storm Water Pollution Prevention Plan files.

## Sample Identification

Establish sample identification code as shown below:

SSSSYYMMDDHHmmTT

Where

SSSSS = sampling point number (for example, CCUP1, CCDN2)

YY = last two digits of the year (for example, 09)

MM = month (01-12) DD = day (01-31)

HH = hour sample collected (00-23)

mm = minute sample collected (00-59)

TT = type or QAQC Identifier, if applicable

G = grab

FD = field duplicate

For example, the sample number for a grab sample collected at Station CCUP1 collected at 4:15 p.m. on December 8, 2009, would be **CCUP10912081615G**