



County of San Diego

ERIC GIBSON
DIRECTOR

DEPARTMENT OF PLANNING AND LAND USE

5201 RUFFIN ROAD, SUITE B, SAN DIEGO, CALIFORNIA 92123-1666
INFORMATION (858) 694-2960
TOLL FREE (800) 411-0017
www.sdcounty.ca.gov/dplu

October 23, 2008

CEQA Initial Study - Environmental Checklist Form (Based on the State CEQA Guidelines, Appendix G Rev. 10/04)

1. Title; Project Number; Environmental Log Number:

S06-026/ CC08-0087/ E.R. No. 06-19-021/ Starco Gas Station & Food Mart
2. Lead agency name and address:
County of San Diego, Department of Planning and Land Use
5201 Ruffin Road, Suite B,
San Diego, CA 92123-1666
 - a. Contact Amber J. Griffith, Project Manager
 - b. Phone number: (858) 694-2423
 - c. E-mail: Amber.Griffith@sdcounty.ca.gov.
3. Project location:

9558 Jamacha Boulevard in the Spring Valley Community Planning Area within
Unincorporated San Diego County (APNs: 579-191-25 & 61)

Thomas Brothers Coordinates: Page 1291, Grid 3/C
4. Project Applicant name and address:

Faris Yousif
DBA Jamacha Group
9561 Jamacha Boulevard
Spring Valley, CA 91977
5. General Plan Designation
Community Plan: Spring Valley
Land Use Designation: 13/General Commercial
Density: N/A

- 6. Zoning
 - Use Regulation: C36/General Commercial
 - Minimum Lot Size: --
 - Special Area Regulation: B

7. Description of project:

The project is a Site Plan for a new gas station and mini food mart. The project consists of a Certificate of Compliance to merge nine legal lots to create a single legal lot; construction of a 1,664 square-foot retail food and beverage store; placement of underground storage tanks for automotive fuels to supply four 2-sided pumping stations that can fuel up to eight autos at a time; a 3,820 square-foot canopy that covers the pumping stations; and installation of associated landscaping. The site is currently vacant. Earthwork will consist of cut and export of 920 cubic yards of material. The project includes the following off-site improvements: relocation of existing utilities as necessary to perform proposed construction. The Site Plan for design review is required by Section 5750 of the San Diego County Zoning Ordinance because the property has a B Special Area Designator which requires design review for all construction projects.

The project site is located on the north side of Jamacha Boulevard between La Presa Street and Pecos Street in the Spring Valley Community Planning Area, within unincorporated San Diego County. Access would be provided by two driveways; one connecting to La Presa Street and the other connecting to Pecos Street. The site is subject to the General Plan Regional Category CUDA (Current Urban Development Area) Land Use Designation General Commercial (13). Zoning for the site is C36 (General Commercial).

8. Surrounding land uses and setting (Briefly describe the project's surroundings):

Lands surrounding the project site are used for commercial and dense residential on small lots. The commercial uses are mostly associated with automotive repair facilities. The topography of the project site and adjacent land varies from relatively flat to mildly hilly. The site is located within 1 mile of Interstate 125.

9. Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement):

Permit Type/Action	Agency
Landscape Plans	County of San Diego
Minor Grading Permit	County of San Diego
Site Plan	County of San Diego
Improvement Plans	County of San Diego
Underground Storage Tank Permit	County of San Diego
Water District Approval	Otay Water District
Sewer District Approval	Spring Valley Sanitation District
Fire District Approval	San Miguel Consolidated FPD

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED: The environmental factors checked below would be potentially affected by this project and involve at least one impact that is a "Potentially Significant Impact" or a "Less Than Significant With Mitigation Incorporated," as indicated by the checklist on the following pages.

- | | | |
|---|--|---|
| <input type="checkbox"/> <u>Aesthetics</u> | <input type="checkbox"/> <u>Agricultural Resources</u> | <input type="checkbox"/> <u>Air Quality</u> |
| <input type="checkbox"/> <u>Biological Resources</u> | <input checked="" type="checkbox"/> <u>Cultural Resources</u> | <input type="checkbox"/> <u>Geology & Soils</u> |
| <input type="checkbox"/> <u>Hazards & Haz. Materials</u> | <input type="checkbox"/> <u>Hydrology & Water Quality</u> | <input type="checkbox"/> <u>Land Use & Planning</u> |
| <input type="checkbox"/> <u>Mineral Resources</u> | <input type="checkbox"/> <u>Noise</u> | <input type="checkbox"/> <u>Population & Housing</u> |
| <input type="checkbox"/> <u>Public Services</u> | <input type="checkbox"/> <u>Recreation</u> | <input checked="" type="checkbox"/> <u>Transportation/Traffic</u> |
| <input type="checkbox"/> <u>Utilities & Service Systems</u> | <input type="checkbox"/> <u>Mandatory Findings of Significance</u> | |

DETERMINATION: (To be completed by the Lead Agency)

On the basis of this initial evaluation:

- On the basis of this Initial Study, the Department of Planning and Land Use finds that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- On the basis of this Initial Study, the Department of Planning and Land Use finds that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- On the basis of this Initial Study, the Department of Planning and Land Use finds that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.

Signature

Amber J. Griffith

Printed Name

Date

Land Use/Environmental Planner

Title

INSTRUCTIONS ON EVALUATION OF ENVIRONMENTAL IMPACTS

1. A brief explanation is required for all answers except “No Impact” answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A “No Impact” answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A “No Impact” answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
2. All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
3. Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, Less Than Significant With Mitigation Incorporated, or less than significant. “Potentially Significant Impact” is appropriate if there is substantial evidence that an effect may be significant. If there are one or more “Potentially Significant Impact” entries when the determination is made, an EIR is required.
4. “Less Than Significant With Mitigation Incorporated” applies where the incorporation of mitigation measures has reduced an effect from “Potentially Significant Impact” to a “Less Than Significant Impact.” The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level.
5. Earlier analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c)(3)(D). In this case, a brief discussion should identify the following:
 - a) Earlier Analysis Used. Identify and state where they are available for review.
 - b) Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c) Mitigation Measures. For effects that are “Less Than Significant With Mitigation Incorporated,” describe the mitigation measures that were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
6. Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
7. The explanation of each issue should identify:
 - a) The significance criteria or threshold, if any, used to evaluate each question; and
 - b) The mitigation measure identified, if any, to reduce the impact to less than significance

I. AESTHETICS -- Would the project:

a) Have a substantial adverse effect on a scenic vista?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: A vista is a view from a particular location or composite views along a roadway or trail. Scenic vistas often refer to views of natural lands, but may also be compositions of natural and developed areas, or even entirely of developed and unnatural areas, such as a scenic vista of a rural town and surrounding agricultural lands. What is scenic to one person may not be scenic to another, so the assessment of what constitutes a scenic vista must consider the perceptions of a variety of viewer groups.

The items that can be seen within a vista are visual resources. Adverse impacts to individual visual resources or the addition of structures or developed areas may or may not adversely affect the vista. Determining the level of impact to a scenic vista requires analyzing the changes to the vista as a whole and also to individual visual resources.

The project site is located on the north side of Jamacha Boulevard between La Presa Street and Pecos Street in the Spring Valley Community Planning Area. Lands surrounding the project site are used for commercial and dense single family residential on small lots. Based on a site visit by County staff Amber J. Griffith on March 12, 2008, the proposed project is not located near or within, or visible from, a scenic vista and will not substantially change the composition of an existing scenic vista in a way that would adversely alter the visual quality or character of the view. Therefore, the proposed project will not have an adverse effect on a scenic vista.

The project will not result in cumulative impacts on a scenic vista because the proposed project viewshed and past, present and future projects within that viewshed were evaluated to determine their cumulative effects. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered. Those projects listed in Section XVII are located within the scenic vista's viewshed and will not contribute to a cumulative impact because: the proposed project matches the surrounding land uses in character, scale, and visual quality. The project is located along a commercial corridor in the La Presa District of the Spring Valley Community Plan Area and design features have been incorporated into the architecture and landscaping to promote a coherent commercial image as intended by the Spring Valley Design Guidelines adopted by the Board of Supervisors on June 17, 1992. Development of the currently vacant project site will enhance the aesthetic of the property by providing a more blended appearance with the adjacent uses. Therefore, the project will not result in adverse project or cumulative impacts on a scenic vista.

b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: State scenic highways refer to those highways that are officially designated by the California Department of Transportation (Caltrans) as scenic (Caltrans - California Scenic Highway Program). Generally, the area defined within a State scenic highway is the land adjacent to and visible from the vehicular right-of-way. The dimension of a scenic highway is usually identified using a motorist's line of vision, but a reasonable boundary is selected when the view extends to the distant horizon. The scenic highway corridor extends to the visual limits of the landscape abutting the scenic highway.

Based on a site visit completed by Amber J. Griffith on March 12, 2008, the proposed project is not located near or visible within the composite viewshed of a State scenic highway and will not damage or remove visual resources within a State scenic highway. The project site is located on the north side of Jamacha Boulevard between La Presa Street and Pecos Street in the Spring Valley Community Planning Area. It is located more than three miles away from the portion of SR 125 that is designated as an Official State Scenic Highway and the topography of the area between the Scenic Highway and the project completely removes the project site from the viewshed of the Scenic Highway. Therefore, the proposed project will not have any substantial adverse effect on a scenic resource within a State scenic highway.

c) Substantially degrade the existing visual character or quality of the site and its surroundings?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: Visual character is the objective composition of the visible landscape within a viewshed. Visual character is based on the organization of the pattern elements line, form, color, and texture. Visual character is commonly discussed in terms of dominance, scale, diversity and continuity. Visual quality is the viewer's perception of the visual environment and varies based on exposure, sensitivity and expectation of the viewers. The existing visual character and quality of the project site and surrounding can be characterized as being completely developed with commercial and dense residential uses.

The proposed project is a Site Plan for a new gas station and mini food mart on a vacant lot. The project consists of construction of a small retail food and beverage store; four 2-sided pumping stations; a canopy that covers the pumping stations; installation of associated landscaping; and construction of sidewalks, curbs and gutters along the project frontages. The Site Plan for design review is required by Section 5750 of the San Diego County Zoning Ordinance. The property has a B Special Area Designator which requires design review for all discretionary projects. The project is compatible with the existing visual environment's visual character and quality for the following reasons: the site is currently a small vacant lot along a commercial corridor, development of the lot will visually blend the site with the surrounding uses. Also, the proposed project is visually consistent with the visual character of the surrounding land uses.

The project will not result in cumulative impacts on visual character or quality because the entire existing viewshed and a list of past, present and future projects within that viewshed were evaluated. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered. Those projects listed in Section XVII are located within the viewshed surrounding the project and will not contribute to a cumulative impact for the following reasons: the proposed project matches the surrounding land uses in character, scale, and visual quality. The project is located along a commercial corridor in the La Presa District of the Spring Valley Community Plan Area and design features have been incorporated into the architecture and landscaping to promote a coherent commercial image as intended by the Spring Valley Design Guidelines adopted by the Board of Supervisors on June 17, 1992. Development of the currently vacant project site will enhance the aesthetic of the property by providing a more blended appearance with the adjacent uses. Therefore, the project will not result in any adverse project or cumulative level effect on visual character or quality on-site or in the surrounding area.

d) Create a new source of substantial light or glare, which would adversely affect day or nighttime views in the area?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project will use outdoor lighting and is located within Zone B as identified by the San Diego County Light Pollution Code. However, it will not adversely affect nighttime views or astronomical observations, because the project will conform to the Light Pollution Code (Section 59.101-59.115), including the Zone B lamp type and shielding requirements per fixture and hours of operation limitations for outdoor lighting and searchlights.

In addition, the proposed project will control outdoor lighting and sources of glare in the following ways: the project will not install outdoor lighting that directly illuminates

neighboring properties; the project will not install outdoor lighting that would cast a direct beam angle towards a potential observer, such as a motorists, cyclist or pedestrian; the project will not install outdoor lighting for vertical surfaces such as buildings, landscaping, or signs in a manner that would result in useful light or spill light being cast beyond the boundaries of intended area to be lit; and the project will not install any highly reflective surfaces such as glare-producing glass or high-gloss surface color that will be visible along roadways, pedestrian walkways, or in the line of sight of adjacent properties.

The project will not contribute to significant cumulative impacts on day or nighttime views because the project will conform to the Light Pollution Code. The Code was developed by the San Diego County Department of Planning and Land Use and Department of Public Works in cooperation with lighting engineers, astronomers, land use planners from San Diego Gas and Electric, Palomar and Mount Laguna observatories, and local community planning and sponsor groups to effectively address and minimize the impact of new sources light pollution on nighttime views. The standards in the Code are the result of this collaborative effort and establish an acceptable level for new lighting. Compliance with the Code is required prior to issuance of any building permit for any project. Mandatory compliance for all new building permits ensures that this project in combination with all past, present and future projects will not contribute to a cumulatively considerable impact. Therefore, compliance with the Code ensures that the project will not create a significant new source of substantial light or glare, which would adversely affect daytime or nighttime views in the area, on a project or cumulative level

In addition, the project's outdoor lighting is controlled through the Site Plan, which further limits outdoor lighting through strict controls. Therefore, compliance with the Code, in combination with the outdoor lighting and glare controls listed above ensures that the project will not create a significant new source of substantial light or glare.

II. AGRICULTURAL RESOURCES -- Would the project:

- a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance (Important Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, or other agricultural resources, to non-agricultural use?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site does not contain any agricultural resources, lands designated as Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency. Therefore, no agricultural

resources including Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance will be converted to a non-agricultural use.

b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site is zoned C36, which is not considered to be an agricultural zone. Additionally, the project site's land is not under a Williamson Act Contract. Therefore, the project does not conflict with existing zoning for agricultural use, or a Williamson Act Contract.

c) Involve other changes in the existing environment, which, due to their location or nature, could result in conversion of Important Farmland or other agricultural resources, to non-agricultural use?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site and surrounding area within a radius of 1 mile does not contain any active agricultural operations or lands designated as Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency. Therefore, no Prime Farmland, Unique Farmland, Farmland of Statewide or Local Importance, or active agricultural operations will be converted to a non-agricultural use.

III. AIR QUALITY -- Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:

a) Conflict with or obstruct implementation of the San Diego Regional Air Quality Strategy (RAQS) or applicable portions of the State Implementation Plan (SIP)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes development that was anticipated in SANDAG growth projections used in development of the RAQS and SIP. Operation of the project will not result in emissions of significant quantities of criteria pollutants listed in the California Ambient Air Quality Standards or toxic air contaminants as identified by the California Air Resources Board. As such, the proposed project is not expected to conflict with either the RAQS or the SIP. Also, since the project is consistent with the SANDAG growth projections used in the RAQS and SIP, the project will not contribute to a cumulatively considerable impact.

b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: In general, air quality impacts from land use projects are the result of emissions from motor vehicles, and from short-term construction activities associated with such projects. The San Diego County Air Pollution Control District (SDAPCD) has established screening-level criteria for all new source review (NSR) in APCD Rule 20.2. For CEQA purposes, these screening-level criteria can be used as numeric methods to demonstrate that a project's total emissions (e.g. stationary and fugitive emissions, as well as emissions from mobile sources) would not result in a significant impact to air quality. Since APCD does not have screening-level criteria for emissions of volatile organic compounds (VOCs), the use of the screening level for reactive organic compounds (ROC) from the CEQA Air Quality Handbook for the South Coast Air Basin (SCAB), which has stricter standards for emissions of ROCs/VOCs than San Diego's, is appropriate. However, the eastern portions of the county have atmospheric conditions that are characteristic of the Southeast Desert Air Basin (SEDAB). SEDAB is not classified as an extreme non-attainment area for ozone and therefore has a less restrictive screening-level. Projects located in the eastern portions of the County can use the SEDAB screening-level threshold for VOCs.

The project proposes a new gas station and mini food mart on a vacant lot located at the intersection of Jamacha Boulevard and La Presa Avenue. This will require minimal moving earth. Any grading/excavating operations associated with the construction of the project would be subject to County of San Diego Grading Ordinance, which requires the implementation of dust control measures. Emissions from the construction phase would be minimal and localized, resulting in pollutant emissions below the screening-level criteria established by SDAPCD Rule 20.2 and by the South Coast Air Quality Management District (SCAQMD) CEQA Air Quality Handbook section 6.2 and 6.3. In addition, the vehicle trips generated from the project will result in 268 (primary) Average Daily Trips (ADTs). According to the Bay Area Air Quality Management District CEQA Guidelines for Assessing the Air Quality Impacts of Projects and Plans, projects that

generate less than 2,000 ADT are below the Screening-Level Criteria established by SDAPCD Rule 20.2 and by the SCAQMD CEQA Air Quality Handbook section 6.2 and 6.3 for criteria pollutants.

VOC emissions from gasoline storage, transfer, and dispensing operations are regulated through the statewide vapor recovery program, adopted by the Air Resources Board (ARB), and reflected in local Air Pollution Control District (District) Rules 61.3 and 61.4. The program applies to gasoline transfer from mobile transport tanks into stationary storage tanks at gasoline dispensing facilities (Phase I vapor recovery) and to gasoline dispensing during refueling of vehicles (Phase II vapor recovery). It requires all vapor recovery systems to comply with specified performance standards and be certified by ARB. As such, the project will not violate any air quality standard or contribute substantially to an existing or projected air quality violation.

- c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: San Diego County is presently in non-attainment for the 1-hour concentrations under the California Ambient Air Quality Standard (CAAQS) for Ozone (O₃). San Diego County is also presently in non-attainment for the annual geometric mean and for the 24-hour concentrations of Particulate Matter less than or equal to 10 microns (PM₁₀) under the CAAQS. O₃ is formed when volatile organic compounds (VOCs) and nitrogen oxides (NO_x) react in the presence of sunlight. VOC sources include any source that burns fuels (e.g., gasoline, natural gas, wood, oil); solvents; petroleum processing and storage; and pesticides. Sources of PM₁₀ in both urban and rural areas include: motor vehicles, wood burning stoves and fireplaces, dust from construction, landfills, agriculture, wildfires, brush/waste burning, and industrial sources of windblown dust from open lands.

The project proposes a new gas station and mini food mart on a vacant lot located at the intersection of Jamacha Boulevard and La Presa Avenue. This will require minimal moving earth. Any grading/excavating operations associated with the construction of the project would be subject to County of San Diego Grading Ordinance, which requires the implementation of dust control measures. Emissions from the construction phase would be minimal and localized, resulting in pollutant emissions below the screening-level criteria established by SDAPCD Rule 20.2 and by the South Coast Air Quality Management District (SCAQMD) CEQA Air Quality Handbook section 6.2 and 6.3. In addition, the vehicle trips generated from the project will result in 268 (primary) Average Daily Trips (ADTs). According to the Bay Area Air Quality Management District CEQA

Guidelines for Assessing the Air Quality Impacts of Projects and Plans, projects that generate less than 2,000 ADT are below the Screening-Level Criteria established by SDAPCD Rule 20.2 and by the SCAQMD CEQA Air Quality Handbook section 6.2 and 6.3 for criteria pollutants.

VOC emissions from gasoline storage, transfer, and dispensing operations are regulated through the statewide vapor recovery program, adopted by the Air Resources Board (ARB), and reflected in local Air Pollution Control District (District) Rules 61.3 and 61.4. The program applies to gasoline transfer from mobile transport tanks into stationary storage tanks at gasoline dispensing facilities (Phase I vapor recovery) and to gasoline dispensing during refueling of vehicles (Phase II vapor recovery). It requires all vapor recovery systems to comply with specified performance standards and be certified by ARB. As such, the project will not violate any air quality standard or contribute substantially to an existing or projected air quality violation.

In addition, a list of past, present and future projects within the surrounding area were evaluated and none of these projects emit significant amounts of criteria pollutants. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered. The proposed project as well as the past, present and future projects within the surrounding area, have emissions below the screening-level criteria established by SDAPCD Rule 20.2 and by the SCAQMD CEQA air quality handbook section 6.2 and 6.3, therefore, the construction and operational emissions associated with the proposed project are not expected to create a cumulatively considerable impact nor a considerable net increase of PM₁₀, or any O₃ precursors.

d) Expose sensitive receptors to substantial pollutant concentrations?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: Air quality regulators typically define sensitive receptors as schools (Preschool-12th Grade), hospitals, resident care facilities, or day-care centers, or other facilities that may house individuals with health conditions that would be adversely impacted by changes in air quality.

Based a site visit conducted by Amber J. Griffith on March 12, 2008, a school is located across the street. However, emissions from gasoline storage, transfer, and dispensing operations are regulated through the statewide vapor recovery program, adopted by the Air Resources Board (ARB), and reflected in local Air Pollution Control District (District) Rules 61.3 and 61.4. The program applies to gasoline transfer from mobile transport tanks into stationary storage tanks at gasoline dispensing facilities (Phase I vapor recovery) and to gasoline dispensing during refueling of vehicles (Phase II vapor recovery). It requires all vapor recovery systems to comply with specified performance standards and be certified by ARB. As such, the project will not expose sensitive

receptors to substantial pollutant concentrations. In addition, concentrations of carbon monoxide (CO) from queuing vehicles is not expected onsite since there will not be over 3,000 peak hour vehicles queuing at this site, which is what the County Guidelines for Determining Significance has determined is the threshold for when a CO Hotspot analysis is needed. Further, the proposed project will not generate significant levels of air pollutants.

e) Create objectionable odors affecting a substantial number of people?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: Gas stations can have odors associated with VOCs. However, new facilities must comply with all applicable rule requirements at the time of installation and start-up. The Phase I EVR system upgrades required by Rule 61.3.1 are already in effect for existing facilities (the final compliance date in State law was April 1, 2005). The State-required Phase II EVR system upgrades at existing facilities, excluding the ISD installation, must be completed by January 2009. The final date for compliance with all Rule 61.4.1 requirements (including ISD) is April 2010. The rule authorizes the Air Pollution Control Officer to extend these compliance dates should ARB extend the dates under the State program.

In addition to the EVR requirements mandated by State law; both rules include an Inspection and Maintenance program with specified inspection frequencies at each facility, effective August 2006. Facilities are required to maintain accurate records of all inspections, maintenance, and repair operations as well as records of periodic compliance tests. Both rules will also extend responsibility for proper installation, modification, and repair of vapor recovery systems to contractors/installers of such systems. The rules also require contractors, installers, and testers of vapor recovery equipment to successfully complete relevant South Coast Air Quality Management District (or approved alternative), ARB and system manufacturer training programs. Therefore, there will be a less than significant potential for odors due to gasoline vapors.

IV. BIOLOGICAL RESOURCES -- Would the project:

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
|---|---|

- Less Than Significant With Mitigation Incorporated No Impact

Discussion/Explanation:

No Impact: Based on an analysis of the County's Geographic Information System (GIS) records, the County's Comprehensive Matrix of Sensitive Species, site photos, and a site visit by Amber J. Griffith on March 12, 2008, staff has determined that no native vegetation communities or habitats exist on or adjacent to the site because it has been completely disturbed. Therefore, the project will not have a substantial adverse effect on any candidate, sensitive, or special status species and would not contribute to cumulative impacts to these designated species.

- b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?

- Potentially Significant Impact Less than Significant Impact
 Less Than Significant With Mitigation Incorporated No Impact

Discussion/Explanation:

No Impact: County staff, Amber J. Griffith, conducted a site visit on March 12, 2008. As a result, staff has determined that the proposed project site does not contain any riparian habitat or other sensitive natural communities as defined by the County of San Diego Multiple Species Conservation Program (MSCP), County of San Diego Resource Protection Ordinance (RPO), Natural Community Conservation Plan (NCCP), Fish and Game Code, Endangered Species Act, Clean Water Act, or any other local or regional plans, policies or regulations. In addition, no riparian habitat or other sensitive natural community has been identified within or adjacent to the area proposed for off-site impacts resulting from road improvements, utility extensions, etc. Therefore, the project will not have a substantial adverse effect on any riparian habitat or other sensitive natural community.

- c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

- Potentially Significant Impact Less than Significant Impact
 Less Than Significant With Mitigation Incorporated No Impact

Discussion/Explanation:

No Impact: Based on a site visit conducted by County staff, Amber J. Griffith on March 12, 2008, staff has been determined that the proposed project site does not contain any wetlands as defined by Section 404 of the Clean Water Act, including, but not limited to, marsh, vernal pool, stream, lake, river or water of the U.S., that could potentially be impacted through direct removal, filling, hydrological interruption, diversion or obstruction by the proposed development. Therefore, no impacts will occur to wetlands defined by Section 404 of the Clean Water Act and under the jurisdiction of the Army Corps of Engineers.

d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on an analysis of the County's Geographic Information System (GIS) records, the County's Comprehensive Matrix of Sensitive Species, site photos, and, a site visit by Amber J. Griffith, on March 12, 2008, staff has determined that the site has been completely disturbed and contains no native vegetation or habitats. Therefore, the project would not interfere with the movement of any native resident or migratory fish or wildlife species, or established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.

e) Conflict with the provisions of any adopted Habitat Conservation Plan, Natural Communities Conservation Plan, other approved local, regional or state habitat conservation plan or any other local policies or ordinances that protect biological resources?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Refer to the attached Ordinance Compliance Checklist dated October 23, 2008, for further information on consistency with any adopted Habitat Conservation Plan, Natural Communities Conservation Plan, other approved local, regional or state habitat conservation plan, including, Habitat Management Plans (HMP), Special Area Management Plans (SAMP), or any other local policies or ordinances that protect biological resources including the Multiple Species Conservation Program (MSCP),

Biological Mitigation Ordinance, Resource Protection Ordinance (RPO), Habitat Loss Permit (HLP).

V. CULTURAL RESOURCES -- Would the project:

a) Cause a substantial adverse change in the significance of a historical resource as defined in 15064.5?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will not impact historical resources, because prior grading of the project site has eliminated any potential for impacts to historical resources. Moreover, the site is vacant of buildings and does not support historical resources of any kind.

b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to 15064.5?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will not impact archaeological resources since prior grading of the project site has eliminated any potential for impacts to buried archaeological resources.

c) Directly or indirectly destroy a unique geologic feature?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: San Diego County has a variety of geologic environments and geologic processes which generally occur in other parts of the state, country, and the world. However, some features stand out as being unique in one way or another within the boundaries of the County.

The site does not contain any unique geologic features that have been listed in the County's Guidelines for Determining Significance for Unique Geology Resources nor

does the site support any known geologic characteristics that have the potential to support unique geologic features.

d) Directly or indirectly destroy a unique paleontological resource or site?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant With Mitigation Incorporated: A review of the County's Paleontological Resources Maps and data on San Diego County's geologic formations indicates that the project is located on geological formations that potentially contain unique paleontological resources. Excavating into undisturbed ground beneath the soil horizons may cause a significant impact if unique paleontological resources are encountered. Since an impact to paleontological resources does not typically occur until the resource is disturbed, monitoring during excavation is the essential measure to mitigate potentially significant impacts to unique paleontological resources to a level below significance.

The project has low potential for containing paleontological resources and may excavate the substratum and/or bedrock below the soil horizons.

A monitoring program implemented by the excavation/grading contractor will be required. Equipment operators and others involved in the excavation should watch for fossils during the normal course of their duties. In accordance with the Grading Ordinance, if a fossil or fossil assemblage of greater than twelve inches in any dimension is encountered during excavation, all excavation operations in the area where the fossil or fossil assemblage was found shall be suspended immediately, the County's Permit Compliance Coordinator shall be notified, and a Qualified Paleontologist shall be retained by the applicant to inspect the find to determine if it is significant. A Qualified Paleontologist is a person who has, to the satisfaction of the Planning and Land Use Director:

- A Ph.D. or M.S. or equivalent in paleontology or closely related field (e.g., sedimentary or stratigraphic geology, evolutionary biology, etc.);
- Demonstrated knowledge of southern California paleontology and geology; and
- Documented experience in professional paleontological procedures and techniques.

If the Qualified Paleontologist determines that the fossil or fossil assemblage is significant; a mitigation program involving salvage, cleaning, and curation of the fossil(s) and documentation shall be implemented. If no fossils or fossil assemblages of greater than 12 inches in any dimension are encountered during excavation, a "No Fossils Found" letter will be submitted to the County Department of Planning and Land Use identifying who conducted the monitoring and that no fossils were found. If one or more

fossils or fossil assemblages are found, the Qualified Paleontologist shall prepare a report documenting the mitigation program, including field and laboratory methodology, location and the geologic and stratigraphic setting, list(s) of collected fossils and their paleontological significance, descriptions of any analyses, conclusions, and references cited.

Therefore, with the implementation of the above project requirements during project grading operations, potential impacts to paleontological resources will be less than significant. Furthermore, the project will not result in a cumulative impact to paleontological resources because other projects that require grading in sensitive paleontological resource areas will be required to have the appropriate level of paleontological monitoring and resource recovery. In addition, other projects that propose any amount of significant grading would be subject to the requirements for paleontological monitoring as required pursuant to the County's Grading Ordinance. Therefore, the project would not result in a significant direct, indirect, or cumulatively significant loss of paleontological resources.

e) Disturb any human remains, including those interred outside of formal cemeteries?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will not disturb any human remains since prior grading of the project site has eliminated any potential for the presence of interred human remains.

VI. GEOLOGY AND SOILS -- Would the project:

a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:

- i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?
Refer to Division of Mines and Geology Special Publication 42.

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project is not located in a fault rupture hazard zone identified by the Alquist-Priolo Earthquake Fault Zoning Act, Special Publication 42, Revised 1997, Fault-Rupture Hazards Zones in California, or located within any other area with substantial evidence of a known fault. Therefore, there will be no impact from the exposure of people or structures to adverse effects from a known fault-rupture hazard zone as a result of this project.

ii. Strong seismic ground shaking?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: To ensure the structural integrity of all buildings and structures, the project must conform to the Seismic Requirements as outlined within the California Building Code. The County Code requires a soils compaction report with proposed foundation recommendations to be approved before the issuance of a building permit. Therefore, compliance with the California Building Code and the County Code ensures the project will not result in a potentially significant impact from the exposure of people or structures to potential adverse effects from strong seismic ground shaking.

iii. Seismic-related ground failure, including liquefaction?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site is not within a "Potential Liquefaction Area" as identified in the County Guidelines for Determining Significance for Geologic Hazards. This indicates that the geologic environment of the project site is not susceptible to ground failure from seismic activity. In addition, the site is not underlain by poor artificial fill or located within a floodplain. Therefore, there will be no impact from the exposure of people or structures to adverse effects from a known area susceptible to ground failure, including liquefaction.

iv. Landslides?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The site is located within a "Landslide Susceptibility Area" as identified in the County Guidelines for Determining Significance for Geologic Hazards. Landslide Susceptibility Areas were developed based on landslide risk profiles included in the *Multi-Jurisdictional Hazard Mitigation Plan, San Diego, CA* (URS, 2004). Landslide risk areas from this plan were based on data including steep slopes (greater than 25%); soil series data (SANDAG based on USGS 1970s series); soil-slip susceptibility from USGS; and Landslide Hazard Zone Maps (limited to western portion of the County) developed by the California Department of Conservation, Division of Mines and Geology (DMG). Also included within Landslide Susceptibility Areas are gabbroic soils on slopes steeper than 15% in grade because these soils are slide prone. However, the project site and its surroundings is not located in an area with steep slopes. Therefore, there will be no potentially significant impact from the exposure of people or structures to adverse effects from adverse effects of landslides.

b) Result in substantial soil erosion or the loss of topsoil?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: According to the Soil Survey of San Diego County, the soils on-site are identified as Huerhuero-Urban land complex, 9 to 30 percent slopes (HuE), that has a soil erodibility rating "severe" as indicated by the Soil Survey for the San Diego Area, prepared by the US Department of Agriculture, Soil Conservation and Forest Service dated December 1973. However, the project will not result in substantial soil erosion or the loss of topsoil for the following reasons: the project will not result in unprotected erodible soils; will not alter existing drainage patterns; is not located in a floodplain, wetland, or significant drainage feature; and will not develop steep slopes. Also, the project has prepared a Storm water Management Plan dated January 22, 2007, prepared by K & S Engineering. The plan includes the following Best Management Practices to ensure sediment does not erode from the project site: during the construction phase the following construction BMPs will be employed: silt fence; storm drain inlet protection; stabilized construction entrance/exit; gravel bag berm; and water conservation practices. The following site design measures will be included as BMPs for the operational phase of the project: erosion from slopes will be minimized by minimizing the cut and fill areas to reduce slope lengths; existing slopes will only be disturbed when necessary; and retaining walls will be incorporated to reduce steepness of slopes and to shorten slopes. In addition, the project involves grading. However, the project is required to comply with the San Diego County Code of Regulations, Title 8, Zoning and Land Use Regulations, Division 7, Sections 87.414 (DRAINAGE - EROSION PREVENTION) and 87.417 (PLANTING). Compliance with these regulations minimizes the potential for water and wind erosion. Due to these factors, it

has been found that the project will not result in substantial soil erosion or the loss of topsoil on a project level.

In addition, the project will not contribute to a cumulatively considerable impact because all the of past, present and future projects included on the list of projects that involve grading or land disturbance are required to follow the requirements of the San Diego County Code of Regulations, Title 8, Zoning and Land Use Regulations, Division 7, Sections 87.414 (DRAINAGE - EROSION PREVENTION) and 87.417 (PLANTING); Order 2001-01 (NPDES No. CAS 0108758), adopted by the San Diego Region RWQCB on February 21, 2001; County Watershed Protection, Storm Water Management, and Discharge Control Ordinance (WPO) (Ord. No. 9424); and County Storm water Standards Manual adopted on February 20, 2002, and amended January 10, 2003 (Ordinance No. 9426). Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered.

c) Will the project produce unstable geological conditions that will result in adverse impacts resulting from landslides, lateral spreading, subsidence, liquefaction or collapse?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project will result in site disturbance and grading of 920 cubic yards of material. The proposed project is consistent with the geological formations underlying the site. For further information refer to VI Geology and Soils, Question a., i-iv listed above.

d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project is located on expansive soils as defined within Table 18-1-B of the Uniform Building Code (1994). This was confirmed by staff review of the Soil Survey for the San Diego Area, prepared by the US Department of Agriculture, Soil Conservation and Forest Service dated December 1973. The soils on-site are Huerhuero-Urban land complex, 9 to 30 percent slopes (HuE). However the project will not have any significant impacts because the project is required to comply the improvement requirements identified in the 1997 Uniform Building Code, Division III

– Design Standard for Design of Slab-On-Ground Foundations to Resist the Effects of Expansive Soils and Compressible Soils, which ensure suitable structure safety in areas with expansive soils. Therefore, these soils will not create substantial risks to life or property.

e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will rely on public water and sewer for the disposal of wastewater. A service availability letter dated July 30, 2008 has been received from the Spring Valley Sanitation Maintenance District indicating that the facility has adequate capacity for the projects wastewater disposal needs. No septic tanks or alternative wastewater disposal systems are proposed.

VII. HAZARDS AND HAZARDOUS MATERIALS -- Would the project:

a) Create a significant hazard to the public or the environment through the routine transport, storage, use, or disposal of hazardous materials or wastes or through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

- | | |
|--|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Potentially Significant Unless Mitigation Incorporation | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes construction of a new gas station and mini food mart. The project includes placement of underground storage tanks for automotive fuels to supply four 2-sided pumping stations that can fuel up to 8 autos at a time; which involves the routine use and storage of hazardous materials. However, the project will not result in a significant hazard to the public or environment because all storage, handling, transport, emission and disposal of hazardous substances will be in full compliance with local, State, and Federal regulations. California Government Code § 65850.2 requires that no final certificate of occupancy or its substantial equivalent be issued unless there is verification that the owner or authorized agent has met, or is meeting, the applicable requirements of the Health and Safety Code, Division 20, Chapter 6.95, Article 2, Section 25500-25520.

The San Diego County Department of Environmental Health Hazardous Materials Division (DEH HMD) is the Certified Unified Program Agency (CUPA) for San Diego County responsible for enforcing Chapter 6.95 of the Health and Safety Code. As the CUPA, the DEH HMD is required to regulate hazardous materials business plans and chemical inventory, hazardous waste and tiered permitting, underground storage tanks, and risk management plans. The Hazardous Materials Business Plan is required to contain basic information on the location, type, quantity and health risks of hazardous materials stored, used, or disposed of onsite. The plan also contains an emergency response plan which describes the procedures for mitigating a hazardous release, procedures and equipment for minimizing the potential damage of a hazardous materials release, and provisions for immediate notification of the HMD, the Office of Emergency Services, and other emergency response personnel such as the local Fire Agency having jurisdiction. Implementation of the emergency response plan facilitates rapid response in the event of an accidental spill or release, thereby reducing potential adverse impacts. Furthermore, the DEH HMD is required to conduct ongoing routine inspections to ensure compliance with existing laws and regulations; to identify safety hazards that could cause or contribute to an accidental spill or release; and to suggest preventative measures to minimize the risk of a spill or release of hazardous substances.

Therefore, due to the strict requirements that regulate hazardous substances outlined above and the fact that the initial planning, ongoing monitoring, and inspections will occur in compliance with local, State, and Federal regulation; the project will not result in any potentially significant impacts related to the routine transport, use, and disposal of hazardous substances or related to the accidental explosion or release of hazardous substances.

b) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project is located within one-quarter mile of an existing school and proposes construction of a new gas station and mini food mart. The project includes placement of underground storage tanks for automotive fuels to supply four 2-sided pumping stations that can fuel up to 8 autos at a time; which will involve the storage and handling of hazardous substances. However, the project will not result in a significant hazard to the public or environment because all storage, handling, transport, emission and disposal of hazardous substances will be in full compliance with local, State, and Federal regulations. California Government Code § 65850.2 requires that no final certificate of occupancy or its substantial equivalent be issued unless there is verification that the owner or authorized agent has met, or is meeting, the applicable

requirements of the Health and Safety Code, Division 20, Chapter 6.95, Article 2, Section 25500-25520.

The San Diego County Department of Environmental Health Hazardous Materials Division (DEH HMD) is the Certified Unified Program Agency (CUPA) for San Diego County responsible for enforcing Chapter 6.95 of the Health and Safety Code. As the CUPA, the DEH HMD is required to regulate hazardous materials business plans and chemical inventory, hazardous waste and tiered permitting, underground storage tanks, and risk management plans. The Hazardous Materials Business Plan is required to contain basic information on the location, type, quantity and health risks of hazardous materials stored, used, or disposed of onsite. The plan also contains an emergency response plan which describes the procedures for mitigating a hazardous release, procedures and equipment for minimizing the potential damage of a hazardous materials release, and provisions for immediate notification of the HMD, the Office of Emergency Services, and other emergency response personnel such as the local Fire Agency having jurisdiction. Implementation of the emergency response plan facilitates rapid response in the event of an accidental spill or release, thereby reducing potential adverse impacts. Furthermore, the DEH HMD is required to conduct ongoing routine inspections to ensure compliance with existing laws and regulations; to identify safety hazards that could cause or contribute to an accidental spill or release; and to suggest preventative measures to minimize the risk of a spill or release of hazardous substances.

Therefore, due to the strict requirements that regulate hazardous substances outlined above and the fact that the initial planning, ongoing monitoring, and inspections will occur in compliance with local, State, and Federal regulation; the project will not result in any potentially significant impacts related to the routine transport, use, and disposal of hazardous substances within one-quarter mile of an existing or proposed school.

- c) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5, or is otherwise known to have been subject to a release of hazardous substances and, as a result, would it create a significant hazard to the public or the environment?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on a site visit and records search, the project site has not been subject to a release of hazardous substances. The project site is not included in any of the following lists or databases: the State of California Hazardous Waste and Substances sites list compiled pursuant to Government Code Section 65962.5., the San Diego County Hazardous Materials Establishment database, the San Diego County DEH Site Assessment and Mitigation (SAM) Case Listing, the Department of Toxic Substances Control (DTSC) Site Mitigation and Brownfields Reuse Program Database

("CalSites" Envirostor Database), the Resource Conservation and Recovery Information System (RCRIS) listing, the EPA's Superfund CERCLIS database or the EPA's National Priorities List (NPL). Additionally, the project does not propose structures for human occupancy or significant linear excavation within 1,000 feet of an open, abandoned, or closed landfill, is not located on or within 250 feet of the boundary of a parcel identified as containing burn ash (from the historic burning of trash), is not on or within 1,000 feet of a Formerly Used Defense Site (FUDS), does not contain a leaking Underground Storage Tank, and is not located on a site with the potential for contamination from historic uses such as intensive agriculture, industrial uses, a gas station or vehicle repair shop. Therefore, the project would not create a significant hazard to the public or environment.

- d) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project is not located within an Airport Land Use Compatibility Plan (ALUCP), a Comprehensive Land Use Plan (CLUP), or within two miles of a public airport. Also, the project does not propose construction of any structure equal to or greater than 150 feet in height, constituting a safety hazard to aircraft and/or operations from an airport or heliport. Therefore, the project will not constitute a safety hazard for people residing or working in the project area.

- e) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project is not within one mile of a private airstrip. As a result, the project will not constitute a safety hazard for people residing or working in the project area.

- f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

The following sections summarize the project's consistency with applicable emergency response plans or emergency evacuation plans.

i. OPERATIONAL AREA EMERGENCY PLAN AND MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN:

Less Than Significant Impact: The Operational Area Emergency Plan is a comprehensive emergency plan that defines responsibilities, establishes an emergency organization, defines lines of communications, and is designed to be part of the statewide Standardized Emergency Management System. The Operational Area Emergency Plan provides guidance for emergency planning and requires subsequent plans to be established by each jurisdiction that has responsibilities in a disaster situation. The Multi-Jurisdictional Hazard Mitigation Plan includes an overview of the risk assessment process, identifies hazards present in the jurisdiction, hazard profiles, and vulnerability assessments. The plan also identifies goals, objectives and actions for each jurisdiction in the County of San Diego, including all cities and the County unincorporated areas. The project will not interfere with this plan because it will not prohibit subsequent plans from being established or prevent the goals and objectives of existing plans from being carried out.

ii. SAN DIEGO COUNTY NUCLEAR POWER STATION EMERGENCY RESPONSE PLAN

No Impact: The San Diego County Nuclear Power Station Emergency Response Plan will not be interfered with by the project due to the location of the project, plant and the specific requirements of the plan. The emergency plan for the San Onofre Nuclear Generating Station includes an emergency planning zone within a 10-mile radius. All land area within 10 miles of the plant is not within the jurisdiction of the unincorporated County and as such a project in the unincorporated area is not expected to interfere with any response or evacuation.

iii. OIL SPILL CONTINGENCY ELEMENT

No Impact: The Oil Spill Contingency Element will not be interfered with because the project is not located along the coastal zone or coastline.

iv. EMERGENCY WATER CONTINGENCIES ANNEX AND ENERGY SHORTAGE RESPONSE PLAN

No Impact: The Emergency Water Contingencies Annex and Energy Shortage Response Plan will not be interfered with because the project does not propose altering major water or energy supply infrastructure, such as the California Aqueduct.

v. DAM EVACUATION PLAN

No Impact: The Dam Evacuation Plan will not be interfered with because the project is not located within a dam inundation zone.

g) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project is adjacent to wildlands that have the potential to support wildland fires. However, the project will not expose people or structures to a significant risk of loss, injury or death involving wildland fires because the project will comply with the regulations relating to emergency access, water supply, and defensible space specified in the Consolidated Fire Code for the 17 Fire Protection Districts in San Diego County and Appendix II-A, as adopted and amended by the local fire protection district. Implementation of these fire safety standards will occur during the building permit process. Also, conditions dated August 1, 2008, have been received from the San Miguel Consolidated Fire Protection District. The conditions from the San Miguel Consolidated Fire Protection District include: the facility is required to be in compliance with the California Fire Code Article 45 Motor Vehicle Fuel Dispensing Stations and Article 79 Flammable Liquids, Underground Storage at all times; installation of listed and approved storage tanks and dispensing equipment; installation of emergency shutdown devices for the pumps; the owner must obtain permits for storage and dispensing of flammable and combustible liquids from the San Miguel Consolidated Fire Protection District; fire extinguishers shall be provided for the fuel stations and the interior of the store; and the address numbers shall be visible from the street. Therefore, based on the review of the project by County staff, through compliance with the Consolidated Fire Code and Appendix II-A and through compliance with the San Miguel Consolidated Fire Protection District's conditions, the project is not anticipated to expose people or structures to a significant risk of loss, injury or death involving hazardous wildland fires. Moreover, the project will not contribute to a cumulatively considerable impact, because all past, present and future projects in the surrounding area are required to comply with the Consolidated Fire Code and Appendix II-A.

- h) Propose a use, or place residents adjacent to an existing or reasonably foreseeable use that would substantially increase current or future resident's exposure to vectors, including mosquitoes, rats or flies, which are capable of transmitting significant public health diseases or nuisances?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not involve or support uses that allow water to stand for a period of 72 hours (3 days) or more (e.g. artificial lakes, agricultural irrigation ponds). Also, the project does not involve or support uses that will produce or collect animal waste, such as equestrian facilities, agricultural operations (chicken coops, dairies etc.), solid waste facility or other similar uses. Moreover, based on a site visit conducted by Amber J. Griffith on March 12, 2008 there are none of these uses on adjacent properties. Therefore, the project will not substantially increase current or future resident's exposure to vectors, including mosquitoes, rats or flies.

VIII. HYDROLOGY AND WATER QUALITY -- Would the project:

- a) Violate any waste discharge requirements?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes and will be required to implement the following site design measures and/or source control BMPs and/or treatment control BMPs to reduce potential pollutants to the maximum extent practicable from entering storm water runoff: erosion from slopes will be minimized by minimizing the cut and fill areas to reduce slope lengths; existing slopes will only be disturbed when necessary; retaining walls will be incorporated to reduce steepness of slopes and to shorten slopes; all storm drain inlets within the project area will have a stencil or tile placed with prohibitive language to discourage illegal dumping; trash storage areas will be designed to reduce pollution introduction; and the irrigation system will be designed efficiently to minimize irrigation water runoff. These measures will enable the project to meet waste discharge requirements as required by the Land-Use Planning for New Development and Redevelopment Component of the San Diego Municipal Permit (SDRWQCB Order No. 2001-01), as implemented by the San Diego County Jurisdictional Urban Runoff Management Program (JURMP) and Standard Urban Storm Water Mitigation Plan (SUSMP).

Finally, the project's conformance to the waste discharge requirements listed above ensures the project will not create cumulatively considerable water quality impacts related to waste discharge because, through the permit, the project will conform to Countywide watershed standards in the JURMP and SUSMP, derived from State regulation to address human health and water quality concerns. Therefore, the project will not contribute to a cumulatively considerable impact to water quality from waste discharges.

b) Is the project tributary to an already impaired water body, as listed on the Clean Water Act Section 303(d) list? If so, could the project result in an increase in any pollutant for which the water body is already impaired?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project lies in the Jamacha hydrologic subarea, within the San Diego hydrologic unit. According to the Clean Water Act Section 303(d) list, July 2003, a portion of this watershed at the Pacific Ocean and mouth of the San Diego River is impaired for coliform bacteria. Constituents of concern in the San Diego watershed include coliform bacteria, total dissolved solids, nutrients, petroleum chemicals, toxics, and trash. However, the project does not propose any known sources of pollutants, or land use activities that might contribute these pollutants.

The project proposes the following activities that are associated with these pollutants: construction activities, landscaping, automobile parking, collection of trash, and the storage and dispensing of petroleum hydrocarbons. However, the following construction BMPs, site design measures, source control BMPs and treatment control BMPs will be employed such that potential pollutants will be reduced in any runoff to the maximum extent practicable so as not to increase the level of these pollutants in receiving waters: During the construction phase the following construction BMPs will be employed: silt fence; storm drain inlet protection; stabilized construction entrance/exit; gravel bag berm; material delivery and storage; spill prevention and control; concrete waste management; and water conservation practices. The following site design measures will be included as BMPs for the operational phase of the project: erosion from slopes will be minimized by minimizing the cut and fill areas to reduce slope lengths; existing slopes will only be disturbed when necessary; and retaining walls will be incorporated to reduce steepness of slopes and to shorten slopes. These construction and site design measures will reduce introduction of coliform bacteria and sediments, which may contain nutrients and dissolved solids, to the San Diego watershed. The following source control BMPs will be utilized: all storm drain inlets within the project area will have a stencil or tile placed with prohibitive language to discourage illegal dumping; trash storage areas will be designed to reduce pollution introduction; and the irrigation system will be designed efficiently to minimize irrigation water runoff. Also, the fuel dispensing areas will be covered by a canopy that will be

disallow canopy drainage across the fueling area; paved with a smooth impervious surface; have an appropriate slope to prevent ponding; and it will be separated from the rest of the site by a grade break that prevents run-on of urban runoff. These source control BMPs will reduce the introduction of dissolved solids, nutrients, petroleum chemicals, toxics and trash to the San Diego watershed. Additionally, as a treatment BMP to address runoff from the project site, catch basin filter inserts will be installed on appropriate private drainage inlets. The inserts will be designed to collect sediment, trash and debris during low flows without impeding peak flows and they will reduce hydrocarbons, oil, grease and metal debris.

The proposed BMPs are consistent with regional surface water and storm water planning and permitting process that has been established to improve the overall water quality in County watersheds. As a result the project will not contribute to a cumulative impact to an already impaired water body, as listed on the Clean Water Act Section 303(d). Regional surface water and storm water permitting regulation for County of San Diego, Incorporated Cities of San Diego County, and San Diego Unified Port District includes the following: Order 2001-01 (NPDES No. CAS 0108758), adopted by the San Diego Region RWQCB on February 21, 2001; County Watershed Protection, Storm Water Management, and Discharge Control Ordinance (WPO) (Ord. No. 9424); County Storm water Standards Manual adopted on February 20, 2002, and amended January 10, 2003 (Ordinance No. 9426). The stated purposes of these ordinances are to protect the health, safety and general welfare of the County of San Diego residents; to protect water resources and to improve water quality; to cause the use of management practices by the County and its citizens that will reduce the adverse effects of polluted runoff discharges on waters of the state; to secure benefits from the use of storm water as a resource; and to ensure the County is compliant with applicable state and federal laws. Ordinance No. 9424 (WPO) has discharge prohibitions, and requirements that vary depending on type of land use activity and location in the County. Ordinance No. 9426 is Appendix A of Ordinance No. 9424 (WPO) and sets out in more detail, by project category, what Dischargers must do to comply with the Ordinance and to receive permits for projects and activities that are subject to the Ordinance. Collectively, these regulations establish standards for projects to follow which intend to improve water quality from headwaters to the deltas of each watershed in the County. Each project subject to WPO is required to prepare a Storm water Management Plan that details a project's pollutant discharge contribution to a given watershed and propose BMPs or design measures to mitigate any impacts that may occur in the watershed.

c) Could the proposed project cause or contribute to an exceedance of applicable surface or groundwater receiving water quality objectives or degradation of beneficial uses?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The Regional Water Quality Control Board has designated water quality objectives for waters of the San Diego Region as outlined in Chapter 3 of the Water Quality Control Plan (Plan). The water quality objectives are necessary to protect the existing and potential beneficial uses of each hydrologic unit as described in Chapter 2 of the Plan.

The project lies in the Jamacha hydrologic subarea, within the San Diego hydrologic unit that has the following existing and potential beneficial uses for inland surface waters, coastal waters, reservoirs and lakes, and ground water: municipal and domestic supply; agricultural supply; industrial process supply, industrial service supply; hydropower generation; contact water recreation; non-contact water recreation; warm freshwater habitat; cold freshwater habitat; wildlife habitat; commercial and sport fishing; estuarine habitat; marine habitat; migration of aquatic organisms; shellfish harvesting; and, rare, threatened, or endangered species habitat.

The project proposes the following potential sources of polluted runoff: construction activities, parking lots, outdoor vehicle fueling. The general types of pollutants associated with these sources are sediment, coliform bacteria, nutrients, trash, and petroleum hydrocarbons from automotive fluids. However, the following construction BMPs, site design measures, source control BMPs and treatment control BMPs will be employed to reduce potential pollutants in runoff to the maximum extent practicable, such that the proposed project will not cause or contribute to an exceedance of applicable surface or groundwater receiving water quality objectives or degradation of beneficial uses: During the construction phase the following construction BMPs will be employed: silt fence; storm drain inlet protection; stabilized construction entrance/exit; gravel bag berm; material delivery and storage; spill prevention and control; concrete waste management; and water conservation practices. The following site design measures will be included as BMPs for the operational phase of the project: erosion from slopes will be minimized by minimizing the cut and fill areas to reduce slope lengths; existing slopes will only be disturbed when necessary; and retaining walls will be incorporated to reduce steepness of slopes and to shorten slopes. These construction and site design measures will reduce introduction of coliform bacteria and sediments, which may contain nutrients and dissolved solids, to the San Diego watershed. The following source control BMPs will be utilized: all storm drain inlets within the project area will have a stencil or tile placed with prohibitive language to discourage illegal dumping; trash storage areas will be designed to reduce pollution introduction; and the irrigation system will be designed efficiently to minimize irrigation water runoff. Also, the fuel dispensing areas will be: covered by a canopy that will be disallow canopy drainage across the fueling area; paved with a smooth impervious surface; have an appropriate slope to prevent ponding; and it will be separated from the rest of the site by a grade break that prevents run-on of urban runoff. These source control BMPs will reduce the introduction of dissolved solids, nutrients, petroleum chemicals, toxics and trash to the San Diego watershed. Additionally, as a treatment BMP to address runoff from the project site, catch basin filter inserts will be installed on appropriate private drainage inlets. The inserts will be designed to collect sediment,

trash and debris during low flows without impeding peak flows and they will reduce hydrocarbons, oil, grease and metal debris.

In addition, the proposed BMPs are consistent with regional surface water, storm water and groundwater planning and permitting process that has been established to improve the overall water quality in County watersheds. As a result, the project will not contribute to a cumulatively considerable exceedance of applicable surface or groundwater receiving water quality objectives or degradation of beneficial uses. Refer to Section VIII., Hydrology and Water Quality, Question b, for more information on regional surface water and storm water planning and permitting process.

- d) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will obtain its water supply from the Otay Water District that obtains water from surface reservoirs or other imported water source. The project will not use any groundwater for any purpose, including irrigation, domestic or commercial demands. In addition, the project does not involve operations that would interfere substantially with groundwater recharge including, but not limited to the following: the project does not involve regional diversion of water to another groundwater basin; or diversion or channelization of a stream course or waterway with impervious layers, such as concrete lining or culverts, for substantial distances (e.g. ¼ mile). These activities and operations can substantially affect rates of groundwater recharge. Therefore, no impact to groundwater resources is anticipated.

- e) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes construction of a retail food and beverage store; placement of underground storage tanks for automotive fuels; a 3,820

square-foot canopy that covers the pumping stations; and installation of associated landscaping. Earthwork will consist of cut and export of 920 cubic yards of material. The project includes the following off-site improvements: relocation of existing utilities as necessary to perform proposed construction. As outlined in the Storm water Management Plan (SWMP) dated January 22, 2007 and prepared by Hossein Zomorodi R.C.E. for Gary Engineering, Inc., the project will implement site design measures, source control, and treatment control BMPs to reduce potential pollutants, including sediment from erosion or siltation, to the maximum extent practicable from entering storm water runoff as described in the response for VIII.c, above. These measures will control erosion and sedimentation and satisfy waste discharge requirements as required by the Land-Use Planning for New Development and Redevelopment Component of the San Diego Municipal Permit (SDRWQCB Order No. 2001-01), as implemented by the San Diego County Jurisdictional Urban Runoff Management Program (JURMP) and Standard Urban Storm Water Mitigation Plan (SUSMP). The SWMP specifies and describes the implementation process of all BMPs that will address equipment operation and materials management, prevent the erosion process from occurring, and prevent sedimentation in any onsite and downstream drainage swales. The Department of Public Works will ensure that the Plan is implemented as proposed. Due to these factors, it has been found that the project will not result in significantly increased erosion or sedimentation potential and will not alter any drainage patterns of the site or area on- or off-site. In addition, because erosion and sedimentation will be controlled within the boundaries of the project, the project will not contribute to a cumulatively considerable impact. For further information on soil erosion refer to VI., Geology and Soils, Question b.

- f) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project will not significantly alter established drainage patterns or significantly increase the amount of runoff for the following reasons, based on a Drainage Study prepared by Hossein Zomorodi R.C.E. for Gary Engineering, Inc. dated April 17, 2006: Drainage will be conveyed to either natural drainage channels or approved drainage facilities; the project will not increase water surface elevation in a watercourse with a watershed equal to or greater one square mile by one inch or more in height; the project will not increase surface runoff exiting the project site equal to or greater than one cubic foot/second.

Therefore, the project will not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially

increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site. Moreover, the project will not contribute to a cumulatively considerable alteration or a drainage pattern or increase in the rate or amount of runoff, because the project will substantially increase water surface elevation or runoff exiting the site, as detailed above.

g) Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project has been reviewed in relation to off-site drainage. The project does not propose to create or contribute runoff water that would exceed the capacity of existing or planned storm water drainage systems. The project will increase runoff. However, the increase is considered insignificant and the existing drainage facilities are sufficient to accommodate the increase.

h) Provide substantial additional sources of polluted runoff?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes the following potential sources of polluted runoff: construction activities, parking lots, outdoor vehicle fueling. The general types of pollutants associated with these sources are sediment, coliform bacteria, nutrients, trash, and petroleum hydrocarbons from automotive fluids. However, the following construction BMPs, site design measures, source control BMPs, and treatment control BMPs will be employed such that potential pollutants will be reduced in runoff to the maximum extent practicable: During the construction phase the following construction BMPs will be employed: silt fence; storm drain inlet protection; stabilized construction entrance/exit; gravel bag berm; material delivery and storage; spill prevention and control; concrete waste management; and water conservation practices.

The following site design measures will be included as BMPs for the operational phase of the project: erosion from slopes will be minimized by minimizing the cut and fill areas to reduce slope lengths; existing slopes will only be disturbed when necessary; and retaining walls will be incorporated to reduce steepness of slopes and to shorten slopes. These construction and site design measures will reduce introduction of coliform bacteria and sediments, which may contain nutrients and dissolved solids, to the San Diego watershed.

The following source control BMPs will be utilized: all storm drain inlets within the project area will have a stencil or tile placed with prohibitive language to discourage illegal dumping; trash storage areas will be designed to reduce pollution introduction; and the irrigation system will be designed efficiently to minimize irrigation water runoff. Also, the fuel dispensing areas will be: covered by a canopy that will be disallow canopy drainage across the fueling area; paved with a smooth impervious surface; have an appropriate slope to prevent ponding; and it will be separated from the rest of the site by a grade break that prevents run-on of urban runoff. These source control BMPs will reduce the introduction of dissolved solids, nutrients, petroleum chemicals, toxics and trash to the San Diego watershed.

Additionally, as a treatment BMP to address runoff from the project site, catch basin filter inserts will be installed on appropriate private drainage inlets. The inserts will be designed to collect sediment, trash and debris during low flows without impeding peak flows and they will reduce hydrocarbons, oil, grease and metal debris. Refer to VIII Hydrology and Water Quality Questions a, b, c, for further information.

- i) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map, including County Floodplain Maps?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: A drainage was identified on the project site/off-site improvement location. However, the project is not proposing to place structures with a potential for human occupation within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map, including County Floodplain Maps, and will not place access roads or other improvements which will limit access during flood events.

- j) Place within a 100-year flood hazard area structures which would impede or redirect flood flows?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: Minor drainage swales were identified on the project site. However, the project is not proposing to place structures with a potential for human occupation within these areas and will not place access roads or other

improvements which will limit access during flood events or affect downstream properties.

k) Expose people or structures to a significant risk of loss, injury or death involving flooding?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site lies outside any identified special flood hazard areas that include a mapped dam inundation area for a major dam/reservoir within San Diego County. In addition, the project is not located immediately downstream of a minor dam that could potentially flood the property. Therefore, the project will not expose people to a significant risk of loss, injury or death involving flooding as a result of the failure of a levee or dam.

l) Expose people or structures to a significant risk of loss, injury or death involving flooding as a result of the failure of a levee or dam?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site lies outside a mapped dam inundation area for a major dam/reservoir within San Diego County. In addition, the project is not located immediately downstream of a minor dam that could potentially flood the property. Therefore, the project will not expose people to a significant risk of loss, injury or death involving flooding.

m) Inundation by seiche, tsunami, or mudflow?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

i. SEICHE

No Impact: The project site is not located along the shoreline of a lake or reservoir; therefore, could not be inundated by a seiche.

ii. TSUNAMI

No Impact: The project site is located more than a mile from the coast; therefore, in the event of a tsunami, would not be inundated.

iii. MUDFLOW

Less Than Significant Impact: Mudflow is type of landslide. The site is located within a moderate to high landslide susceptibility zone. However, a Hydrology Report prepared by Hossein Zomorodi (R.C.E.) dated April 17, 2006, on file with the Department of Planning and Land Use as Environmental Review Number 06-19-021, has determined that the area does not show evidence of either pre-existing or potential conditions that could become unstable in the event of seismic activity or exposed soils. Therefore, it is not anticipated that the project will expose people or property to inundation due to a mudflow.

IX. LAND USE AND PLANNING -- Would the project:

a) Physically divide an established community?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not propose the introduction of new infrastructure such major roadways or water supply systems, or utilities to the area. Therefore, the proposed project will not significantly disrupt or divide the established community.

b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project is subject to the Regional Land Use Element Policy 1.1 (CUDA—Current Urban Development Area) and General Plan Land Use Designation General Commercial (13). The project is consistent with the General Plan because gas stations are anticipated in the General Commercial Land Use Designation that provides for commercial areas where a wide range of retail

activities and services are permitted. The project is subject to the policies of the Spring Valley Community Plan which seeks to eliminate nonconforming existing uses; encourages commercial development which will serve the needs of individual communities within the planning area; allows additional commercial development only in areas which are easily accessible to the community; and requires all commercial uses to have aesthetically pleasing and functionally adequate operations with appropriate off-street parking, internal circulations, setbacks and landscaping, through application of Site Plan Review. The proposed project is consistent with the policies of the Spring Valley Community Plan because it meets all of the requirements described above. The property is zoned C36 (General Commercial) which permits Gasoline Sales use types pursuant to The Zoning Ordinance Section 2363: General Commercial Use Regulations, Permitted Uses Subject to Limitations; therefore, the proposed project is consistent with plan and zone.

X. MINERAL RESOURCES -- Would the project:

a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project site has been classified by the California Department of Conservation – Division of Mines and Geology (Update of Mineral Land Classification: Aggregate Materials in the Western San Diego Production-Consumption Region, 1997) as an area of “Potential Mineral Resource Significance” (MRZ-3).

However, the project site is surrounded by densely developed land uses including dense residential and commercial which are incompatible to future extraction of mineral resources on the project site. A future mining operation at the project site would likely create a significant impact to neighboring properties for issues such as noise, air quality, traffic, and possibly other impacts. Therefore, implementation of the project will not result in the loss of availability of a known mineral resource that would be of value since the mineral resource has already been lost due to incompatible land uses.

b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site is zoned C36, which is not considered to be an Extractive Use Zone (S-82) nor does it have an Impact Sensitive Land Use Designation (24) with an Extractive Land Use Overlay (25) (County Land Use Element, 2000).

XI. NOISE -- Would the project result in:

- a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project is a new gas station and mini food mart and will be occupied by employees and customers. Based on a site visit completed by Amber J. Griffith on March 12, 2008, and as described in the Noise Analysis prepared by Investigative Science and Engineering, Inc. and dated July 11, 2007, the project site is zoned C36. Adjacent properties to the north are zoned RS7. The project will not expose people to potentially significant noise levels that exceed the allowable limits of the County of San Diego General Plan, County of San Diego Noise Ordinance, and other applicable standards for the following reasons:

General Plan – Noise Element

The County of San Diego General Plan, Noise Element, Policy 4b addresses noise sensitive areas and requires an acoustical study to be prepared for any use that may expose noise sensitive area to noise in excess of a Community Noise Equivalent Level (CNEL) of 60 decibels (dBA). Moreover, if the project is excess of CNEL 60 dB(A), modifications must be made to project to reduce noise levels. Noise sensitive areas include residences, hospitals, schools, libraries or similar facilities where quiet is an important attribute. Based on a Noise Analysis prepared by Investigative Science and Engineering, Inc. and dated July 11, 2007 project implementation will not expose existing or planned noise sensitive areas to road, airport, heliport, railroad, industrial or other noise in excess of the CNEL 60 dB(A). Therefore, the project will not expose people to potentially significant noise levels that exceed the allowable limits of the County of San Diego General Plan, Noise Element.

Noise Ordinance – Section 36-404

Based on a Noise Analysis prepared by Investigative Science and Engineering, Inc. and dated July 11, 2007 non-transportation noise generated by the project is not expected to exceed the standards of the County of San Diego Noise Ordinance (Section 36-404) at or beyond the project's property line. According to the noise report, commercial HVAC unit and gas pump islands are considered the two primary noise sources associated

with the project. The noise model within the noise report identifies noise levels to be as high as 47.7 dBA at the northern property line. The project site is zoned C36 and is subject to a one-hour average nighttime sound level limit of 55 dBA at the boundary line. Adjacent properties to the north are zoned RS7 and are subject to a one-hour average nighttime sound level limit of 45 dBA. The sound level limit at a location on a boundary between two (2) zoning districts is the arithmetic mean of the respective limits for the two districts. Potential noise levels generated by the HVAC unit and pump island stations will result in noise levels below 50 dBA at the project property line meeting the County Noise Ordinance sound level requirement. For property line noise levels, please refer to Table 4: Receptor Sound Level Prediction Chart. Therefore, without mitigation, the proposed project will be meet County.

Noise Ordinance – Section 36-410

Based on a Noise Analysis prepared by Investigative Science and Engineering, Inc. and dated July 11, 2007 the project will not generate construction noise that may exceed the standards of the County of San Diego Noise Ordinance (Section 36-410). Construction operations will occur only during permitted hours of operation pursuant to Section 36-410. Also, It is not anticipated that the project will operate construction equipment in excess of an average sound level of 75dB between the hours of 7 AM and 7 PM.

Finally, the project's conformance to the County of San Diego General Plan (Noise Element, Policy 4b and County of San Diego Noise Ordinance (Section 36-404 and 36.410) ensures the project will not create cumulatively considerable noise impacts, because the project will not exceed the local noise standards for noise sensitive areas; and the project will not exceed the applicable noise level limits at the property line or construction noise limits, derived from State regulation to address human health and quality of life concerns. Therefore, the project will not contribute to a cumulatively considerable exposure of persons or generation of noise levels in excess of standards established in the local general plan, noise ordinance, and applicable standards of other agencies.

b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not propose any of the following land uses that can be impacted by groundborne vibration or groundborne noise levels.

1. Buildings where low ambient vibration is essential for interior operation, including research and manufacturing facilities with special vibration constraints.
2. Residences and buildings where people normally sleep including hotels, hospitals, residences and where low ambient vibration is preferred.

3. Civic and institutional land uses including schools, churches, libraries, other institutions, and quiet office where low ambient vibration is preferred.
4. Concert halls for symphonies or other special use facilities where low ambient vibration is preferred.

Also, the project does not propose any major, new or expanded infrastructure such as mass transit, highways or major roadways or intensive extractive industry that could generate excessive groundborne vibration or groundborne noise levels on-site or in the surrounding area.

c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project involves the following permanent noise sources that may increase the ambient noise level: Vehicle traffic traveling on La Presa Street, Pecos Street and Jamacha Boulevard. As indicated in the response listed under Section XI Noise, Question a., the project would not expose existing or planned noise sensitive areas in the vicinity to a substantial permanent increase in noise levels that exceed the allowable limits of the County of San Diego General Plan, County of San Diego Noise Ordinance, and other applicable local, State, and Federal noise control. Also, the project is not expected to expose existing or planned noise sensitive areas to noise 10 dB CNEL over existing ambient noise levels based on review of the project by a Noise Analysis prepared by Investigative Science and Engineering, Inc. and dated July 11, 2007. Studies completed by the Organization of Industry Standards (ISO 362; ISO 1996 1-3; ISO 3095; and ISO 3740-3747) state an increase of 10 dB is perceived as twice as loud and is perceived as a significant increase in the ambient noise level.

The project will not result in cumulatively noise impacts because a list of past, present and future projects within in the vicinity were evaluated. It was determined that the project in combination with a list of past, present and future project would not expose existing or planned noise sensitive areas to noise 10 dB CNEL over existing ambient noise levels. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered.

d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project does not involve any uses that may create substantial temporary or periodic increases in ambient noise levels in the project vicinity including but not limited to extractive industry; outdoor commercial or industrial uses that involve crushing, cutting, drilling, grinding, or blasting of raw materials; truck depots, transfer stations or delivery areas; or outdoor sound systems.

Also, general construction noise is not expected to exceed the construction noise limits of the County of San Diego Noise Ordinance (Section 36-410), which are derived from State regulations to address human health and quality of life concerns. Construction operations will occur only during permitted hours of operation pursuant to Section 36-410. Also, it is not anticipated that the project will operate construction equipment in excess of 75 dB for more than an 8 hours during a 24-hour period. Therefore, the project would not result in a substantial temporary or periodic increase in existing ambient noise levels in the project vicinity.

- e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project is not located within a Comprehensive Land Use Plan (CLUP) for airports or within 2 miles of a public airport or public use airport. Therefore, the project will not expose people residing or working in the project area to excessive airport-related noise levels.

- f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project is not located within a one-mile vicinity of a private airstrip; therefore, the project will not expose people residing or working in the project area to excessive airport-related noise levels.

XII. POPULATION AND HOUSING -- Would the project:

- a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes a new gas station and mini food mart. However, this physical change will not induce substantial population growth in an area, because the new commercial facility is proposed in an established commercial area and will not create an economic stimulus that would encourage or accelerate population growth in the surrounding area.

- b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project will not displace any existing housing since the site is currently vacant.

- c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project will not displace a substantial number of people since the site is currently vacant.

XIII. PUBLIC SERVICES

- a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause

significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance service ratios, response times or other performance objectives for any of the public services:

- i. Fire protection?
- ii. Police protection?
- iii. Schools?
- iv. Parks?
- v. Other public facilities?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on the service availability forms received for the project, the proposed project will not result in the need for significantly altered services or facilities. Service availability forms have been provided which indicate existing services are available to the project from the following agencies/districts: San Miguel Fire Protection District, Spring Valley Sanitation District and Otay Mesa Water District. The project does not involve the construction of new or physically altered governmental facilities including but not limited to fire protection facilities, sheriff facilities, schools, or parks in order to maintain acceptable service ratios, response times or other performance service ratios or objectives for any public services. Therefore, the project will not have an adverse physical effect on the environment because the project does not require new or significantly altered services or facilities to be constructed.

XIV. RECREATION

- a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not propose any residential use, included but not limited to a residential subdivision, mobilehome park, or construction for a single-family residence that may increase the use of existing neighborhood and regional parks or other recreational facilities in the vicinity.

- b) Does the project include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not include recreational facilities or require the construction or expansion of recreational facilities. Therefore, the construction or expansion of recreational facilities cannot have an adverse physical effect on the environment.

XV. TRANSPORTATION/TRAFFIC -- Would the project:

- a) Cause an increase in traffic which is substantial in relation to the existing traffic load and capacity of the street system (i.e., result in a substantial increase in either the number of vehicle trips, the volume to capacity ratio on roads, or congestion at intersections)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: A Traffic Impact Study (TIS), dated February 2008, prepared by J. Arnold Torma, P.E. with KOA Corporation on file with the Department of Planning and Land Use under Environmental Review Number 06-19-021, was completed for the proposed project. The Traffic Impact Study concluded that the proposed project will not result in a substantial increase in the number of vehicle trips, volume of capacity ratio on roads, or congestion at intersections in relation to existing conditions. Therefore, the project will not have a significant direct project impact on traffic volume, which is considered substantial in relation to existing traffic load and capacity of the street system. The project has been conditioned to provide access and frontage road improvements. Also refer to the answer for XV. b. below.

- b) Exceed, either individually or cumulatively, a level of service standard established by the County congestion management agency and/or as identified by the County of San Diego Transportation Impact Fee Program for designated roads or highways?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant with Mitigation Incorporated: It has been determined that the proposed project may have significant cumulative impacts on the LOS standards established by the County congestion management agency for designated roads or highways.

The County of San Diego has developed an overall programmatic solution that addresses existing and projected future road deficiencies in the unincorporated portion of San Diego County. This program includes the adoption of a Transportation Impact Fee (TIF) program to fund improvements to roadways necessary to mitigate potential cumulative impacts caused by traffic from future development. This program is based on a summary of projections method contained in an adopted planning document, as referenced in the State CEQA Guidelines Section 15130 (b)(1)(B), which evaluates regional or area wide conditions contributing to cumulative transportation impacts. Based on SANDAG regional growth and land use forecasts, the SANDAG Regional Transportation Model was utilized to analyze projected build-out (year 2030) development conditions on the existing circulation element roadway network throughout the unincorporated area of the County. Based on the results of the traffic modeling, funding necessary to construct transportation facilities that will mitigate cumulative impacts from new development was identified. Existing roadway deficiencies will be corrected through improvement projects funded by other public funding sources, such as TransNet, gas tax, and grants. Potential cumulative impacts to the region's freeways have been addressed in SANDAG's Regional Transportation Plan (RTP). This plan, which considers freeway buildout over the next 30 years, will use funds from TransNet, state, and federal funding to improve freeways to projected level of service objectives in the RTP.

Trips will be distributed on circulation element roadways in the unincorporated County that were analyzed by the TIF program, some of which currently or are projected to operate at inadequate levels of service. These project trips therefore contribute to a potential significant cumulative impact and mitigation is required. The potential growth represented by this project was included in the growth projections upon which the TIF program is based. Therefore, payment of the TIF, which will be required at issuance of building permits will mitigate potential cumulative traffic impacts to less than significant.

- c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project is located outside of an Airport Influence Area and is not located within two miles of a public or public use airport; therefore, the project will not result in a change in air traffic patterns.

d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project will not significantly alter traffic safety on any public road. The project will be conditioned to construct curb, gutter and sidewalk improvements at the existing edge of the pavement on Jamacha Boulevard and to provide an Irrevocable Offer of Dedication for fifty foot from centerline as well as a covenant not to oppose a parking restriction on Jamacha Boulevard. A safe and adequate sight distance shall be required at all driveways and intersections to the satisfaction of the Director of the Department of Public Works. Any and all road improvements will be constructed according to CALTRANS and County Public Road Standards. Roads used to access the proposed project site shall be to CALTRANS & County standards. The proposed project will not place incompatible uses (e.g., farm equipment) on existing roadways. Therefore, the proposed project will not significantly increase hazards due to design features or incompatible uses.

e) Result in inadequate emergency access?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project will not result in inadequate emergency access. The San Miguel Consolidated Fire Department has reviewed the proposed project and has determined that there is adequate emergency fire access. Additionally, roads used to access the proposed project site are up to County standards.

f) Result in inadequate parking capacity?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The Zoning Ordinance Section 6766 Parking Schedule requires provision for on-site parking spaces. The project is consistent with the Ordinance for total parking requirements; therefore, the proposed project will not result in insufficient parking capacity.

g) Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project does not propose any hazards or barriers for pedestrians or bicyclists. Any required improvements will be constructed to maintain existing conditions as it relates to pedestrians and bicyclists.

XVI. UTILITIES AND SERVICE SYSTEMS -- Would the project:

a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes to discharge domestic waste to a community sewer system that is permitted to operate by the Regional Water Quality Control Board (RWQCB). A project facility availability form has been received from Spring Valley Sanitation Maintenance District that indicates the district will serve the project. No conditions are required by the Spring Valley Sanitation Maintenance District. Therefore, because the project will be discharging wastewater to a RWQCB permitted community sewer system and will be required to satisfy the conditions listed above, the project is consistent with the wastewater treatment requirements of the RWQCB, including the Regional Basin Plan.

b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not include new or expanded water or wastewater treatment facilities. In addition, the project does not require the construction or expansion of water or wastewater treatment facilities. Therefore, the project will not require any construction of new or expanded facilities, which could cause significant environmental effects.

- c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project involves expanded storm water drainage facilities. The new and expanded facilities include catch basin filter inserts will be installed on appropriate private drainage inlets to address runoff from the project site. The inserts will be designed to collect sediment, trash and debris during low flows without impeding peak flows and they will reduce hydrocarbons, oil, grease and metal debris. Refer to the Storm water Management Plan dated January 22, 2007 for more information. However, as outlined in this Environmental Analysis Form Section I-XVII, the expanded facilities will not result in adverse physical effect on the environment. Specifically, refer to Section VIII. Hydrology and Water Quality for more information.

- d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project requires water service from the Otay Water District. A Service Availability Letter from the Otay Water District, dated July 30, 2008, has been provided, indicating adequate water resources and entitlements are available to serve the requested water resources. Therefore, the project will have sufficient water supplies available to serve the project.

- e) Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project requires wastewater service from the Otay Water District. A Service Availability Letter from the Otay Water District, dated July 30, 2008, has been provided, indicating adequate wastewater service capacity is available to serve the requested demand. Therefore, the project will not interfere with any wastewater treatment provider's service capacity.

- f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: Implementation of the project will generate solid waste. All solid waste facilities, including landfills require solid waste facility permits to operate. In San Diego County, the County Department of Environmental Health, Local Enforcement Agency issues solid waste facility permits with concurrence from the California Integrated Waste Management Board (CIWMB) under the authority of the Public Resources Code (Sections 44001-44018) and California Code of Regulations Title 27, Division 2, Subdivision 1, Chapter 4 (Section 21440et seq.). There are five, permitted active landfills in San Diego County with remaining capacity. Therefore, there is sufficient existing permitted solid waste capacity to accommodate the project's solid waste disposal needs.

- g) Comply with federal, state, and local statutes and regulations related to solid waste?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less than Significant Impact: Implementation of the project will generate solid waste. All solid waste facilities, including landfills require solid waste facility permits to operate.

In San Diego County, the County Department of Environmental Health, Local Enforcement Agency issues solid waste facility permits with concurrence from the California Integrated Waste Management Board (CIWMB) under the authority of the Public Resources Code (Sections 44001-44018) and California Code of Regulations Title 27, Division 2, Subdivision 1, Chapter 4 (Section 21440et seq.). The project will deposit all solid waste at a permitted solid waste facility and therefore, will comply with Federal, State, and local statutes and regulations related to solid waste.

XVII. MANDATORY FINDINGS OF SIGNIFICANCE:

- a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant With Mitigation Incorporated: Per the instructions for evaluating environmental impacts in this Initial Study, the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory were considered in the response to each question in sections IV and V of this form. In addition to project specific impacts, this evaluation considered the projects potential for significant cumulative effects. Resources that have been evaluated as significant would be potentially impacted by the project, particularly paleontological resources. However, mitigation has been included that clearly reduces these effects to a level below significance. This mitigation includes the implementation of a monitoring program by the excavation/grading contractor. As a result of this evaluation, there is no substantial evidence that, after mitigation, significant effects associated with this project would result. Therefore, this project has been determined not to meet this Mandatory Finding of Significance.

- b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?

- Potentially Significant Impact Less than Significant Impact
 Less Than Significant With Mitigation Incorporated No Impact

Discussion/Explanation:

The following list of past, present and future projects were considered and evaluated as a part of this Initial Study:

PROJECT NAME	PERMIT/MAP NUMBER
AVOCADO GROVE—CELLULAR FACILITY	ZAP 01-116
LAKESIDE CONGREGATION OF JEHOVAH'S WITNESSES- -CHURCH	MUP 71-091
SPRING VALLEY LIBRARY	MUP 01-010
THE ANGEL HOUSE—GROUP CARE	MUP 04-010
SWEETWATER RESERVOIR SHORELINE FISHING PROGRAM	MUP 01-012
MT. MIGUEL COVENANT VILLAGE—RETIREMENT VILLAGE	MUP 76-085
DIOCESE OF SAN DIEGO—CHURCH	MUP 98-018
CRICKET COMMUNICATIONS AT SWEETWATER—CELLULAR FACILITY	MUP 06-024
SPRING VALLEY COMMUNITY CHURCH—MODIFICATION	P61-118W ¹
OWENS ADMINISTRATIVE PERMIT	AD 04-024
SWEETWATER LANE WAREHOUSE	AD 82-035
VAZQUEZ—ADMINISTRATIVE PERMIT	AD 99-060
ALAMERI—ACCESSORY STRUCTURE	AD 06-010
LANGMAN—ACCESSORY APARTMENT	AD 06-009
KELLY—FAMILY DAY CARE HOME	AD 07-034
ALAMERI REZONE	REZ 05-018
NATIONAL CAT KENNEL	STP 00-028
NAIL ZONE—CELLULAR FACILITY	STP 02-046
MCDONALDS	STP 94-028
MAGHOUDSI—SITE PLAN	STP03-080
JAMACHA GLEN—APARTMENTS	STP98-056
CINGULAR WIRELESS—CELLULAR FACILITY	STP 02-039
PACIFIC HOMES INTERNATIONAL—SITE PLAN	STP 03-078
STORAGE USA—MINI WAREHOUSE	STP 98-039
GRAND AUTO CENTER—AUTO REPAIR SHOP	STP 03-017
SAN 543-B CELLULAR FACILITY	STP 07-028
AUTOMOTIVE EQUIPMENT SALES AND SERVICES—SITE PLAN	STP05-062
LA PRESA—VERIZON CELLULAR FACILITY	STP04-044
GREAT WESTERN TIRE—MODIFICATION TO ADD WAREHOUSE	S91-046W ³

HIGHLANDS RANCH	SP 02-002
STANDARD PACIFIC	SP-A 99-003
SPRING VALLEY VISTAS—TENTATIVE MAP	TM 4886
STANDARD PACIFIC/BERNARDO POINTE—TENTATIVE MAP	TM 5180
JAMACHA ROAD—TOWNHOMES TENTATIVE MAP	TM 5519

Per the instructions for evaluating environmental impacts in this Initial Study, the potential for adverse cumulative effects were considered in the response to each question in sections I through XVI of this form. In addition to project specific impacts, this evaluation considered the projects potential for incremental effects that are cumulatively considerable. As a result of this evaluation, there were determined to be potentially significant cumulative effects related to transportation and traffic. However, mitigation has been included that clearly reduces these cumulative effects to a level below significance. This mitigation includes payment of the Transportation Impact Fee at the time of issuance of building permits. As a result of this evaluation, there is no substantial evidence that, after mitigation, there are cumulative effects associated with this project. Therefore, this project has been determined not to meet this Mandatory Finding of Significance.

c) Does the project have environmental effects, which will cause substantial adverse effects on human beings, either directly or indirectly?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

In the evaluation of environmental impacts in this Initial Study, the potential for adverse direct or indirect impacts to human beings were considered in the response to certain questions in sections I. Aesthetics, III. Air Quality, VI. Geology and Soils, VII. Hazards and Hazardous Materials, VIII Hydrology and Water Quality XI. Noise, XII. Population and Housing, and XV. Transportation and Traffic. As a result of this evaluation, there were determined to be potentially significant effects to human beings related to the following Transportation and Traffic. However, mitigation has been included that clearly reduces these effects to a level below significance. This mitigation includes payment of the Transportation Impact Fee at the time of issuance of building permits. As a result of this evaluation, there is no substantial evidence that, after mitigation, there are adverse effects to human beings associated with this project. Therefore, this project has been determined not to meet this Mandatory Finding of Significance.

XVIII. REFERENCES USED IN THE COMPLETION OF THE INITIAL STUDY CHECKLIST

All references to Federal, State and local regulation are available on the Internet. For Federal regulation refer to <http://www4.law.cornell.edu/uscode/>. For State regulation refer to www.leginfo.ca.gov. For County regulation refer to www.amlegal.com. All other references are available upon request.

AESTHETICS

California Street and Highways Code [California Street and Highways Code, Section 260-283. (<http://www.leginfo.ca.gov/>)

California Scenic Highway Program, California Streets and Highways Code, Section 260-283. (<http://www.dot.ca.gov/hq/LandArch/scenic/scpr.htm>)

County of San Diego, Department of Planning and Land Use. The Zoning Ordinance of San Diego County. Sections 5200-5299; 5700-5799; 5900-5910, 6322-6326. (www.co.san-diego.ca.us)

County of San Diego, Board Policy I-73: Hillside Development Policy. (www.co.san-diego.ca.us)

County of San Diego, Board Policy I-104: Policy and Procedures for Preparation of Community Design Guidelines, Section 396.10 of the County Administrative Code and Section 5750 et seq. of the County Zoning Ordinance. (www.co.san-diego.ca.us)

County of San Diego, General Plan, Scenic Highway Element VI and Scenic Highway Program. (ceres.ca.gov)

County of San Diego Light Pollution Code, Title 5, Division 9 (Sections 59.101-59.115 of the County Code of Regulatory Ordinances) as added by Ordinance No 6900, effective January 18, 1985, and amended July 17, 1986 by Ordinance No. 7155. (www.amlegal.com)

County of San Diego Wireless Communications Ordinance [San Diego County Code of Regulatory Ordinances. (www.amlegal.com)

Design Review Guidelines for the Communities of San Diego County. (Alpine, Bonsall, Fallbrook, Julian, Lakeside, Ramona, Spring Valley, Sweetwater, Valley Center).

Federal Communications Commission, Telecommunications Act of 1996 [Telecommunications Act of 1996, Pub. LA. No. 104-104, 110 Stat. 56 (1996). (<http://www.fcc.gov/Reports/tcom1996.txt>)

Institution of Lighting Engineers, Guidance Notes for the Reduction of Light Pollution, Warwickshire, UK, 2000 (<http://www.dark-skies.org/ile-gd-e.htm>)

International Light Inc., Light Measurement Handbook, 1997. (www.intl-light.com)

Rensselaer Polytechnic Institute, Lighting Research Center, National Lighting Product Information Program (NLPPI), Lighting Answers, Volume 7, Issue 2, March 2003. (www.lrc.rpi.edu)

US Census Bureau, Census 2000, Urbanized Area Outline Map, San Diego, CA. (<http://www.census.gov/geo/www/maps/ua2kmaps.htm>)

US Department of the Interior, Bureau of Land Management (BLM) modified Visual Management System. (www.blm.gov)

US Department of Transportation, Federal Highway Administration (FHWA) Visual Impact Assessment for Highway Projects.

US Department of Transportation, National Highway System Act of 1995 [Title III, Section 304. Design Criteria for the National Highway System. (<http://www.fhwa.dot.gov/legsregs/nhsdatoc.html>)

AGRICULTURE RESOURCES

California Department of Conservation, Farmland Mapping and Monitoring Program, "A Guide to the Farmland Mapping and Monitoring Program," November 1994. (www.consrv.ca.gov)

California Department of Conservation, Office of Land Conversion, "California Agricultural Land Evaluation and Site Assessment Model Instruction Manual," 1997. (www.consrv.ca.gov)

California Farmland Conservancy Program, 1996. (www.consrv.ca.gov)

California Land Conservation (Williamson) Act, 1965. (www.ceres.ca.gov, www.consrv.ca.gov)

California Right to Farm Act, as amended 1996. (www.qp.gov.bc.ca)

County of San Diego Agricultural Enterprises and Consumer Information Ordinance, 1994, Title 6, Division 3, Ch. 4. Sections 63.401-63.408. (www.amlegal.com)

County of San Diego, Department of Agriculture, Weights and Measures, "2002 Crop Statistics and Annual Report," 2002. (www.sdcounty.ca.gov)

United States Department of Agriculture, Natural Resource Conservation Service LESA System. (www.nrcs.usda.gov, www.swcs.org)

United States Department of Agriculture, Soil Survey for the San Diego Area, California. 1973. (soils.usda.gov)

AIR QUALITY

CEQA Air Quality Analysis Guidance Handbook, South Coast Air Quality Management District, Revised November 1993. (www.aqmd.gov)

County of San Diego Air Pollution Control District's Rules and Regulations, updated August 2003. (www.co.san-diego.ca.us)

Federal Clean Air Act US Code; Title 42; Chapter 85 Subchapter 1. (www4.law.cornell.edu)

BIOLOGY

California Department of Fish and Game (CDFG). Southern California Coastal Sage Scrub Natural Community Conservation Planning Process Guidelines. CDFG and California Resources Agency, Sacramento, California. 1993. (www.dfg.ca.gov)

County of San Diego, An Ordinance Amending the San Diego County Code to Establish a Process for Issuance of the Coastal Sage Scrub Habitat Loss Permits and Declaring the Urgency Thereof to Take Effect Immediately, Ordinance No. 8365. 1994, Title 8, Div 6, Ch. 1. Sections 86.101-86.105, 87.202.2. (www.amlegal.com)

County of San Diego, Biological Mitigation Ordinance, Ord. Nos. 8845, 9246, 1998 (new series). (www.co.san-diego.ca.us)

County of San Diego, Implementing Agreement by and between United States Fish and Wildlife Service, California Department of Fish and Game and County of San Diego. County of San Diego, Multiple Species Conservation Program, 1998.

County of San Diego, Multiple Species Conservation Program, County of San Diego Subarea Plan, 1997.

Holland, R.R. Preliminary Descriptions of the Terrestrial Natural Communities of California. State of California, Resources Agency, Department of Fish and Game, Sacramento, California, 1986.

Memorandum of Understanding [Agreement Between United States Fish and Wildlife Service (USFWS), California Department of Fish and Game (CDFG), California Department of Forestry and Fire Protection (CDF), San Diego County Fire Chief's Association and the Fire District's Association of San Diego County.

Stanislaus Audubon Society, Inc. v County of Stanislaus (5th Dist. 1995) 33 Cal.App.4th 144, 155-159 [39 Cal. Rptr.2d 54]. (www.ceres.ca.gov)

U.S. Army Corps of Engineers Environmental Laboratory. Corps of Engineers Wetlands Delineation Manual. U.S. Army Corps of Engineers, Wetlands Research Program Technical Report Y-87-1. 1987. (<http://www.wes.army.mil/>)

U.S. Environmental Protection Agency. America's wetlands: our vital link between land and water. Office of Water, Office of Wetlands, Oceans and Watersheds. EPA843-K-95-001. 1995b. (www.epa.gov)

U.S. Fish and Wildlife Service and National Marine Fisheries Service. Habitat Conservation Planning Handbook. Department of Interior, Washington, D.C. 1996. (endangered.fws.gov)

U.S. Fish and Wildlife Service and National Marine Fisheries Service. Consultation Handbook: Procedures for Conducting Consultation and Conference Activities Under Section 7 of the Endangered Species Act. Department of Interior, Washington, D.C. 1998. (endangered.fws.gov)

U.S. Fish and Wildlife Service. Environmental Assessment and Land Protection Plan for the Vernal Pools Stewardship Project. Portland, Oregon. 1997.

U.S. Fish and Wildlife Service. Vernal Pools of Southern California Recovery Plan. U.S. Department of Interior, Fish and Wildlife Service, Region One, Portland, Oregon, 1998. (ecos.fws.gov)

U.S. Fish and Wildlife Service. Birds of conservation concern 2002. Division of Migratory. 2002. (migratorybirds.fws.gov)

CULTURAL RESOURCES

California Health & Safety Code. §18950-18961, State Historic Building Code. (www.leginfo.ca.gov)

California Health & Safety Code. §5020-5029, Historical Resources. (www.leginfo.ca.gov)

California Health & Safety Code. §7050.5, Human Remains. (www.leginfo.ca.gov)

California Native American Graves Protection and Repatriation Act, (AB 978), 2001. (www.leginfo.ca.gov)

California Public Resources Code §5024.1, Register of Historical Resources. (www.leginfo.ca.gov)

California Public Resources Code. §5031-5033, State Landmarks. (www.leginfo.ca.gov)

California Public Resources Code. §5097-5097.6, Archaeological, Paleontological, and Historic Sites. (www.leginfo.ca.gov)

California Public Resources Code. §5097.9-5097.991, Native American Heritage. (www.leginfo.ca.gov)

City of San Diego. Paleontological Guidelines. (revised) August 1998.

County of San Diego, Local Register of Historical Resources (Ordinance 9493), 2002. (www.co.san-diego.ca.us)

Demere, Thomas A., and Stephen L. Walsh. Paleontological Resources San Diego County. Department of Paleontology, San Diego Natural History Museum. 1994.

Moore, Ellen J. Fossil Mollusks of San Diego County. San Diego Society of Natural history. Occasional; Paper 15. 1968.

U.S. Code including: American Antiquities Act (16 USC §431-433) 1906. Historic Sites, Buildings, and Antiquities Act (16 USC §461-467), 1935. Reservoir Salvage Act (16 USC §469-469c) 1960. Department of Transportation Act (49 USC §303) 1966. National Historic Preservation Act (16 USC §470 et seq.) 1966. National Environmental Policy Act (42 USC §4321) 1969. Coastal Zone Management Act (16 USC §1451) 1972. National Marine Sanctuaries Act (16 USC §1431) 1972. Archaeological and Historical Preservation Act (16 USC §469-469c) 1974. Federal Land Policy and Management Act (43 USC §35) 1976. American Indian Religious Freedom Act (42 USC §1996 and 1996a) 1978. Archaeological Resources Protection Act (16 USC §470aa-mm) 1979. Native American Graves Protection and Repatriation Act (25 USC §3001-3013) 1990. Intermodal Surface Transportation Efficiency Act (23 USC §101, 109) 1991. American Battlefield Protection Act (16 USC 469k) 1996. (www4.law.cornell.edu)

GEOLOGY & SOILS

California Department of Conservation, Division of Mines and Geology, California Alquist-Priolo Earthquake Fault Zoning Act, Special Publication 42, Revised 1997. (www.consrv.ca.gov)

California Department of Conservation, Division of Mines and Geology, Fault-Rupture Hazard Zones in California, Special Publication 42, revised 1997. (www.consrv.ca.gov)

California Department of Conservation, Division of Mines and Geology, Special Publication 117, Guidelines for Evaluating and Mitigating Seismic Hazards in California, 1997. (www.consrv.ca.gov)

County of San Diego Code of Regulatory Ordinances Title 6, Division 8, Chapter 3, Septic Ranks and Seepage Pits. (www.amlegal.com)

County of San Diego Department of Environmental Health, Land and Water Quality Division, February 2002. On-site Wastewater Systems (Septic Systems): Permitting Process and Design Criteria. (www.sdcountry.ca.gov)

County of San Diego Natural Resource Inventory, Section 3, Geology.

United States Department of Agriculture, Soil Survey for the San Diego Area, California. 1973. (soils.usda.gov)

HAZARDS & HAZARDOUS MATERIALS

American Planning Association, Zoning News, "Saving Homes from Wildfires: Regulating the Home Ignition Zone," May 2001.

California Building Code (CBC), Seismic Requirements, Chapter 16 Section 162. (www.buildersbook.com)

California Education Code, Section 17215 and 81033. (www.leginfo.ca.gov)

California Government Code. § 8585-8589, Emergency Services Act. (www.leginfo.ca.gov)

California Hazardous Waste and Substances Site List. April 1998. (www.dtsc.ca.gov)

California Health & Safety Code Chapter 6.95 and §25117 and §25316. (www.leginfo.ca.gov)

California Health & Safety Code § 2000-2067. (www.leginfo.ca.gov)

California Health & Safety Code. §17922.2. Hazardous Buildings. (www.leginfo.ca.gov)

California Public Utilities Code, SDCRAA. Public Utilities Code, Division 17, Sections 170000-170084. (www.leginfo.ca.gov)

California Resources Agency, "OES Dam Failure Inundation Mapping and Emergency Procedures Program", 1996. (ceres.ca.gov)

County of San Diego, Consolidated Fire Code Health and Safety Code §13869.7, including Ordinances of the 17 Fire Protection Districts as Ratified by the San Diego County Board of Supervisors, First Edition, October 17, 2001 and Amendments to the Fire Code portion of the State Building Standards Code, 1998 Edition.

County of San Diego, Department of Environmental Health Community Health Division Vector Surveillance and Control. Annual Report for Calendar Year 2002. March 2003. (www.sdcountry.ca.gov)

County of San Diego, Department of Environmental Health, Hazardous Materials Division. California Accidental Release Prevention Program (CalARP) Guidelines. (<http://www.sdcountry.ca.gov>, www.oes.ca.gov)

County of San Diego, Department of Environmental Health, Hazardous Materials Division. Hazardous Materials Business Plan Guidelines. (www.sdcountry.ca.gov)

County of San Diego Code of Regulatory Ordinances, Title 3, Div 5, CH. 3, Section 35.39100.030, Wildland/Urban

Interface Ordinance, Ord. No.9111, 2000. (www.amlegal.com)

Robert T. Stafford Disaster Relief and Emergency Assistance Act as amended October 30, 2000, US Code, Title 42, Chapter 68, 5121, et seq. (www4.law.cornell.edu)

Unified San Diego County Emergency Services Organization Operational Area Emergency Plan, March 2000.

Unified San Diego County Emergency Services Organization Operational Area Energy Shortage Response Plan, June 1995.

Uniform Building Code. (www.buildersbook.com)

Uniform Fire Code 1997 edition published by the Western Fire Chiefs Association and the International Conference of Building Officials, and the National Fire Protection Association Standards 13 & 13-D, 1996 Edition, and 13-R, 1996 Edition. (www.buildersbook.com)

HYDROLOGY & WATER QUALITY

American Planning Association, Planning Advisory Service Report Number 476 Non-point Source Pollution: A Handbook for Local Government

California Department of Water Resources, California Water Plan Update. Sacramento: Dept. of Water Resources State of California. 1998. (rubicon.water.ca.gov)

California Department of Water Resources, California's Groundwater Update 2003 Bulletin 118, April 2003. (www.groundwater.water.ca.gov)

California Department of Water Resources, Water Facts, No. 8, August 2000. (www.dpla2.water.ca.gov)

California Disaster Assistance Act. Government Code, § 8680-8692. (www.leginfo.ca.gov)

California State Water Resources Control Board, NPDES General Permit Nos. CAS000001 INDUSTRIAL ACTIVITIES (97-03-DWQ) and CAS000002 Construction Activities (No. 99-08-DWQ) (www.swrcb.ca.gov)

California Storm Water Quality Association, California Storm Water Best Management Practice Handbooks, 2003.

California Water Code, Sections 10754, 13282, and 60000 et seq. (www.leginfo.ca.gov)

Colorado River Basin Regional Water Quality Control Board, Region 7, Water Quality Control Plan. (www.swrcb.ca.gov)

County of San Diego Regulatory Ordinance, Title 8, Division 7, Grading Ordinance. Grading, Clearing and Watercourses. (www.amlegal.com)

County of San Diego, Groundwater Ordinance. #7994. (www.sdcountry.ca.gov, <http://www.amlegal.com/>)

County of San Diego, Project Clean Water Strategic Plan, 2002. (www.projectcleanwater.org)

County of San Diego, Watershed Protection, Storm Water Management, and Discharge Control Ordinance, Ordinance Nos. 9424 and 9426. Chapter 8, Division 7, Title 6 of the San Diego County Code of Regulatory Ordinances and amendments. (www.amlegal.com)

County of San Diego. Board of Supervisors Policy I-68. Diego Proposed Projects in Flood Plains with Defined Floodways. (www.co.san-diego.ca.us)

Federal Water Pollution Control Act (Clean Water Act), 1972, Title 33, Ch.26, Sub-Ch.1. (www4.law.cornell.edu)

Freeze, Allan and Cherry, John A., Groundwater, Prentice-Hall, Inc. New Jersey, 1979.

Heath, Ralph C., Basic Ground-Water Hydrology, United States Geological Survey Water-Supply Paper; 2220, 1991.

National Flood Insurance Act of 1968. (www.fema.gov)

National Flood Insurance Reform Act of 1994.
(www.fema.gov)

Porter-Cologne Water Quality Control Act, California Water Code Division 7. Water Quality. (ceres.ca.gov)

San Diego Association of Governments, Water Quality Element, Regional Growth Management Strategy, 1997. (www.sandag.org)

San Diego Regional Water Quality Control Board, NPDES Permit No. CAS0108758. (www.swrcb.ca.gov)

San Diego Regional Water Quality Control Board, Water Quality Control Plan for the San Diego Basin. (www.swrcb.ca.gov)

Zomorodi, Hossein R.C.E., Water Quality/Water Resources Analysis for Starco Food Mart (Stormwater Management Plan and Hydrology/Drainage Study). Gary Engineering, Inc., January 22, 2007.

Zomorodi, Hossein R.C.E., Hydrology Study for Starco Food Mart. Gary Engineering, Inc., April 17, 2006.

LAND USE & PLANNING

California Department of Conservation Division of Mines and Geology, Open File Report 96-04, Update of Mineral Land Classification: Aggregate Materials in the Western San Diego County Production Consumption Region, 1996. (www.consrv.ca.gov)

California Environmental Quality Act, CEQA Guidelines, 2003. (ceres.ca.gov)

California Environmental Quality Act, Public Resources Code 21000-21178; California Code of Regulations, Guidelines for Implementation of CEQA, Appendix G, Title 14, Chapter 3, §15000-15387. (www.leginfo.ca.gov)

California General Plan Glossary of Terms, 2001. (ceres.ca.gov)

California State Mining and Geology Board, SP 51, California Surface Mining and Reclamation Policies and Procedures, January 2000. (www.consrv.ca.gov)

County of San Diego Code of Regulatory Ordinances, Title 8, Zoning and Land Use Regulations. (www.amlegal.com)

County of San Diego, Board of Supervisors Policy I-84: Project Facility. (www.sdcounty.ca.gov)

County of San Diego, Board Policy I-38, as amended 1989. (www.sdcounty.ca.gov)

County of San Diego, Department of Planning and Land Use. The Zoning Ordinance of San Diego County. (www.co.san-diego.ca.us)

County of San Diego, General Plan as adopted and amended from September 29, 1971 to April 5, 2000. (ceres.ca.gov)

County of San Diego. Resource Protection Ordinance, compilation of Ord.Nos. 7968, 7739, 7685 and 7631. 1991.

Design Review Guidelines for the Communities of San Diego County.

Guide to the California Environmental Quality Act (CEQA) by Michael H. Remy, Tina A. Thomas, James G. Moore, and Whitman F. Manley, Point Arena, CA: Solano Press Books, 1999. (ceres.ca.gov)

MINERAL RESOURCES

National Environmental Policy Act, Title 42, 36.401 et. seq. 1969. (www4.law.cornell.edu)

Subdivision Map Act, 2003. (ceres.ca.gov)

U.S. Geologic Survey, Causey, J. Douglas, 1998, MAS/MILS Mineral Location Database.

U.S. Geologic Survey, Frank, David G., 1999, (MRDS) Mineral Resource Data System.

NOISE

California State Building Code, Part 2, Title 24, CCR, Appendix Chapter 3, Sound Transmission Control, 1988. . (www.buildersbook.com)

County of San Diego Code of Regulatory Ordinances, Title 3, Div 6, Chapter 4, Noise Abatement and Control, effective February 4, 1982. (www.amlegal.com)

County of San Diego General Plan, Part VIII, Noise Element, effective December 17, 1980. (ceres.ca.gov)

Federal Aviation Administration, Federal Aviation Regulations, Part 150 Airport Noise Compatibility Planning (revised January 18, 1985). (<http://www.access.gpo.gov/>)

Harris Miller Miller and Hanson Inc., *Transit Noise and Vibration Impact Assessment*, April 1995. (<http://ntl.bts.gov/data/rail05/rail05.html>)

International Standard Organization (ISO), ISO 362; ISO 1996 1-3; ISO 3095; and ISO 3740-3747. (www.iso.ch)

Tavares, Ph.D., Acoustical Site Assessment Starco Food Mart. Investigative Science and Engineering, Inc., July 11, 2007.

U.S. Department of Transportation, Federal Highway Administration, Office of Environment and Planning, Noise and Air Quality Branch. "Highway Traffic Noise Analysis and Abatement Policy and Guidance," Washington, D.C., June 1995. (<http://www.fhwa.dot.gov/>)

POPULATION & HOUSING

Housing and Community Development Act of 1974, 42 USC 5309, Title 42--The Public Health And Welfare, Chapter 69--Community Development, United States Congress, August 22, 1974. (www4.law.cornell.edu)

National Housing Act (Cranston-Gonzales), Title 12, Ch. 13. (www4.law.cornell.edu)

San Diego Association of Governments Population and Housing Estimates, November 2000. (www.sandag.org)

US Census Bureau, Census 2000. (<http://www.census.gov/>)

RECREATION

County of San Diego Code of Regulatory Ordinances, Title 8, Division 10, Chapter PLDO, §810.101 et seq. Park Lands Dedication Ordinance. (www.amlegal.com)

TRANSPORTATION/TRAFFIC

California Aeronautics Act, Public Utilities Code, Section 21001 et seq. (www.leginfo.ca.gov)

California Department of Transportation, Division of Aeronautics, California Airport Land Use Planning Handbook, January 2002.

California Department of Transportation, Environmental Program Environmental Engineering – Noise, Air Quality, and Hazardous Waste Management Office. "Traffic Noise Analysis Protocol for New Highway Construction and Reconstruction Projects," October 1998. (www.dot.ca.gov)

California Public Utilities Code, SDCRAA. Public Utilities Code, Division 17, Sections 170000-170084. (www.leginfo.ca.gov)

California Street and Highways Code. California Street and Highways Code, Section 260-283. (www.leginfo.ca.gov)

County of San Diego, Alternative Fee Schedules with Pass-By Trips Addendum to Transportation Impact Fee Reports, March 2005. (<http://www.sdcounty.ca.gov/dpw/land/pdf/TransImpactFee/attacha.pdf>)

County of San Diego Transportation Impact Fee Report. January 2005. (<http://www.sdcounty.ca.gov/dpw/permits-forms/manuals.html>)

Fallbrook & Ramona Transportation Impact Fee Report, County of San Diego, January 2005. (<http://www.sdcounty.ca.gov/dpw/permits-forms/manuals.html>)

Office of Planning, Federal Transit Administration, Transit Noise and Vibration Impact Assessment, Final Report, April 1995.

San Diego Association of Governments, 2020 Regional Transportation Plan. Prepared by the San Diego Association of Governments. (www.sandag.org)

San Diego Association of Governments, Comprehensive Land Use Plan for Borrego Valley Airport (1986), Brown Field (1995), Fallbrook Community Airpark (1991), Gillespie Field (1989), McClellan-Palomar Airport (1994). (www.sandag.org)

Torma, Arnold J. P.E., Starco Gas Station Traffic Impact Study. KOA Corporation, February 2008

US Code of Federal Regulations, Federal Aviation Regulations (FAR), Objects Affecting Navigable Airspace, Title 14, Chapter 1, Part 77. (www.gpoaccess.gov)

UTILITIES & SERVICE SYSTEMS

California Code of Regulations (CCR), Title 14. Natural Resources Division, CIWMB Division 7; and Title 27, Environmental Protection Division 2, Solid Waste. (ccr.oal.ca.gov)

California Integrated Waste Management Act. Public Resources Code, Division 30, Waste Management, Sections 40000-41956. (www.leginfo.ca.gov)

County of San Diego, Board of Supervisors Policy I-78: Small Wastewater. (www.sdcounty.ca.gov)

Unified San Diego County Emergency Services Organization Annex T Emergency Water Contingencies, October 1992. (www.co.san-diego.ca.us)

United States Department of Agriculture, Natural Resource Conservation Service LESA System.

United States Department of Agriculture, Soil Survey for the San Diego Area, California. 1973.

US Census Bureau, Census 2000.

US Code of Federal Regulations, Federal Aviation Regulations (FAR), Objects Affecting Navigable Airspace, Title 14, Chapter 1, Part 77.

US Department of the Interior, Bureau of Land Management (BLM) modified Visual Management System.

US Department of Transportation, Federal Highway Administration (FHWA) Visual Impact Assessment for Highway Projects.