

3-4-50: Chronic Disease Deaths in San Diego County—North Coastal Region, 2000-2011

3 Behaviors
 contribute to
 4 Chronic Diseases
 that cause over
 50 percent
 of all deaths worldwide.

Figure 1: 3-4-50 Death Percentages





Figure 2: 3-4-50 Death Rates



†3-4-50 deaths include stroke, coronary heart disease (CHD), diabetes, COPD, asthma, and cancer.
 *3-4-50 deaths as a percentage of all cause deaths. Rates per 100,000 population.

What is 3-4-50?

Chronic diseases are now the major cause of death and disability worldwide, having surpassed infectious diseases and injuries. This reflects a significant change in diet habits, physical activity levels, and tobacco use.

These chronic diseases are important to consider together because they are common causes of disability and death in San Diego County. They are also highly influenced by three unhealthy behaviors; behaviors that cause many cases of specified chronic conditions that are preventable.

3-4-50 in San Diego County—North Coastal Region

- From 2000 to 2011, the percent of all deaths due to 3-4-50 chronic diseases has decreased in the North Coastal Region and its Subregional Areas (SRAs), while the overall number of deaths have remained relatively stable.
- Overall, 3-4-50 chronic disease death rates have decreased in the North Coastal Region and its SRAs from 2000 to 2011.
- Among the North Coastal SRAs, Oceanside and Vista had the highest percentage of deaths due to 3-4-50 chronic diseases in 2011.
- Among the North Coastal SRAs, Oceanside had the highest 3-4-50 chronic disease death rate in 2011.
- Despite a decrease since 2000, 3-4-50 chronic diseases accounted for 53% of all deaths in the North Coastal Region in 2011.



QR CODES:

QR codes are similar to barcodes. Use your smartphone to scan the QR Code and navigate directly to the report online for download. Download a free QR code reader from your app provider.

For more information and data, go to
www.SDHealthStatistics.com

What does 3-4-50 look like in North Coastal Region?

In North Coastal Region,
3-4-50 is actually 3-4-53

In San Diego County,
3-4-50 is actually 3-4-54

3 BEHAVIORS

TOBACCO USE

- In 2011, 1 out of 8 North Coastal Region teens and adults were current smokers.

LACK OF PHYSICAL ACTIVITY

- In 2011, 5 out of 10 North Coastal Region children engaged in fewer than five days of physical activity, lasting at least one hour, per week.

POOR NUTRITION

- In 2011, nearly 1 out of 5 North Coastal Region residents ate fast food three or more times every week.

TOBACCO USE

- In 2011, 1 out of 8 of San Diego County teens and adults were current smokers.

LACK OF PHYSICAL ACTIVITY

- In 2011, 6 out of 10 San Diego County children engaged in fewer than 5 days of physical activity, lasting at least one hour, per week.

POOR NUTRITION

- In 2011, nearly 1 out of 5 San Diego County residents ate fast food three or more times every week.

4 CHRONIC DISEASES

CANCER

- In 2011, cancer was the leading cause of death in the North Coastal Region.

HEART DISEASE & STROKE

- In 2011, 5.7% North Coastal Region adults had ever been diagnosed with heart disease.

DIABETES

- In 2011, 6.3% of North Coastal Region adults had ever been diagnosed with diabetes.

LUNG DISEASE

- In 2011, nearly 1 out of 7 North Coastal Region residents had ever been diagnosed with asthma.

CANCER

- In 2011, cancer was the leading cause of death in San Diego County.

HEART DISEASE & STROKE

- In 2011, 5.8% of San Diego County adults had ever been diagnosed with heart disease.

DIABETES

- In 2011, 7.8% of San Diego County adults had ever been diagnosed with diabetes.

LUNG DISEASE

- In 2011, nearly 1 out of 7 San Diego County residents had ever been diagnosed with asthma.

CAUSE OVER 50% OF DEATHS

In 2011, cancer, heart disease and stroke, diabetes, and lung disease caused 53% of all deaths in the North Coastal Region.

In 2011, cancer, heart disease and stroke, diabetes, and lung disease caused 54% of all deaths in San Diego County.