


HEALTHY PEOPLE 2010:

*Health Indicators for
San Diego County
A Decade of Progress
At-A-Glance*

AUGUST 2013





Healthy People 2010:
Health Indicators for
San Diego County
A Decade of Progress
At-A-Glance


County of San Diego
Health and Human Services Agency
Public Health Services

August 2013

For additional information, contact:

Community Health Statistics Unit
6255 Mission Gorge Road
San Diego, CA 92120
(619) 285-6429
www.sdhealthstatistics.com





Healthy People 2010: *Health Indicators for San Diego County A Decade of Progress At-A-Glance*

Suggested Citation: County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit, 2013. *Healthy People 2010: Health Indicators for San Diego County—A Decade of Progress At-A-Glance*. Retrieved MM/DD/YY from www.SDHealthStatistics.com.

QR CODES:

QR codes are similar to barcodes. Use your smart phone to scan the QR Code and navigate directly to the report online for download. Download a free QR code reader from your app provider.



Acknowledgments

This report represents a collaborative effort between many dedicated individuals. We gratefully acknowledge the contributions of the following people and departments:

Alice McLennan, Alcohol and Drug Services (ADS)
Alicia Sampson, MPH, CPH, Community Health Statistics
Barbara Stepanski, MPH, Emergency Medical Services
Isabel Corcos, PhD, MPH, Emergency Medical Services
Jeff Johnson, MPH, Epidemiology & Immunization Services
Jennifer Nelson, MPH, Epidemiology & Immunization Services
Joshua Smith, PhD, MPH, Emergency Medical Services
Kristen Smith, MPH, Aging & Independence Services (AIS)
Lacey Hicks, MPH, Epidemiology & Immunization Services
Leslie Ray, MPH, MPPA, MA, Community Health Statistics & Emergency Medical Services
Lorri Freitas, MPH, HIV/AIDS Epidemiology
Marjorie Lee, MPH, HIV, STD, and Hepatitis Branch
Marisa Moore, MD, MPH, Tuberculosis Control
Samantha Tweeten, PhD, MPH, HIV/AIDS Epidemiology
Sanaa Abedin, MPH, Epidemiology & Immunization Services
San Diego County Sheriff's Department
Sindana Ilango, MPH(c), Community Health Statistics
Sutida (Nid) Jariangprasert, MPH, Maternal, Child and Family Health Services
Wendy Wang, MPH, Epidemiology & Immunization Services
Yazmin Amado Vu, MPH, Community Health Statistics

We are particularly grateful for the guidance and support of:

Nick Macchione, MS, MPH, FACHE, Director, Health & Human Services Agency
Wilma Wooten, MD, MPH, Public Health Officer
Eric McDonald, MD, MPH, Deputy Public Health Officer
Marcy Metz, RN, CEN, Chief of Emergency Medical Services

An effort of this magnitude requires visionary leadership. We are fortunate to have Nick Macchione as the Director of the Health and Human Services Agency and Dr. Wilma J. Wooten as the Public Health Officer.

Introduction

Healthy People 2010 was a comprehensive series of health promotion and disease prevention objectives for the nation to achieve during the first 10 years of this century. The document was designed to be used by states, communities, organizations, groups, and individuals to help guide the planning and development of programs to improve the health of the population.

Healthy People 2010 identified a variety of public health priorities, and aimed to achieve two overarching goals:

- 1) increase quality and years of healthy life for individuals of all ages, and
- 2) eliminate health disparities between different groups of the population.

Each of 28 focus areas were developed into chapters by Federal agencies through consultation with subject area experts, and built on the most recent available scientific knowledge. Specifically, concise goals in each of the chapters address the overarching goals. Precisely defined objectives were written such that they would be specific and measurable in order to monitor progress over time. The objectives were revisited in 2005 during the Midcourse Review. The purpose of the review was to ensure that the objectives were still relevant and that data or information was available to measure progress. As a result, many of the original objectives were deleted.

To follow these objectives locally, the *Healthy People 2010: Health Indicators for San Diego County* was prepared by the County of San Diego, Public Health Services Division of the Health & Human Services Agency. This document measures local progress toward reaching each of the *Healthy People 2010* objectives. It is designed for local agencies, organizations, groups, services, and individuals who have an interest in improving the health of residents of San Diego County. For each objective, local data are provided, where available, to compare to the national baseline and target.

Local data were matched to the *Healthy People* objectives, when possible. When local indicators were not directly comparable to the objective, the closest available data were used as proxies in order to measure progress toward the objective. A detailed description of any differences between the *Healthy People* objective and the available local data is included when appropriate.


Healthy People 2010: Health Indicators for San Diego County is a comprehensive document presenting a wide range of local data. These data are meant to be used to monitor and track the health of residents, to increase the quality and years of healthy life, and to eliminate existing disparities in the health of different populations. The next *Healthy People At-A-Glance* and *Full Report* will begin to monitor *Healthy People 2020* objectives. For additional local health and demographic data, please go to www.sdhealthstatistics.com.

Summary of Progress

Healthy People 2010 established a comprehensive set of very aggressive targets to improve the health of the nation. A more conservative approach, 10% improvement from baseline measurements, was used in the formation of targets for *Health People 2020*. Overall for *Healthy People 2010*, a large number of these targets were not reached at the national, state, and/or county level. San Diego County met or exceeded significantly more targets than either the nation or the state.

Healthy People 2010 identified 969 specific objectives in the 28 focus areas. Of the 969 identified objectives, 733 had sufficient data available for tracking and measurement at the national level at the end of the decade. Of these, many objectives related to national infrastructure or policy change and were not appropriate for local measurement.

Overall, there were 129 objectives with current, measureable, and comparable data available at the county, state, and national levels. Of these, San Diego County met or exceeded the target in 63 (49%) objectives. California met or exceeded the target in 47 (36%) objectives. Nationally, 30 (23%) of the objectives met or exceeded the target.



In total, there were 164 objectives with current, comparable data available at the San Diego County level. Of these, San Diego County met or exceeded the target in 91 (55%) objectives. At the state level, there were 143 objectives with current, comparable data available. Of these, California met or exceeded the target in 59 (41%) objectives. Nationally, there were 150 objectives with current, comparable data available. Of these, the United States met or exceeded the target in 32 (21%) objectives.

Regardless of whether or not the targets were met, San Diego County performed better than California in 86 out of 143 objectives where data were available at both levels. The county out-performed the state by at least 5% in 62 of the 141 objectives where data were available at both levels and percent differences could be calculated.

| Healthy People 2010 Targets | |
|--|--|
| Based on differences: ¹ | |
| San Diego County exceeded the United States in 119 out of 150 HP 2010 Objectives. | |
| San Diego County exceeded California in 86 out of 143 HP 2010 Objectives. | |
| Based on statistically significant differences: ² | |
| San Diego County exceeded the United States in 96 out of 141 HP 2010 Objectives. | |
| San Diego County exceeded California in 62 out of 138 HP 2010 Objectives. | |
| ¹ Significant absolute difference determined by at least 0.1 difference in appropriate direction. | |
| ² Significant relative difference determined by at least 5% change in appropriate direction. | |

San Diego County performed better than the nation in 119 out of 150 objectives where data were available at both levels. The county performed better than the nation by at least 5% in 86 of the 143 objectives where data were available at both levels and percent differences could be calculated.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|-----------------|-----------------|-------------|-----------------|-------------|------------------|-------------|
| 1. Access to Quality Health | | | | | | | |
| 1-1. Increase the proportion of persons under 65 years old with health insurance (age-adjusted). * US and CA data reflect adults aged 18-64 * US data exclude territories | 100.0% | 83.1% | ✗ | 80.4% | ✗ | 86.1% | ✗ |
| 1-4a. Increase the proportion of persons who have a specific source of ongoing care (all ages). *CA and county data reflect those who have a <i>usual</i> place to go | 96.0% | 85.5% | ✗ | 85.8% | ✗ | 89.7% | ✗ |
| 1-4b. Increase the proportion of children and youth who have a specific source of ongoing care. *CA and county data reflect those who have a <i>usual</i> place to go | 97.0% | 94.5% | ✗ | 92.2% | ✗ | 93.8% | ✗ |
| 1-4c. Increase the proportion of adults 18 years and older who have a specific source of ongoing care. *CA and county data reflect those who have a <i>usual</i> place to go | 96.0% | 83.0% | ✗ | 83.5% | ✗ | 88.3% | ✗ |
| 1-9a. Reduce hospitalization rates for pediatric asthma (persons under 18 years). *US data reflect principal diagnoses only *CA and County data reflect ages 0 -19 years (vs. 0-17) | 17.3 per 10,000 | 18.5 per 10,000 | ✗ | 11.7 per 10,000 | ✓ | 11.1 per 10,000 | ✓ |
| 1-9b. Reduce hospitalization rates for uncontrolled diabetes (persons aged 18 to 64 years). *US data from 2008 *CA data from 2007 *County data reflect people ages 20 to 64 years. | 5.4 per 10,000 | 8.7 per 10,000 | ✗ | 5.7 per 10,000 | ✗ | 4.6 per 10,000 | ✓ |
| 1-9c. Reduce hospitalization rates for immunization-preventable pneumonia or influenza (persons aged 65 years and older). *US data from 2008 *CA data from 2007 | 7.9 per 10,000 | 8.9 per 10,000 | ✗ | 2.8 per 10,000 | ✓ | 4.5 per 10,000 | ✓ |
| 1-11. Increase the proportion of persons who have access to rapidly responding pre-hospital emergency medical services (Basic Life Support). *CA data from 2002 | 100.0% | N/A | N/A | 90.0% | ✗ | 100.0% | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|-------------------|-------------------|-------------|-------------------|-------------|-------------------|-------------|
| 1-12. Establish a single toll-free telephone number for access to poison control centers on a 24-hour basis throughout the United States. | 100.0% | N/A | N/A | 100.0% | ✓ | 100.0% | ✓ |
| 1-13. Increase the number of Tribes, States, and the District of Columbia with State level trauma system facilitation and coordination of Statewide defined criteria. | 51.0% | N/A | N/A | 100.0% | ✓ | 100.0% | ✓ |
| 1-14. Increase the number of States and the District of Columbia that have implemented guidelines for pre-hospital and hospital pediatric care. | 51.0% | N/A | N/A | 100.0% | ✓ | 100.0% | ✓ |
| 2. Arthritis, Osteoporosis and Chronic Back Conditions | | | | | | | |
| 2-10. Reduce the proportion of adults who are hospitalized for vertebral fractures associated with osteoporosis, people aged 65 and older (age-adjusted). *CA data from 2007 | 14.0 per 10,000 | 23.4 per 10,000 | ✗ | 15.3 per 10,000 | ✗ | 10.9 per 10,000 | ✓ |
| 3. Cancer | | | | | | | |
| 3-1. Reduce the overall cancer death rate (age-adjusted). | 158.6 per 100,000 | 173.2 per 100,000 | ✗ | 159.1 per 100,000 | ✗ | 150.1 per 100,000 | ✓ |
| 3-2. Reduce the lung cancer death rate (age-adjusted). | 43.3 per 100,000 | 48.5 per 100,000 | ✗ | 38.0 per 100,000 | ✓ | 35.7 per 100,000 | ✓ |
| 3-3. Reduce the breast cancer death rate among females (age-adjusted). | 21.3 per 100,000 | 22.3 per 100,000 | ✗ | 22.4 per 100,000 | ✗ | 23.3 per 100,000 | ✗ |
| 3-4. Reduce the death rate from cancer of the uterine cervix among females (age-adjusted). | 2.0 per 100,000 | 2.3 per 100,000 | ✗ | 2.3 per 100,000 | ✗ | 2.1 per 100,000 | ✗ |
| 3-5. Reduce the colorectal cancer death rate (age-adjusted) | 13.7 per 100,000 | 15.7 per 100,000 | ✗ | 14.6 per 100,000 | ✗ | 13.5 per 100,000 | ✓ |
| 3-6. Reduce oropharyngeal cancer death rate (age-adjusted). | 2.4 per 100,000 | 2.4 per 100,000 | ✓ | 2.4 per 100,000 | ✓ | 2.5 per 100,000 | ✗ |
| 3-7. Reduce the prostate cancer death rate among males (age-adjusted). | 28.2 per 100,000 | 22.0 per 100,000 | ✓ | 22.5 per 100,000 | ✓ | 21.8 per 100,000 | ✓ |
| 3-8. Reduce the melanoma cancer death rate (age-adjusted). | 2.3 per 100,000 | 2.8 per 100,000 | ✗ | 2.6 per 100,000 | ✗ | 2.8 per 100,000 | ✗ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|----------------|---------------|-------------|------------|-------------|------------------|-------------|
| 3-11a. Increase the proportion of women who have ever receive a Pap test, 18 years and older (age-adjusted). *US data from 2008 *CA and County data from 2007 | 97.0% | 93.0% | ✘ | 90.9% | ✘ | 93.6% | ✘ |
| 3-11b. Increase the proportion of women who received a Pap test within the preceding 3 years, 18 years and older (age-adjusted). *US data from 2008 *CA and County data from 2007 | 90.0% | 84.5% | ✘ | 84.1% | ✘ | 88.0% | ✘ |
| 3-12b. Increase the proportion of adults who receive a colorectal cancer screening examination, adults aged 50 years and older who have ever received a sigmoidoscopy (age-adjusted). *US and CA data from 2010 | 50.0% | 65.2% | ✔ | 61.5% | ✔ | 79.2% | ✔ |
| 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years (age-adjusted). *US from 2008 | 70.0% | 76.0% | ✔ | 80.0% | ✔ | 81.0% | ✔ |
| 5. Diabetes | | | | | | | |
| 5-12. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin measurement at least twice a year (age-adjusted). *San Diego County data reflect an unadjusted percent *CA data from 2006 | 65.0% | 64.3% | ✘ | 63.5% | ✘ | 62.0% | ✘ |
| 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination (age-adjusted) *CA data from 2006 *County data reflect unadjusted percent | 91.0% | 69.0% | ✘ | 62.4% | ✘ | 76.4% | ✘ |
| 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily (age-adjusted). *CA and County data reflects an unadjusted percent | 61.0% | 63.1% | ✔ | 34.6% | ✘ | 45.0% | ✘ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|----------------|----------------|-------------|----------------|-------------|------------------|-------------|
| 7. Educational and Community-Based Programs | | | | | | | |
| 7-1. Increase high school completion. | 90.0% | 89.8% | ✗ | 80.5% | ✗ | 83.1% | ✗ |
| 8. Environmental Health | | | | | | | |
| 8-15. Increase recycling of municipal solid waste. *US data from 2008 *San Diego County data include all solid waste that was diverted from landfills, which includes source reduction, recycling, reuse, or composting, HP2010 data includes only solid waste that was recycled. | 38.0% | 33.2% | ✗ | N/A | N/A | 56.0% | ✓ |
| 9. Family Planning | | | | | | | |
| 9-7. Reduce pregnancies among adolescent females (ages 15 to 17). | 43.0 per 1,000 | 20.1 per 1,000 | ✓ | 17.5 per 1,000 | ✓ | 16.2 per 1,000 | ✓ |
| 9-9a. Increase the proportion of adolescent females who have never engaged in sexual intercourse. *US percent reflects 2006-2008 data | 75.0% | 72.0% | ✗ | 83.7% | ✓ | 85.5% | ✓ |
| 9-9b. Increase the proportion of adolescent males who have never engaged in sexual intercourse. *US percent reflects 2006-2008 data | 75.0% | 71.0% | ✗ | 77.9% | ✓ | 76.0% | ✓ |
| 9-10e. Increase the proportion of sexually active, unmarried adolescent females aged 15 to 17 years who use contraception that both effectively prevents pregnancy and provides barrier protection against disease (Condom at last intercourse). *US data represent grades 9-12 *CA data from 2007 *County data from 2005 | 49.0% | 46.1% | ✗ | 70.3% | ✓ | 65.4% | ✓ |
| 9-10f. Increase the proportion of sexually active, unmarried adolescent males aged 15 to 17 years who use contraception that both effectively prevents pregnancy and provides barrier protection against disease (Condom at last intercourse). *CA data from 2007 *County data from 2005 | 79.0% | 68.6% | ✗ | 81.7% | ✓ | 88.9% | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|------------------|------------------|-------------|-------------------|-------------|--|-------------|
| 10. Food Safety | | | | | | | |
| 10-1a. Reduce infections caused by key foodborne pathogens (Campylobacter species). | 12.3 per 100,000 | 13.0 per 100,000 | ✗ | 28.88 per 100,000 | ✗ | 15.4 per 100,000 | ✗ |
| 10-1b. Reduce infections caused by key foodborne pathogens (Escherichia coli O157:H7). | 1.0 per 100,000 | 1.0 per 100,000 | ✓ | 1.13 per 100,000 | ✗ | 0.5 per 100,000 | ✓ |
| 10-1c. Reduce infections caused by key foodborne pathogens (Listeria monocytogenes). | 0.24 per 100,000 | 0.30 per 100,000 | ✗ | 0.45 per 100,000 | ✗ | 0.40 per 100,000 | ✗ |
| 10-1d. Reduce infections caused by key foodborne pathogens (Salmonella species). | 6.8 per 100,000 | 15.0 per 100,000 | ✗ | 17.53 per 100,000 | ✗ | 14.9 per 100,000 | ✗ |
| 11. Health Communication | | | | | | | |
| 11-1. Increase the proportion of households with access to the Internet at home. *CA data reflect internet usage, not access | 80.0% | 68.7% | ✗ | 73.1% | ✗ | 80.0% | ✓ |
| 11-4a. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Identity). *US data from 2006 | 19.0% | <10.0% | ✗ | N/A | N/A | PHS, Community Health Statistics Unit Web site pages disclose identity. | ✓ |
| 11-4b. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Purpose/uses/limitations). *US data from 2006 | 40.0% | 35.0% | ✗ | N/A | N/A | PHS, Community Health Statistics Unit Web site pages disclose purpose/uses/limitations. | ✓ |
| 11-4c. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Content development). *US data from 2006 | 10.0% | <1.0% | ✗ | N/A | N/A | PHS, Community Health Statistics Unit Web site pages disclose content development. | ✓ |
| 11-4d. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Privacy policy/protections). *US data from 2006 | 80.0% | 75.0% | ✗ | N/A | N/A | PHS, Community Health Statistics Unit Web site pages disclose privacy policy/protection. | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|-------------------|-------------------|-------------|-------------------|-------------|--|-------------|
| 11-4e. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (User feedback/evaluation). *US data from 2006 | 64.0% | 59.0% | ✗ | N/A | N/A | PHS, Community Health Statistics Unit Web site pages disclose user feedback/evaluation | ✓ |
| 11-4f. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Content creation/updating). *US data from 2006 | 10.0% | <1.0% | ✗ | N/A | N/A | PHS, Community Health Statistics Unit Web site pages disclose content creation/updating. | ✓ |
| 12. Heart Diseases and Stroke | | | | | | | |
| 12-1. Reduce coronary heart disease deaths (age-adjusted). | 162.0 per 100,000 | 117.7 per 100,000 | ✓ | 114.8 per 100,000 | ✓ | 102.5 per 100,000 | ✓ |
| 12-6a. Reduce hospitalizations of older adults with congestive heart failure as the principal diagnosis (adults aged 65 to 74 years). *US and CA data from 2007 | 6.5 per 1,000 | 9.8 per 1,000 | ✗ | 6.3 per 1,000 | ✓ | 1.5 per 1,000 | ✓ |
| 12-6b. Reduce hospitalizations of older adults with congestive heart failure as the principal diagnosis (adults aged 75 to 84 years). *US and CA data from 2007 | 13.5 per 1,000 | 22.4 per 1,000 | ✗ | 14.2 per 1,000 | ✗ | 3.7 per 1,000 | ✓ |
| 12-6c. Reduce hospitalizations of older adults with congestive heart failure as the principal diagnosis (adults aged 85 years and older). *CA data from 2007 | 26.5 per 1,000 | 42.9 per 1,000 | ✗ | 27.7 per 1,000 | ✗ | 8.3 per 1,000 | ✓ |
| 12-7. Reduce stroke deaths (age-adjusted). | 50.0 per 100,000 | 38.9 per 100,000 | ✓ | 28.1 per 100,000 | ✓ | 32.6 per 100,000 | ✓ |
| 13. HIV | | | | | | | |
| 13-1. Reduce AIDS among adolescents and adults. | 1.0 per 100,000 | 13.0 per 100,000 | ✗ | N/A | N/A | 11.4 per 100,000 | ✗ |
| 13-11. Increase the proportion of adults with tuberculosis (TB) who have been tested for HIV. | 89.0% | 71.9% | ✗ | N/A | N/A | 96.0% | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|-----------------|-----------------|-------------|-----------------|-------------|------------------|-------------|
| 13-14. Reduce deaths from HIV infection (age-adjusted). | 0.7 per 100,000 | 3.0 per 100,000 | ✗ | 2.4 per 100,000 | ✗ | 2.1 per 100,000 | ✗ |
| 13-16. Increase the proportion of HIV-infected persons surviving more than 3 years after a diagnosis of AIDS. *US data from 2006 *County data reflect 4-year survival, HP2010 data reflects 3-year survival. | 88.0% | 84.0% | ✗ | N/A | N/A | 91.1% | ✓ |
| 14. Immunizations and Infectious Diseases | | | | | | | |
| 14-1a. Reduce indigenous cases of vaccine-preventable congenital rubella syndrome (children under age 1 year). *US and CA data from 2008. | 0 cases | 0 cases | ✓ | 0 cases | ✓ | 0 cases | ✓ |
| 14-1b. Reduce indigenous cases of vaccine-preventable diphtheria (persons under age 35 years). | 0 cases | 0 cases | ✓ | 0 cases | ✓ | 0 cases | ✓ |
| 14-1c. Reduce Haemophilus influenzae type b (children under age 5 years) *CA data from 2007. | 0 cases | 213 cases | ✗ | 3 cases | ✗ | 0 cases | ✓ |
| 14-1e. Reduce indigenous cases of vaccine-preventable measles (all ages). *US data from 2008 *CA data reflect all cases; not limited to US-acquired. | 0 cases | 115 cases | ✗ | 9 cases | ✗ | 1 case | ✗ |
| 14-1f. Reduce indigenous cases of vaccine-preventable mumps (all ages). *US data from 2008 *CA data reflect all cases; not limited to US-acquired | 0 cases | 421 cases | ✗ | 16 cases | ✗ | 1 case | ✗ |
| 14-1h. Reduce indigenous cases of vaccine-preventable polio (all ages). *US and CA data from 2008 | 0 cases | 0 cases | ✓ | 0 cases | ✓ | 0 cases | ✓ |
| 14-1i. Reduce indigenous cases of vaccine-preventable rubella (all ages). *US data from 2008 *CA data from 2007 | 0 cases | 10 cases | ✗ | 1 case | ✗ | 0 cases | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|-----------------|-----------------|-------------|-----------------|-------------|------------------|-------------|
| 14-1i. Reduce indigenous cases of vaccine-preventable tetanus (all ages). *CA data from 2007 | 0 cases | N/A | N/A | 1 case | ✗ | 0 cases | ✓ |
| 14-6. Reduce hepatitis A. *US data from 2007 | 4.3 per 100,000 | 1.0 per 100,000 | ✓ | 0.7 per 100,000 | ✓ | 0.8 per 100,000 | ✓ |
| 14-11. Reduce tuberculosis. | 1.0 per 100,000 | 3.8 per 100,000 | ✗ | 6.4 per 100,000 | ✗ | 7.0 per 100,000 | ✗ |
| 14-22a. Achieve and maintain vaccination coverage levels for universally recommended vaccines among young children - DTaP Vaccine, ages 19-35 months. *CA data from 2007 | 90.0% | 84.6% | ✗ | 84.9% | ✗ | 88.3% | ✗ |
| 14-22b. Achieve and maintain vaccination coverage levels for universally recommended vaccines among young children - Haemophilus influenzae type b (Hib) Vaccine, ages 19-35 months. *CA data from 2007 | 90.0% | 54.8% | ✗ | 92.7% | ✓ | 89.3% | ✗ |
| 14-22c. Achieve and maintain vaccination coverage levels for universally recommended vaccines among young children - Hepatitis B (Hep B) Vaccine, ages 19-35 months. *CA data from 2007 | 90.0% | 93.5% | ✓ | 91.6% | ✓ | 91.6% | ✓ |
| 14-22d. Achieve and maintain vaccination coverage levels for universally recommended vaccines among young children - Measles, Mumps, and Rubella (MMR) Vaccine, ages 19-35 months. *CA data from 2007 | 90.0% | 92.1% | ✓ | 94.6% | ✓ | 94.7% | ✓ |
| 14-22e. Achieve and maintain vaccination coverage levels for universally recommended vaccines among young children - Polio Vaccine, ages 19-35 months. *CA data from 2007 | 90.0% | 93.6% | ✓ | 92.1% | ✓ | 94.7% | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|----------------|---------------|-------------|------------|-------------|------------------|-------------|
| 14-22f. Achieve and maintain vaccination coverage levels for universally recommended vaccines among young children - Varicella Vaccine, ages 19-35 months *CA data from 2007 | 90.0% | 90.7% | ✓ | 93.2% | ✓ | 97.3% | ✓ |
| 14-22g. Achieve and maintain vaccination coverage levels for universally recommended vaccines among young children - Pneumococcal Vaccine, ages 19-35 months. *CA data from 2007 | 90.0% | 80.1% | ✗ | 93.4% | ✓ | 86.6% | ✗ |
| 14-23a. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in day care - DTaP Vaccine. *CA data from 2007-2008 | 95.0% | N/A | N/A | 95.4% | ✓ | 96.0% | ✓ |
| 14-23b. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in day care - MMR Vaccine. *CA data from 2007-2008 | 95.0% | N/A | N/A | 97.2% | ✓ | 97.0% | ✓ |
| 14-23c. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in day care - Polio Vaccine. *CA data from 2007-2008 | 95.0% | N/A | N/A | 97.3% | ✓ | 96.0% | ✓ |
| 14-23d. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in day care - Hepatitis B (Hep B) Vaccine. *CA data from 2007-2008 | 95.0% | N/A | N/A | 96.1% | ✓ | 96.0% | ✓ |
| 14-23e. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in day care - Varicella Vaccine. *CA data from 2007-2008 | 95.0% | N/A | N/A | 96.5% | ✓ | 97.0% | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|----------------|---------------|-------------|------------|-------------|------------------|-------------|
| 14-23f. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in kindergarten - DTaP Vaccine. *US and CA data from 2007-2008 | 95.0% | 95.0% | ✓ | 94.1% | ✗ | 93.0% | ✗ |
| 14-23g. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in kindergarten - MMR vaccine. *US and CA data from 2007-2008 | 95.0% | 95.0% | ✓ | 94.6% | ✗ | 94.0% | ✗ |
| 14-23h. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in kindergarten - Polio vaccine. *US and CA data from 2007-2008 | 95.0% | 96.0% | ✓ | 94.5% | ✗ | 92.9% | ✗ |
| 14-23i. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in kindergarten - Hepatitis B (Hep B) vaccine. *US and CA data from 2007-2008 | 95.0% | 96.0% | ✓ | 96.7% | ✓ | 95.9% | ✓ |
| 14-23j. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in kindergarten - Varicella vaccine. *US and CA data from 2007-2008 | 95.0% | 94.0% | ✗ | 97.1% | ✓ | 96.3% | ✓ |
| 14-23l. Achieve and maintain vaccination coverage levels for universally recommended vaccines among children in kindergarten - Haemophilus influenzae type b (Hib) vaccine. *CA data from 2007-2008 | 90.0% | N/A | N/A | 97.1% | ✓ | 96.3% | ✓ |
| 14-29a. Increase percent of adults who report having received the specified vaccination - Influenza vaccine, ages 65+ years. | 90.0% | 66.6% | ✗ | 65.9% | ✗ | 69.4% | ✗ |
| 14-29b. Increase percent of adults who report having received the specified vaccination - Pneumococcal vaccine, ages 65+ years. | 90.0% | 60.1% | ✗ | N/A | N/A | 61.0% | ✗ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|-----------------------------|------------------|-------------|--|-------------|--|-------------|
| 14-29c. Increase percent of adults who report having received the specified vaccination - Influenza vaccine, high risk adults ages 18-64. | 60.0% | 38.6% | ✗ | N/A | N/A | 42.0% | ✗ |
| 14-29d. Increase percent of adults who report having received the specified vaccination - Pneumococcal vaccine, high risk adults ages 18-64. | 60.0% | 16.6% | ✗ | N/A | N/A | 29.0% | ✗ |
| 15. Injury and Violence Prevention | | | | | | | |
| 15-3. Reduce firearm-related deaths (age-adjusted). | 3.6 per 100,000 | 10.1 per 100,000 | ✗ | 8.3 per 100,000 | ✗ | 6.1 per 100,000 | ✗ |
| 15-6. Increase the number of States and the District of Columbia where 100 percent of deaths to children aged 17 years and under that are due to external causes are reviewed by a child fatality team. | 100% of all States and D.C. | N/A | N/A | In California 100% of deaths are reviewed. | ✓ | In San Diego County 100% of deaths are reviewed. | ✓ |
| 15-8. Reduce deaths caused by poisonings (age-adjusted). | 1.5 per 100,000 | 13.4 per 100,000 | ✗ | 12.1 per 100,000 | ✗ | 12.6 per 100,000 | ✗ |
| 15-9. Reduce deaths caused by suffocation (age-adjusted). *CA data from 2007 | 3.3 per 100,000 | 1.8 per 100,000 | ✓ | 3.8 per 100,000 | ✗ | 3.6 per 100,000 | ✗ |
| 15-10. Increase the number of States and the District of Columbia with statewide emergency department surveillance systems that collect data on external causes of injury. | 100% of all States and D.C. | N/A | N/A | In California emergency department surveillance systems are used to collect data on external causes of injury. | ✓ | In San Diego County emergency department surveillance systems are used to collect data on external causes of injury. | ✓ |
| 15-11. Increase the number of States and the District of Columbia with statewide hospital discharge surveillance systems that collect data on external causes of injury. | 100% of all States and D.C. | N/A | N/A | In California hospital discharge surveillance systems are used to collect data on external causes of injury. | ✓ | In San Diego County hospital discharge surveillance systems are used to collect data on external causes of injury. | ✓ |
| 15-13. Reduce deaths caused by unintentional injuries (age-adjusted). *CA data from 2007 | 17.1 per 100,000 | 37.3 per 100,000 | ✗ | 31.9 per 100,000 | ✗ | 28.9 per 100,000 | ✗ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|-------------------|-------------------|-------------|-------------------|-------------|-------------------|-------------|
| 15-15a. Reduce deaths caused by motor vehicle crashes (age-adjusted). *CA data from 2007 | 8.0 per 100,000 | 11.1 per 100,000 | ✗ | 8.5 per 100,000 | ✗ | 7.4 per 100,000 | ✓ |
| 15-16. Reduce pedestrian deaths on public roads. | 1.0 per 100,000 | 1.3 per 100,000 | ✗ | 1.60 per 100,000 | ✗ | 1.9 per 100,000 | ✗ |
| 15-27. Reduce deaths from falls (age-adjusted). | 3.3 per 100,000 | 7.5 per 100,000 | ✗ | 5.8 per 100,000 | ✗ | 6.9 per 100,000 | ✗ |
| 15-28a. Reduce hip fractures among females, ages 65+ years. *US and CA data from 2007 | 416.0 per 100,000 | 823.5 per 100,000 | ✗ | 717.4 per 100,000 | ✗ | 694.9 per 100,000 | ✗ |
| 15-28b. Reduce hip fractures among males, ages 65+ years. *US and CA data from 2007 | 459.5 per 100,000 | 464.9 per 100,000 | ✗ | 398.4 per 100,000 | ✓ | 393.4 per 100,000 | ✓ |
| 15-29. Reduce drowning (age-adjusted). | 0.7 per 100,000 | 1.2 per 100,000 | ✗ | 1.3 per 100,000 | ✗ | 1.0 per 100,000 | ✗ |
| 15-32. Reduce homicides (age-adjusted). | 2.8 per 100,000 | 5.5 per 100,000 | ✗ | 5.5 per 100,000 | ✗ | 2.7 per 100,000 | ✓ |
| 15-38. Reduce physical fighting among adolescents. | 32.0% | 31.5% | ✓ | N/A | N/A | 31.9% | ✓ |
| 16. Maternal, Infant, and Child Health | | | | | | | |
| 16-1a. Reduce fetal deaths at 20 or more weeks of gestation. *US data from 2005 | 4.1 per 1,000 | 6.2 per 1,000 | ✗ | 4.9 per 1000 | ✗ | 3.9 per 1,000 | ✓ |
| 16-1b. Reduce fetal and infant deaths during perinatal period (28 weeks of gestation to less than 7 days after birth). *US data from 2005 *CA data from 2003 | 4.4 per 1,000 | 6.6 per 1,000 | ✗ | 5.7 per 1,000 | ✗ | 5.0 per 1,000 | ✗ |
| 16-1c. Reduce all infant deaths (within 1 year). *US data from 2008 *CA data from 2005 | 4.5 per 1,000 | 6.6 per 1,000 | ✗ | 5.3 per 1,000 | ✗ | 4.4 per 1,000 | ✓ |
| 16-1d. Reduce all neonatal deaths (within 28 days). *US data from 2006 *CA data from 2005 | 2.9 per 1,000 | 4.5 per 1,000 | ✗ | 3.6 per 1,000 | ✗ | 3.2 per 1,000 | ✗ |
| 16-1e. Reduce all postneonatal deaths (between 28 days and 1 year). *US data from 2006 *CA data from 2005 | 1.2 per 1,000 | 2.2 per 1,000 | ✗ | 1.7 per 1,000 | ✗ | 1.1 per 1,000 | ✓ |
| 16-1f. Reduce the rate of all birth defects. *US data from 2006 *CA data from 2005 | 1.4 per 1,000 | 1.4 per 1,000 | ✓ | 1.3 per 1,000 | ✓ | 1.0 per 1,000 | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| 16-1g. Reduce congenital heart defects. *US data from 2008 *CA data from 2005 | 0.23 per 1,000 | 0.36 per 1,000 | ✗ | 0.36 per 1,000 | ✗ | 0.20 per 1,000 | ✓ |
| 16-1h. Reduce deaths due to sudden infant death syndrome (SIDS). *US data from 2006 *CA data from 2005 | 0.23 per 1,000 | 0.55 per 1,000 | ✗ | 0.28 per 1,000 | ✗ | 0.60 per 1,000 | ✗ |
| 16-2a. Reduce the rate of child deaths (1 to 4 year olds). | 20.0 per 100,000 | 26.1 per 100,000 | ✗ | 23.7 per 100,000 | ✗ | 16.3 per 100,000 | ✓ |
| 16-2b. Reduce the rate of child deaths (5 to 9 year olds). *CA data from 2008 | 13.0 per 100,000 | 12.2 per 100,000 | ✓ | 10.6 per 100,000 | ✓ | 11.9 per 100,000 | ✓ |
| 16-3a. Reduce the rate of adolescent deaths (10 to 14 year olds). | 16.5 per 100,000 | 15.1 per 100,000 | ✓ | 12.9 per 100,000 | ✓ | 13.4 per 100,000 | ✓ |
| 16-3b. Reduce the rate of adolescent deaths (15 to 19 year olds). | 38.0 per 100,000 | 51.9 per 100,000 | ✗ | 45.1 per 100,000 | ✗ | 30.4 per 100,000 | ✓ |
| 16-3c. Reduce the rate of young adult deaths (20 to 24 year olds). | 41.5 per 100,000 | 88.4 per 100,000 | ✗ | 72.6 per 100,000 | ✗ | 58.0 per 100,000 | ✗ |
| 16-5a. Reduce maternal complications during hospitalized labor and delivery. *US and CA data from 2007 *County data from 2005 | 24.0 per 100 | 31.1 per 100 | ✗ | 14.5 per 100 | ✓ | 21.2 per 100 | ✓ |
| 16-6a. Increase the proportion of pregnant women who receive care beginning in first trimester of pregnancy. *US data from 2007 *CA data from 2010 | 90.0% | 70.8% | ✗ | 89.1% | ✗ | 82.0% | ✗ |
| 16-10a. Reduce low birth weight (of live births). | 5.0% | 8.2% | ✗ | 6.8% | ✗ | 6.7% | ✗ |
| 16-10b. Reduce very low birth weight (of live births). | 0.9% | 1.5% | ✗ | 1.2% | ✗ | 1.1% | ✗ |
| 16-11a. Reduce total preterm births. | 7.6% | 12.2% | ✗ | 10.3% | ✗ | 9.9% | ✗ |
| 16-11b. Reduce preterm births at 32 to 36 weeks of gestation. *US data from 2007 *CA data from 2005 | 6.4% | 10.6% | ✗ | 9.2% | ✗ | 8.4% | ✗ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|-------------------|-------------------|-------------|-------------------|-------------|------------------|-------------|
| 16-11c. Reduce preterm births at less than 32 weeks of gestation. *US data from 2007 *CA data from 2005 | 1.1% | 2.0% | ✗ | 1.5% | ✗ | 1.5% | ✗ |
| 16-21. Reduce hospital discharges for sickle cell disease (per 100,000 black or African-American children, ≤9 years) *US percent reflects data from 2003-2007 *CA data from 2007 | 182.2 per 100,000 | 185.2 per 100,000 | ✗ | 180.5 per 100,000 | ✓ | 80.3 per 100,000 | ✓ |
| 18. Mental Health and Mental Disorders | | | | | | | |
| 18-1. Reduce the suicide rate (age-adjusted). | 4.9 per 100,000 | 11.8 per 100,000 | ✗ | 10.3 per 100,000 | ✗ | 11.2 per 100,000 | ✗ |
| 18-2. Reduce the rate of suicide attempts by adolescents (in 12 months). | 1.0% | 1.9% | ✗ | N/A | N/A | 1.6% | ✗ |
| 19. Nutrition and Overweight | | | | | | | |
| 19-1. Increase the proportion of adults who are at a healthy weight (age-adjusted). *US percent reflects data from 2005-2008 *CA and county data reflect unadjusted percent *CA data reflect neither overweight nor obese | 60.0% | 30.8% | ✗ | 38.7% | ✗ | 41.6% | ✗ |
| 19-2. Reduce the proportion of adults who are obese (age-adjusted). *CA and county data reflect unadjusted percent | 15.0% | 35.7% | ✗ | 23.0% | ✗ | 22.1% | ✗ |
| 19-3a. Reduce the proportion of children aged 6 to 11 years who are overweight or obese (age-adjusted). *US percent reflects data from 2005-2008 | 5.0% | 17.4% | ✗ | 12.2% | ✗ | 11.5% | ✗ |
| 19-3b. Reduce the proportion of adolescents aged 12 to 19 years who are overweight or obese (age-adjusted). *CA data from 2007 | 5.0% | 17.9% | ✗ | 18.7% | ✗ | 17.1% | ✗ |
| 19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit (age-adjusted). *US percent from 2002-2004 data | 75.0% | 40.0% | ✗ | 51.5% | ✗ | 59.7% | ✗ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|-----------------|-----------------|-------------|-----------------|-------------|------------------|-------------|
| 19-18. Increase food security among U.S. households and, in so doing, reduce hunger. *US data from 2008 *CA data from 2002-2004 | 94.0% | 85.0% | ✗ | 87.6% | ✗ | 64.9% | ✗ |
| 20. Occupational Safety and Fitness | | | | | | | |
| 20-1a. Reduce deaths from work-related injuries, all industries (ages 16 years and older). | 3.2 per 100,000 | 3.3 per 100,000 | ✗ | 2.6 per 100,000 | ✓ | 4.3 per 100,000 | ✗ |
| 21. Oral Health | | | | | | | |
| 21-6. Increase the proportion of oral and pharyngeal cancers detected at the earliest stage. *County percent from 2002-2008 data | 51.0% | 31.2% | ✗ | N/A | N/A | 32.0% | ✗ |
| 21-10. Increase the proportion of children and adults who use the oral health care system each year. *CA data from 2004 *County data from 2003 | 56.0% | 43.1% | ✗ | 73.7% | ✓ | 70.3% | ✓ |
| 22. Occupational Safety and Health | | | | | | | |
| 22-1. Reduce the proportion of adults who engage in no leisure-time physical activity (age-adjusted). *CA data from 2006 *County data from 2007 *County data reflect an unadjusted percent | 20.0% | 32.3% | ✗ | 23.0% | ✗ | 13.6% | ✓ |
| 22-2. Increase the proportion of adults who engage in moderate physical activity for at least 30 minutes per day 5 or more days per week or vigorous physical activity for at least 20 minutes per day 3 or more days per week (age-adjusted). *CA data from 2005 *County data reflect an unadjusted percent | 50.0% | 47.2% | ✗ | 53.0% | ✓ | 58.1% | ✓ |
| 22-9. Increase the proportion of adolescents who participate in daily school physical education. *CA data: Teen <i>currently</i> takes PE | 50.0% | 33.3% | ✗ | 65.9% | ✓ | 37.8% | ✗ |

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|---|------------------|--------------------------------|-------------|---|-------------|---|-------------|
| 23. Public Health Infrastructure | | | | | | | |
| 23-2. Increase the proportion of Federal, Tribal, State, and local health agencies that have made information available for internal or external public use in the past year based on health indicators related to Healthy People 2010 objectives. | Not Developed | The public has access to data. | ✓ | The public has access to data. | ✓ | The public has access to data. | ✓ |
| 23-3. Increase the proportion of all major national health data systems that use geocoding to promote nationwide use of geographic information systems (GIS). | 100.0% | 50.0% | ✗ | Geocoding is used in health data systems locally. | ✓ | Geocoding is used in health data systems locally. | ✓ |
| 23-11d. Increase the proportion of Local public health systems that meet national performance standards for the essential public health services. | 50.0% | 55.0% | ✓ | N/A | N/A | The local public health system meets national performance standards for the essential public health services. | ✓ |
| 24. Respiratory Diseases | | | | | | | |
| 24-1d. Reduce asthma deaths (adults aged 35-62). | 8.0 per million | 10.8 per million | ✗ | 9.6 per million | ✗ | 6.5 per million | ✓ |
| 24-1e. Reduce asthma deaths (adults aged 65+). | 47.0 per million | 38.8 per million | ✓ | 50.7 per million | ✗ | 30.0 per million | ✓ |
| 24-2a. Reduce hospitalizations for asthma (children under 5 years of age). *US and CA data from 2007 | 25.0 per 10,000 | 41.1 per 10,000 | ✗ | 22.8 per 10,000 | ✓ | 19.8 per 10,000 | ✓ |
| 24-2b. Reduce hospitalizations for asthma, 5 years of age to 64 years (age-adjusted). *US and CA data from 2007 * County data reflect unadjusted rate | 7.7 per 10,000 | 11.1 per 10,000 | ✗ | 5.7 per 10,000 | ✓ | 5.5 per 10,000 | ✓ |
| 24-2c. Reduce hospitalizations for asthma, adults aged 65 years and older (age-adjusted). *US and CA data from 2007 *County data reflect an unadjusted rate | 11.0 per 10,000 | 25.3 per 10,000 | ✗ | 19.6 per 10,000 | ✗ | 14.2 per 10,000 | ✗ |
| 24-3a. Reduce emergency department discharges for asthma (children under 5 years of age). *US and CA data from 2007 | 80.0 per 10,000 | 132.8 per 10,000 | ✗ | N/A | N/A | 89.4 per 10,000 | ✗ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|------------------|-------------------|-------------|-------------------|-------------|------------------|-------------|
| 24-3b. Reduce hospitalizations for asthma, 5 years of age to 64 years (age-adjusted). *US and CA data from 2007 * County data reflects unadjusted rate | 50.0 per 10,000 | 57.0 per 10,000 | ✗ | N/A | N/A | 27.5 per 10,000 | ✓ |
| 24-3c. Reduce hospitalizations for asthma, adults aged 65 years and older (age-adjusted). *US and CA data from 2007 *County data reflect an unadjusted rate | 15.0 per 10,000 | 21.9 per 10,000 | ✗ | N/A | N/A | 14.6 per 10,000 | ✓ |
| 25. Sexually Transmitted Diseases | | | | | | | |
| 25-1a. Reduce the proportion of adolescents and young adults with Chlamydia trachomatis infections (females aged 15 to 24 years attending family planning clinics). *CA data from 2005 | 3.0% | 8.1% | ✗ | 6.0% | ✗ | 13.2% | ✗ |
| 25-1b. Reduce the proportion of adolescents and young adults with Chlamydia trachomatis infections (females aged 15 to 24 years attending STD clinics). *CA data from 2005 | 3.0% | 16.4% | ✗ | 18.6% | ✗ | 12.6% | ✗ |
| 25-1c. Reduce the proportion of adolescents and young adults with Chlamydia trachomatis infections (males aged 15 to 24 years attending STD clinics). *CA data from 2005 | 3.0% | 24.0% | ✗ | 17.1% | ✗ | 12.3% | ✗ |
| 25-2a. Reduce gonorrhea, total population. | 19.0 per 100,000 | 98.1 per 100,000 | ✗ | 62.8 per 100,000 | ✗ | 57.7 per 100,00 | ✗ |
| 25-2b. Reduce gonorrhea rates among females aged 15 to 24 years attending STD clinics. *CA data from 2005 | 42.0 per 100,000 | 255.0 per 100,000 | ✗ | 189.6 per 100,000 | ✗ | 42.5 per 100,000 | ✗ |
| 25-3. Eliminate sustained domestic transmission of primary and secondary syphilis. *CA data from 2005 | 0.2 per 100,000 | 4.6 per 100,000 | ✗ | 4.3 per 100,000 | ✗ | 8.3 per 100,000 | ✗ |
| 25-9. Reduce congenital syphilis (per 100,000 live births). *CA data from 2005 *County data includes confirmed and probable cases. | 28.0 per 100,000 | 10.3 per 100,000 | ✓ | 12.2 per 100,000 | ✓ | 26.7 per 100,000 | ✓ |

*All data, unless noted, from 2009.

| HP 2010 Objectives | HP 2010 Target | United States | Target Met? | California | Target Met? | San Diego County | Target Met? |
|--|-----------------|------------------|-------------|------------------|-------------|------------------|-------------|
| 25-11a. Increase number of students who have never had sexual intercourse (grades 9-12) | 56.0% | 54.0% | ✗ | 80.80% | ✓ | 60.8% | ✓ |
| 25-11c. Increase number of students who used condoms at last intercourse (grades 9-12) *CA data from 2005 | 65.0% | 61.0% | ✗ | 77.80% | ✓ | 65.5% | ✓ |
| 26. Substance Abuse | | | | | | | |
| 26-2. Reduce cirrhosis deaths (age-adjusted). *CA data from 2007 *County data reflect an unadjusted rate. | 3.0 per 100,000 | 9.2 per 100,000 | ✗ | 11.3 per 100,000 | ✗ | 9.8 per 100,000 | ✗ |
| 26-3. Reduce drug-induced deaths (age-adjusted). *CA data from 2007 *County data reflect an unadjusted rate. | 3.2 per 100,000 | 12.6 per 100,000 | ✗ | 11.3 per 100,000 | ✗ | 12.0 per 100,000 | ✗ |
| 26-6. Reduce the proportion of adolescents who report that they rode, during the previous 30 days, with a driver who had been drinking alcohol. *CA data from 2003 *County data from 2007 | 30.0% | 28.3% | ✓ | 20.0% | ✓ | 27.7% | ✓ |
| 27. Tobacco Use | | | | | | | |
| 27-1a. Reduce tobacco use by adults (cigarette smoking). *CA data from 2007 | 12.0% | 19.3% | ✗ | 14.0% | ✗ | 12.9% | ✗ |
| 27-2a. Reduce tobacco use by adolescents (tobacco products in past month). | 21.0% | 26.0% | ✗ | N/A | N/A | 14.1% | ✓ |
| 27-2b. Reduce tobacco use by adolescents (cigarettes in past month). | 16.0% | 19.5% | ✗ | 6.6% | ✓ | 11.7% | ✓ |
| 27-7. Increase tobacco use cessation attempts by adolescent smokers. *CA data from 2003 | 64.0% | 59.0% | ✗ | 46.2% | ✗ | 51.0% | ✗ |
| 27-9. Reduce the proportion of children who are regularly exposed to tobacco smoke at home. *National data from 2005 | 10.0% | 8.0% | ✓ | 2.6% | ✓ | 1.2% | ✓ |
| Total Number of Targets Met | | | 32 | | 59 | | 91 |

*All data, unless noted, from 2009.

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|--|---|--|
| 1-1. Increase the proportion of persons under 65 years old with health insurance (age-adjusted). | BRFSS | BRFSS | CHIS |
| 1-4a. Increase the proportion of persons who have a specific source of ongoing care (all ages). | HealthyPeople.gov | CHIS | CHIS |
| 1-9a. Reduce hospitalization rates for pediatric asthma. | AHRQ HCUPnet | KidsData.org | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 1-9b. Reduce hospitalization rates for uncontrolled diabetes (persons aged 18 to 64 years). | CDC HP 2010 Final Review | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 1-9c. Reduce hospitalization rates for immunization-preventable pneumonia or influenza (persons aged 65 years and older). | CDC HP 2010 Final Review | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 1-11. Increase the proportion of persons who have access to rapidly responding pre-hospital emergency medical services (Basic Life Support). | N/A | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, Emergency Medical Services (EMS), 2012. |
| 2-10. Reduce the proportion of adults who are hospitalized for vertebral fractures associated with osteoporosis, people aged 65 and older (age-adjusted). | CDC HP 2010 Final Review | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 3-1. Reduce the overall cancer death rate (age-adjusted). | HealthyPeople.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|--|--|--|--|
| 3-2. Reduce the lung cancer death rate (age-adjusted). | HealthIndicators.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 3-3. Reduce the breast cancer death rate among females (age-adjusted). | HealthIndicators.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 3-4. Reduce the death rate from cancer of the uterine cervix among females (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 3-5. Reduce the colorectal cancer death rate (age-adjusted) | CDC Wonder | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 3-6. Reduce oropharyngeal cancer death rate (age-adjusted). | CDC Wonder | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 3-7. Reduce the prostate cancer death rate among males (age-adjusted). | CDC Wonder | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 3-8. Reduce the melanoma cancer death rate (age-adjusted). | CDC Wonder | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 3-11a. Increase the proportion of women who have ever receive a Pap test, 18 years and older (age-adjusted). | CDC Wonder | CHIS | CHIS |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|--|---|--|---|
| <p>3-12b. Increase the proportion of adults who receive a colorectal cancer screening examination, adults aged 50 years and older who have ever received a sigmoidoscopy (age-adjusted).</p> | <p>BRFSS</p> | <p>BRFSS</p> | <p>CHIS</p> |
| <p>5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination (age-adjusted).</p> | <p>HealthyPeople.gov</p> | <p>CDPH Healthy California 2010 Midcourse Review</p> | <p>CHIS</p> |
| <p>5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily (age-adjusted).</p> | <p>HealthyPeople.gov</p> | <p>CDPH Healthy California 2010 Midcourse Review</p> | <p>CHIS</p> |
| <p>7-1. Increase high school completion.</p> | <p>HealthyPeople.gov</p> | <p>Census.gov</p> | <p>California Dept. of Education</p> |
| <p>8-15. Increase recycling of municipal solid waste.</p> | <p>HealthyPeople.gov</p> | <p>N/A</p> | <p>County of San Diego, Five Year CIWMP Review Report, March 2011</p> |
| <p>9-9a. Increase the proportion of adolescent females who have never engaged in sexual intercourse.</p> | <p>CDC HP 2010 Final Review</p> | <p>CHIS</p> | <p>CHIS</p> |
| <p>9-9b. Increase the proportion of adolescent males who have never engaged in sexual intercourse.</p> | <p>CDC HP 2010 Final Review</p> | <p>CHIS</p> | <p>CHIS</p> |
| <p>9-10e. Increase the proportion of sexually active, unmarried adolescent females aged 15 to 17 years who use contraception that both effectively prevents pregnancy and provides barrier protection against disease (Condom at last intercourse).</p> | <p>YRBSS</p> | <p>CHIS</p> | <p>CHIS</p> |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|--|--|---|--|
| <p>9-10f. Increase the proportion of sexually active, unmarried adolescent males aged 15 to 17 years who use contraception that both effectively prevents pregnancy and provides barrier protection against disease (Condom at last intercourse).</p> | <p>YRBSS</p> | <p>CHIS</p> | <p>CHIS</p> |
| <p>10-1a. Reduce infections caused by key foodborne pathogens (Campylobacter species).</p> | <p>HealthyPeople.gov</p> | <p>CDC Foodnet Surveillance Report 2009</p> | <p>County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010.</p> |
| <p>10-1b. Reduce infections caused by key foodborne pathogens (Escherichia coli O157:H7).</p> | <p>HealthyPeople.gov</p> | <p>CDC Foodnet Surveillance Report 2009</p> | <p>County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010.</p> |
| <p>10-1c. Reduce infections caused by key foodborne pathogens (Listeria monocytogenes).</p> | <p>HealthyPeople.gov</p> | <p>CDC Foodnet Surveillance Report 2009</p> | <p>County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010.</p> |
| <p>10-1d. Reduce infections caused by key foodborne pathogens (Salmonella species).</p> | <p>HealthyPeople.gov</p> | <p>CDC Foodnet Surveillance Report 2009</p> | <p>County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010.</p> |
| <p>11-1. Increase the proportion of households with access to the Internet at home.</p> | <p>Census.gov</p> | <p>Census.gov</p> | <p>NCES</p> |
| <p>11-4a. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Identity).</p> | <p>HealthyPeople.gov</p> | <p>N/A</p> | <p>County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010.</p> |
| <p>11-4b. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Purpose/uses/limitations).</p> | <p>HealthyPeople.gov</p> | <p>N/A</p> | <p>County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010.</p> |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|--|--|--|
| 11-4c. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Content development). | HealthyPeople.gov | N/A | County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010. |
| 11-4d. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Privacy policy/protections). | HealthyPeople.gov | N/A | County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010. |
| 11-4e. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (User feedback/evaluation). | HealthyPeople.gov | N/A | County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010. |
| 11-4f. Increase the proportion of health-related World Wide Web sites that disclose information that can be used to assess the quality of the site (Content creation/updating). | HealthyPeople.gov | N/A | County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010. |
| 12-1. Reduce coronary heart disease deaths (age-adjusted). | CDC Wonder | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 12-6a. Reduce hospitalizations of older adults with congestive heart failure as the principal diagnosis (adults aged 65 to 74 years). | HealthyPeople.gov | HealthIndicators.gov | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 12-6b. Reduce hospitalizations of older adults with congestive heart failure as the principal diagnosis (adults aged 75 to 84 years). | HealthyPeople.gov | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 12-6c. Reduce hospitalizations of older adults with congestive heart failure as the principal diagnosis (adults aged 85 years and older). | HealthIndicators.gov | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|--|--|--|
| 12-7. Reduce stroke deaths (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 13-1. Reduce AIDS among adolescents and adults. | HealthyPeople.gov | N/A | County of San Diego, Health & Human Services Agency, HIV/AIDS Epidemiology Unit, HIV/AIDS Reporting System; SANDAG, Current Population Estimates, 10/2010. |
| 13-11. Increase the proportion of adults with tuberculosis (TB) who have been tested for HIV. | HealthyPeople.gov | N/A | County of San Diego, Health & Human Services Agency, HIV/AIDS Epidemiology Unit, HIV/AIDS Reporting System; SANDAG, Current Population Estimates, 10/2010. |
| 13-14. Reduce deaths from HIV infection (age-adjusted). | HealthyPeople.gov | CDC Wonder | County of San Diego, Health & Human Services Agency, HIV/AIDS Epidemiology Unit, HIV/AIDS Reporting System; SANDAG, Current Population Estimates, 10/2010. |
| 13-16. Increase the proportion of HIV-infected persons surviving more than 3 years after a diagnosis of AIDS. | HealthyPeople.gov | N/A | County of San Diego, Health & Human Services Agency, HIV/AIDS Epidemiology Unit, HIV/AIDS Reporting System; SANDAG, Current Population Estimates, 10/2010. |
| 14-1e. Reduce indigenous cases of vaccine-preventable measles (all ages). | HealthyPeople.gov | HealthIndicators.gov | County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 14-1f. Reduce indigenous cases of vaccine-preventable mumps (all ages). | HealthyPeople.gov | HealthIndicators.gov | County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 14-6. Reduce hepatitis A. | HealthyPeople.gov | HealthIndicators.gov | County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|-----------------------------------|---|--|
| 14-11. Reduce tuberculosis. | CDC MMWR | CDPH TB Report 2009 | County of San Diego, Health & Human Services Agency, Tuberculosis Control Program, County TB Registry, 2009. |
| 14-22. Achieve and maintain effective vaccination coverage levels for universally recommended vaccines among young children. | HealthyPeople.gov | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, EISB, 2008 and 2009 Random Digit Dial Survey. |
| 14-23. Achieve and maintain effective vaccination coverage levels for universally recommended vaccines among children in day care and kindergarten. | HealthyPeople.gov | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, EISB, 2009 Childcare and Kindergarten Assessments. |
| 14-29. Increase percent of adults who report having received the specified vaccination. | BRFSS | CHIS | County of San Diego, Health & Human Services Agency, EISB, 2008 and 2009 Random Digit Dial Survey. |
| 15-3. Reduce firearm-related deaths (age-adjusted). | HealthyPeople.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-6. Increase the number of States and the District of Columbia where 100 percent of deaths to children aged 17 years and under that are due to external causes are reviewed by a child fatality team. | N/A | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, Emergency Medical Services (EMS), 2009. |
| 15-8. Reduce deaths caused by poisonings (age-adjusted). | HealthyPeople.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-9. Reduce deaths caused by suffocation (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-10. Increase the number of States and the District of Columbia with statewide emergency department surveillance systems that collect data on external causes of injury. | N/A | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, Emergency Medical Services (EMS), 2009. |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|--|-----------------------------------|---|--|
| 15-11. Increase the number of States and the District of Columbia with statewide emergency department surveillance systems that collect data on external causes of injury. | N/A | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, Emergency Medical Services (EMS), 2009. |
| 15-13. Reduce deaths caused by unintentional injuries (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-15a. Reduce deaths caused by motor vehicle crashes (age-adjusted). | HealthyPeople.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-16. Reduce pedestrian deaths on public roads. | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-27. Reduce deaths from falls (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-28. Reduce hip fractures among older adults. | CDC Wonder | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 15-29. Reduce drowning (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-32. Reduce homicides (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 15-38. Reduce physical fighting among adolescents. | HealthyPeople.gov | N/A | CDC YRBSS |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|--|--|---|
| 16-1. Reduce fetal and infant deaths. | HealthyPeople.gov | CDPH | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 16-2a. Reduce the rate of child deaths (1 to 4 year olds). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 16-2b. Reduce the rate of child deaths (5 to 9 year olds). | HealthyPeople.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 16-3. Reduce deaths of adolescents and young adults. | CDC Wonder | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 16-5a. Reduce maternal complications during hospitalized labor and delivery. | HealthyPeople.gov | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 16-6a. Increase the proportion of pregnant women who receive care beginning in first trimester of pregnancy. | HealthyPeople.gov | CDPH | Birth Cohort and Master Statistical Files (CA DPH), County of San Diego, Health & Human Services Agency, Maternal, Child and Family Health Services 2009. |
| 16-10. Reduce low birth weight (LBW) and very low birth weight (VLBW). | HealthyPeople.gov | HealthIndicators.gov | Birth Cohort and Master Statistical Files (CA DPH), County of San Diego, Health & Human Services Agency, Maternal, Child and Family Health Services 2009. |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|--|--|--|---|
| 16-11. Reduce preterm births. | HealthyPeople.gov | HealthIndicators.gov | Birth Cohort and Master Statistical Files (CA DPH), County of San Diego, Health & Human Services Agency, Maternal, Child and Family Health Services 2009. |
| 16-21. Hospital discharges for sickle cell disease (per 100,000 black or African-American children, ≤9 years). | CDC HP 2010 Final Review | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 18-1. Reduce the suicide rate (age-adjusted). | HealthyPeople.gov | HealthIndicators.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 18-2. Reduce the rate of suicide attempts by adolescents (in 12 months). | HealthyPeople.gov | N/A | CDC YRBSS |
| 19-1. Increase the proportion of adults who are at a healthy weight (age-adjusted). | HealthyPeople.gov | BRFSS | CHIS |
| 19-2. Reduce the proportion of adults who are obese (age-adjusted). | HealthyPeople.gov | CHIS | CHIS |
| 19-3a. Reduce the proportion of children aged 6 to 11 years who are overweight or obese (age-adjusted). | HealthyPeople.gov | N/A | CHIS |
| 19-3b. Reduce the proportion of adolescents aged 12 to 19 years who are overweight or obese (age-adjusted). | HealthIndicators.gov | CDPH Healthy California 2010 Midcourse Review | CHIS |
| 19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit (age-adjusted). | CDC HP 2010 Final Review | N/A | CHIS |
| 19-18. Increase food security among U.S. households and, in so doing, reduce hunger. | CDC HP 2010 Final Review | CA Department of Health Care Services | CHIS |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|--|---|--|
| 20-1a. Reduce deaths from work-related injuries, all industries (ages 16 years and older). | CDC HP 2010 Final Review | BLS.gov | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 21-6. Increase the proportion of oral and pharyngeal cancers detected at the earliest stage. | HealthyPeople.gov | N/A | SEER Cancer.gov |
| 21-10. Increase the proportion of children and adults who use the oral health care system each year. | HealthyPeople.gov | CDPH Healthy California 2010 Midcourse Review | CHIS |
| 22-1. Reduce the proportion of adults who engage in no leisure-time physical activity (age-adjusted). | HealthyPeople.gov | CDC Wonder | CHIS |
| 22-2. Increase the proportion of adults who engage in moderate physical activity for at least 30 minutes per day 5 or more days per week or vigorous physical activity for at least 20 minutes per day 3 or more days per week (age-adjusted). | HealthyPeople.gov | CDC Wonder | CHIS |
| 22-9. Increase the proportion of adolescents who participate in daily school physical education. | HealthyPeople.gov | CHIS | CDC YRBSS |
| 23-2. Increase the proportion of Federal, Tribal, State, and local health agencies that have made information available for internal or external public use in the past year based on health indicators related to Healthy People 2010 objectives. | N/A | N/A | County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010. |
| 23-3. Increase the proportion of all major national health data systems that use geocoding to promote nationwide use of geographic information systems (GIS). | CDC HP 2010 Final Review | N/A | County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010. |
| 23-11d. Increase the proportion of Local public health systems that meet national performance standards for the essential public health services. | CDC HP 2010 Final Review | N/A | County of San Diego, Health & Human Services Agency, Community Health Statistics Unit, 2010. |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|--|---|--|
| 24-1d. Reduce asthma deaths (adults aged 35-62). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 24-1e. Reduce asthma deaths (adults aged 65+). | CDC Wonder | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 24-2. Reduce hospitalizations for asthma. | HealthyPeople.gov | CDPH Healthy California 2010 Midcourse Review | Patient Discharge Database, (CA OSHPD), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 12/2010. |
| 24-3. Reduce hospital emergency department visits for asthma. | HealthyPeople.gov | N/A | Emergency Department Discharge Database (CA DPH), County of San Diego, Health & Human Services Agency, Emergency Medical Services (EMS), 2009. |
| 25-1. Reduce the proportion of adolescents and young adults with Chlamydia trachomatis infections. | CDC Wonder | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, HIV/STD/Hepatitis Branch, Quest laboratory data—FPACT, 2009 Family Planning Annual Report; County of San Diego, Health & Human Services Agency, Public Health Services, Public Health Laboratory. |
| 25-2a. Reduce gonorrhea rates, total population. | CDC STD Surveillance | CDC STD Surveillance | County of San Diego, Health & Human Services Agency, HIV/STD/Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 10/2010. |
| 25-2b. Reduce gonorrhea rates among females aged 15 to 24 years attending STD clinics. | CDC Wonder | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, HIV/STD/Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 10/2010. |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|---|--|---|--|
| 25-3. Eliminate sustained domestic transmission of primary and secondary syphilis. | CDC Wonder | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, HIV/STD/Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 10/2010. |
| 25-9. Reduce congenital syphilis. | HealthIndicators.gov | CDPH Healthy California 2010 Midcourse Review | County of San Diego, Health & Human Services Agency, HIV/STD/Hepatitis Branch, Morbidity Database; SANDAG, Current Population Estimates, 10/2010. |
| 25-11a. Increase number of students who have never had sexual intercourse (grades 9-12) | CDC HP 2010 Final Review | CHIS | CDC YRBSS |
| 25-11c. Increase number of students who used condoms at last intercourse (grades 9-12) *CA data from 2005 | CDC HP 2010 Final Review | CHIS | CDC YRBSS |
| 26-2. Reduce cirrhosis deaths (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 26-3. Reduce drug-induced deaths (age-adjusted). | HealthyPeople.gov | CDC Wonder | Death Statistical Master Files (CA DPH), County of San Diego, Health & Human Services Agency, EISB; SANDAG, Current Population Estimates, 10/2010. |
| 26-6. Reduce the proportion of adolescents who report that they rode, during the previous 30 days, with a driver who had been drinking alcohol. | HealthyPeople.gov | CHIS | CDC YRBSS |
| 27-1a. Reduce tobacco use by adults (cigarette smoking). | HealthyPeople.gov | CDC Wonder | CHIS |
| 27-2a. Reduce tobacco use by adolescents (tobacco products in past month). | HealthyPeople.gov | N/A | CDC YRBSS |
| 27-2b. Reduce tobacco use by adolescents (cigarettes in past month). | HealthyPeople.gov | CHIS | CDC YRBSS |

| HP 2010 Objective | U.S. Source | CA Source | San Diego County Source |
|--|--|---|---------------------------|
| 27-7. Increase tobacco use cessation attempts by adolescent smokers. | CDC Wonder | CDPH Healthy California 2010 Midcourse Review | CDC YRBSS |
| 27-9. Reduce the proportion of children who are regularly exposed to tobacco smoke at home. <=6 years | CDC HP 2010 Final Review | CHIS | CHIS |