



Core Public Health Indicators

September 2004

County of San Diego
Health and Human Services Agency
Public Health Services

ACKNOWLEDGEMENTS

County of San Diego Board of Supervisors

Greg Cox, District 1
Dianne Jacob, District 2
Pam Slater-Price, District 3
Ron Roberts, District 4
Bill Horn, District 5

Walter F. Ekard, Chief Administrative Officer
Jean Shepard, Director, Health and Human Services Agency
Nancy L. Bowen, M.D., M.P.H., Public Health Officer
Carmel Angelo, Assistant Deputy Director
Wilma Wooten, M.D., Deputy Public Health Officer
Michele Ginsberg, MD, Chief, Community Epidemiology

We acknowledge the contributions of the following individuals for their work in the preparation of the Core Public Health Indicators document:

Tamara Bannan, MPH, Health Planning and Program Specialist, Public Health Administration
Deirdre Browner, MPH, Biostatistician, Community Epidemiology
Michael Bursaw, MPH, Senior Epidemiologist, HIV Surveillance
Brit Colanter, MPH, Epidemiologist II, Community Epidemiology
Melissa Dredge, Health Information Specialist, Public Health Administration
Bruce Even, Health Information Specialist II, Community Health Statistics
Lorri Freitas, MPH, Epidemiologist II, HIV Surveillance
Lacey Hicks, MPH, Biostatistician, Community Epidemiology
Sutida Jariangprsert, MPH, Biostatistician, Maternal, Child, Family Health Services
Beth Jarosz, Associate Analyst, San Diego Association of Governments
Jeffrey Johnson, MPH, Senior Epidemiologist, Community Epidemiology
Kate Kousser, MPP, Health Planning and Program Specialist, Strategic Planning and Evaluation
Marjorie Lee, MPH, Epidemiologist I, Sexually Transmitted Diseases and Hepatitis Prevention Program
David Lindsay, GIS Coordinator, Strategy and Planning Division
Azarnoush Maroufi, MPH, Epidemiologist II, Community Epidemiology
Chris McClean, MS, MA, Biostatistician, Community Epidemiology
Marisa Moore, MD, MPH, Medical Officer, Tuberculosis Control
Leslie Ray, MA, MPPA, Senior Epidemiologist, Emergency Medical Services
Jean Slosek, MS, Biostatistician, Community Epidemiology
Alan M. Smith, PhD, MPH, Epidemiologist, Emergency Medical Services
Cyndy Stalmaster, MPH, MBS, Epidemiologist, Community Epidemiology
Barbara M. Stepanski, MPH, Epidemiologist, Community Epidemiology
Mona Thabit, MPH, Community Health Program Specialist, Community Health Statistics
Wendy Wang, MPH, Evaluation Manager, Immunization Program
Adrienne Yancey, MPH, Health Planning and Program Specialist, Chronic Diseases and Health Disparities

TABLE OF CONTENTS

FOREWORD	5
COUNTY MAP	6
POPULATION OF SAN DIEGO COUNTY, CALIFORNIA AND THE UNITED STATES	7
HEALTH BEHAVIORS	8
Alcohol, Tobacco and Other Drug Use.....	8
Nutrition.....	10
Overweight.....	11
Physical Activity.....	13
HEALTH STATUS	14
SOCIAL AND PHYSICAL ENVIRONMENT.....	15
Air Quality	15
Childcare	15
Education	16
Lead Exposure.....	16
Poverty	16
Violence and Abuse	17
Violent Deaths	19
HEALTH CARE ACCESS.....	20
Immunizations	20
Health Insurance	21
Prenatal Care	22
Regular Source of Care	24
HEALTH OUTCOMES	25
AIDS	25
Asthma	25
Birth to Teens.....	26
Breast Cancer	27
Cardiovascular Disease	27
Cervical Cancer.....	28
Diabetes.....	28
Hepatitis	30
Fetal and Infant Mortality	30
Birth-related Outcomes.....	32

Core Public Health Indicators – September 2004

Lung Cancer	34
Sexually Transmitted Diseases	34
Suicide.....	35
Tuberculosis	36
SAFETY OUTCOMES	37
Injury.....	37
Firearm-related Injuries.....	38
Poisonings	39
Unintentional Injury.....	41
Injury Prevention.....	47
Hip Fractures.....	48
TOP 10 CAUSES OF DEATH FOR SAN DIEGO COUNTY 2002 -NUMBER OF DEATHS	50
TOP 10 CAUSES OF DEATH FOR SAN DIEGO COUNTY 2002 -AGE ADJUSTED RATES	51

FOREWORD

The *Core Public Health Indicators* is a compilation of Public Health indicators intended for use by the community and County staff alike. This product from the County of San Diego, Health and Human Services Agency, Public Health Services reflects the most commonly requested health indicators. This has been a collaborative project across all programs within Public Health Services.

As noted, many indicators currently do not have San Diego County regional data and it is a future challenge to determine strategies to collect regional indicators. All available ethnicity and regional information has been included.


In addition to the *Core Public Health Indicators*, the Health and Human Services Agency produces reports based upon specific issues of concern. The San Diego County Child and Family Health and Well-Being Report Card is an example of such a report and can be found on the County Health and Human Services Agency website at www.sdcountyreportcard.org. Other reports are also available on the website at www.sdcounty.ca.gov.

For additional information, comments or feedback regarding the *Core Public Health Indicators*, please contact the Community Health Statistics Unit at (619) 515-4318.

COUNTY MAP

County of San Diego

Health and Human Services Agency, Regional Boundaries



Core Public Health Indicators – September 2004

POPULATION OF SAN DIEGO COUNTY, CALIFORNIA AND THE UNITED STATES	San Diego County (CoSD)	California (CA)	United States	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Population									
<ul style="list-style-type: none"> Estimated Population, 2002 <i>Sources: (CoSD & Regions) San Diego Association of Governments-2002 San Diego County Population Estimates, released Aug 2003; (CA) Population Division, US Census Bureau, 2002, CA Population Estimates, released Sept 18, 2003; (US) United States Department of Commerce, United States Census Bureau, Population Division, Census Data for Public Health Research, CDC WONDER On-line Database-2000 Census.</i> 									
o American Indian/Alaska Native	15,459	184,036	2,068,883	2,148	4,422	1,973	1,858	3,627	1,431
o Asian/Pacific Islander	275,728	4,068,055	10,476,678	24,510	39,891	80,852	63,742	17,138	49,595
o Black/African-American	159,850	2,248,026	33,947,837	19,867	9,310	18,931	68,959	22,966	19,817
o Hispanic/Latino	808,597	11,936,707	35,305,818	127,087	126,545	67,886	188,054	85,453	213,572
o White	1,555,334	16,031,971	194,552,774	309,296	310,487	373,406	137,818	306,505	117,822
o Total	2,908,505	35,116,033	281,421,906	496,870	503,873	564,328	477,061	452,703	413,670

Core Public Health Indicators – September 2004

H E A L T H B E H A V I O R S	San Diego County (CoSD)	California (CA)	Healthy People 2010 National Goal	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Alcohol, Tobacco and Other Drug Use									
<ul style="list-style-type: none"> Percent of all adults who binge drink—had 5 or more drinks on at least one occasion in the past 30 days <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 									
<ul style="list-style-type: none"> o Asian /Pacific Islander/Other 	10.5	11.1	6.0						
<ul style="list-style-type: none"> o Black/African-American 	16.3	11.2	6.0						
<ul style="list-style-type: none"> o Hispanic/Latino 	17.2	17.7	6.0						
<ul style="list-style-type: none"> o White 	16.0	15.9	6.0						
<ul style="list-style-type: none"> o Overall 	15.7	15.5	6.0						
<ul style="list-style-type: none"> Percent of students (teens) who had at least one drink of alcohol on one or more of the past 30 days <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	ND	ND	ND						
<ul style="list-style-type: none"> o Asian/Pacific Islander 	ND	ND	ND						
<ul style="list-style-type: none"> o Black/African-American 	28.0	ND	ND						
<ul style="list-style-type: none"> o Hispanic/Latino 	42.3	ND	ND						
<ul style="list-style-type: none"> o White 	45.1	ND	ND						
<ul style="list-style-type: none"> o Overall 	38.5	ND	ND						
<ul style="list-style-type: none"> Percent of students (teens) who had 5 or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	ND	ND	ND						
<ul style="list-style-type: none"> o Asian/Pacific Islander 	ND	ND	ND						
<ul style="list-style-type: none"> o Black/African-American 	13.3	ND	ND						
<ul style="list-style-type: none"> o Hispanic/Latino 	22.8	ND	ND						
<ul style="list-style-type: none"> o White 	30.3	ND	ND						
<ul style="list-style-type: none"> o Overall 	22.2	ND	ND						

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H B E H A V I O R S	San Diego County (CoSD)	California (CA)	Healthy People 2010 National Goal	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Percent of adults who currently smoke cigarettes <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 										
o Asian/Pacific Islander/Other	16.4	16.9	12.0							
o Black/African-American	18.5	20.5	12.0							
o Hispanic/Latino	15.3	14.4	12.0							
o White	17.7	18.0	12.0							
o Overall	17.1	16.9	12.0							
<ul style="list-style-type: none"> Percent of students (teens) who used marijuana one or more times during the past 30 days <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 										
o American Indian/Alaska Native	ND	ND	ND							
o Asian/Pacific Islander	ND	ND	ND							
o Black/African-American	25.0	ND	ND							
o Hispanic/Latino	22.3	ND	ND							
o White	25.4	ND	ND							
o Overall	22.4	ND	ND							
<ul style="list-style-type: none"> Percent of students (teens) who used methamphetamines one or more times during their life <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 										
o American Indian/Alaska Native	ND	ND	ND							
o Asian/Pacific Islander	ND	ND	ND							
o Black/African-American	2.8	ND	ND							
o Hispanic/Latino	9.4	ND	ND							
o White	6.8	ND	ND							
o Overall	7.6	ND	ND							

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H B E H A V I O R S	San Diego County (CoSD)	California (CA)	Healthy People 2010 National Goal	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Percent of students (teens) who used any form of cocaine, including powder, crack, freebase one or more times during the past thirty days <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 										
<ul style="list-style-type: none"> o American Indian/Alaska Native o Asian/Pacific Islander o Black/African-American o Hispanic/Latino o White o Overall 	ND	ND	ND							
<ul style="list-style-type: none"> o Drug induced deaths among adults (age 20+)—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files; San Diego Association of Governments, January 1, population estimates, 2002.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other o Black/African-American o Hispanic/Latino o White o Overall 	6.6	ND	NA	*	*	*	*	15.4	*	
	22.4	ND	NA	*	*	*	24.2	20.0	*	
	7.7	ND	NA	*	*	*	7.5	*	7.9	
	17.0	ND	NA	7.8	10.5	7.1	31.8	11.3	16.0	
	13.8	ND	NA	9.1	10.4	8.8	24.2	15.3	12.7	
Nutrition										
<ul style="list-style-type: none"> Percent of adults who consume five or more servings of fruits and vegetables a day <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander o Black/African-American o Hispanic/Latino o White o Overall 	34.1	46.1**	50.0**							
	28.1	40.5**	50.0**							
	41.9	52.7**	50.0**							
	37.1	51.9**	50.0**							
	37.4	50.7**	50.0**							

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H B E H A V I O R S	San Diego County (CoSD)	California (CA)	Healthy People 2010 National Goal	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Percent of newborns who are breastfed <i>Source: (CoSD & CA) CA Department of Health Services, Maternal and Child Health Branch, 2002 (Note: Statistics based on 2004 methodology revision).</i> 										
o American Indian/Alaska Native	73.9	76.4	75.0**							
o Asian/Pacific Islander	83.4	82.0	75.0**							
o Black/African-American	73.6	67.4	75.0**							
o Hispanic/Latino	89.9	83.6	75.0**							
o Other/Two or More Races	87.9	83.7	75.0**							
o White	90.3	86.9	75.0**							
o Overall	88.8	83.5	75.0**							
<ul style="list-style-type: none"> Percent of students (teens) who ate five or more servings of fruits and vegetables per day during the past seven days <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 										
o American Indian/Alaska Native	ND	ND	ND							
o Asian/Pacific Islander	ND	ND	ND							
o Black/African-American	18.5	ND	ND							
o Hispanic/Latino	16.0	ND	ND							
o White	21.9	ND	ND							
o Overall	18.7	ND	ND							
Overweight										
<ul style="list-style-type: none"> Percent of adults who are overweight (Body Mass Index ≥ 25 and <30) <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 										
o Asian/Pacific Islander/Other	25.2	26.7	25.0							
o Black/African-American	36.8	36.8	25.0							
o Hispanic/Latino	34.5	40.2	25.0							
o White	35.9	35.4	25.0							
o Overall	34.4	35.5	25.0							

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H B E H A V I O R S	San Diego County (CoSD)	California (CA)	Healthy People 2010 National Goal	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Percent of adults who are obese (Body Mass Index ≥ 30) <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 										
o Asian/Pacific Islander/Other	7.3	9.4	15.0							
o Black/African-American	25.0	30.0	15.0							
o Hispanic/Latino	18.1	24.2	15.0							
o White	14.9	17.6	15.0							
o Overall	15.3	18.9	15.0							
<ul style="list-style-type: none"> Percent of youth who are overweight (Body Mass Index ≥ 25 and < 30) <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 										
o Asian/Pacific Islander	9.5	8.7**	5.0**							
o Black/African-American	5.5	15.3**	5.0**							
o Hispanic/Latino	18.7	13.4**	5.0**							
o White	15.3	9.3**	5.0**							
o Overall	14.8	11.3**	5.0**							
<ul style="list-style-type: none"> Percent of youth who are obese (Body Mass Index ≥ 30) <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 										
o Asian/Pacific Islander/Other	ND	8.7**	5.0**							
o Black/African-American	8.1	15.5**	5.0**							
o Hispanic/Latino	2.1	13.4**	5.0**							
o White	0.8	9.3**	5.0**							
o Overall	1.6	11.3**	5.0**							

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H B E H A V I O R S	San Diego County (CoSD)	California (CA)	Healthy People 2010 National Goal	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Physical Activity									
<ul style="list-style-type: none"> Percent of adults who engage in moderate to vigorous physical activity at least 3 times a week <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/Other 	34.3	30.0**	30.0						
<ul style="list-style-type: none"> o Black/African-American 	30.2	29.1**	30.0						
<ul style="list-style-type: none"> o Hispanic/Latino 	29.7	31.1**	30.0						
<ul style="list-style-type: none"> o White 	43.0	30.1**	30.0						
<ul style="list-style-type: none"> o Overall 	38.3	30.3**	30.0						
<ul style="list-style-type: none"> Percent of adults who do not report any moderate or vigorous physical activity <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/Other 	25.4	29.0	20.0						
<ul style="list-style-type: none"> o Black/African-American 	28.3	31.7	20.0						
<ul style="list-style-type: none"> o Hispanic/Latino 	40.5	37.9	20.0						
<ul style="list-style-type: none"> o White 	17.9	19.9	20.0						
<ul style="list-style-type: none"> o Overall 	24.5	26.9	20.0						
<ul style="list-style-type: none"> Percent of students (teens) who exercised or participated in physical activities for at least 20 minutes that made them sweat and breathe hard on three or more of the past seven days <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	ND	ND	85.0						
<ul style="list-style-type: none"> o Asian/Pacific Islander 	ND	ND	85.0						
<ul style="list-style-type: none"> o Black/African-American 	66.0	ND	85.0						
<ul style="list-style-type: none"> o Hispanic/Latino 	59.7	ND	85.0						
<ul style="list-style-type: none"> o White 	75.5	ND	85.0						
<ul style="list-style-type: none"> o Overall 	65.8	ND	85.0						

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H S T A T U S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Percent of adults who have limited physical activity because of poor physical/mental health <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/Other 	19.0	17.3	NA							
<ul style="list-style-type: none"> o Black/African-American 	21.8	24.3	NA							
<ul style="list-style-type: none"> o Hispanic/Latino 	21.5	17.7	NA							
<ul style="list-style-type: none"> o White 	27.0	22.7	NA							
<ul style="list-style-type: none"> o Overall 	24.5	20.6	NA							
<ul style="list-style-type: none"> Percent of adults reporting their health to be poor to fair <i>Sources: (CoSD) United Way Survey, 2002, (CA) Behavioral Risk Factor Surveillance Survey, 2002.</i> 										
<ul style="list-style-type: none"> o American Indian/Alaska Native 	22.0	ND	NA	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Asian/Pacific Islander 	13.6	ND	NA	*	*	10.0	16.1	*	19.2	
<ul style="list-style-type: none"> o Black/African-American 	16.8	ND	NA	*	*	*	21.3	*	*	
<ul style="list-style-type: none"> o Hispanic/Latino 	24.9	ND	NA	28.9	25.2	12.8	31.8	13.5	23.5	
<ul style="list-style-type: none"> o White 	11.6	ND	NA	10.0	10.7	8.5	13.5	14.9	16.9	
<ul style="list-style-type: none"> o Overall 	15.0	15.5	NA	14.9	13.2	9.2	21.2	14.8	20.2	
<ul style="list-style-type: none"> Percent of children ages 0-12, 13-17 who are perceived by their parents to be in poor to fair health <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 	Age 0-12/13-17	Age 0-12/13-17								
<ul style="list-style-type: none"> o Asian/Pacific Islander/Other 	80 / 11.8	5.2 / 10.2	NA							
<ul style="list-style-type: none"> o Black/African-American 	1.4 / 24.2	8.6 / 7.3	NA							
<ul style="list-style-type: none"> o Hispanic/Latino 	12.3 / 21.7	12.3 / 19.4	NA							
<ul style="list-style-type: none"> o White 	1.8 / 6.7	1.9 / 7.2	NA							
<ul style="list-style-type: none"> o Overall 	6.8 / 13.5	8.7 / 12.6	NA							

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S O C I A L A N D P H Y S I C A L E N V I R O N M E N T	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Air Quality									
<ul style="list-style-type: none"> Number of days (per year) not meeting state standards for air quality in 2003 (or most current year data are available) <i>Source: San Diego County Air Pollution Control District, 2004.</i> 									
o Overall	23 days	NA	0 days						
<ul style="list-style-type: none"> Percent of youth who were in the same room at home with someone who was smoking cigarettes one or more of the previous 7 days <i>Source: CA Student Tobacco Survey, 2001.</i> 									
o Overall	21.2	22.7	ND						
<ul style="list-style-type: none"> Percent of youth who rode in a car with someone who was smoking cigarettes one or more of the previous 7 days <i>Source: CA Student Tobacco Survey, 2001.</i> 									
o Overall	27.9	29.2	ND						
Childcare									
<ul style="list-style-type: none"> Percent of children ages 0-5 for whom parents report difficulty finding adequate childcare <i>Source: United Way Survey, 2002.</i> 									
o American Indian/Alaska Native	*	ND	NA	*	*	*	*	*	*
o Asian/Pacific Islander	*	ND	NA	*	*	*	*	*	*
o Black/African-American	*	ND	NA	*	*	*	*	*	*
o Hispanic/Latino	39.5	ND	NA	*	*	*	*	*	*
o White	20.7	ND	NA	*	*	*	*	*	*
o Overall	28.5	ND	NA	36.4	30.8	25.6	25.8	25.0	24.1

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S O C I A L A N D P H Y S I C A L E N V I R O N M E N T	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Education									
<ul style="list-style-type: none"> Percent of high school students who graduated <i>Source: CA Department of Education, 2002.</i> 									
o Overall	90.0	88.6	90.0						
Lead Exposure									
<ul style="list-style-type: none"> Number of cases with confirmed elevated blood lead level ages 0-6 years <i>Source: County of San Diego Childhood Lead Poisoning Prevention Program, 2003.</i> 									
o Asian/Pacific Islander/American Indian/Alaska Native/Other	0.0	ND	0.0	*	*	*	*	*	*
o Black/African-American	0.0	ND	0.0	*	*	*	*	*	*
o Hispanic/Latino	36.0	ND	0.0	*	*	*	*	*	*
o White	6.0	ND	0.0	*	*	*	*	*	*
o Overall (includes unknown race/ethnicity)	50.0	ND	0.0	14.0	9.0	2.0	14.0	2.0	7.0
Poverty									
<ul style="list-style-type: none"> Percent of population¹ with household incomes less than 100% of the federal poverty level <i>Source: (CoSD) San Diego Association of Governments, 2000, (CA) CA Department of Finance, 2000</i> ¹Population for whom poverty status is determined. 									
o Overall	12.4	14.2	NA	9.9	9.2	9.2	23.1	10.2	13.9
<ul style="list-style-type: none"> Percent of population¹ with household incomes less than 150% of the federal poverty level <i>Source: (CoSD) San Diego Association of Governments, 2000, (CA) CA Department of Finance, 2000.</i> ¹Population for whom poverty status is determined. 									
o Overall	21.8	24.1	ND	18.1	17.2	15.4	38.0	18.5	25.4

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S O C I A L A N D P H Y S I C A L E N V I R O N M E N T	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Percent of population¹ with household incomes less than 200% of the federal poverty level <i>Source: (CoSD) San Diego Association of Governments, 2000, (CA) CA Department of Finance, 2000.</i> ¹Population for whom poverty status is determined. 									
<ul style="list-style-type: none"> o Overall 	30.5	33.1	ND	27.0	24.8	21.8	49.4	26.9	36.2
<ul style="list-style-type: none"> Percent of children (under age 18) living in poverty <i>Source: U.S. Census Bureau, 2000.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	23.3	26.1	NA						
<ul style="list-style-type: none"> o Asian 	12.8	16.4	NA						
<ul style="list-style-type: none"> o Native Hawaiian/Pacific Islander 	14.8	20.7	NA						
<ul style="list-style-type: none"> o Black/African-American 	24.4	30.5	NA						
<ul style="list-style-type: none"> o Hispanic/Latino 	27.3	27.2	NA						
<ul style="list-style-type: none"> o White 	7.4	8.9	NA						
<ul style="list-style-type: none"> o Other 	12.1	16.2	NA						
<ul style="list-style-type: none"> o Two or more races 	15.0	14.5	NA						
<ul style="list-style-type: none"> o Overall 	16.9	19.5	NA						
Violence and Abuse									
<ul style="list-style-type: none"> Number of reported attempted and forceable rapes <i>Source: (CoSD) San Diego Association of Governments, 2003, (CA) CA Department of Justice, Criminal Justice Statistics Center, 2002.</i> <i>Note: These numbers represent females only. Male rape is included in the category of aggravated physical assaults.</i> 									
<ul style="list-style-type: none"> o Overall 	856	10,176	NA	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> Number of reported aggravated physical assaults <i>Source: (CoSD) San Diego Association of Governments, 2003, (CA) CA Department of Justice, Criminal Justice Statistics Center, 2002.</i> 									
<ul style="list-style-type: none"> o Overall 	9,646	130,615	NA	ND	ND	ND	ND	ND	ND

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S O C I A L A N D P H Y S I C A L E N V I R O N M E N T	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Percent of students (teens) who were in a physical fight one or more times during the past 12 months <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native o Asian/Pacific Islander o Black/African-American o Hispanic/Latino o White o Overall 	ND	ND	32.0						
<ul style="list-style-type: none"> Percent of students (teens) who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days <i>Source: (CDC) Youth Risk Behavior Survey administered at San Diego Unified School District, 2003.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native o Asian/Pacific Islander o Black/African-American o Hispanic/Latino o White o Overall 	ND	ND	4.9						

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S O C I A L A N D P H Y S I C A L E N V I R O N M E N T	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Violent Deaths									
<ul style="list-style-type: none"> Homicide among adolescents and young adults ages 15-34 —age adjusted rates per 100,000 population <p><i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) Calculated by Community Epidemiology using WISQARS[®] (Web-based Injury Statistics Query and Reporting System) data for deaths and crude age-specific rate and NCHS data for age-adjustment weights, 2001.</i></p>									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	*	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	18.0	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	6.5	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	3.5	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	5.3	13.8**	NA	5.5	*	3.7	8.6	7.2	*

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H A C C E S S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Immunizations									
<ul style="list-style-type: none"> Percent of adults 65 or older vaccinated for influenza during the 2003-2004 flu season <i>Source: (CoSD) Local Immunization Survey 2004, (CA) CDC, 2002</i> 									
o American Indian/Alaska Native	*	ND	90.0	*	*	*	*	*	*
o Asian/Pacific Islander	*	ND	90.0	*	*	*	*	*	*
o Black/African-American	*	ND	90.0	*	*	*	*	*	*
o Hispanic/Latino	*	ND	90.0	*	*	*	*	*	*
o White	*	ND	90.0	*	*	*	*	*	*
o Overall	76.2	71.5	90.0	*	*	*	*	*	*
<ul style="list-style-type: none"> Percent of kindergartners who received the recommended vaccinations (4DTP-Diphtheria, Tetanus, Pertussis; 3Polio; and 1MMR-Measles, Mumps and Rubella) by their second birthday in 1999 <i>Source: State and Local Kindergartner Retrospective Immunization Studies, 2003.</i> 									
o American Indian/Alaska Native	*	ND	NA	*	*	*	*	*	*
o Asian/Pacific Islander	76.5	71.1	NA	*	*	*	*	*	*
o Black/African-American	74.8	54.9	NA	*	*	*	*	*	*
o Hispanic/Latino	76.5	70.2	NA	*	*	*	*	*	*
o White	79.6	74.7	NA	*	*	*	*	*	*
o Overall	76.8	71.4	NA	*	*	*	*	*	*

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H A C C E S S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Health Insurance									
<ul style="list-style-type: none"> Percent of adults ages 18 and older who have health insurance coverage <i>Sources: (CoSD) United Way Survey, 2002, (CA) Behavioral Risk Factor Surveillance Survey, 2002.</i> 									
o American Indian/Alaska Native	88.1	ND	100.0	*	81.8	*	77.8	*	*
o Asian/Pacific Islander	87.5	ND	100.0	93.3	86.2	88.3	87.1	80.0	88.5
o Black/African-American	89.0	ND	100.0	94.4	93.8	78.9	90.0	88.0	86.7
o Hispanic/Latino	62.5	ND	100.0	59.3	58.6	71.8	55.8	68.9	67.7
o White	90.6	ND	100.0	90.0	91.4	92.0	85.7	90.4	92.2
o Overall	83.8	84.6	100.0	83.1	85.1	89.7	75.4	86.9	79.4
<ul style="list-style-type: none"> Percent of households with children age 0-18 with medical insurance coverage <i>Sources: (CoSD) United Way Survey, 2002, (CA) CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 									
o American Indian/Alaska Native	83.3	ND	100.0	*	*	*	*	*	*
o Asian/Pacific Islander	89.9	ND	100.0	*	95.0	82.4	87.5	*	91.7
o Black/African-American	96.3	ND	100.0	*	*	*	93.9	93.8	*
o Hispanic/Latino	72.4	ND	100.0	70.5	77.0	83.3	64.7	77.8	74.0
o White	93.1	ND	100.0	96.2	93.5	95.9	89.6	90.1	90.9
o Overall	85.4	90.4	100.0	86.4	89.1	92.6	75.4	88.0	80.7

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H A C C E S S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Prenatal Care									
<ul style="list-style-type: none"> Percent of live births where mother received late or no prenatal care <p><i>Sources: (CoSD) CA Department of Health Services, Center for Health Statistics; Birth Statistical Master Files, 2002, (CA) CA Department of Health Services, Vital Statistics Data Tables, 2002.</i></p>									
o American Indian/Alaska Native	4.5	ND	NA	*	*	*	*	*	*
o Asian	2.2	ND	NA	*	*	*	*	*	*
o Black/African-American	3.7	ND	NA	*	*	*	*	*	*
o Hispanic/Latino	3.7	ND	NA	*	*	*	*	*	*
o Other	*	ND	NA	*	*	*	*	*	*
o Pacific Islander	6.8	ND	NA	*	*	*	*	*	*
o Two or More Races	2.8	ND	NA	*	*	*	*	*	*
o White	1.4	ND	NA	*	*	*	*	*	*
o Overall	2.7	2.6	NA	2.5	2.0	1.6	3.9	2.6	3.2

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H A C C E S S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Percent of live births where mother received first trimester prenatal care <i>Source: (CoSD) CA Department of Health Services, Center for Health Statistics, Birth Statistical Master Files, 2002, (CA) CA Department of Health Services, Vital Statistics Data Tables, 2002.</i> 									
o American Indian/Alaska Native	82.3	ND	90.0	72.7	84.8	94.1	76.9	87.0	76.2
o Asian	88.3	ND	90.0	85.6	89.6	91.1	84.2	88.6	88.1
o Black/African-American	82.6	ND	90.0	78.0	83.3	90.2	79.4	82.0	90.1
o Hispanic/Latino	82.8	ND	90.0	80.9	79.5	85.7	82.7	86.5	83.7
o Pacific Islander	77.0	ND	90.0	72.9	91.3	96.6	67.3	80.0	71.4
o Two or More Races	86.1	ND	90.0	87.9	81.9	91.3	79.5	86.7	87.9
o White	92.1	ND	90.0	89.8	91.8	94.7	91.9	91.9	93.1
o Overall	86.8	86.5	90.0	85.3	86.0	92.0	83.7	89.2	85.7
<ul style="list-style-type: none"> Percent of women who smoked at all during pregnancy <i>Source: (CoSD & CA) CA Department of Health Services, Maternal and Child Health Branch, 2000.</i> 									
o Overall	11.1	9.8	NA						
<ul style="list-style-type: none"> Percent of women who drank any alcohol during pregnancy <i>Source: (CoSD & CA) CA Department of Health Services, Maternal and Child Health Branch, 2000.</i> 									
o Overall	19.5	18.0	NA						

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H A C C E S S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Regular Source of Care									
<ul style="list-style-type: none"> Percent of adults with a regular source of medical care <i>Sources: (CoSD) United Way Survey, 2002, (CA) CA Health Interview Survey, 2001. Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 									
o American Indian/Alaska Native	83.3	ND	96.0	*	72.7	87.5	66.7	*	*
o Asian/Pacific Islander	73.9	ND	96.0	93.3	75.9	63.3	77.4	66.7	84.6
o Black/African-American	83.8	ND	96.0	77.8	75.0	84.2	87.5	80.0	86.7
o Hispanic/Latino	56.5	ND	96.0	50.4	48.6	65.4	53.9	60.8	62.2
o White	84.2	ND	96.0	82.9	89.3	81.8	77.3	87.6	84.3
o Overall	77.3	85.9	96.0	75.5	80.5	79.0	70.2	83.1	74.2
<ul style="list-style-type: none"> Percent of children with a regular source of medical care <i>Sources: (CoSD) United Way Survey, 2002, (CA) CA Health Interview Survey, 2001. Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 									
o American Indian/Alaska Native	91.7	ND	97.0	*	*	*	*	*	*
o Asian/Pacific Islander	86.1	ND	97.0	*	95.0	76.5	75.0	*	83.3
o Black/African-American	92.5	ND	97.0	90.0	*	71.4	93.9	93.8	*
o Hispanic/Latino	75.1	ND	97.0	73.9	77.0	83.3	68.8	80.0	77.1
o White	92.3	ND	97.0	96.2	92.8	92.4	83.3	92.3	89.1
o Overall	85.8	93.4	97.0	88.0	88.7	88.8	76.5	90.3	81.6
<ul style="list-style-type: none"> Percent of children receiving regular dental care <i>Source: United Way Survey, 2002.</i> 									
o American Indian/Alaska Native	66.7	ND	NA	*	*	*	*	*	*
o Asian/Pacific Islander	77.2	ND	NA	*	85.0	70.6	75.0	66.7	83.3
o Black/African-American	81.3	ND	NA	90.0	*	85.7	72.7	75.0	*
o Hispanic/Latino	63.5	ND	NA	58.0	60.8	64.3	59.4	75.6	68.7
o White	80.6	ND	NA	79.2	83.0	82.8	75.0	81.2	74.5
o Overall	73.9	ND	NA	70.7	76.2	78.1	65.8	79.9	72.5

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
AIDS									
<ul style="list-style-type: none"> Overall rates of AIDS—per 100,000 population <i>Source: San Diego County HIV/AIDS Epidemiology Program, 2002.</i> 									
o American Indian/Alaska Native	*	ND	NA						
o Asian/Pacific Islander	4.7	ND	NA						
o Black/African-American	46.9	ND	NA						
o Hispanic/Latino	17.7	ND	NA						
o White	13.1	ND	NA						
o Overall	15.0	ND	NA	5.6	6.0	9.7	45.3	5.5	19.8
Asthma									
<ul style="list-style-type: none"> Percent of children with asthma, ages 0-12, 13-17 <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 	Ages 0-12 / 13-17	Ages 0-12 / 13-17							
o Asian/Pacific Islander/Other	16.7 / 18.2	14.4 / 14.9	NA						
o Black/African-American	14.3 / 33.4	21.2 / 24.3	NA						
o Hispanic/Latino	12.7 / 14.0	10.2 / 13.2	NA						
o White	9.8 / 19.2	13.1 / 20.0	NA						
o Overall	12.1 / 18.2	12.2 / 16.3	NA						
<ul style="list-style-type: none"> 911 Paramedic responses for asthma—rates per 100,000 population <i>Source: County of San Diego Emergency Medical Services, Pre-hospital Database, 2001.</i> 									
o American Indian/Alaska Native	6.5	ND	NA	*	*	*	*	*	*
o Asian/Pacific Islander	16.9	ND	NA	*	*	15.4	26.9	*	17.0
o Black/African-American	131.9	ND	NA	64.7	*	81.3	203.9	67.0	90.0
o Hispanic/Latino	17.7	ND	NA	9.1	12.5	23.1	27.7	8.5	17.0
o White	25.9	ND	NA	16.2	18.1	24.7	83.0	18.5	23.4
o Overall	32.6	ND	NA	22.4	18.6	25.4	71.7	28.2	25.5

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Hospitalizations for asthma among children ages 0-4 —age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	208.9	ND	250.0	171.1	166.6	279.3	193.8	150.4	213.4
<ul style="list-style-type: none"> o Black/African-American 	621.4	ND	250.0	*	*	553.9	810.7	533.9	537.6
<ul style="list-style-type: none"> o Hispanic/Latino 	346.6	ND	250.0	167.1	256.5	440.3	502.7	273.2	371.1
<ul style="list-style-type: none"> o White 	260.2	ND	250.0	205.0	291.8	179.3	311.9	349.2	324.2
<ul style="list-style-type: none"> o Overall 	309.4	ND	250.0	192.7	271.1	265.7	458.9	318.4	346.8
Birth to Teens									
<ul style="list-style-type: none"> Rate of births to teen girls ages 15-17 (births per 1,000 population) <i>Source: (CoSD) CA Dept. of Health Services, Center for Health Statistics, Birth Statistical Master Files, 2002, (CA) CA Dept. of Health Services, Center for Health Statistics, Vital Statistics Data Tables, 2002.</i> <i>Note: Population used in calculation of CA rate was not revised for Census 2000 results so may not be directly comparable to San Diego County rate.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	19.0	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Asian 	7.3	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	20.7	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	42.4	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Other 	*	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Pacific Islander 	15.9	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Two or More Races 	8.5	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	5.1	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	20.3	22.9	NA	18.0	15.8	7.0	39.2	15.0	24.9

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Breast Cancer									
<ul style="list-style-type: none"> Female breast cancer deaths—age adjusted rates 100,000 population <i>Sources: (CoSD) CA Dept. of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	15.6	ND	22.3	*	16.2	19.8	21.2	*	*
<ul style="list-style-type: none"> o Black/African-American 	36.6	ND	22.3	*	*	82.0	39.0	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	20.4	ND	22.3	*	17.3	25.4	18.7	28.5	21.5
<ul style="list-style-type: none"> o White 	30.4	ND	22.3	26.6	32.7	30.7	29.3	31.4	29.7
<ul style="list-style-type: none"> o Overall 	28.2	24.8	22.3	24.9	30.4	30.5	28.2	28.7	24.1
Cardiovascular Disease									
<ul style="list-style-type: none"> Coronary heart disease deaths—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Dept. of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	111.6	ND	166.0	49.1	91.9	93.7	162.4	109.7	160.4
<ul style="list-style-type: none"> o Black/African-American 	265.5	ND	166.0	189.0	139.9	157.4	334.9	255.0	207.1
<ul style="list-style-type: none"> o Hispanic/Latino 	141.2	ND	166.0	110.4	63.1	103.7	160.1	127.8	185.2
<ul style="list-style-type: none"> o White 	167.3	ND	166.0	147.9	133.9	142.9	217.3	210.0	219.3
<ul style="list-style-type: none"> o Overall 	162.8	191.0	166.0	141.9	126.9	135.8	205.5	199.0	198.9

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Cervical Cancer									
<ul style="list-style-type: none"> Cervical cancer deaths—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
o Asian/Pacific Islander/American Indian/Alaska Native/Other	4.3	ND	2.0	*	*	*	*	*	*
o Black/African-American	*	ND	2.0	*	*	*	*	*	*
o Hispanic/Latino	1.9	ND	2.0	*	*	*	*	*	*
o White	1.4	ND	2.0	*	*	*	*	*	*
o Overall	1.9	2.5	2.0	*	2.2	*	2.8	*	3.6
Diabetes									
<ul style="list-style-type: none"> Percentage of adults who were diagnosed with diabetes <i>Source: CA Health Interview Survey, 2001, Los Angeles, CA: UCLA Center for Health Policy Research, July 2002.</i> 									
o Asian/Pacific Islander/Other	4.9	4.8	NA						
o Black/African-American	9.9	10.7	NA						
o Hispanic/Latino	5.6	6.3	NA						
o White	4.7	5.5	NA						
o Overall	5.2	5.3	NA						

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Diabetes-related hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	75.3	ND	NA	57.4	54.3	63.8	125.3	62.6	69.9	
<ul style="list-style-type: none"> o Black/African-American 	283.4	ND	NA	188.8	183.2	118.8	344.1	373.9	251.4	
<ul style="list-style-type: none"> o Hispanic/Latino 	212.9	ND	NA	145.0	145.5	84.8	264.3	272.3	254.5	
<ul style="list-style-type: none"> o White 	88.0	ND	NA	58.9	75.0	70.7	147.5	111.5	124.4	
<ul style="list-style-type: none"> o Overall 	111.8	ND	NA	68.4	78.3	69.1	196.9	134.7	166.0	
<ul style="list-style-type: none"> Diabetes-related deaths (underlying cause of death)—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) CA Center for Health Statistics Vital Statistics Query System, 2001.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	15.6	ND	NA	18.1	*	14.5	17.9	21.5	17.9	
<ul style="list-style-type: none"> o Black/African-American 	44.1	ND	NA	*	*	*	38.5	113.0	*	
<ul style="list-style-type: none"> o Hispanic/Latino 	28.3	ND	NA	28.2	21.5	*	35.4	29.2	29.9	
<ul style="list-style-type: none"> o White 	16.0	ND	NA	15.5	15.2	10.3	26.6	19.2	16.6	
<ul style="list-style-type: none"> o Overall 	18.2	20.9	NA	17.1	14.5	11.0	28.0	22.4	21.3	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
Hepatitis										
<ul style="list-style-type: none"> Incidence of acute hepatitis B <i>Source: Automated Vital Statistics System, 2003.</i> 										
o American Indian/Alaska Native	*	ND	NA	*	*	*	*	*	*	*
o Asian/Pacific Islander	*	ND	NA	*	*	*	*	*	*	*
o Black/African-American	*	ND	NA	*	*	*	*	*	*	*
o Hispanic/Latino	*	ND	NA	*	*	*	*	*	*	*
o White	0.6	ND	NA	*	*	*	*	*	*	*
o Overall	0.6	ND	NA	*	*	*	*	1.3	*	*
Fetal and Infant Mortality										
<ul style="list-style-type: none"> Fetal mortality rate (deaths per 1,000 live births plus fetal deaths) <i>Sources: (CoSD) CA Department of Health Services, Center for Health Statistics, Fetal Death & Birth Statistical Master Files, 2002, (CA) CA Dept. of Health Services, Center for Health Statistics, Vital Statistics Data Tables, 2002.</i> 										
o American Indian/Alaska Native	*	ND	4.1	*	*	*	*	*	*	*
o Asian	3.4	ND	4.1	*	*	*	*	*	*	*
o Black/African-American	9.7	ND	4.1	*	*	*	*	*	*	*
o Hispanic/Latino	4.7	ND	4.1	*	*	*	*	*	*	*
o Other	*	ND	4.1	*	*	*	*	*	*	*
o Pacific Islander	*	ND	4.1	*	*	*	*	*	*	*
o White	4.3	ND	4.1	*	*	*	*	*	*	*
o Overall	4.7	5.4	4.1	4.9	4.6	2.7	5.4	5.7	4.9	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> • Infant mortality rate (deaths per 1,000 live births) <i>Sources: (CoSD) CA Dept. of Health Services, Center for Health Statistics, Birth & Death Statistical Master Files, 2002, (CA) CA Dept. of Health Services, Center for Health Statistics, Vital Statistics Query System, 2001.</i> 										
o American Indian/Alaska Native	*	ND	4.5	*	*	*	*	*	*	*
o Asian	2.8	ND	4.5	*	*	*	*	*	*	*
o Black/African-American	14.4	ND	4.5	*	*	*	*	*	*	*
o Hispanic/Latino	3.6	ND	4.5	*	*	*	*	*	*	*
o Other	*	ND	4.5	*	*	*	*	*	*	*
o Pacific Islander	*	ND	4.5	*	*	*	*	*	*	*
o Two or More Races	12.5	ND	4.5	*	*	*	*	*	*	*
o White	4.1	ND	4.5	*	*	*	*	*	*	*
o Overall	4.5	5.3	4.5	4.0	3.2	3.0	6.0	7.3	3.9	
<ul style="list-style-type: none"> • Infant mortality rate for Sudden Infant Death Syndrome (number of deaths per 1,000 live births) <i>Sources: (CoSD) CA Dept. of Health Services, Center for Health Statistics (CHS), Death & Birth Statistical Master Files, 2000-2002, (CA) CA Dept. of Health Services, CHS, Vital Statistics Query System, 2001.</i> 										
o American Indian/Alaska Native	*	*	0.3	*	*	*	*	*	*	*
o Asian/Pacific Islander	*	0.2	0.3	*	*	*	*	*	*	*
o Black/African-American	*	1.1	0.3	*	*	*	*	*	*	*
o Hispanic/Latino	*	0.3	0.3	*	*	*	*	*	*	*
o White/Other/Unknown	*	0.5	0.3	*	*	*	*	*	*	*
o Overall	0.6	0.4	0.3	0.3	0.5	0.3	0.7	1.0	0.6	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Birth-related Outcomes									
<ul style="list-style-type: none"> Number of live births <i>Source: (CoSD) CA Dept. of Health Services, Center for Health Statistics, Birth Statistical Master Files, 2002, (CA) CA Dept. of Health Services, Center for Health Statistics, Vital Statistics Data Tables, 2002.</i> 									
o American Indian/Alaska Native	205	ND	NA	33	53	17	26	54	21
o Asian	4,225	ND	NA	389	697	1,280	883	290	680
o Black/African-American	2,296	ND	NA	255	123	235	967	402	294
o Hispanic/Latino	19,594	ND	NA	3,099	3,015	1,293	4,713	1,802	5,614
o Other	*	ND	NA	*	*	*	*	*	*
o Pacific Islander	267	ND	NA	70	25	29	55	45	42
o Two or More	718	ND	NA	118	85	127	133	136	116
o White	16,142	ND	NA	3,525	3,178	3,717	1,159	3,294	1,197
o Overall	43,951	529,245	NA	7,582	7,426	6,754	7,963	6,055	7,985
<ul style="list-style-type: none"> Percent of low birth weight births (under 2,500 grams) <i>Sources: (CoSD) CA Dept. of Health Services, Center for Health Statistics (CHS), Birth Statistical Master Files, 2002, (CA) CA Dept. of Health Statistics, CHS, Vital Statistics Data Tables, 2002.</i> 									
o American Indian/Alaska Native	6.3	ND	5.0	*	*	*	*	*	*
o Asian	7.1	ND	5.0	*	*	*	*	*	*
o Black/African-American	11.2	ND	5.0	*	*	*	*	*	*
o Hispanic/Latino	5.3	ND	5.0	*	*	*	*	*	*
o Other	*	ND	5.0	*	*	*	*	*	*
o Pacific Islander	7.5	ND	5.0	*	*	*	*	*	*
o Two or More	8.1	ND	5.0	*	*	*	*	*	*
o White	5.8	ND	5.0	*	*	*	*	*	*
o Overall	6.1	6.4	5.0	6.1	5.8	5.9	6.5	6.7	5.6

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Percent of very low birth weight births (under 1,500 grams) <i>Sources: (CoSD) CA Dept. of Health Services, Center for Health Statistics, Birth Statistical Master Files, 2002 (CA) CA Dept. of Health Statistics, Center for Health Statistics, Vital Statistics Data Tables, 2002.</i> 										
<ul style="list-style-type: none"> o American Indian/Alaska Native 	*	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Asian 	1.1	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	2.7	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	0.9	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Other 	*	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Pacific Islander 	*	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Two or More 	1.1	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	1.0	ND	0.9	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	1.1	1.2	0.9	1.0	1.0	1.1	1.3	1.2	1.0	
<ul style="list-style-type: none"> Percent of births that are pre-term (under 37 weeks gestation) <i>Source: (CoSD) CA Dept. of Health Services, Center for Health Statistics (CHS), Birth Statistical Master Files, 2002, (CA) CA Dept. of Health Statistics, CHS, Vital Statistics Data Tables, 2002.</i> 										
<ul style="list-style-type: none"> o American Indian/Alaska Native 	11.5	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Asian 	11.4	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	16.4	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	10.4	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Other 	*	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Pacific Islander 	14.7	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Two or More 	12.5	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	9.5	ND	7.6	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	10.6	10.5	7.6	10.7	9.1	9.2	12.6	12.1	9.8	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Lung Cancer									
<ul style="list-style-type: none"> Lung cancer deaths—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	24.4	ND	44.9	22.4	18.9	18.4	45.8	19.3	17.2
<ul style="list-style-type: none"> o Black/African-American 	62.2	ND	44.9	*	*	*	84.6	32.3	*
<ul style="list-style-type: none"> o Hispanic/Latino 	20.0	ND	44.9	30.6	16.4	24.1	16.6	13.2	20.2
<ul style="list-style-type: none"> o White 	50.4	ND	44.9	38.2	42.1	51.4	70.2	61.3	53.5
<ul style="list-style-type: none"> o Overall 	44.3	46.9	44.9	36.8	38.4	46.2	55.2	54.3	36.3
Sexually Transmitted Diseases									
<ul style="list-style-type: none"> Incidence of primary and secondary syphilis <i>Sources: (CoSD) County of San Diego Sexually Transmitted Diseases and Hepatitis Prevention Program Data, 2003, (CA) CA Department of Health Services, 2002.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	*	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> o Asian/Pacific Islander 	*	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	*	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	3.3	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	4.8	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	3.7	3.0	0.2	*	*	3.1	16.2	*	*

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Incidence of chlamydia among teens, ages 15-19 —age-specific rates per 100,000 population <i>Source: (CoSD) County of San Diego Sexually Transmitted Diseases and Hepatitis Prevention Program Data, 2003, (CA) CA Department of Health Services, 2002.</i> 										
<ul style="list-style-type: none"> o American Indian/Alaska Native 	1,464.9	880.8	NA	ND	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> o Asian/Pacific Islander 	1,090.6	321.5	NA	ND	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> o Black/African-American 	4,126.0	3,148.1	NA	ND	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> o Hispanic/Latino 	1,534.0	1,206.7	NA	ND	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> o White 	805.1	402.5	NA	ND	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> o Overall 	1,272.6	1,321.5	NA	982.4	744.2	901.1	2,161.1	1,557.9	1,371.3	
Suicide										
<ul style="list-style-type: none"> Suicide among adults 55 and older—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002. (CA) Calculated by Community Epidemiology using WISQARS[®] (Web-based Injury Statistics Query and Reporting System) data for deaths and crude age-specific rate and NCHS data for age-adjustment weights, 2001.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	*	ND	NA	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	*	ND	NA	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	9.2	ND	NA	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	21.1	ND	NA	*	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	17.6	14.0	NA	17.1	18.5	17.5	14.4	20.8	18.5	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

H E A L T H O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> • Suicide among youth, ages 15-19—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) Calculated by Community Epidemiology using WISQARS[®] (Web-based Injury Statistics Query and Reporting System) data for deaths and crude age-specific rate and NCHS data for age-adjustment weights, 2001.</i> 									
<ul style="list-style-type: none"> ○ Asian/Pacific Islander/American Indian/Alaska Native/Other 	*	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Black/African-American 	*	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Hispanic/Latino 	4.9	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ White 	11.6	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Overall 	7.5	6.4	NA	8.2	7.2	6.6	6.1	9.4	*
Tuberculosis									
<ul style="list-style-type: none"> • Incidence of tuberculosis (new cases per 100,000) <i>Sources: (CoSD) County of San Diego Tuberculosis Control Program, 2003; (CA) CA Department of Health Services, Tuberculosis Control Branch, 2003.</i> 									
<ul style="list-style-type: none"> ○ American Indian/Alaska Native 	*	3.2	1.0	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> ○ Asian/Pacific Islander 	31.8	30.5	1.0	ND	ND	ND	ND	ND	ND
<ul style="list-style-type: none"> ○ Black/African-American 	14.8	10.4	1.0	*	*	*	20.4	*	*
<ul style="list-style-type: none"> ○ Hispanic/Latino 	18.9	11.0	1.0	10.6	12.0	27.9	15.6	11.2	22.4
<ul style="list-style-type: none"> ○ White 	2.6	1.9	1.0	1.6	*	3.2	3.7	2.0	4.2
<ul style="list-style-type: none"> ○ Overall 	10.7	8.9	1.0	4.4	7.6	9.9	13.5	4.2	20.1

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Injury									
<ul style="list-style-type: none"> Non-fatal, head injury-related hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	46.2	ND	45	32.8	34.5	55.5	46.6	41.4	54.3
<ul style="list-style-type: none"> o Black/African-American 	59.9	ND	45	*	50.3	57.5	75.3	67.0	32.1
<ul style="list-style-type: none"> o Hispanic/Latino 	72.3	ND	45	55.6	72.9	67.0	89.4	62.2	70.9
<ul style="list-style-type: none"> o White 	77.4	ND	45	72.0	77.0	69.9	102.4	74.0	94.4
<ul style="list-style-type: none"> o Overall 	72.1	ND	45	67.1	73.1	67.8	87.1	70.3	71.4
<ul style="list-style-type: none"> Non-fatal, spinal cord injury-related hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	3.7	ND	2.4	*	*	9.4	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	4.8	ND	2.4	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	3.9	ND	2.4	9.2	*	*	*	*	3.5
<ul style="list-style-type: none"> o White 	4.7	ND	2.4	3.2	7.7	3.1	5.4	5.0	3.8
<ul style="list-style-type: none"> o Overall 	4.3	ND	2.4	4.5	5.6	3.7	4.2	4.6	3.0

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
Firearm-related Injuries									
<ul style="list-style-type: none"> 911 Paramedic responses—non-fatal, firearm-related injuries <i>Source: County of San Diego Emergency Medical Services, Pre-hospital Database, 2001.</i> 									
o American Indian/Alaska Native	6.5	ND	NA	0.0	22.9	0.0	0.0	0.0	0.0
o Asian/Pacific Islander	4.5	ND	NA	0.0	2.6	2.6	6.3	5.9	8.5
o Black/African-American	48.0	ND	NA	21.6	0.0	21.7	70.9	22.3	68.8
o Hispanic/Latino	12.1	ND	NA	14.0	8.3	13.9	13.0	12.2	8.8
o White	7.9	ND	NA	9.6	4.2	4.8	8.6	12.6	9.5
o Overall	14.0	ND	NA	18.5	6.1	6.5	21.1	17.6	14.8
<ul style="list-style-type: none"> Non-fatal, firearm-related, injury hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 									
o Asian/Pacific Islander/American Indian/Alaska Native/Other	3.5	ND	8.6	*	*	*	8.6	*	*
o Black/African-American	13.2	ND	8.6	*	*	*	21.9	*	*
o Hispanic/Latino	6.9	ND	8.6	6.2	3.7	*	9.9	6.9	8.0
o White	3.4	ND	8.6	3.2	2.1	3.0	3.6	4.2	5.3
o Overall	5.5	12.1	8.6	4.5	2.4	2.8	10.4	6.3	6.5

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Firearm-related deaths—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	2.4	ND	4.1	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	9.3	ND	4.1	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	5.1	ND	4.1	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	7.6	ND	4.1	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	6.8	9.3	4.1	5.7	7.2	4.4	7.9	10.0	4.7
Poisonings									
<ul style="list-style-type: none"> 911 Paramedic responses—non-fatal poisonings—rates per 100,000 population <i>Source: County of San Diego Emergency Medical Services, Pre-hospital Database, 2001.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	104.7	ND	NA	0.0	137.4	51.0	159.6	110.6	0.0
<ul style="list-style-type: none"> o Asian/Pacific Islander 	35.6	ND	NA	21.4	18.1	42.4	52.2	29.5	23.3
<ul style="list-style-type: none"> o Black/African-American 	168.3	ND	NA	59.3	182.4	113.9	218.3	174.1	121.7
<ul style="list-style-type: none"> o Hispanic/Latino 	69.4	ND	NA	40.4	41.5	94.0	95.1	47.5	76.3
<ul style="list-style-type: none"> o White 	112.2	ND	NA	70.4	72.8	104.0	333.5	87.8	131.7
<ul style="list-style-type: none"> o Overall 	112.7	ND	NA	90.5	71.5	98.3	181.4	127.7	94.9

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Non-fatal, poisoning–related hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	30.3	ND	NA	29.6	35.6	20.3	36.2	35.7	35.8	
<ul style="list-style-type: none"> o Black/African-American 	133.7	ND	NA	110.8	*	121.8	173.0	135.7	90.3	
<ul style="list-style-type: none"> o Hispanic/Latino 	54.4	ND	NA	28.8	41.1	40.7	65.5	71.6	67.1	
<ul style="list-style-type: none"> o White 	92.2	ND	NA	61.6	81.2	65.8	187.7	115.1	111.4	
<ul style="list-style-type: none"> o Overall 	77.9	66.4	NA	53.7	63.0	58.7	120.5	104.4	76.7	
<ul style="list-style-type: none"> Deaths from poisoning—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA 2001.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	4.2	ND	1.5	*	*	*	*	*	*	
<ul style="list-style-type: none"> o Black/African-American 	15.5	ND	1.5	*	*	*	24.4	*	*	
<ul style="list-style-type: none"> o Hispanic/Latino 	5.4	ND	1.5	*	*	*	6.9	*	6.6	
<ul style="list-style-type: none"> o White 	12.0	ND	1.5	8.1	9.5	6.9	31.8	11.6	15.1	
<ul style="list-style-type: none"> o Overall 	9.7	4.1	1.5	6.6	7.0	6.1	17.9	10.7	8.8	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
Unintentional Injury										
<ul style="list-style-type: none"> 911 Paramedic responses—non-fatal, unintentional injuries—rates per 100,000 population <i>Source: County of San Diego Emergency Medical Services, Pre-hospital Database, 2001.</i> 										
o American Indian/Alaska Native	608.4	ND	NA	435.4	755.8	306.1	266.0	995.3	71.6	
o Asian/Pacific Islander	366.9	ND	NA	496.7	349.5	326.7	275.4	590.0	370.7	
o Black/African-American	953.7	ND	NA	1,347.8	1,140.1	965.1	744.7	1,093.7	915.1	
o Hispanic/Latino	506.0	ND	NA	567.7	601.5	530.1	344.1	635.4	436.1	
o White	935.8	ND	NA	1,002.7	1,004.1	659.7	1,005.4	928.8	1,100.7	
o Overall	931.4	ND	NA	1,175.8	1,008.8	617.1	600.6	1,250.1	740.0	
<ul style="list-style-type: none"> Non-fatal, unintentional injury–related hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 										
o Asian/Pacific Islander/American Indian/Alaska Native/Other	351.1	ND	NA	247.6	350.4	396.4	412.9	379.7	312.0	
o Black/African-American	614.6	ND	NA	317.2	355.2	676.6	753.9	597.9	503.0	
o Hispanic/Latino	614.2	ND	NA	450.3	515.0	513.7	709.4	667.2	674.2	
o White	719.7	ND	NA	613.4	695.6	630.9	960.6	837.7	786.0	
o Overall	666.2	546.5	NA	561.3	635.1	604.2	784.4	796.5	664.5	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Unintentional injury deaths among children ages 0-19—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002. (CA) Calculated by Community Epidemiology using WISQARS[®] (Web-based Injury Statistics Query and Reporting System) data for deaths and crude age-specific rate and NCHS data for age-adjustment weight, 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	5.4	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	14.9	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	11.2	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	13.2	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	11.4	13.0	NA	8.4	11.8	*	11.7	16.9	17.0
<ul style="list-style-type: none"> 911 Paramedic responses—non-fatal motor vehicle injuries—rates per 100,000 population <i>Source: County of San Diego Emergency Medical Services, Pre-hospital Database, 2001.</i> 									
<ul style="list-style-type: none"> o American Indian/Alaska Native 	235.5	ND	NA	241.9	481.0	*	*	193.5	*
<ul style="list-style-type: none"> o Asian/Pacific Islander 	335.1	ND	NA	265.5	323.6	383.3	311.8	424.8	262.7
<ul style="list-style-type: none"> o Black/African-American 	578.6	ND	NA	501.4	820.9	878.3	484.4	566.9	486.6
<ul style="list-style-type: none"> o Hispanic/Latino 	334.6	ND	NA	292.5	419.0	571.7	267.4	368.8	239.7
<ul style="list-style-type: none"> o White 	352.5	ND	NA	296.9	391.5	355.1	427.9	316.9	261.7
<ul style="list-style-type: none"> o Overall 	436.0	ND	NA	413.7	484.1	426.4	363.2	493.6	305.4

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region						
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region	
<ul style="list-style-type: none"> Non-fatal, motor vehicle injury–related hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	69.5	ND	NA	32.9	58.5	67.9	89.0	112.4	64.1	
<ul style="list-style-type: none"> o Black/African-American 	92.4	ND	NA	68.5	84.1	81.4	121.1	77.4	50.9	
<ul style="list-style-type: none"> o Hispanic/Latino 	95.6	ND	NA	76.0	82.4	78.6	101.5	117.8	103.0	
<ul style="list-style-type: none"> o White 	92.9	ND	NA	76.8	105.7	67.1	105.0	118.4	112.0	
<ul style="list-style-type: none"> o Overall 	92.9	61.2	NA	73.4	96.6	70.5	106.5	120.9	99.6	
<ul style="list-style-type: none"> Deaths attributed to motor vehicle crashes (on public roads)—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Dept. of Health Services, Death Statistical Master Files, 2002. (CA) CA Center for Health Statistics, Vital Statistics Query System, 2001.</i> 										
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	5.3	ND	9.2	*	12.0	*	*	*	*	
<ul style="list-style-type: none"> o Black/African-American 	11.5	ND	9.2	*	*	*	11.1	*	*	
<ul style="list-style-type: none"> o Hispanic/Latino 	14.2	ND	9.2	21.4	20.8	13.6	8.6	14.3	11.4	
<ul style="list-style-type: none"> o White 	11.6	ND	9.2	11.1	14.0	7.8	16.6	10.3	15.0	
<ul style="list-style-type: none"> o Overall 	10.5	11.1	9.2	10.8	13.5	7.7	10.5	10.1	10.6	

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> 911 Paramedic responses—non-fatal pedestrian injuries <i>Source: County of San Diego Emergency Medical Services, Pre-hospital Database, 2001.</i> 									
o American Indian/Alaska Native	19.6	ND	NA	0.00	0.0	102.0	0.0	27.7	0.0
o Asian/Pacific Islander	21.0	ND	NA	12.8	7.8	20.6	28.5	17.7	27.5
o Black/African-American	67.2	ND	NA	21.6	45.6	65.1	91.1	58.0	42.3
o Hispanic/Latino	27.6	ND	NA	17.3	20.7	23.1	35.9	28.0	27.7
o White	23.2	ND	NA	21.1	14.2	24.2	48.0	18.5	26.0
o Overall	33.4	ND	NA	29.5	18.4	25.8	47.5	38.0	32.3
<ul style="list-style-type: none"> Non-fatal, pedestrian injury–related hospitalizations—age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 									
o Asian/Pacific Islander/American Indian/Alaska Native/Other	11.3	ND	NA	*	*	10.0	17.9	13.7	14.4
o Black/African-American	17.2	ND	NA	*	*	*	23.9	*	*
o Hispanic/Latino	19.1	ND	NA	13.9	12.1	16.4	32.8	12.4	18.1
o White	11.5	ND	NA	9.5	7.8	10.9	30.1	11.6	6.4
o Overall	13.8	12.5	NA	9.7	8.6	12.1	28.7	12.8	13.3

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> • Pedestrian deaths attributed to motor vehicle crashes (on public roads)—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA 2001.</i> 									
<ul style="list-style-type: none"> ○ Asian/Pacific Islander/American Indian/Alaska Native/Other 	*	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Black/African-American 	4.2	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Hispanic/Latino 	6.9	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ White 	2.4	ND	NA	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Overall 	2.9	1.7	NA	1.8	2.6	2.3	5.8	2.2	3.3
<ul style="list-style-type: none"> • Unintentional motor vehicle injuries due to Driving Under the Influence (DUI)—rates per 100,000 population <i>Source: County of San Diego Emergency Medical Services, Statewide Integrated Traffic Records System, (CoSD) 2002, (CA) 2001.</i> 									
<ul style="list-style-type: none"> ○ Overall 	60.9	62.8	NA	76.4	84.5	34.0	24.7	82.0	60.2
<ul style="list-style-type: none"> • Deaths due to accidental exposure to smoke, fire and flames—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Dept. of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
<ul style="list-style-type: none"> ○ Asian/Pacific Islander/American Indian/Alaska Native/Other 	*	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Black/African-American 	*	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Hispanic/Latino 	*	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ White 	0.5	ND	0.2	*	*	*	*	*	*
<ul style="list-style-type: none"> ○ Overall 	0.4	0.5	0.2	*	*	*	*	*	*

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Fall-related deaths—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Dept. of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	4.7	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	*	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	2.8	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	5.6	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	5.1	4.0	3.0	3.0	6.2	6.4	4.8	4.0	5.3
<ul style="list-style-type: none"> Drownings—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Dept. of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	*	ND	0.9	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	*	ND	0.9	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	1.7	ND	0.9	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	0.8	ND	0.9	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	1.1	1.1	0.9	1.8	*	*	1.4	2.1	*

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Unintentional deaths from suffocation—age adjusted rates per 100,000 population <i>Sources: (CoSD) CA Dept. of Health Services, Death Statistical Master Files, 2002, (CA) CDC WONDER DATA, 2001.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	2.9	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o Black/African-American 	*	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	2.0	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o White 	3.4	ND	3.0	*	*	*	*	*	*
<ul style="list-style-type: none"> o Overall 	3.1	3.2	3.0	3.0	2.2	2.7	4.3	2.7	3.1
Injury Prevention									
<ul style="list-style-type: none"> Percent of motor vehicle occupant crash victims restrained <i>Source: County of San Diego Emergency Medical Services, Statewide Integrated Traffic Records System, (CoSD) 2002, (CA) 2001.</i> 									
<ul style="list-style-type: none"> o Overall 	92.3	88.5	92.0	93.8	92.1	93.7	92.1	91.9	93.5
<ul style="list-style-type: none"> Percent of injured motor vehicle occupant crash victims ages 0-5 restrained in child safety restraints <i>Source: County of San Diego Emergency Medical Services, Statewide Integrated Traffic Records System, (CoSD) 2002, (CA) 2001.</i> 									
<ul style="list-style-type: none"> o Overall 	57.9	81.7	100.0	66.1	61.0	61.0	46.4	64.2	43.8
<ul style="list-style-type: none"> Percent of injured motorcycle crash victims using a helmet <i>Source: County of San Diego Emergency Medical Services, Statewide Integrated Traffic Records System, (CoSD) 2002, (CA) 2001.</i> 									
<ul style="list-style-type: none"> o Overall 	95.4	84.3	NA	95.7	95.2	96.0	93.1	95.2	97.1

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> 911 Paramedic responses—pedalcycle injuries—rates per 100,000 population <i>Source: County of San Diego Emergency Medical Services, Pre-hospital Database 2001.</i> 									
o American Indian/Alaska Native	0.0	ND	NA	0.0	0.0	0.0	0.0	0.0	0.0
o Asian/Pacific Islander	3.7	ND	NA	0.0	*	7.7	*	0.0	*
o Black/African-American	*	ND	NA	0.0	0.0	*	0.0	*	0.0
o Hispanic/Latino	3.5	ND	NA	4.1	4.2	*	*	*	3.9
o White	13.2	ND	NA	14.5	11.3	14.8	16.5	10.4	9.5
o Overall	10.9	ND	NA	13.7	11.1	12.6	5.7	13.8	6.0
Hip Fractures									
<ul style="list-style-type: none"> Hip fracture—related hospitalizations, males 65+ —age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 									
o Asian/Pacific Islander/American Indian/Alaska Native/Other	166.1	ND	NA	*	*		*	*	*
o Black/African-American	262.6	ND	NA	*	*	*	325.9	*	*
o Hispanic/Latino	405.9	ND	NA	489.8	*	*	465.2	363.6	513.7
o White	583.3	ND	NA	572.0	690.4	490.3	534.5	567.1	655.9
o Overall	539.7	ND	474.0	555.8	638.8	473.4	463.3	545.5	529.2

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

S A F E T Y O U T C O M E S	San Diego County (CoSD)	California (CA)	Healthy People 2010	San Diego County Region					
				North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<ul style="list-style-type: none"> Hip fracture–related hospitalizations, females 65+ —age adjusted rates per 100,000 population <i>Source: CA Office of Statewide Health Planning and Development, 2002.</i> 									
<ul style="list-style-type: none"> o Asian/Pacific Islander/American Indian/Alaska Native/Other 	617.8	ND	NA	430.4	777.4	628.1	570.6	*	970.9
<ul style="list-style-type: none"> o Black/African-American 	333.4	ND	NA	*	*	*	433.4	*	*
<ul style="list-style-type: none"> o Hispanic/Latino 	742.0	ND	NA	621.5	911.6	711.2	605.7	542.6	912.6
<ul style="list-style-type: none"> o White 	973.2	ND	NA	946.8	1,133.1	931.5	823.8	943.4	979.1
<ul style="list-style-type: none"> o Overall 	922.7	ND	416.0	898.0	1,114.6	924.1	697.1	874.1	950.4

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data

Core Public Health Indicators – September 2004

TOP 10 CAUSES OF DEATH FOR SAN DIEGO COUNTY 2002 - NUMBER OF DEATHS	San Diego County (CoSD)	San Diego County Region					
		North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
All Causes (total deaths)	19,356	3,202	3,672	3,372	2,982	3,573	2,449
1 Diseases of heart	5,275	864	902	879	805	1,054	747
2 Malignant neoplasms	4,584	780	852	899	672	819	555
3 Cerebrovascular disease	1,459	256	308	251	211	252	176
4 Chronic lower respiratory disease	1,006	190	204	178	116	208	106
5 Alzheimer's disease	909	210	216	146	103	163	69
6 Unintentional injuries	790	125	143	113	149	118	114
7 Influenza & pneumonia	585	78	143	121	72	108	59
8 Diabetes Mellitus	475	81	75	58	94	95	71
9 Suicide	308	48	54	49	56	56	34
10 Chronic liver disease and cirrhosis	296	35	44	58	58	50	44
All other causes	3,669	535	696	620	646	650	474

Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files, 2002

Core Public Health Indicators – September 2004

TOP 10 CAUSES OF DEATH FOR SAN DIEGO COUNTY 2002 - AGE ADJUSTED RATES	San Diego County (CoSD)	San Diego County Region					
		North Coastal Region	North Inland Region	North Central Region	Central Region	East Region	South Region
<i>Sources: (CoSD) CA Department of Health Services, Death Statistical Master Files; San Diego Association of Governments, January 1, population estimates, 2002</i>							
All Causes (total deaths)	733.6	669.2	682.6	643.4	867.7	830.2	742.1
1 Diseases of heart	201.9	179.8	166.7	170.4	244.7	245.7	234.6
2 Malignant neoplasms	175.7	166.8	165.9	170.1	199.7	191.7	163.8
3 Cerebrovascular disease	55.7	53.4	55.5	48.7	64.3	58.6	55.6
4 Chronic lower respiratory disease	38.6	39.9	38.2	34.1	35.9	49.0	32.8
5 Alzheimer's disease	34.6	42.8	37.9	28.6	32.1	37.7	23.5
6 Unintentional injuries	27.6	24.8	27.9	20.4	35.1	26.2	29.7
7 Influenza & pneumonia	20.6	16.0	25.7	23.7	22.1	25.1	19.2
8 Diabetes Mellitus	18.2	17.1	14.5	11.0	28.0	22.4	21.3
9 Suicide	10.8	9.8	10.7	8.6	12.5	12.4	8.5
10 Chronic liver disease and cirrhosis	11.2	7.5	8.9	10.8	15.8	11.5	12.4
All other causes	136.9	111.2	130.7	117.1	177.5	149.9	140.5

Legend: NA - Not applicable; ND – No data; * - Small numbers are not reliable and therefore are not provided; ** - Best available comparison of data