

From: [Megan Lawson](#)
To: [Gungle, Ashley; Fogg, Mindy](#)
Cc: [Patrick BROWN \(Patrick.BROWN@soitec.com\)](#); [Patrick.BROWN@soitec.com](#); [Asha Bleier](#)
Subject: Soitec - Hazards & Public Services sections
Date: Tuesday, August 27, 2013 1:53:31 PM
Attachments: [Ch 2.8 Hazards.doc](#)
[Ch 2.12 Public Services.doc](#)

Hi Ashley & Mindy,

Attached are the Hazards and Public Services EIR sections for the County's review. Responses to County comments are embedded in the Hazards section. Responses to comments in the Public Services section are provided below.

Please let us know if you have any additional questions.

Thanks,
Megan

| | | | | | |
|--------|----------------------------------|--|--|-----------|--|
| 15 - 1 | Chapter 2.12- Public Services | Staff will discuss required changes to this section at a scheduled meeting. | Discussed. | 5/31/2013 | |
| 15 - 2 | Chapter 2.12- Public Services | The guideline of significance is limited to the physical impacts associated with provision of services to the project. The portions of the analysis that are not relevant to the guideline may be deleted. | The text was edited to address this comment. | 5/31/2013 | |
| 15 - 3 | Chapter 2.12- Public Services | For LanE and LanW, the discussions of potential impacts resulting from the provision of services is not sufficient. Not because of programmatic approach but because these discussions do not have anything to do with the threshold. Adequate fire protection is not a CEQA issue. The question is whether or not the need for new facilities will result in environmental impacts (e.g., development of a new fire station). | | 5/31/2013 | |
| 15 - 4 | Chapter 2.12- Public Services | Conclusions should indicate that the resulting demand for public services will not result in new or expanded facilities and that therefore no physical environmental impacts will result. This issue is a candidate for chapter 3. | The text was edited to address this comment. | 5/31/2013 | |
| | | | | | |

Megan Lawson, LEED GA
Environmental Planner

DUDEK | *Natural Resource Management* | *Infrastructure Development* | *Regulatory Compliance*
 T 760.479.4243
 605 THIRD STREET
 ENCINITAS, CALIFORNIA 92024
WWW.DUDEK.COM

PLEASE NOTE: Dudek uses an email filter to clean viruses and filter Spam. Please take the time to verify receipt of any important or time-sensitive email sent to us.