

DEPARTMENT OF ENVIRONMENTAL HEALTH & QUALITY

P.O. BOX 129261, SAN DIEGO, CA 92112-9261

www.sdcountyplancheck.org

Plan Check Scheduling Line: (858) 505-6660

Unpackaged Compact Mobile Food Operation Plan Submittal Package

An Unpackaged Compact Mobile Food Operation is defined as an unoccupied Mobile Food Facility that may be transported (pushed, towed, etc.) to the area of the sales operation. The type of food service for these mobile operations is restricted to Limited Food Preparation as defined in the California Retail Food Code section 113818. Examples of menu items that easily fit within Limited Food Preparation include, but are not limited to: coffee beverages, hot dogs, shaved ice, roasted nuts, popcorn, or churros.

This packet can be used to draw your proposed cart or conveyance operation and submit to this Department for review and approval. You may draw your own plans using this document as guidance, but all items listed in this document must be represented in your submitted plans. Plans must be reviewed and approved prior to the issuance of a health permit. Operators are required to have all plans approved prior to the construction of the cart or conveyance to prevent any additional costs that would be incurred if modifications are needed should changes be noted on the plans. All items provided on the following pages are required unless otherwise noted.

Definitions:

"Commissary" means a health permitted food facility that services mobile food facilities where any of the following occur: food, containers, or supplies are stored; food is prepared or prepackaged for sale or service at other locations; utensils are cleaned; liquid and solid wastes are disposed; or potable water is obtained. (CRFC Section 113751)

"Compact Mobile Food Operation (CMFO)" means a mobile food facility that operates from an individual or from a pushcart, stand, display, pedal-driven cart, wagon, showcase, rack, or other nonmotorized conveyance. (CRFC Section 113831)

"Non-Potentially Hazardous Food (NON-PHF)" means a food that does not require time or temperature control. Examples include prepackaged chips, sodas, pretzels, cookies, popsicles. (CRFC Section 113871- PHF)

"Potentially Hazardous Food (PHF)" means a food that requires time or temperature control to limit pathogenic microorganism growth or toxin formation. Examples include tamales, burritos, ice cream sandwiches. (CRFC Section 113871)

- Page 2-4 Initial each box indicating that the item is completed on the plans.
- Page 5 Sign and date acknowledging the understanding of cart restrictions and certifying that all information provided is accurate.
- Page 6-12 Complete all diagram templates. Additional sheets may be provided if necessary.
- Page 13-17 Complete all applicable supplemental documents.
- Page 18-34 Examples are provided on how to properly complete all required sections.

Once this plan submittal packet is complete, please call 858-505-6660 to schedule a review of the completed packet. After the packet has been approved, you may then schedule an inspection of the cart. All applicable fees must be paid at the time of plan submittal.

Ver.10.2025 Page 1

INITIAL	ITEMS TO PROVIDE IN PLAN			
	Menu or list of all items being sold.			
	Each piece of equipment and the location on the cart.			
	Make and model of all equipment. Equipment must be for commercial use and NSF/ANSI certified. Attach specification sheets.			
	Completed table listing the material of finishes of the interior, exterior, and/or storage areas of the complete (See page 18 example)			
	Indicate equipment power source: ☐ Battery ☐ Propane Tank			
	First Aid Kit.			
	10 BC-rated fire extinguisher (required if electrical or gas equipment is used).			
	Identification on the vehicle: Name of Facility, City, State, and Zip Code of the permit holder. Lettering of the Facility Name: 3" high minimum Lettering of the City, State, and Zip Code of the permit holder: 1" high minimum			
	Completed <u>plan check application</u> .			
	Completed <u>Standard Operational Procedures for Mobile Food Facilities</u> . (see pages 15-17)			
	Completed <u>commissary agreement letter</u> OR <u>compact mobile storage facility agreement letter</u> . NOTE: A signed copy by the commissary permit holder or compact mobile storage facility owner is required at the time of inspection/permitting. (See pages 13-14)			

INITIAL	PLUMBING
	Potable Water Tanks Minimum total capacity is 20 gallons (Minimum 5 gallons for handwashing and 15 gallons for warewashing). Multiple removable tanks may be used.
	Additional capacity is needed based on preparation of food/beverage. All potable water tanks shall be manufactured and listed to NSF standards for potable water.
	NOTE: A 12" x 12" x 8.25" tank is about 5 gallons.
	Wastewater Tanks Minimum capacity is 150% greater than the total capacity of provided potable water tanks. Where an ice bin is provided for storage, display or service of food/beverage, an additional holding tank capacity equal to one-third the volume of the bin must be provided. Multiple removeable tanks may be used.
	NOTE: A 12" x 12" x 8.25" tank is about 5 gallons.
	Plumbing Lines
	Potable water lines must be listed to NSF 61 for potable water. Waste lines cannot be the same color as the hoses for potable water. Typical potable water line colors are clear, white, or blue. Typical wastewater lines are black or grey.
	Water Heater Handwashing sink - a water heater with minimum 0.5-gallon capacity or an instantaneous heater <u>IS</u> <u>REQUIRED</u> and must be capable of supplying a minimum of 100°F running water <u>IF</u> there is handling or preparation of raw meat, raw poultry, or raw fish.
	Warewashing sink - a minimum 4-gallon capacity water heater is required and must be capable of supplying a minimum of 120°F running water for operations requiring a warewashing sink.
	NOTE: Steam table reservoirs cannot be used as a water heater.
	Water Pump Pump for potable water supply must be listed to NSF standards. No pump will be approved for drainage. All liquid waste drainage must be done by gravity.

SINK FIXTURES					
Handwashing Sink					
Minimum dimensions: 9" wide x 9" long x 5" deep.					
Warewashing Sink System					
If the menu <u>DOES NOT</u> include handling or preparation of raw meat, raw poultry, or raw fish, the CMFO					
MUST comply with either:					
(1) Providing a 3 compartment sink (2) Providing a 2 compartment sink					
(3) Providing a 1 compartment sink					
(4) Maintain an adequate supply of spare preparation and serving utensils					
NOTE: All sink systems must be stainless steel and equipped with dual integral drainboards that are at least the size of one of the compartments. A 1 compartment sink only needs 1 integral drainboard.					
Warewashing Sink System					
If the menu <u>DOES</u> include handling or preparation of any raw meat, raw poultry, or raw fish, a warewashing sink <u>IS REQUIRED</u> , and the CMFO <u>MUST</u> comply with:					
Warewashing Sink (3-Compartment Sink) minimum dimensions:					
12" wide x 12" long x 10" deep					
-OR-					
10" wide x 14" long x 10" deep					
NOTE: The 3-compartment sink must be stainless steel and equipped with dual integral drainboards that are at least the size of one of the compartments.					

INITIAL	EQUIPMENT		
	Certified Equipment All equipment is certified by an ANSI/NSF accredited agency (NSF, ETL, CSA, UL, NEMKO, etc.) to NSF Standards.		
	Mechanical Refrigeration During inspection, units must be powered on and capable of cold holding at/below 41°F (if applicable).		
	Steam Table During inspection, units must be powered on and capable at hot holding at/above 135°F (if applicable).		
	Cooking/Heating Equipment Preparation must be done within a food compartment. Food compartments must be heat resistant and built in a manner that does not contaminate food during the cooking/heating process or during normal use (ex. when the top of the compartment is completely horizontal and not angled to allow for drainage of condensate that results from the cooking process). Otherwise, installation of an exhaust ventilator will be required. Food compartments must be smooth, easily cleanable, and non-absorbent. Typical equipment requiring a compartment includes, but is not limited to: fryer, griddle, and preparation		
	table. Typical equipment NOT requiring a compartment includes, but is not limited to: panini grill, espresso machine, microwave, and ovens.		

SIGNATURE AND ACKNOWLEDGEMENT

I certify that my operation on this cart does not and will not include any of the following: slicing and chopping unless on a heated cooking surface, thawing, cooling of cooked potentially hazardous foods (PHF), grinding raw ingredients or PHF, reheating PHF for hot holding (except steamed or boiled hot dogs, and tamales in the original inedible wrapper), hot holding non-prepackaged PHF (except steamed or boiled hot dogs, and tamales in the original inedible wrapper), washing of foods, cooking PHF for later use, and any operation requiring licensing through the California Department of Food and Agriculture, Milk and Dairy Branch.

I declare under penalty of perjury that to the best of my knowledge and belief, the description of use and information contained on this application and plans are correct and true. I hereby consent to all necessary inspections made pursuant to law and incidental to the issuance of this review and the operation of this business. I also agree to conform to all conditions, orders, and directions, issued pursuant to the California Health and Safety Code, and all applicable County and City Ordinances. I understand that if the plans are incomplete due to a lack of any of the required information, the plans will be rejected and upon resubmission, a plan recheck fee will be charged. I am aware that plan check fees are not fully refundable once plans are reviewed. Plans are valid for one year after stamp of approval and must be restamped within 60 days of expiration or they will be purged. Any changes to the released documents will be submitted and filed with the County of San Diego, Department of Environmental Health and Quality. I understand and hereby consent to any information I provide on this permit application to be considered a public record subject to disclosure under the California Public Records Act.

Authorized Signature:	Date:

OFFICE USE	ONLY
SCHEDULING INFORMATION	APPROVAL STAMP
Plans are approved by the Department of Environmental Health and Quality, Food and Housing Division and contingent on the final inspection.	
Contact your plan check specialist or the scheduling line at (858) 505-6660 at least 10 working days in advance to schedule an inspection at the office.	
Our office is located at: 5500 Overland Ave, Suite 170, San Diego CA 92123	
Hours: 8:00AM – 4:00PM (Closed for lunch from 12:00PM– 1:00PM)	
Your inspection is scheduled for:	Time:
Assigned Specialist:	
Contact Information:	

LIST OF MENU/ITEMS BEING SOLD					
*Raw wo		IISH MATERIALS ted to be used as e		t material	
LOCATION/EQUIPMENT	ou not permit	MATERIAL	ACCITOT CAT	tilaterial	
Exterior of Cart					
Interior of Cart					
Food Storage Area					
Food Preparation Compartment					
Other:					
	5000 655	N//05 501 UDN/45	NIT LIGT		
EQUIPMENT	MANUFA	CTURER	NI LISI	MODEL	
EQUI WENT	WANTO	CIONEN		WIODEL	
POWER/GAS PLAN Select all applicable options and fill in the blanks for each one:					
DC Battery* (Quantity)	C Battery (Q	uantity)	☐ Pr	opane Tank (Pounds; Qua	ntity)


LE	LEFT SIDE VIEW OF CART- Internal View Showing Equipment Placement				

1	RIGHT SIDE VIEW OF CART- Showing Customer Side				

TOP SIDE VIEW OF CART

LEFT END FROM CUSTOMER SIDE V	TEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	
RIGHT END FROM CUSTOMER SIDE	VIEW OF CART	


PLUMBING DIAGRAM WITH 3 COMPARTMENT SINK



Plumbing Notes:

- All plumbing lines shall be connected to the tanks with watertight seals.
- Potable water lines, couplings, and valves shall be listed to NSF standards for drinking water.
- Potable water tanks and wastewater tanks mounted in the cart shall have an air vent overflow installed draining outside of the cart in a downward direction covered with 16 mesh per square inch screen.
- Tanks may be removeable. If they are not removeable, they must be equipped with a fill line that has a nonthreaded quick disconnect coupler. They must also be installed sloped towards a drainage outlet equipped with a valve.
- Tanks and hose inlets and outlet fittings shall be protected with a cap and keeper chain, quick disconnect, or closed cabinet when not in use.
- Waste lines must be a different color than the lines for potable water.
- The 3-compartment sink must be stainless steel and equipped with dual integral drainboards that are at least the size of one of the compartments.

WATER PUMP MANUFACTURER AND MODEL:	
WATER HEATER MANUFACTURER AND MODEL:	



Plumbing Notes:

- Hot water heater IS REQUIRED if there is handling or preparation of raw meat, raw poultry, or raw fish
- All plumbing lines shall be connected to the tanks with watertight seals.
- Potable water lines, couplings, and valves shall be listed to NSF standards for drinking water.
- Potable water tanks and wastewater tanks mounted in the cart shall have an air vent overflow installed draining outside of the cart in a downward direction covered with 16 mesh per square inch screen.
- Tanks may be removeable. If they are not removeable, they must be equipped with a fill line that has a nonthreaded quick disconnect coupler. They must also be installed sloped towards a drainage outlet equipped with a valve.
- Tanks and hose inlets and outlet fittings shall be protected with a cap and keeper chain, quick disconnect, or closed cabinet when not in use.
- Waste lines must be a different color than the lines for potable water.

WATER PUMP MANUFACTURER AND MODEL:	
WATER HEATER MANUFACTURER AND MODEL:	



DEPARTMENT OF ENVIRONMENTAL HEALTH AND QUALITY P.O. BOX 129261, SAN DIEGO, CA 92112-9261

Phone: (858) 505-6900 ♦ Fax: (858) 999-8920 ♦ www.sdcdehq.org

COMMISSARY/HEADQUARTERS LETTER OF AGREEMENT THIS LETTER MUST BE RENEWED ANNUALLY

Sections 114295, 114339, and 114341 of the California Retail Food Code require that all Mobile Food Facilities and Annual Temporary Food Facilities operate in conjunction with a commissary, mobile support unit or other facility approved by the local regulatory agency.

I) THIS SECTION TO BE COMPLI	ETED BY THE FOOD FACILI	IWO YT	NER		
Facility Name:		Hea	lth Per	mit Number:	
Facility Mailing Address:	Overal Name	City:	:		Zip:
Permit Owner Name:					
Fax: ()					
II) THIS SECTION TO BE COMPL					
The above food facility has my process of ESTABLISHING CATERING OR FOOD PROCESS following: (Check all that apply)	permission to use my health G A COMMISSARY/ HEAD	regulate	ed bu	ısiness (listed FOR THEIR	below) FOR THE MOBILE FOOD
 □ Food Preparation □ Food Storage □ Warewashing Facilities □ Vehicle/Cart Washing Area □ Fresh Water Supply 	☐ Trash Disposal☐ Vehicle/Cart Storage A☐ Chemical/Supply Stora	area age		ending Machin e Production sed Cooking C lectrical Outlets	Dil Disposal
Commissary/HQ					
Facility Name:		Hea	lth Per	mit Number:	
Address: Street No. Street Name		City:	:		Zip:
Permit Owner Name:					
E-mail address:					
Hours of Operation (Days & Times): _					
Is the commissary accessible to opera	ators during non-operating hours	? □ Yes		No	
OFFICE USE ONLY					
VERIFICATION OF HEADQUAR	 ₹TERS				
Vending Year: 20 Other Ag	gency – Copy of Current Healt	th Permi	t: 🗆 `	Yes □ No	□ N/A
Verified By (initials):	Date of Approval:	/			



DEPARTMENT OF ENVIRONMENTAL HEALTH AND QUALITY P.O. BOX 129261, SAN DIEGO, CA 92112-9261

Phone: (858) 505-6900 | Fax: (858) 999-8920 | www.sdcdehq.org

COMPACT MOBILE FOOD OPERATION COMPACT MOBILE STORAGE FACILITY LETTER OF AGREEMENT

THIS LETTER MUST BE RENEWED ANNUALLY

Section 114295 of the California Retail Food Code (CRFC) requires that all Mobile Food Facilities operate in conjunction with a commissary, mobile support unit, or other facility approved by the local enforcement agency. Section 114368.3 allows for Compact Mobile Food Operations (CMFO), as defined in Section 113831, to be stored in a non-health regulated commercial facility or a private home when not in use, as long as the storage location has been evaluated and approved by the local enforcement agency (DEHQ).

Note: Local ordinances may restrict the use of a home for the storage of a CMFO. Please contact your local city jurisdiction to ensure there is not a local ordinance in place restricting home storage prior to submitting this document.

I) THIS SECTION TO BE COMPLETED BY THE COMPACT MOBILE FOOD OPERATION OWNER

Business Name:		Health Permit	Number:
Business Mailing Address:		City:	Zip:
Street No. Permit Owner Name:		Phone: ()
Fax: ()	E-Mail:		
II) THIS SECTION TO BE COMPL The above permitted mobile food fa (listed below) FOR THE SOLE PUR acknowledge that, pursuant to CRFO purposes only, my private home/non- complaint, it has reason to suspect the or other food facility equipment in viola agreement letter to be considered a p This permission includes the use of understand that neither I, nor the own storage location within my private ho approval by the Department of Enviro	acility has my permission to use RPOSE OF STORING THEIR Conception 114368.3(c)(6), the location 14368.3(c)(6), the location of the CRFC. I understand a sublic record subject to disclosure upon fitted the identified area of my privation of the mobile food facility, may come/non-health regulated commental Health and Quality.	my private home OMPACT MOBILE cal enforcement a ere a CMFO is stotion, food storage, nd hereby consent under the California te home/non-healty relocate the comrcial facility without	A/non-regulated commercial facility: FOOD OPERATION. I hereby gency may access, for inspection red if, on the basis of a consume or unauthorized storage of utensils to any information I provide on this a Public Records Act. The regulated commercial facility pact mobile food facility to another an additional review and writter
Storage Facility Name (if applicable): Address:			
Street No. Street Name			
Property Owner Name:	Signatur	e:	Phone:
E-mail address:			Date:
Type of Facility: ☐ Private Home	□ Non-Health Reg	gulated Commercia	l Facility
Storage Location (be specific):			
OFFICE USE ONLY			
VEDICATION OF STORAGE	EACILITY		
VERIFICATION OF STORAGE	. I ACILII I		
Vending Year: 20	Facility Evaluated for CMFO	Storage: Yes□	No□ N/A□



DEPARTMENT OF ENVIRONMENTAL HEALTH AND QUALITY

P.O. BOX 129261, SAN DIEGO, CA 92112-9261 Phone: (858) 505-6900 • Fax: (858) 999-8920 • www.sdcdehq.org

STANDARD OPERATIONAL PROCEDURES FOR MORIJ F FOOD FACILITIES

Hours of Operation:	Time	Mon	Tue	Wed	Thur	I e.·	10.	
Operation:	Ctort.	D			Hilui	Fri	Sat	Sun
-	Start:	□am	□am	□am	□am	□am	□am	□am
	End:	□pm □am	□pm □am	□pm □am	□ pm □ am	□pm □am	□pm □am	□ pm □ am
	Eliu.	□pm	□pm	□pm	□pm	□pm	□pm	□pm
ocation of Ope	eration:	Ctract No. Ctrac	at Nama		City:		<u>, CA</u> Zi	p:
Business Owne						_Phone: ()	
Fax: ()			E-M	lail:				
Mailing Address	s.			C	itv·	Stat	e· 7in·	
Please note the by the Food, Wa			sion (FWHD)	of the Depart	ment of Envi	ronmental H	lealth and Qua	
Write below a co		st of food and be	everages that v	vill	ere was this t	14	/here will the fo	od be prepa
FOOD ITEM		UNPACKAGED FOOD	PREPACKAO FOOD	GED	purchased?	(COMMISSARY	ON SIT
Indicate the lo	cation w	here you will	store food at		•			
od Stored at:	Street No.	Street Name		C	ity:		<u>, CA</u> Zi _l	p:
ndicate the loc	ation wh	nere you will st	tore the food	facility (MFF) unit at the ϵ	end of the da	ay.	
F Stored at:	Oter t Ne	Street Name		C	ity:		<u>, CA</u> Zi	p:
Describe the p			to fill the MF	F potable wa	iter tank and	the location	where it will	<u>be filled</u> :

2.

STANDARD OPERATIONAL PROCEDURES FOR MOBILE FOOD FACILITIES

Tank	Clean	ing Method	Sanitizing N	/lethod	How often?
Potable Water					
Waste Water					
me of busine	ess providing res	stroom facility during h	ours of operation:		
ness location:	- Overal No.	Name	City:		<u>,</u> CA Zip:
	Street No. Street in	vame			
			nobile food facility. Pleas ed use: Make Smoothie		n equipment's use
quipment	Inte	nded use in mobile foo	od facility		
			nitize food contact surfac	ces, equipmen	t and utensils durir
	ocedures you w	sary.			
				ces, equipment	
		sary.			
ing hours and		sary.			
ing hours and		sary.			
ing hours and		sary.			
Clean Sanitize	d at the commiss	sary. During working hour	s	At the Co	mmissary
Clean Sanitize dicate the spe	d at the commiss	During working hour r sanitizing method than of 100 ppm (parts per l	at you will use by checkin million) available chlorine for	At the Con	mmissary w: conds.
Clean Sanitize dicate the spe	ecific sanitizer or tact with a solution tact with a solution	During working hour r sanitizing method that n of 100 ppm (parts per in of 200 ppm available of	at you will use by checking million) available chlorine for a	At the Connection of the box belower at least 30 sections to the section of the s	mmissary w: conds. te.
Clean Sanitize dicate the spe	ecific sanitizer or tact with a solution tact with a solution the option you will	During working hour r sanitizing method that n of 100 ppm (parts per in of 200 ppm available of	at you will use by checkin million) available chlorine for	At the Connection of the box belower at least 30 sections to the section of the s	mmissary w: conds. te.
Clean Sanitize dicate the spe	ecific sanitizer or tact with a solution tact with a solution the option you will	During working hour r sanitizing method that n of 100 ppm (parts per in of 200 ppm available of	at you will use by checking million) available chlorine for a	At the Connection of the box belower at least 30 sections to the section of the s	mmissary w: conds. te.
Clean Sanitize dicate the spending Control Control Control Control Control Control Check (Acknowledge) Acknowledge (Acknowledge)	ecific sanitizer or tact with a solution tact with a solution the option you will nent	During working hour r sanitizing method that n of 100 ppm (parts per land) of 200 ppm available of luse: □ Commercial preschanges to my operating preschanges to my oper	at you will use by checking million) available chlorine for a germixed solution or I will cocedures, I must notify the Fo	At the Control of the box belowed the state one minustrate prepare my own bod, Water, and Helphod, water, wate	mmissary w: conds. te. sanitizer solution ousing Division (FWHI
Clean Sanitize dicate the spendic Control Control Control Control Control Control Control Check in Acknowledgm and a pain 7 days. Revi	ecific sanitizer or tact with a solution tact with a solution the option you will nent	During working hour r sanitizing method that n of 100 ppm (parts per land) of 200 ppm available of luse: □ Commercial presented by changes to my operating presedures may be provided by	at you will use by checking million) available chlorine for a grant part of the property of th	At the Control of the permits @sdco	w: conds. te. sanitizer solution ousing Division (FWHE
Clean Sanitize dicate the spen of the control of	ecific sanitizer or tact with a solution tact with a solution tact with a solution the option you will ment gree that if I make of sed operating processed operating p	r sanitizing method that n of 100 ppm (parts per land) available of use: Changes to my operating preduces may be provided by A 92123 or by U.S. Mail to WHD of any changes may	at you will use by checking million) available chlorine for a germixed solution or I will cocedures, I must notify the Fo	At the Control of the box belowed the state one minute prepare my own bod, Water, and Hothermits@sdco. CA 92112-9261, A	w: conds. te. sanitizer solution ousing Division (FWHE
Clean Sanitize Clicate the specific control	ecific sanitizer or tact with a solution tact with a solution the option you will nent gree that if I make of sed operating processed operating processed operating processed operate to notify Fe to operate this Mo	During working hour r sanitizing method that on of 100 ppm (parts per in of 200 ppm available of use: □ Commercial presentations are provided by A 92123 or by U.S. Mail to I WHD of any changes may obtile Food Facility.	at you will use by checking million) available chlorine for a grant part of the property of th	At the Control of the box belowed the box below	w: conds. te. sanitizer solution ousing Division (FWHE
Clean Sanitize Clicate the specific control	ecific sanitizer or tact with a solution tact with a solution the option you will nent gree that if I make of sed operating processed operating processed operating processed operate to notify Fe to operate this Mo	r sanitizing method that n of 100 ppm (parts per land) available of use: Changes to my operating preduces may be provided by A 92123 or by U.S. Mail to WHD of any changes may	at you will use by checking million) available chlorine for a grant part of the property of th	At the Control of the box belowed the state one minute prepare my own bod, Water, and Hothermits@sdco. CA 92112-9261, A	w: conds. te. sanitizer solution ousing Division (FWHE
Clean Sanitize dicate the spendic Concept Co	ecific sanitizer or tact with a solution tact with a solution the option you will ment gree that if I make of sed operating processed operating pr	During working hour r sanitizing method that n of 100 ppm (parts per in of 200 ppm available of use: ☐ Commercial precedures may be provided by A 92123 or by U.S. Mail to light with D of any changes may obile Food Facility.	at you will use by checking million) available chlorine for a grant part of the property of th	At the Control of the box belower at least 30 sect least one minute prepare my own bod, Water, and House and Market (CA) 92112-9261, And the state of the state o	w: conds. te. sanitizer solution ousing Division (FWHI ounty.ca.gov, in person Attn: FWHD Mobile Fo or revocation of the He

MENU DESCRIPTION

(continued)

SOURCE OF MENU AND PREPARATION METHODS

e list of food and be nobile food facility UNPACKAGED FOOD	PREPACKAGED FOOD	purchased?	COMMISSARY	ON SITE

EXAMPLE PLAN WITH REQUIRED 3 COMPARTMENT SINK

LIST OF MENU/ITEMS BEING SOLD

Espresso, Lattes, Acai Bowl, Fruit Smoothies, Prepackaged Nutrition Bars, Grilled Chicken Panini Sandwiches, Grilled Chicken Salads, and Whole Fruit

FINISH MATERIALS

*Raw wood not permitted to be used as exterior cart material

LOCATION/EQUIPMENT	MATERIAL
Exterior of Cart	Stainless Steel
Interior of Cart	Stainless Steel/ Fiberglass Reinforced Panel (FRP)
Food Storage Area	FRP
Food Preparation Compartment	N/A
Other:	Exterior Vinyl Trim

FOOD SERVICE EQUIPMENT LIST


EQUIPMENT	MANUFACTURER	MODEL
Espresso Machine	Nuova Simonelli	Appia Life Compact2
Blender	Vita Mix	36019-ABAB
Undercounter Refrigerator	Bev-Air	UCR27HC
Coffee Brewer	Bunn	Axiom DV APS
Air Pots	Bunn	32130.000
Acrylic Prepackaged Food Display	Custom	Custom
Ice Bin with 2 Piece Lid	Moli International	BIB-1118-D 13"
Soap Dispenser	San Janmar	S30TBK
Paper Towel Dispenser	Bobrick	B-2620
Panini Press	Avantco	P84

POWER/GAS PLAN


Select all applicable options and fil	l in the blanks for each one:			
DC Battery* (Quantity 1)	☐ AC Battery (Quantity)	☐ Propane Tank (Pounds	; Quantity)


*Requires Inverter

LEFT SIDE VIEW OF CART-Internal View Showing Equipment Placement




- 1. Refrigerator
- 2. Battery, 12V 277 Amps
- 3. Inverter
- 4. 40 Gallon Wastewater Tank
- 5. 20 Gallon Tank Potable Water Tank
- 6. 6 Gallon Water Heater
- 7. Water Pump
- 8. 3-Compartment Sink
- 9. Handwashing Sink with Soap and Paper Towel Dispenser
- 10. 6" Swivel Casters







- 1. Point of Sale Register
- 2. Flavored Syrup with Pumps
- 3. Espresso Machine
- 4. Blender
- 5. Ice Bin with 2 Piece Lid
- 6. Grommet for Umbrella
- 7. 3-Compartment Sink
- 8. Panini Press
- 9. Airpot Coffee Dispenser
- 10. Coffee Brewer

LEFT END FROM CUSTOMER SIDE VIEW OF CART



- 1. 3-Compartment Sink
- 2. Coffee Brewer
- 3. Airpot Coffee Dispenser
- 4. Quick Disconnect Potable Water fill with Chain And Cap





Plumbing Notes:

- All plumbing lines shall be connected to the tanks with watertight seals.
- Potable water lines, couplings, and valves shall be listed to NSF standards for drinking water.
- Potable water tanks and wastewater tanks mounted in the cart shall have an air vent overflow installed draining outside of the cart in a downward direction covered with 16 mesh per square inch screen.
- Tanks may be removeable. If they are not removeable, they must be equipped with a fill line that has a nonthreaded quick disconnect coupler. They must also be installed sloped towards a drainage outlet equipped with a valve.
- Tanks and hose inlets and outlet fittings shall be protected with a cap and keeper chain, quick disconnect, or closed cabinet when not in use.
- Waste lines must be a different color than the lines for potable water.
- The 3-compartment sink must be stainless steel and equipped with dual integral drainboards that are at least the size of one of the compartments.

WATER PUMP MANUFACTURER AND MODEL:	Pentair Shurflo 2088-594-144	
WATER HEATER MANUFACTURER AND MODEL:	EEMax MiniTank EMT 6	

EXAMPLE PLAN WITHOUT 3 COMPARTMENT SINK

		.===		
LIST OF	MFNU/	LIFIMS	BEING	SOLD

LIST OF IVIEND/TTEINS BEING SOLD
Steamed Hot dogs, Prepackaged- Ketchup, Mustard, Relish, Mayonnaise (shelf stable), Canned Soda, Bottled Water

FINISH MATERIALS

*Raw wood not permitted to be used as exterior cart material


LOCATION/EQUIPMENT	MATERIAL
Exterior of Cart	Stainless Steel
Interior of Cart	Stainless Steel/ Fiberglass Reinforced Panel (FRP)
Food Storage Area	FRP
Food Preparation Compartment	N/A
Other:	N/A

FOOD SERVICE EQUIPMENT LIST


EQUIPMENT MANUFACTURER MODEL				
Undercounter Refrigerator	Bev-Air	UCR27HC		
Bun Warmer	APW Wyott	BWD-75N		
Electric Steam Table	Wells	5P-SS206-120		

POWER/GAS PLAN

DC Battery* (Quantity <u>1</u>)	☐ AC Battery (Quantity)	Propane Tank (Pounds	; Quantity)
*Requires Inverter				




- 1. Refrigerator
- 2. Bun Warmer
- 3. Potable Water Tank
- 4. Wastewater Tank
- 5. Water Pump
- 6. Handwashing Sink with Soap and Paper Towel Dispenser
- 7. Drop-in Steamer
- 8. Water Heater
- 9. Battery 12V, 277Amp
- 10. Inverter




- 1. 6" Swivel Casters
- 2. Bun Warmer

*NOTE: Lettering of the business name: 3" high minimum
City, State, and Zip Code of the permit holder: 1" high minimum





- 1. Bun Warmer
- 2. Drop-in Steam Table
- 3. Handwashing Sink with Soap and Paper Towel Dispenser
- 4. Grommet for Umbrella

LEFT END FROM CUSTOMER SIDE VIEW OF CART



RIGHT END FROM CUSTOMER SIDE VIEW OF CART





Plumbing Notes:

- Hot water heater IS REQUIRED if there is handling or preparation of raw meat, raw poultry, or raw fish.
- All plumbing lines shall be connected to the tanks with watertight seals.
- Potable water lines, couplings, and valves shall be listed to NSF standards for drinking water.
- Potable water tanks and wastewater tanks mounted in the cart shall have an air vent overflow installed draining outside of the cart in a downward direction covered with 16 mesh per square inch screen.
- Tanks may be removeable. If they are not removeable, they must be equipped with a fill line that has a nonthreaded quick disconnect coupler. They must also be installed sloped towards a drainage outlet equipped with a valve.
- Tanks and hose inlets and outlet fittings shall be protected with a cap and keeper chain, quick disconnect, or closed cabinet when not in use.
- Waste lines must be a different color than the lines for potable water.

WATER PUMP MANUFACTURER AND MODEL:	Pentair Shurflo 2088-594-144	
WATER HEATER MANUFACTURER AND MODEL: _	Chronomite Labs SR-20L/120 HTR-I	

PLUMBING NOTE EXAMPLES

The following are some examples of the types of equipment that can be used to accomplish the code requirements.

1. All plumbing lines shall be connected to the tanks with watertight seals.



Watertight seal with attached ball valve on the side wall of a tank



Inside tank view of watertight seal

2. Potable water lines, couplings, and valves shall be listed to NSF standards for drinking water.




PEX Piping Ball Valve



Straight Coupler with ANSI/NSF Label on bag



ANSI/NSF 61 Label on handle



PEX Potable Water line with NSF- 61 label

3. Potable water tanks and wastewater tanks mounted in the cart shall have an air vent overflow installed draining outside of the cart in a downward direction covered with 16 mesh per square inch screen.



Pipe with mesh



Typical mesh screens

4. Tanks may be removeable. If they are not removeable, they must be equipped with a fill line that has a nonthreaded quick disconnect coupler. They must also be installed sloped towards a drainage outlet equipped with a valve.



Fill line to non-portable tank with a quick disconnect coupler



Removeable portable tanks



Non-portable tank with connections to vent, fill, drain, and for the water pump



Removeable portable tank with quick disconnect for supply or waste water (black lines typically denote waste)

5. Tanks and hose inlets and outlet fittings shall be protected with a cap and keeper chain, quick disconnect, or closed cabinet when not in use.



Cap with keeper chain



Closed cabinet



Quick disconnect coupler

6. Waste lines shall not be the same color as the lines for potable water.



Potable white PVC line with NSF label



Blue potable PEX line with NSF label



Non-potable/wastewater black PVC pipe



Clear potable vinyl line with NSF label