



2025 SAN DIEGO

**REGIONAL
STANDARD
DRAWINGS**

STANDARD DRAWINGS FOR AGENCIES IN THE SAN DIEGO REGION

Recommended by the Regional Standards Committee
Maintained and Published by the County of San Diego
Department of Public Works
November 2025
www.regional-stds.com

TABLE OF CONTENTS

TABLE OF CONTENTS

SECTION C - CONCRETE STRUCTURES

C-01	Masonry Retaining Wall Type 1 Level Backfill With 2-in Heel
C-02	Masonry Retaining Wall Type 2 (Live Load Surcharge or Sloping Backfill)
C-03	Masonry Retaining Wall Type 3 (Level Backfill)
C-04	Masonry Retaining Wall Type 4 (Live Load Surcharge or Sloping Backfill)
C-05	Masonry Retaining Wall Type 5 (Level Backfill)
C-06	Masonry Retaining Wall Type 6 (Live Load Surcharge or Sloping Backfill)
C-07	General Notes for Masonry Retaining Walls
C-08	Details for Masonry Retaining Wall
C-09	Gravity Retaining Walls
C-10	General Notes and Details for Gravity Retaining Walls
C-11A	Reinforced Concrete Retaining Wall Type 1 Elevation
C-11B	Reinforced Concrete Retaining Wall Type 1 Spread Footing
C-11C	Reinforced Concrete Retaining Wall Type 1 Pile Footing
C-11D	Reinforced Concrete Retaining Wall Type 1 Dimensions and Steel Table
C-12A	Reinforced Concrete Retaining Wall Type 1A
C-12B	Reinforced Concrete Retaining Wall Type 1A
C-13A	Reinforced Concrete Retaining Wall Details No. 1
C-13B	Reinforced Concrete Retaining Wall Details No. 1
C-13C	Reinforced Concrete Retaining Wall Details No. 1
C-13D	Reinforced Concrete Retaining Wall Details No. 1

C-14	Reinforced Concrete Retaining Wall Details No. 2
C-15	Reinforced Concrete Retaining Wall Details No. 3

SECTION D - DRAINAGE SYSTEMS

D-01	Curb Inlet - Type A
D-02	Curb Inlet - Type B
D-03A	Curb Inlet - Type C
D-03B	Concrete Apron for Type C Curb Inlet
D-07	Catch Basin - Type F
D-08	Catch Basin - Type G
D-09	Storm Drain Cleanout - Type A
D-10	Storm Drain Cleanout - Type B
D-11A	Inlets and Cleanouts - Notes and Details
D-11B	Inlets and Cleanouts - Notes and Details
D-12	Curb Inlet Opening
D-13	Welded Steel Grate Frame
D-15	Drainage Structure Grate
D-16	Corrugated Steel Pipe Inlets Types A & B
D-17A	Corrugated Steel Pipe Inlets, Details
D-17B	Corrugated Steel Pipe Inlets, Details
D-18	Slotted Corrugated Steel Pipe Drains 12" through 24"
D-19	Slotted Drain Connections to Standard Inlets
D-22	Asphalt Concrete Spillway
D-23	Tapered Inlet and Downdrain Flume
D-25A	Curb Outlet - Type A

TABLE OF CONTENTS

D-25B	Modified Curb Outlet – Type A	D-44B	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls
D-27	Sidewalk Underdrain Pipe	D-44C	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls
D-29	Catch Basin - Type 1	D-44D	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls
D-30	Straight Headwall - Type A (Circular Pipe)	D-45	Median Curb Inlet – Type J
D-31	Straight Headwall - Type A (C.S.P. - Arch)	D-60	Pipe Bedding and Trench Backfill for Storm Drains
D-32	Straight Headwall - Type B (Circular Pipe)	D-61	Rounded Pipe Ends in Drainage Structures
D-33	Straight Headwall - Type B (C.S.P. - Arch)	D-62	Pipe Collar
D-34	Wing and U Type Headwalls for 18" to 36" Pipes	D-63	Concrete Lug
D-35A	Wing and U Type Headwalls for 42" to 84" Pipes	D-70	Minor Drainage Channel
D-35B	Wing and U Type Headwalls for 42" to 84" Pipes	D-71	Major Drainage Channel
D-36	L Type Headwalls - Circular Pipes	D-72	Cutoff Wall for Drainage Channel
D-37	L Type Headwalls - CSP Arch Pipes	D-73	Pipe to Channel Connection
D-38	Curtain Wall	D-74	Graded Earth Channel
D-39	Inlet Apron for Culverts Up to 42" Diameter	D-75	Drainage Ditches
D-40	Rip Rap Energy Dissipater	D-76A	Single Box Culvert, Details No. 1
D-41A	Concrete Energy Dissipater	D-76B	Single Box Culvert, Details No. 1
D-41B	Concrete Energy Dissipater	D-76C	Single Box Culvert, Details No. 1
D-42	Concrete Energy Dissipater (Reinforcement) 18" to 30" Diameter Pipe	D-76D	Single Box Culvert, Details No. 1
D-43A	Concrete Energy Dissipater (Reinforcement) 36" to 72" Diameter Pipe	D-76E	Single Box Culvert, Details No. 1
D-43B	Concrete Energy Dissipater (Reinforcement) 36" to 72" Diameter Pipe	D-76F	Single Box Culvert, Details No. 1
D-43C	Concrete Energy Dissipater (Reinforcement) 36" to 72" Diameter Pipe	D-76G	Single Box Culvert, Details No. 2
D-44A	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls	D-77A	Double Box Culvert, Details No. 1
		D-77B	Double Box Culvert, Details No. 1
		D-77C	Double Box Culvert, Details No. 1

TABLE OF CONTENTS

D-77D	Double Box Culvert, Details No. 1
D-77E	Double Box Culvert, Details No. 1
D-77F	Double Box Culvert, Details No. 1
D-77G	Double Box Culvert, Details No. 2
D-78A	Triple Box Culvert, Details No. 1
D-78B	Triple Box Culvert, Details No. 1
D-78C	Triple Box Culvert, Details No. 1
D-78D	Triple Box Culvert, Details No. 1
D-78E	Triple Box Culvert, Details No. 1
D-78F	Triple Box Culvert, Details No. 1
D-78G	Triple Box Culvert, Details No. 2
D-79A	Box Culvert Wingwall Types A, B and C, Details No. 1
D-79B	Box Culvert Wingwall Types A, B and C, Details No. 2
D-79C	Box Culvert Wingwall Types A, B and C, Details No. 3
D-79D	Box Culvert Wingwall Types A, B and C, Details No. 4
D-79E	Box Culvert Wingwall Types A, B and C, Details No. 5
D-79F	Box Culvert Wingwall Types A, B and C, Details No. 6
D-80A	Box Culvert Warped Wingwall, Details No. 1
D-80B	Box Culvert Warped Wingwall, Details No. 2
D-80C	Box Culvert Warped Wingwall, Details No. 3
D-81A	Box Culvert, Miscellaneous Details No. 1
D-81B	Box Culvert, Miscellaneous Details No. 2
D-82	Debris Fence

SECTION E - ELECTRICAL SYSTEMS

E-01	Street Lighting Standard
E-02	Grounding of Concrete Lighting Standards
E-03	Pedestal for Electrical Equipment

SECTION G - GENERAL SURFACE IMPROVEMENTS

G-01	Curbs and Gutter-Separate
G-02	Curb and Gutters - Combined
G-03	Monolithic Curb, Gutter and Sidewalk
G-04A	Curb and Gutter – Rolled
G-04B	Curb and Gutter to Rolled Curb Transition
G-05	Dikes - Asphalt Concrete
G-06	Curbs and Gutter - Medians
G-07	Sidewalk - Typical Sections
G-09	Sidewalk Joint Locations
G-10	Concrete Joint Details
G-11	Concrete Curb, Gutter, Sidewalk & Pavement Removal and Replacement
G-12	Cross Gutter
G-13	Mid-Block Cross Gutter
G-14A	Concrete Driveway (Contiguous Sidewalk)
G-14B	Concrete Driveway (Non-contiguous Sidewalk)
G-14C	Residential Concrete Driveway (Parkway less than 10' in depth)
G-14D	Concrete Driveway (for Confined Right-of-Way)
G-14E	Concrete Driveway (Alley Type)

TABLE OF CONTENTS

I-25	Irrigation Trench PVC or Copper Pipe	M-08	Narrow Trenches - Trenching & Backfilling - Shallow Conduit Depth
I-26	Irrigation Trench Detail 4" and Larger P.V.C. Mainline	M-09	Guard Post and Barricade
I-32	Remote Control Valve Manifold Assembly with PVC Pipe (Temporary Systems)	M-10A	Street Survey Monument
I-33	Remote Control Valve Manifold Assembly with Brass Pipe	M-10B	Street Survey Monument – Overlay Adjustment
I-35	Remote Control Valve Drip Irrigation	M-10C	Street Survey Monument - Notes
I-36	Air/Vacuum Relief Valve	M-11	Bench Mark - Brass Plug
I-37	Drip Irrigation Flush Valve (Automatic)	M-12	Datums
<u>SECTION L - LANDSCAPING</u>		M-13	Survey Monuments
L-01	Tree Planting & Staking	M-14	Metric Equivalents
L-02	Shrub Planting	M-15	Joint Trench Location
L-03	Concrete Mowing Strip	M-16	Demountable Post
L-04	Tree Grate	M-17	Tennis Court Fence Chain Link
L-05	Light Pole Pad in Turf Areas	M-18	Drinking Fountain
L-06	Root Control Barrier	M-19	Fire Hydrant Markers
L-07	Palm Tree Planting	M-20	Chain Link Fence, Details
<u>SECTION M - MISCELLANEOUS</u>		M-21	Underground Typical Location, Conversion/Replacement/Upgrade
M-01	24" Manhole Frame and Cover, Heavy Duty	M-22	Utility Locations, Local and Major Streets
M-02	24" Manhole Frame and Cover, Light Duty	M-23	Utility Locations Prime Arterials and Expressways
M-03A	36" Manhole Frame and Two Concentric Covers, Heavy Duty	M-24	Pedestrian Protective Railing, Details No. 1
M-03B	36" Manhole Frame Light Weight-Heavy Duty	M-25	Pedestrian Protective Railing, Details No. 2
M-04	Manhole Cover Locking Device	M-26	Concrete Steps
M-05	Chain Link Gate	M-27A	Disabled Parking Stall(s)
M-06	Chain Link Fence	M-27B	Diagonal Disabled Parking Stall(s)
M-07	Narrow Trenches - Trenching & Backfilling	M-28A	Disabled Parking Sign
M-07A	Narrow Trenches - Trenching & Backfilling		

TABLE OF CONTENTS

- M-28B Van Accessible Sign for Disabled Parking Space
- M-29 Pavement Symbol, Disabled Parking
- M-30 Guard Rail Reference Note
- M-45 Break-Away Sign Post

SECTION S - SEWERAGE SYSTEMS

- SC-01 Sewer Cleanout
- SM-01 48" Diameter Precast Manhole Installation
- SM-02 60" Diameter Precast Manhole Installation
- SM-03 Sewer Manhole Base
- SM-04 Manhole Pipe Connectors
- SM-05 Manhole Miscellaneous Details
- SM-07 Manhole Coating and Lining System
- SM-08 Existing Manhole Abandonment
- SP-01 Warning/Identification Tape Installation
- SP-02 Pipe Bedding and Trench Backfill for Sewer Facilities
- SP-03 Concrete Protection for Sewer Pipe
- SP-05 Slope Protection Installations
- SP-07 Cut-Off Wall Installation in Traveled Areas
- SP-09 Pipe Support for Undercut Sewer Mains or Sewer Laterals
- SS-01 4" and 6" Sewer Lateral Installation
- SS-02 4" and 6" Deep-Cut Sewer Lateral Installation
- SS-03 Sewer Lateral Notes and Detail

- SS-04 4" and 6" Sewer Cut-In Wye Connections

SECTION W - WATER SYSTEMS

- WA-01 2" Manual Air Valve
- WA-02 2" Automatic Combination Air Release and Air/Vacuum Valve Installations
- WA-04 4" and 6" Automatic Combination Air Release and Air/Vacuum Valve Installations
- WA-06 Air and Vacuum Valve Enclosure Locations
- WB-01 2" Blow-Off Installation
- WB-02 4" and 6" Blow-Off Installation – Type A
- WB-03 4" and 6" Blow-Off Assemblies in Street Type B
- WB-04 Blow-Off Installation from end of Mains and from Steel Mains
- WB-05 Temporary 2" Blow-Off Installation
- WF-01 6" Fire Hydrant Installation
- WF-02 6" Fire Hydrant Installation with Break-Off Check Valve
- WF-04 Fire Hydrant Locations and Port Orientation
- WF-05 4" and Larger Fire Service Installation
- WM-04 Protection Post Installation
- WP-01 Warning/Identification Tape and Tracer Wire Installations
- WP-02 Pipe Bedding and Trench Backfill for Potable and Recycled Water Mains
- WP-03 Cutting and Plugging Abandoned Water, Recycled Water and Sewer Main
- WP-05 Slope Protection Installations
- WP-07 Cut-Off Wall Installation in Traveled Areas
- WP-09 Pipe Support for Undercut Sewer Mains or Sewer Laterals

TABLE OF CONTENTS

- WR-01 Reduced Pressure Backflow Prevention Device ($\frac{3}{4}$ " Thru 2")
- WR-02 3" and Larger Reduced Pressure Backflow Prevention Device
- WS-01 1" Water Service Installation
- WS-02 2" Water Service Installation
- WS-03 Meter Box Locations for Water and Recycled Water Appurtenances
- WS-04 4" or 6" Fireline/Master Meter Installation
- WT-01 Concrete Thrust and Anchor Block Installations
- WV-01 Gate Well Cap Installation for Valves 4" and Larger
- WV-02 Gate Well Cap & Can Installation for Valves 4" and Larger
- WV-03 Gate Well Identification
- WV-04 Steel Valve Stem Extension for Valves 4" and Larger
- WV-05 Steel Valve Stem Extension for Valves 2" and Smaller

APPENDIX A - TRAFFIC CONTROL PLANS

TABLE OF CONTENTS

SECTION C - CONCRETE STRUCTURES

C-01	Masonry Retaining Wall Type 1 Level Backfill With 2-in Heel
C-02	Masonry Retaining Wall Type 2 (Live Load Surcharge or Sloping Backfill)
C-03	Masonry Retaining Wall Type 3 (Level Backfill)
C-04	Masonry Retaining Wall Type 4 (Live Load Surcharge or Sloping Backfill)
C-05	Masonry Retaining Wall Type 5 (Level Backfill)
C-06	Masonry Retaining Wall Type 6 (Live Load Surcharge or Sloping Backfill)
C-07	General Notes for Masonry Retaining Walls
C-08	Details for Masonry Retaining Wall
C-09	Gravity Retaining Walls
C-10	General Notes and Details for Gravity Retaining Walls
C-11A	Reinforced Concrete Retaining Wall Type 1 Elevation
C-11B	Reinforced Concrete Retaining Wall Type 1 Spread Footing
C-11C	Reinforced Concrete Retaining Wall Type 1 Pile Footing
C-11D	Reinforced Concrete Retaining Wall Type 1 Dimensions and Steel Table
C-12A	Reinforced Concrete Retaining Wall Type 1A
C-12B	Reinforced Concrete Retaining Wall Type 1A
C-13A	Reinforced Concrete Retaining Wall Details No. 1
C-13B	Reinforced Concrete Retaining Wall Details No. 1
C-13C	Reinforced Concrete Retaining Wall Details No. 1
C-13D	Reinforced Concrete Retaining Wall Details No. 1

C-14	Reinforced Concrete Retaining Wall Details No. 2
C-15	Reinforced Concrete Retaining Wall Details No. 3

SECTION D - DRAINAGE SYSTEMS

D-01	Curb Inlet - Type A
D-02	Curb Inlet - Type B
D-03A	Curb Inlet - Type C
D-03B	Concrete Apron for Type C Curb Inlet
D-07	Catch Basin - Type F
D-08	Catch Basin - Type G
D-09	Storm Drain Cleanout - Type A
D-10	Storm Drain Cleanout - Type B
D-11A	Inlets and Cleanouts - Notes and Details
D-11B	Inlets and Cleanouts - Notes and Details
D-12	Curb Inlet Opening
D-13	Welded Steel Grate Frame
D-15	Drainage Structure Grate
D-16	Corrugated Steel Pipe Inlets Types A & B
D-17A	Corrugated Steel Pipe Inlets, Details
D-17B	Corrugated Steel Pipe Inlets, Details
D-18	Slotted Corrugated Steel Pipe Drains 12" through 24"
D-19	Slotted Drain Connections to Standard Inlets
D-22	Asphalt Concrete Spillway
D-23	Tapered Inlet and Downdrain Flume
D-25A	Curb Outlet - Type A

TABLE OF CONTENTS

D-25B	Modified Curb Outlet – Type A	D-44B	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls
D-27	Sidewalk Underdrain Pipe	D-44C	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls
D-29	Catch Basin - Type 1	D-44D	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls
D-30	Straight Headwall - Type A (Circular Pipe)	D-45	Median Curb Inlet – Type J
D-31	Straight Headwall - Type A (C.S.P. - Arch)	D-60	Pipe Bedding and Trench Backfill for Storm Drains
D-32	Straight Headwall - Type B (Circular Pipe)	D-61	Rounded Pipe Ends in Drainage Structures
D-33	Straight Headwall - Type B (C.S.P. - Arch)	D-62	Pipe Collar
D-34	Wing and U Type Headwalls for 18" to 36" Pipes	D-63	Concrete Lug
D-35A	Wing and U Type Headwalls for 42" to 84" Pipes	D-70	Minor Drainage Channel
D-35B	Wing and U Type Headwalls for 42" to 84" Pipes	D-71	Major Drainage Channel
D-36	L Type Headwalls - Circular Pipes	D-72	Cutoff Wall for Drainage Channel
D-37	L Type Headwalls - CSP Arch Pipes	D-73	Pipe to Channel Connection
D-38	Curtain Wall	D-74	Graded Earth Channel
D-39	Inlet Apron for Culverts Up to 42" Diameter	D-75	Drainage Ditches
D-40	Rip Rap Energy Dissipater	D-76A	Single Box Culvert, Details No. 1
D-41A	Concrete Energy Dissipater	D-76B	Single Box Culvert, Details No. 1
D-41B	Concrete Energy Dissipater	D-76C	Single Box Culvert, Details No. 1
D-42	Concrete Energy Dissipater (Reinforcement) 18" to 30" Diameter Pipe	D-76D	Single Box Culvert, Details No. 1
D-43A	Concrete Energy Dissipater (Reinforcement) 36" to 72" Diameter Pipe	D-76E	Single Box Culvert, Details No. 1
D-43B	Concrete Energy Dissipater (Reinforcement) 36" to 72" Diameter Pipe	D-76F	Single Box Culvert, Details No. 1
D-43C	Concrete Energy Dissipater (Reinforcement) 36" to 72" Diameter Pipe	D-76G	Single Box Culvert, Details No. 2
D-44A	Pipe Culvert - Headwalls, Endwalls and Warped Wingwalls	D-77A	Double Box Culvert, Details No. 1
		D-77B	Double Box Culvert, Details No. 1
		D-77C	Double Box Culvert, Details No. 1

TABLE OF CONTENTS

D-77D	Double Box Culvert, Details No. 1
D-77E	Double Box Culvert, Details No. 1
D-77F	Double Box Culvert, Details No. 1
D-77G	Double Box Culvert, Details No. 2
D-78A	Triple Box Culvert, Details No. 1
D-78B	Triple Box Culvert, Details No. 1
D-78C	Triple Box Culvert, Details No. 1
D-78D	Triple Box Culvert, Details No. 1
D-78E	Triple Box Culvert, Details No. 1
D-78F	Triple Box Culvert, Details No. 1
D-78G	Triple Box Culvert, Details No. 2
D-79A	Box Culvert Wingwall Types A, B and C, Details No. 1
D-79B	Box Culvert Wingwall Types A, B and C, Details No. 2
D-79C	Box Culvert Wingwall Types A, B and C, Details No. 3
D-79D	Box Culvert Wingwall Types A, B and C, Details No. 4
D-79E	Box Culvert Wingwall Types A, B and C, Details No. 5
D-79F	Box Culvert Wingwall Types A, B and C, Details No. 6
D-80A	Box Culvert Warped Wingwall, Details No. 1
D-80B	Box Culvert Warped Wingwall, Details No. 2
D-80C	Box Culvert Warped Wingwall, Details No. 3
D-81A	Box Culvert, Miscellaneous Details No. 1
D-81B	Box Culvert, Miscellaneous Details No. 2
D-82	Debris Fence

SECTION E - ELECTRICAL SYSTEMS

E-01	Street Lighting Standard
E-02	Grounding of Concrete Lighting Standards
E-03	Pedestal for Electrical Equipment

SECTION G - GENERAL SURFACE IMPROVEMENTS

G-01	Curbs and Gutter-Separate
G-02	Curb and Gutters - Combined
G-03	Monolithic Curb, Gutter and Sidewalk
G-04A	Curb and Gutter – Rolled
G-04B	Curb and Gutter to Rolled Curb Transition
G-05	Dikes - Asphalt Concrete
G-06	Curbs and Gutter - Medians
G-07	Sidewalk - Typical Sections
G-09	Sidewalk Joint Locations
G-10	Concrete Joint Details
G-11	Concrete Curb, Gutter, Sidewalk & Pavement Removal and Replacement
G-12	Cross Gutter
G-13	Mid-Block Cross Gutter
G-14A	Concrete Driveway (Contiguous Sidewalk)
G-14B	Concrete Driveway (Non-contiguous Sidewalk)
G-14C	Residential Concrete Driveway (Parkway less than 10' in depth)
G-14D	Concrete Driveway (for Confined Right-of-Way)
G-14E	Concrete Driveway (Alley Type)

TABLE OF CONTENTS

I-25	Irrigation Trench PVC or Copper Pipe	M-08	Narrow Trenches - Trenching & Backfilling - Shallow Conduit Depth
I-26	Irrigation Trench Detail 4" and Larger P.V.C. Mainline	M-09	Guard Post and Barricade
I-32	Remote Control Valve Manifold Assembly with PVC Pipe (Temporary Systems)	M-10A	Street Survey Monument
I-33	Remote Control Valve Manifold Assembly with Brass Pipe	M-10B	Street Survey Monument – Overlay Adjustment
I-35	Remote Control Valve Drip Irrigation	M-10C	Street Survey Monument - Notes
I-36	Air/Vacuum Relief Valve	M-11	Bench Mark - Brass Plug
I-37	Drip Irrigation Flush Valve (Automatic)	M-12	Datums
<u>SECTION L - LANDSCAPING</u>		M-13	Survey Monuments
L-01	Tree Planting & Staking	M-14	Metric Equivalents
L-02	Shrub Planting	M-15	Joint Trench Location
L-03	Concrete Mowing Strip	M-16	Demountable Post
L-04	Tree Grate	M-17	Tennis Court Fence Chain Link
L-05	Light Pole Pad in Turf Areas	M-18	Drinking Fountain
L-06	Root Control Barrier	M-19	Fire Hydrant Markers
L-07	Palm Tree Planting	M-20	Chain Link Fence, Details
<u>SECTION M - MISCELLANEOUS</u>		M-21	Underground Typical Location, Conversion/Replacement/Upgrade
M-01	24" Manhole Frame and Cover, Heavy Duty	M-22	Utility Locations, Local and Major Streets
M-02	24" Manhole Frame and Cover, Light Duty	M-23	Utility Locations Prime Arterials and Expressways
M-03A	36" Manhole Frame and Two Concentric Covers, Heavy Duty	M-24	Pedestrian Protective Railing, Details No. 1
M-03B	36" Manhole Frame Light Weight-Heavy Duty	M-25	Pedestrian Protective Railing, Details No. 2
M-04	Manhole Cover Locking Device	M-26	Concrete Steps
M-05	Chain Link Gate	M-27A	Disabled Parking Stall(s)
M-06	Chain Link Fence	M-27B	Diagonal Disabled Parking Stall(s)
M-07	Narrow Trenches - Trenching & Backfilling	M-28A	Disabled Parking Sign
M-07A	Narrow Trenches - Trenching & Backfilling		

TABLE OF CONTENTS

- M-28B Van Accessible Sign for Disabled Parking Space
- M-29 Pavement Symbol, Disabled Parking
- M-30 Guard Rail Reference Note
- M-45 Break-Away Sign Post

SECTION S - SEWERAGE SYSTEMS

- SC-01 Sewer Cleanout
- SM-01 48" Diameter Precast Manhole Installation
- SM-02 60" Diameter Precast Manhole Installation
- SM-03 Sewer Manhole Base
- SM-04 Manhole Pipe Connectors
- SM-05 Manhole Miscellaneous Details
- SM-07 Manhole Coating and Lining System
- SM-08 Existing Manhole Abandonment
- SP-01 Warning/Identification Tape Installation
- SP-02 Pipe Bedding and Trench Backfill for Sewer Facilities
- SP-03 Concrete Protection for Sewer Pipe
- SP-05 Slope Protection Installations
- SP-07 Cut-Off Wall Installation in Traveled Areas
- SP-09 Pipe Support for Undercut Sewer Mains or Sewer Laterals
- SS-01 4" and 6" Sewer Lateral Installation
- SS-02 4" and 6" Deep-Cut Sewer Lateral Installation
- SS-03 Sewer Lateral Notes and Detail

- SS-04 4" and 6" Sewer Cut-In Wye Connections

SECTION W - WATER SYSTEMS

- WA-01 2" Manual Air Valve
- WA-02 2" Automatic Combination Air Release and Air/Vacuum Valve Installations
- WA-04 4" and 6" Automatic Combination Air Release and Air/Vacuum Valve Installations
- WA-06 Air and Vacuum Valve Enclosure Locations
- WB-01 2" Blow-Off Installation
- WB-02 4" and 6" Blow-Off Installation – Type A
- WB-03 4" and 6" Blow-Off Assemblies in Street Type B
- WB-04 Blow-Off Installation from end of Mains and from Steel Mains
- WB-05 Temporary 2" Blow-Off Installation
- WF-01 6" Fire Hydrant Installation
- WF-02 6" Fire Hydrant Installation with Break-Off Check Valve
- WF-04 Fire Hydrant Locations and Port Orientation
- WF-05 4" and Larger Fire Service Installation
- WM-04 Protection Post Installation
- WP-01 Warning/Identification Tape and Tracer Wire Installations
- WP-02 Pipe Bedding and Trench Backfill for Potable and Recycled Water Mains
- WP-03 Cutting and Plugging Abandoned Water, Recycled Water and Sewer Main
- WP-05 Slope Protection Installations
- WP-07 Cut-Off Wall Installation in Traveled Areas
- WP-09 Pipe Support for Undercut Sewer Mains or Sewer Laterals

TABLE OF CONTENTS

- WR-01 Reduced Pressure Backflow Prevention Device ($\frac{3}{4}$ " Thru 2")
- WR-02 3" and Larger Reduced Pressure Backflow Prevention Device
- WS-01 1" Water Service Installation
- WS-02 2" Water Service Installation
- WS-03 Meter Box Locations for Water and Recycled Water Appurtenances
- WS-04 4" or 6" Fireline/Master Meter Installation
- WT-01 Concrete Thrust and Anchor Block Installations
- WV-01 Gate Well Cap Installation for Valves 4" and Larger
- WV-02 Gate Well Cap & Can Installation for Valves 4" and Larger
- WV-03 Gate Well Identification
- WV-04 Steel Valve Stem Extension for Valves 4" and Larger
- WV-05 Steel Valve Stem Extension for Valves 2" and Smaller

APPENDIX A - TRAFFIC CONTROL PLANS