Page 1 of 3

PROJECT NAME AND SITE A	DDRES	SS:			CONTRACT NUMBER:			
					ORACLE NUMBER:			
					WDID NUMBER:			
CONTRACTOR NAME AND A	DDRFS	S [.]			PROJECT SITE RISK LEVEL:			
	<i>DD</i> .(20	.			☐ Risk Level 2 ☐ LUP Type 2			
					☐ Risk Level 3 ☐ LUP Type 3			
Submitted by (Print Name and Sign):					Date:			
		Nume	eric Action Level E	Exceedance I	nformation			
Location					Parameter Discharge Project Site			
					Exceedance	Location		Parameter Daily
						Parameter Daily Average		Average
					☐ Turbidity	Average	je –	
					□ pH			
Sample location Identification r	number:				Date of sampling			
·					3			
Samples collected by:					Date of analysis			
Samples analysis by:					Date and time Water Pollution Control Manager notified of			
					results			
Analyzer phone number:					Date and time Resident Engineer notified of results			
Sample Iden	tification	1	Sample Collect	tion Time	Storm Event Precipitation Analysis ()			
Campio lacininoation				Amount at Sample Time				
				Qı	ualifying rain event o	laily average		
			Analysis I	nformation				
Meter manufacturer		Model number		Serial number Cali		Calibr	bration date	
Analytical method Method reporting		unit	it Method detection limit					
Storm Event Information								
		Attach a	a copy of governme		ge information			
Start of storm event	Eı	nd of storm event	of storm event Duration of s		Storm event precipitation		Storm event precipitation	
					amount recorded from site rain gauge		records	amount ed from governmental
Date Date		Hours : Minutes		one rain gauge		lecorde	rain gauge	
				inches		Jan Ja		
Time		Time						inches
Storm event 24-hour maximum Storm event 24						compliance storm exception		
precipitation amount recorded from precipitation				ar, 24-hour storm?		(5-year, 24-hour storm?)		
onsite rain gauge		governmental rain gauge		inches-			☐ Yes	
inches		inches		inches			□ No	

Page 2 of 3

PROJECT NAME AND SITE ADDRESS:	CONTRACT NUMBER:						
	ORACLE NUMBER:						
	WDID NUMBER:						
Exceedance Location Information			Photographs				
Visual observation of location:		☐ Yes	□ No				
The nature and cause of the water quality standard exceedance, based on a visual observable.	☐ Yes	□ No					
BMPs currently installed at the location of the discharge:							
	☐ Yes	☐ No					
Additional BMPs that will be implemented to prevent or reduce pollutants causing or contributing to exceedance of a water quality standard:							
Standard.							
Implementation schedule for additional BMPs:		☐ Yes	☐ No				
Maintenance or repair of BMPs:							
Implementation schedule for BMPs maintenance or repair:		☐ Yes	□ No				
Other required corrective actions:							
Implementation schedule for corrective actions:		☐ Yes	□ No				
Summary of actions taken to reduce the pollutants causing or contributing to the water quality standard exceedance:							
Additional Information							
Run-on samples taken?							
Yes							
□ No Run-on sample identification							

Page 3 of 3

PROJECT NAME AND SITE ADDRESS:	CONTRACT NUMBER:						
	ORACLE NUMBER:						
	WDID NUMBER:						
Numeric Action Level Exceedance Report Certification							
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.							
Water Pollution Control Manager (Name)	Date						
Water Pollution Control Manager (Signature)							
Resident Engineer (Name)	Date						
Resident Engineer (Signature)							
All storm event sampling results submitted to State Water Board SMARTS database within 10 days after the conclusion after the storm event? Yes No	Date input	Resident Engineer initials					
Notice of Discharge Reporting							
Discharge reported by telephone or email to the Watershed Protection Program (WPP) or Department Point of Contact (POC) within 24 hours of discovery? Yes No	Date of discharge reported to RWQCB	Resident engineer initials					
Notice of Discharge Report submitted to WPP or POC within 24 hours?	Date report submitted to RWQCB	Resident Engineer initials					
☐ Yes ☐ No							

Instructions

General Information

- This form is required for compliance with provisions for Numeric Action Level (NAL) Exceedance Report in Section I of Attachment D of the National Pollutant Discharge Elimination System (NPDES) General Permit Storm Water Discharges Associated with Construction and Land Disturbance Activities, Order No. 2009-0009-DWQ, NPDES No. CAS000002.
- Sampling guidance is found in Construction Site Monitoring Program Guidance Manual, dated July 2010.
- When the daily average off effluent samples analysis results exceeds an applicable NAL, submit all storm event sampling results to the State Water Board within 10 days after the conclusion of the storm event.
- Regional boards have the authority to require the submittal of an NAL Exceedance Report.
- Include a copy of the completed form in the project Storm Water Pollution Prevention Plan (SWPPP) files.

Form

- Storm Event Precipitation Amount at Sample Time
 - At time of sample collection, record amount of precipitation from onsite rain gauge.
- Analysis Results
 - Analytical results that are less than the method detection limit shall be reported as "Less than the method detection limit."
- Qualifying Rain Event Daily Average Analysis Result
 - A minimum of three daily samples is required to calculate the daily average for a qualifying rain event.
- Compliance Storm Event

The 5-year, 24-hour storm (expressed in tenths of an inch of rainfall), as determined by using the maps.

http://www.wrcc.dri.edu/pcpnfreq/nca5y24.gif

http://www.wrcc.dri.edu/pcpnfreq/sca5y24.gif

Compliance storm verification must be done by reporting the onsite rain gauge readings as well as nearby governmental rain gauge readings. Attach a copy of the governmental rain gauge readings to report this.