

San Diego County – Public Health Data

California Health Interview Survey Estimates: Teens



LIVE WELL
SAN DIEGO

California Health Interview Survey (CHIS)*

County of San Diego By HHS Region

REGIONS:
North Coastal
North Central
Central
South
East
North Inland

*CHIS is conducted by the UCLA Center for Health Policy Research in collaboration with the California Department of Public Health, and the Department of Health Care Services.

Important Information for Data Users

Please Review This Section Before Using the Following Public Health Data

The California Health Interview Survey (CHIS) is an important source of information on health and access to health care services. CHIS is a telephone survey of adults, adolescents, and children from all parts of the state. The survey is conducted every two years. CHIS is the largest state health survey and one of the largest health surveys in the United States. The survey provides state and county level information for health planning and comparison. Region level information is available for many variables for the 2005, 2007, 2009, 2011-2012, 2013-2014, and 2015 surveys. A list of CHIS questionnaire topics is included. To see the actual survey questions, go to <http://healthpolicy.ucla.edu/chis/design/Pages/survey-topics.aspx>. Data can also be accessed from the [askCHIS website](#).

In this document, information from CHIS is presented and used to estimate the number of residents represented in each variable. Both County level and Health and Human Services Agency (HHSA) Region level information are provided. For more information on CHIS, go to <http://chis.ucla.edu/what-chis.html>.

California Health Interview Survey Topics

For list of topics for data included in this document, see the **CHIS Data Topic Page Index** of the Community Profiles.

More data is available via askCHIS. For list of all available topics, see below.
Excerpted from [CHIS website](#):

CHIS covers hundreds of health topics:

CHIS is conducted every two years with many core questions repeated in each survey in order to measure significant shifts over time. New questions are also added each survey year to address emerging concerns that are important for planning and policy development.

Click on any of the following links to see what CHIS topics have changed - and remained the same - over time.

- [2015 Survey Topics](#) (PDF 178k)
- [2013-2014 Survey Topics](#) (PDF 447k)
- [2011-2012 Survey Topics](#) (PDF 153k)
- [2009 Survey Topics](#) (PDF 646k)
- [2007 Survey Topics](#) (PDF 190k)
- [2005 Survey Topics](#) (PDF 254k)
- [2003 Survey Topics](#) (PDF 303k)
- [2001 Survey Topics](#) (PDF 76k)

Note:

2001, 2003 surveys provide County wide data.

2005, 2007, 2009, 2011-2012, 2013-2014, and 2015 surveys provide data for HHSA Regions when statistically possible.

California Health Interview Survey Data Topic Page Index

Survey Data

General Health & Disability
Mental Health & Development
Asthma
Sexual Health and STD's
Dental
Smoking
Alcohol and Drugs
Physical Activity & Exercise
Weight
Nutrition & Food Security
Public Program Participation
Insurance
Access & Utilization

More California Health Interview Survey (CHIS) data available online at www.chis.ucla.edu, using askCHIS query system.

Contact Us:

County of San Diego,
Health and Human Services Agency,
Public Health Services,
Community Health Statistics Unit
6255 Mission Gorge Road, San Diego, CA 92120
(619) 285-6479

Leslie.Ray@sdcounty.ca.gov
Ryan.Smith@sdcounty.ca.gov
www.SDHealthStatistics.com

CHIS Adolescents - General Health

CHIS

General Health Status†, (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Excellent													46,116	19.3%
Very Good													94,144	39.4%
Good													66,905	28.0%
Fair													29,151	12.2%
Poor													\$	\$
2003:														
Excellent													50,055	19.5%
Very Good													119,619	46.6%
Good													63,660	24.8%
Fair													23,359	9.1%
Poor													\$	\$
2005:														
Excellent	\$	\$	7,607	19.4%	15,311	34.7%	\$	\$	12,219	28.7%	\$	\$	57,691	21.8%
Very Good	22,173	51.7%	15,723	40.1%	\$	\$	14,524	33.7%	14,901	35.0%	32,701	62.0%	104,002	39.3%
Good	\$	\$	13,723	35.0%	\$	\$	16,161	37.5%	13,751	32.3%	12,711	24.1%	80,979	30.6%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	21,436	8.1%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2007:														
Excellent	\$	\$	12,758	32.0%	\$	\$	\$	\$	\$	\$	10,112	19.1%	48,201	18.3%
Very Good	20,483	47.7%	10,924	27.4%	15,218	34.3%	20,277	48.6%	20,526	49.4%	22,608	42.7%	111,679	42.4%
Good	10,563	24.6%	12,997	32.6%	17,170	38.7%	13,268	31.8%	\$	\$	18,478	34.9%	80,335	30.5%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	20,281	7.7%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,634	1.0%
2009:														
Excellent	8,776	20.9%	10,231	25.3%	15,029	34.4%	10,838	27.7%	9,841	24.4%	10,287	19.9%	65,090	25.3%
Very Good	15,915	37.9%	17,105	42.3%	12,582	28.8%	\$	\$	19,843	49.2%	21,350	41.3%	100,079	38.9%
Good	14,361	34.2%	12,374	30.6%	13,980	32.0%	14,243	36.4%	\$	\$	16,853	32.6%	79,240	30.8%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,835	4.6%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	1,286	0.5%
2011-2012:														
Excellent	10,600	26.4%	17,000	45.1%	\$	\$	14,847	32.6%	11,322	28.3%	\$	\$	75,569	30.0%
Very Good	15,016	37.4%	\$	\$	16,637	45.0%	10,793	23.7%	16,122	40.3%	18,810	36.5%	87,660	34.8%
Good	8,070	20.1%	\$	\$	12,460	33.7%	17,169	37.7%	12,242	30.6%	19,737	38.3%	74,813	29.7%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,343	4.9%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	1,511	0.6%
2013														
Excellent	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	72,000	30.4%
Very Good	\$	\$	\$	\$	\$	\$	\$	\$	11,000	59.7%	\$	\$	77,000	32.6%
Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	76,000	31.9%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
Excellent	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Very Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	86,000	36.9%
Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	73,000	31.6%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	33,000	14.2%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Excellent	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Very Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	119,000	53.8%
Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "In general, would you say your health is excellent, very good, good, fair or poor?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

Public Health Data

CHIS

Schools Days Missed in Past Month Due to Health [†] , (Adolescents ages 12-17)														
Prepared by County of	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007														
2009:														
Missed None	30,528	72.7%	29,196	72.2%	35,169	80.5%	30,324	77.5%	34,363	85.2%	42,235	81.7%	201,187	78.2%
Missed 1 Day	§	§	§	§	§	§	§	§	§	§	§	§	22,897	8.9%
Missed 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	18,781	7.3%
Missed 3+ Days	§	§	§	§	§	§	§	§	§	§	§	§	14,407	5.6%
2011-2012:														
Missed None														
Missed 1 Day														
Missed 2 Days														
Missed 3+ Days														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "During the last four school weeks, how many days of school did you miss because of a health problem?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Mental Health and Development

CHIS

Likely has had Psychological Distress during Past Month [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,219	3.5%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,660	2.2%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,076	4.0%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † This variable provides a dichotomous measure of psychological distress in the past month based on the Kessler 6.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Teen at Risk for Depression [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	8,783	22.4%	14,870	33.7%	\$	\$	\$	\$	\$	\$	50,312	19.6%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked a series of questions adapted from the Center for Epidemiologic Studies Depression Scale (CES-D8).
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Received Psychological/Emotional Counseling in Past Year [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													27,001	11.3%
2003													32,343	12.6%
2005	\$	\$	7,607	19.4%	\$	\$	\$	\$	\$	\$	\$	\$	28,581	10.8%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	33,188	12.6%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	27,014	10.5%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,243	12.8%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked, "In the past 12 months, have you received any psychological or emotional counseling?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Teen Needed Help for Emotional/Mental Health Problems [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,342	23.4%	43,400	16.4%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	40,299	15.3%
2009	\$	\$	5,055	12.5%	\$	\$	\$	\$	\$	\$	9,408	18.2%	34,989	13.6%
2011-2012	6,545	16.3%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,785	15.0%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	49,000	20.8%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	46,000	19.9%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked, "In the past 12 months, have you received any psychological or emotional counseling?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Asthma

CHIS

Ever Diagnosed with Asthma [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													41,815	17.5%
2003													40,558	15.8%
2005	\$	\$	\$	\$	\$	\$	\$	\$	12,687	29.8%	\$	\$	53,192	20.1%
2007	\$	\$	\$	\$	\$	\$	11,390	27.3%	\$	\$	\$	\$	49,782	18.9%
2009	\$	\$	\$	\$	12,145	27.8%	\$	\$	10,849	26.9%	8,840	17.1%	53,513	20.8%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	11,642	29.1%	\$	\$	58,692	23.3%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Has a doctor EVER told you that you have asthma?".

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.

CHIS

Currently Have Asthma, Among Those Ever Diagnosed with Asthma [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													23,280	57.4%
2005	\$	\$	\$	59%	\$	65.9%	\$	\$	9,426	74.3%	\$	\$	32,660	61.4%
2007	\$	61.8%	\$	\$	\$	\$	7,780	68.3%	\$	77.1%	\$	\$	26,235	52.7%
2009	\$	\$	\$	56.5%	6,643	54.7%	\$	\$	8,864	81.7%	3,448	39.0%	28,201	52.7%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,281	55.0%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Do you still have asthma?". Asked of those who have been told by a doctor they have asthma.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.

CHIS

Asthma Symptoms in the Past 12 Months, Among Current Asthmatics [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													22,302	95.8%
2005	\$	\$	\$	100%	\$	\$	\$	\$	7,947	84.3%	\$	\$	23,417	71.7%
2007	\$	\$	\$	\$	\$	\$	6,418	82.5%	\$	100.0%	\$	\$	24,425	93.1%
2009	\$	\$	\$	61.6%	6,643	100.0%	\$	\$	8,864	100.0%	3,448	100.0%	25,804	91.5%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	29,860	92.5%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Have you had an asthma episode/attack in past 12 months" among current asthmatics.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.

San Diego County - Public Health Data

Public Health Data

CHIS

School Days Missed due to Asthma in Past 12 Months, Among Current Asthmatics[†], (Adolescents ages 12-17)

Prepared by County of	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
0 Day	§	§	§	§	§	§	§	§	§	§	§	§	27,598	84.5%
1 or 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	2,221	6.8%
3 or 4 Days	§	§	§	§	§	§	§	§	§	§	§	§	2,417	7.4%
5 or more	§	§	§	§	§	§	§	§	§	§	§	§	425	1.3%
2007:														
0 Day	§	§	§	§	§	§	§	§	§	§	§	§	25,369	96.7%
1 or 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 or more	§	§	§	§	§	§	§	§	§	§	§	§	289	1.1%
2009:														
0 Day	§	§	§	§	§	§	§	§	§	§	§	§	26,143	92.7%
1 or 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	1,805	6.4%
3 or 4 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 or more	§	§	§	§	§	§	§	§	§	§	§	§	254	0.9%
2011-2012														
0 Day	§	§	§	§	§	§	§	§	§	§	§	§	27,309	84.6%
1 or 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 Days	§	§	§	§	§	§	§	§	§	§	§	§	1,420	4.4%
5 or more	§	§	§	§	§	§	§	§	§	§	§	§	3,293	10.2%
2013														
0 Day	§	§	§	§	§	§	§	§	§	§	§	§	§	§
1 or 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 or more	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2014														
0 Day	§	§	§	§	§	§	§	§	§	§	§	§	§	§
1 or 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 or more	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2015														
0 Day	§	§	§	§	§	§	§	§	§	§	§	§	§	§
1 or 2 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 Days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 or more	§	§	§	§	§	§	§	§	§	§	§	§	§	§

CHIS

Taking Daily Medication to Control Asthma, Among Current Asthmatics[†], (Adolescents ages 12-17)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													§	§
2005	§	§	§	§	§	§	§	§	§	§	§	§	13,162	40.3%
2007	§	§	§	§	§	§	§	§	§	§	§	§	12,094	46.1%
2009	§	§	§	§	§	§	§	§	§	§	§	§	9,758	34.6%
2011-2012	§	§	§	§	§	§	§	§	§	§	§	§	13,170	40.8%
2013	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2014	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2015	§	§	§	§	§	§	§	§	§	§	§	§	§	§

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked: "Are you now taking a daily medication to control your asthma that was prescribed or given to you by a doctor?". Asked of those ever told they have asthma and still have asthma &/or had an episode in the last 12 months.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

§ statistically unstable, percent not reported.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Health Professional Ever Gave Asthma Management Plan[†], (Adolescents ages 12-17)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													§	§
2005	§	§	§	§	§	§	§	§	§	§	§	§	12,553	23.6%
2007	§	§	§	§	§	§	§	§	§	§	§	§	15,333	30.8%
2009	§	§	§	64.1%	§	§	§	§	7,638	70.4%	§	§	26,328	49.2%
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked: "Has a doctor or other health professional ever given you an asthma management plan?". Asked of those ever told they have asthma.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

§ statistically unstable, percent not reported.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Sexual Health and STD's

Sexual History [†] , (Adolescents ages 14-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Has not had sex														125,619 80.3%
First had sex 15 - yrs of														\$ \$
First had sex at 15 + yrs														28,159 18.0%
2003:														
Has not had sex														139,922 84.1%
First had sex 15 - yrs of														\$ \$
First had sex at 15 + yrs														19,632 11.8%
2005:														
Has not had sex	24,276	85.0%	21,941	84.3%	21,244	72.4%	23,035	78.9%	21,501	74.8%	26,992	76.9%	139,982	79.1%
First had sex 15 - yrs of	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,219	8.6%
First had sex at 15 + yrs	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	21,767	12.3%
2007:														
Has not had sex	24,267	83.3%	21,422	80.2%	27,038	90.4%	25,644	89.0%	24,419	86.6%	30,300	84.3%	152,971	85.6%
First had sex 15 - yrs of	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,544	5.9%
First had sex at 15 + yrs	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,190	8.5%
2009:														
Has not had sex	17,450	61.8%	22,893	84.6%	26,393	88.2%	20,464	75.4%	23,234	85.0%	34,116	96.3%	146,226	83.5%
First had sex 15 - yrs of	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,880	4.5%
First had sex at 15 + yrs	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	21,015	12.0%
2011-2012:														
Has not had sex	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	149,874	87.5%
First had sex 15 - yrs of	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,139	3.0%
First had sex at 15 + yrs	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	16,272	9.5%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked, "Have you ever had sexual intercourse?" and "How old were you when you had sexual intercourse for the first time?" Asked of all respondents ages 14 to 17 years whose parents gave permission to discuss sexual issues in the survey.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Condom Use During Last Sexual Activity [†] , (Adolescents ages 14-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														n/a 69.3%
2005	\$	\$	\$	95.2%	\$	\$	\$	\$	\$	\$	\$	100.0%	28,443	76.9%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	100.0%	22,877	88.9%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked about protection methods used the most recent time they had sexual intercourse.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Tested for STD within Past 12 Months [†] , (Adolescents ages 14-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,547	17.7%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,779	38.0%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,287	35.6%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,203	24.3%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Now thinking about other sexually transmitted diseases, besides HIV, in the past 12 months, have you ever been tested for a sexually transmitted disease?" among those who have ever had sex.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

CHIS

CHIS

CHIS Adolescents - Sexual Health and STD's continued...

CHIS

Ever Tested for HIV [†] , (Adolescents ages 14-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,134	27.4%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Have you ever been tested for HIV, the virus that causes AIDS?" among those who have ever had sex.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever Heard of Chlamydia [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	11,110	38.9%	20,301	78.0%	16,080	54.8%	14,306	49.0%	20,494	71.3%	18,884	53.8%	152,431	57.6%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Have you ever heard of Chlamydia?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Dental

CHIS

Could Not Afford Dental Care that was Needed [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,647	6.7%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "During the past 12 months, was there any time you needed dental care, but could not afford it?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Current Dental Insurance [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	30,660	71.4%	30,379	76.2%	37,447	84.4%	33,963	81.4%	32,700	78.7%	33,408	63.1%	197,546	75.0%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Do you now have any type of insurance that pays for part or all of (CHILD/TEEN) dental care?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

Public Health Data

CHIS

Time Since Last Dental Visit†, (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Have never visited														
Less than 6 months ago													144,084	60.3%
6 months to 1 year ago													47,550	19.9%
1 year to 2 years ago													21,744	9.1%
2 years or more														
2003:														
Have never visited														
Less than 6 months ago													187,387	73.0%
6 months to 1 year ago													39,274	15.3%
1 year to 2 years ago														
2 years or more														
2005														
2007:														
Prepared by County of San Diego													2,897	1.1%
Less than 6 months ago	36,199	84.3%	25,675	64.4%	23,826	53.7%	35,339	84.7%	29,334	70.6%	31,132	58.8%	180,162	68.4%
6 months to 1 year ago											17,366	32.8%	51,625	19.6%
1 year to 2 years ago													18,174	6.9%
2 years or more													10,272	3.9%
2009:														
Have never visited													2,315	0.9%
Less than 6 months ago	29,058	69.2%	33,038	81.7%	27,174	62.2%	29,150	74.5%	31,862	79.0%	39,081	75.6%	190,125	73.9%
6 months to 1 year ago					10,136	23.2%					9,770	18.9%	45,795	17.8%
1 year to 2 years ago													10,805	4.2%
2 years or more													8,490	3.3%
2011-2012:														
Have never visited													4,534	1.8%
Less than 6 months ago													193,709	76.9%
6 months to 1 year ago													27,457	10.9%
1 year to 2 years ago													19,144	7.6%
2 years or more													7,053	2.8%
2013														
Have never visited														
Less than 6 months ago									11,000	57.9%			185,000	77.9%
6 months to 1 year ago														
1 year to 2 years ago														
2 years or more														
2014														
Have never visited														
Less than 6 months ago													201,000	86.4%
6 months to 1 year ago														
1 year to 2 years ago														
2 years or more														
2015														
Have never visited														
Less than 6 months ago														
6 months to 1 year ago														
1 year to 2 years ago														
2 years or more														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "How long has it been since you last visited a dentist, hygienist or orthodontist?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

\$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Dental continued...

CHIS

Days Missed School due to Dental Problem in Past Year †, (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007:														
0 days	39,978	93.1%	38,712	97.1%	39,798	89.7%	34,505	82.7%	40,470	97.4%	49,768	94.0%	243,640	92.5%
1 day	§	§	§	§	§	§	§	§	§	§	§	§	10,799	4.1%
2+ days	§	§	§	§	§	§	§	§	§	§	§	§	8,955	3.4%
2009														
2011-2012:														
0 days														
1 day														
2+ days														
2013														
0 days														
1 day														
2+ days														
2014														
0 days														
1 day														
2+ days														
2015														
0 days														
1 day														
2+ days														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "During the past 12 months, did you (he/she) miss any time from school because of a dental problem? Do not count time missed for cleaning or a check-up."
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Smoking

CHIS

Current Smoking Status [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,967	4.9%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,482	3.6%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,233	3.2%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,557	3.0%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked a series of smoking-related questions.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Alcohol and Drugs

CHIS

Binge Drinking in the Past Month [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													17,204	7.2%
2003													\$	\$
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,995	6.8%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,429	3.2%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,776	3.8%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,602	5.4%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†]Binge drinking is defined as having five or more drinks on at least one occasion in the past month in 2001 and 2003. Binge Drinking is defined as having five or more drinks for males on at least one occasion or four or more drinks for females on at least one occasion in 2005-2009. Although the specific CHIS binge drinking question was asked only of those who reported drinking in the past month, the denominators used to create this variable include all teen and adult respondents.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever had an Alcoholic Drink [†] , (Adolescents ages 12-17)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													72,878	30.5%
2003													104,988	40.9%
2005	15,139	35.3%	13,606	34.7%	9,266	21.0%	17,713	41.1%	23,458	55.1%	21,256	40.3%	99,768	37.7%
2007	10,048	23.4%	18,060	45.3%	12,290	27.7%	13,810	33.1%	8,642	20.8%	14,030	26.5%	74,277	28.2%
2009	10,582	25.2%	16,944	41.9%	15,684	35.9%	14,556	37.2%	7,945	19.7%	19,127	37.0%	83,614	32.5%
2011-2012	14,414	35.9%	\$	\$	\$	\$	12,661	27.8%	13,202	33.0%	\$	\$	66,753	26.5%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	53,000	22.1%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	35,000	15.1%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "Did you ever have more than a few sips of any alcoholic drink, like beer, wine, mixed drinks, or liquor?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Alcohol and Drugs continued...

CHIS

Ever Tried Marijuana, Cocaine, Sniffing Glue, Other Drugs[†], (Adolescents ages 12-17)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													28,493	11.1%
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,049	14.0%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	27,393	10.4%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	26,242	10.2%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	21,915	8.7%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Have you ever tried marijuana, cocaine, sniffing glue or any other drugs?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

CHIS

Marijuana History in Past Year[†], (Adolescents ages 12-17)

Year	North Coastal		North Central		Central		South		East		North Inland		County		
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	
2001															
2003:															
No Marijuana use in past year														238,982	93.1%
Marijuana use in past year														\$	\$
2005:															
No Marijuana use in past year	40,786	95.1%	33,524	85.5%	40,110	90.9%	39,520	91.7%	37,210	87.4%	50,423	96%	241,084	91.1%	
Marijuana use in past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	23,553	8.9%	
2007:															
No Marijuana use in past year	40,579	94.5%	37,117	93.1%	41,395	93.3%	38,886	93.2%	37,644	90.6%	47,862	90.4%	243,114	92.3%	
Marijuana use in past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	20,545	7.8%	
2009:															
No Marijuana use in past year	36,533	87.0%	39,548	97.8%	42,377	97.0%	34,315	87.7%	38,315	95.0%	50,299	97.3%	241,579	93.9%	
Marijuana use in past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,694	6.1%	
2011-2012															
No Marijuana use in past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	234,768	93.2%	
Marijuana use in past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,129	6.8%	
2013															
No Marijuana use in past year															
Marijuana use in past year															
2014															
No Marijuana use in past year															
Marijuana use in past year															
2015															
No Marijuana use in past year															
Marijuana use in past year															

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked a series of questions on drug use.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

\$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Physical Activity & Exercise

CHIS

Number of Days Physically Active at Least One Hour (Typical Week) [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007:														
2 or fewer days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	75,068	28.5%
3 or 4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	79,809	30.3%
5-7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	108,519	41.2%
2009:														
2 or less days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	73,323	28.5%
3 or 4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	74,352	28.9%
5-7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	109,598	42.6%
2011-2012:														
2 or less days	9,034	22.5%	\$	\$	15,528	42.0%	16,896	37.1%	12,402	31.0%	14,842	28.8%	76,577	30.4%
3 or 4 days	14,334	35.7%	\$	\$	\$	\$	14,847	32.6%	11,522	28.8%	\$	\$	67,508	26.8%
5-7 days	16,783	41.8%	23,747	63.0%	\$	\$	\$	\$	16,082	40.2%	26,179	50.8%	107,812	42.8%
2013														
2 or less days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	54,000	22.8%
3 or 4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	90,000	38.0%
5-7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	93,000	39.2%
2014														
2 or less days	\$	\$	\$	\$	\$	\$	28,000	45.2%	\$	\$	\$	\$	87,000	37.6%
3 or 4 days	\$	\$	\$	\$	17,000	49.2%	\$	\$	\$	\$	\$	\$	69,000	29.8%
5-7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	76,000	32.6%
2015														
2 or less days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
3 or 4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
5-7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked "During a typical week, on how many days are you physically active for at least 60 minutes total per day? Do not include PE."
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Vigorous Physical Activity at Least 3 Days Per Week [†] , (Adolescents ages 12-17yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	30,879	72.0%	25,682	65.5%	24,313	55.1%	32,150	74.6%	29,972	70.4%	37,395	70.9%	179,159	67.7%
2007	31,347	73.0%	26,991	67.7%	32,389	73.0%	21,237	50.9%	28,711	69.1%	34,255	64.7%	175,421	66.6%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked, "Not including school PE, on how many days of the past 7 days were you physically active for at least 60 minutes total?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Visited a Park, Playground or Open Space in the Last Month [†] , (Adolescents ages 12-17yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	33,193	77.3%	33,848	84.9%	40,419	91.1%	28,372	68.0%	33,489	80.6%	45,268	85.5%	215,194	81.7%
2009	38,423	91.5%	32,876	81.3%	38,533	88.2%	32,320	82.6%	36,662	90.9%	36,135	69.9%	216,624	84.2%
2011-2012	31,840	79.3%	\$	\$	23,810	64.4%	30,149	66.2%	\$	\$	\$	\$	182,373	72.4%
2013	22,000	57.0%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	172,000	72.5%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	165,000	71.0%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.
 † Respondents were asked: "In the past 30 days, have you been to a park, playground or public open space?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

Public Health Data

CHHS

Amount of TV Watched/Video Games Played on Weekdays [†] , (Adolescents ages 12-17yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
0 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	24,611	9.3%
1 to 2 hours per day	27,363	63.8%	23,055	58.8%	\$	\$	28,229	65.5%	32,143	75.5%	\$	\$	174,925	66.1%
3 to 5 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	58,749	22.2%
6 to 20 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,351	2.4%
2007														
0 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	22,652	8.6%
1 to 2 hours per day	31,562	73.5%	31,296	78.5%	\$	\$	23,782	57.0%	\$	\$	31,714	59.9%	159,354	60.5%
3 to 5 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	71,907	27.3%
6 to 20 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,482	3.6%
2009														
2011-2012														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														
2013														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														
2014														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														
2015														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "Thinking about your free time on MONDAY THROUGH FRIDAY, on a typical day, about how many hours do you usually watch TV or play video games (such as Playstation)?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Physical Activity & Exercise continued...

CHIS

Amount of TV Watched/Video Games Played on Weekends[†], (Adolescents ages 12-17yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
0 hours per day													16,487	6.9%
1 to 2 hours per day													102,985	43.1%
3 to 5 hours per day													100,357	42.0%
6 to 20 hours per day													18,877	7.9%
2003														
2005														
0 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	28,845	10.9%
1 to 2 hours per day	20,415	47.6%	19,369	49.4%	\$	\$	\$	\$	\$	\$	22,785	43.2%	118,028	44.6%
3 to 5 hours per day	\$	\$	81,244	30.7%	\$	\$	\$	\$	\$	\$	\$	\$	102,415	38.7%
6 to 20 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,349	5.8%
2007														
2009														
0 hours per day	\$	\$	6,066	15.0%	\$	\$	\$	\$	\$	\$	\$	\$	15,694	6.1%
1 to 2 hours per day	25,111	59.8%	\$	\$	\$	\$	\$	\$	\$	\$	30,293	58.6%	119,632	46.5%
3 to 5 hours per day	\$	\$	18,157	44.9%	\$	\$	\$	\$	\$	\$	\$	\$	103,681	40.3%
6 to 20 hours per day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,266	7.1%
2011-2012														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														
2013														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														
2014														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														
2015														
0 hours per day														
1 to 2 hours per day														
3 to 5 hours per day														
6 to 20 hours per day														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Thinking about your free time on SATURDAY AND SUNDAY, on a typical day, about how many hours do you usually watch TV or play video games (such as Playstation)?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Walking Distance to Park, Playground, or Open Space[†], (Adolescents ages 12-17yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	31,304	72.9%	36,958	92.7%	38,733	87.3%	40,847	97.9%	35,401	85.2%	39,815	75.2%	221,252	84.0%
2009	39,682	94.5%	37,324	92.3%	38,926	89.1%	38,111	97.4%	35,532	88.1%	39,598	76.6%	230,002	89.4%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	225,700	89.6%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Is there a park, playground or open space within walking distance of your home?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.

CHIS

Nearby Park or Playground Safe During the Day[†], (Adolescents ages 12-17yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	41,782	97.3%	39,868	100.0%	41,484	93.5%	41,389	99.2%	38,517	92.7%	49,239	93.0%	251,279	95.4%
2009	41,152	98.0%	40,034	99.0%	40,237	92.1%	36,898	94.3%	36,218	89.8%	50,196	97.1%	244,667	95.1%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	242,577	96.3%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "The park or playground closest to where I live is safe during the day." Those who responded "Strongly Agree" and "Agree" are shown.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHHS

Nearby Park or Playground Safe During at Night [†] , (Adolescents ages 12-17yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	158,037	60.0%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	134,039	52.1%
2011-2012	23,127	57.6%	\$	\$	\$	\$	25,230	55.4%	15,922	39.8%	22,881	44.4%	139,299	55.3%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "The park or playground closest to where I live is safe at night."
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Weight

CHIS

Body Mass Index [†] , (Adolescents, ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003:														
Normal Weight													172,498	67.2%
At Risk for Overweight													39,274	15.3%
Overweight/Obese													35,680	13.9%
2005:														
Normal Weight	33,195	77.4%	28,858	73.6%	36,933	83.7%	26,936	62.5%	26,438	62.1%	36,657	69.5%	190,539	72.0%
At Risk for Overweight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	33,344	12.6%
Overweight/Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	31,227	11.8%
2007:														
Normal Weight	34,653	80.7%	32,173	80.7%	25,068	56.5%	28,288	67.8%	29,127	70.1%	43,574	82.3%	192,542	73.1%
At Risk for Overweight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	27,393	10.4%
Overweight/Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	31,871	12.1%
2009:														
Normal Weight	37,163	88.5%	29,965	74.1%	29,533	67.6%	30,676	78.4%	27,668	68.6%	43,320	83.8%	197,071	76.6%
At Risk for Overweight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,213	9.8%
Overweight/Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	29,844	11.6%
2011-2012:														
Normal Weight	27,664	68.9%	\$	\$	17,340	46.9%	25,321	55.6%	23,844	59.6%	32,208	62.5%	157,436	62.5%
At Risk for Overweight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	51,135	20.3%
Overweight/Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,281	14.8%
2013														
Normal Weight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	180,000	75.7%
Overweight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
Normal Weight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	175,000	75.3%
Overweight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Normal Weight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Overweight	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† This variable was created using age and gender specific BMI percentiles.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 3/2014); SANDAG, Current Population Estimates, 10/2012.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

*2013-2015 variable "at risk for overweight" changed to "overweight" and "overweight/obese" changed to "obese".

Body Mass Index-2 Levels [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2011-2012:														
Not Overweight or Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	214,616	85.2%
Overweight or Obese	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,281	14.8%
2013														
Not Overweight or Obese														
Overweight or Obese														
2014														
Not Overweight or Obese														
Overweight or Obese														
2015														
Not Overweight or Obese														
Overweight or Obese														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked to report their height and weight. This variable provides a four level descriptive of body mass index for adults, calculated by dividing WEIGHT(in kilograms) by HEIGHT SQUARED(in meters).

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Diet & Nutrition

CHIS

Fast Food Eaten in Past Week[†], (Adolescents, ages 12-17 yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007:														
No times	9,833	22.9%	15,828	39.7%	\$	\$	\$	\$	\$	\$	14,772	27.9%	64,005	24.3%
One or two times	\$	\$	\$	\$	\$	\$	23,782	57.0%	25,512	61.4%	25,308	47.8%	139,599	53.0%
Three or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	59,791	22.7%
2009:														
No times	10,708	25.5%	9,503	23.5%	\$	\$	\$	\$	11,172	27.7%	14,216	27.5%	66,119	25.7%
One or two times	25,489	60.7%	21,958	54.3%	\$	\$	\$	\$	22,425	55.6%	27,553	53.3%	137,898	53.6%
Three or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	52,998	20.6%
2011-2012:														
No times	12,126	30.2%	\$	\$	\$	\$	11,386	25.0%	\$	\$	21,025	40.8%	64,738	25.7%
One or two times	23,127	57.6%	\$	\$	18,634	50.4%	27,781	61.0%	25,204	63.0%	22,108	42.9%	150,886	59.9%
Three or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	36,273	14.4%
2013														
No times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	35,000	14.7%
One or two times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	142,000	59.7%
Three or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	61,000	25.6%
2014														
No times	\$	\$	\$	\$	\$	\$	29,000	45.7%	\$	\$	\$	\$	74,000	31.9%
One or two times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	121,000	51.9%
Three or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
No times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
One or two times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	119,000	53.5%
Three or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked "In the past 7 days, how many times did you eat fast food? Include fast food meals eaten at work (school), at home, or at fast food restaurants, carryout or drive thru."

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Eats less than 5 Servings of Fruits/Vegetables Daily[†], (Adolescents ages 12-17 yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													180,713	70.4%
2005	31,351	73.1%	27,486	70.1%	33,844	76.7%	36,934	85.7%	32,952	77.4%	36,604	69.4%	199,801	75.5%
2007	30,145	70.2%	28,426	71.3%	37,225	83.9%	37,801	90.6%	28,503	68.6%	42,197	79.7%	204,131	77.5%
2009	34,601	82.4%	23,373	57.8%	34,164	78.2%	34,237	87.5%	33,718	83.6%	40,632	78.6%	199,644	77.6%
2011-2012	24,853	61.9%	23,181	61.5%	\$	\$	30,604	67.2%	31,405	78.5%	\$	\$	177,084	70.3%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	193,000	81.1%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	168,000	72.1%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked, "Yesterday, how many servings of fruit, such as an apple or banana, did you eat?" AND "Yesterday, how many servings of vegetables, like corn, green beans, green salad, or other vegetables did you have?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

Public Health Data

CHIS

Soda or Other Sugary Drinks Consumed Yesterday [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003:														
Drank 2 or more glasses													89,586	34.9%
Drank 1 glass or none at all													167,108	65.1%
Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.														
Drank 2 or more glasses	14,711	34.3%	11,606	29.6%	15,047	34.1%	16,808	39.0%	13,411	31.5%	15,665	29.7%	87,595	33.1%
Drank 1 glass or none at all	28,177	65.7%	27,603	70.4%	29,078	65.9%	26,289	61.0%	29,163	68.5%	37,185	70.5%	177,042	66.9%
2007:														
Drank 2 or more glasses	\$	\$	\$	\$	16,949	38.2%	11,933	28.6%	\$	\$	12,760	24.1%	65,849	25.0%
Drank 1 glass or none at all	35,813	83.4%	31,536	79.1%	27,419	61.8%	29,790	71.4%	32,866	79.1%	40,185	75.9%	197,546	75.0%
2009:														
Drank 2 or more glasses	\$	\$	7,724	19.1%	\$	\$	12,286	31.4%	7,905	19.6%	13,234	25.6%	56,857	22.1%
Drank 1 glass or none at all	32,334	77.0%	32,714	80.9%	36,567	83.7%	26,842	68.6%	32,427	80.4%	38,461	74.4%	200,416	77.9%
2011-2012:														
Drank 2 or more glasses	9,717	24.2%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	54,662	21.7%
Drank 1 glass or none at all	30,434	75.8%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	197,235	78.3%
2013														
Drank 2 or more glasses														
Drank 1 glass or none at all														
2014														
Drank 2 or more glasses														
Drank 1 glass or none at all														
2015														
Drank 2 or more glasses														
Drank 1 glass or none at all														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Yesterday, how many glasses or cans of soda (such as Coke) or other sweetened drinks (such as fruit punch or Sunny Delight) did (you/he/she) drink? Do not count diet and sugar-free drinks."

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Public Programs

CHIS

Household Income Below 300% Federal Poverty Level [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													134,048	56.1%
2003													133,481	52.0%
2005	17,756	41.4%	12,312	31.4%	31,726	71.9%	22,669	52.6%	23,756	55.8%	20,148	38.2%	132,319	50.0%
2007	18,121	42.2%	4,784	12.0%	29,771	67.1%	21,779	52.2%	19,071	45.9%	13,660	25.8%	109,046	41.4%
2009	16,671	39.7%	10,069	24.9%	31,193	71.4%	26,451	67.6%	21,941	54.4%	25,434	49.2%	129,666	50.4%
2011-2012	14,334	35.7%	§	§	§	§	26,050	57.2%	19,483	48.7%	24,117	46.8%	116,125	46.1%
2013	§	§	§	§	§	§	§	§	§	§	§	§	102,000	43.1%
2014	§	§	§	§	§	§	§	§	§	§	§	§	135,000	57.9%
2015	§	§	§	§	§	§	§	§	§	§	§	§	§	§

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked a series of income related items to determine income as a percentage of FPL.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Currently Receiving Food Stamps, Among Those in Households at or below 300% FPL [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													§	§
2005	§	§	§	§	§	§	§	§	§	§	§	§	26,464	20.0%
2007	§	§	§	§	§	§	§	§	§	§	§	§	11,123	10.2%
2009	§	§	§	§	§	§	§	§	§	§	§	§	11,151	8.6%
2011-2012	§	§	§	§	§	§	§	§	§	§	§	§	41,311	16.4%
2013	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2014	§	§	§	§	§	§	§	§	§	§	§	§	46,305	34.3%
2015	§	§	§	§	§	§	§	§	§	§	§	§	§	§

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Are you [teen/child] receiving Food Stamp benefits?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Insurance

CHIS

Currently Insured†, (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													210,033	87.9%
2003													214,853	83.7%
2005	35,039	81.7%	37,249	95.0%	38,256	86.7%	42,364	98.3%	41,978	98.6%	49,210	93.3%	242,672	91.7%
2007	40,794	95.0%	39,190	98.3%	42,105	94.9%	39,845	95.5%	39,846	95.9%	49,821	94.1%	251,279	95.4%
2009	40,774	97.1%	38,820	96.0%	41,198	94.3%	36,350	92.9%	38,799	96.2%	49,834	96.4%	245,953	95.6%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	235,524	93.5%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Constructed using the various health insurance questions. This variable is a simple breakdown of currently insured versus currently uninsured people.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Type of Current Health Insurance Coverage†, (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:													28,912	12.1%
Uninsured													30,585	12.8%
Medicaid													\$	\$
Healthy Families/ CHIP													157,943	66.1%
Employment-based													\$	\$
Privately purchased													\$	\$
Other public													\$	\$
2003:													41,841	16.3%
Uninsured													39,274	15.3%
Medicaid													\$	\$
Healthy Families/ CHIP													152,990	59.6%
Employment-based													\$	\$
Privately purchased													\$	\$
Other public													\$	\$
2005:													21,965	8.3%
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	51,075	19.3%
Medicaid	\$	\$	\$	\$	\$	\$	14,265	33.1%	\$	\$	\$	\$	23,553	8.9%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	155,342	58.7%
Employment-based	25,647	59.8%	31,171	79.5%	17,871	40.5%	18,015	41.8%	25,332	59.5%	41,668	79.0%	10,850	4.1%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	1,588	0.60%
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$		
2007:													12,116	4.6%
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,402	14.2%
Medicaid	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,272	3.9%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	181,479	68.9%
Employment-based	27,568	64.2%	29,582	74.2%	27,020	60.9%	23,573	56.5%	32,326	77.8%	40,079	75.7%	13,433	5.1%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,429	3.2%
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$		
2009:													11,320	4.4%
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,674	12.7%
Medicaid	\$	\$	\$	\$	14,810	33.9%	\$	\$	\$	\$	\$	\$	24,441	9.5%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	158,737	61.7%
Employment-based	26,245	62.5%	33,523	82.9%	17,694	40.5%	18,742	47.9%	25,490	63.2%	35,411	68.5%	14,665	5.7%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,694	6.1%
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$		
2011-2012:													16,373	6.5%
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	52,646	20.9%
Medicaid	\$	\$	\$	\$	\$	\$	13,071	28.7%	\$	\$	\$	\$	19,396	7.7%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	151,642	60.2%
Employment-based	26,781	66.7%	\$	\$	\$	\$	23,636	51.9%	25,004	62.5%	25,200	48.9%	8,313	3.3%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,778	1.5%
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$		
2013													\$	\$
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	48,000	20.4%
Medicaid	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	147,000	62.0%
Employment-based	\$	\$	\$	\$	\$	\$	\$	\$	11,000	59.9%	\$	\$	\$	\$
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014													\$	\$
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	90,000	38.9%
Medicaid	\$	\$	\$	\$	\$	\$	31,000	49.6%	\$	\$	\$	\$	\$	\$
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	109,000	47.1%
Employment-based	\$	\$	\$	\$	\$	\$	30,000	47.2%	\$	\$	\$	\$	\$	\$
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015													\$	\$
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Medicaid	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Employment-based	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † This variable was constructed from a variety of source variables, to provide an all-encompassing look at type of coverage for all children and adults, including those 65 years and older.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Insurance continued...

CHIS

Covered for Prescription Drugs, Among Insured [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													230,104	96.3%
2003													252,844	98.5%
2005	41,044	95.7%	37,405	95.4%	33,094	75.0%	37,236	86.4%	40,573	95.3%	51,847	98.3%	240,026	90.7%
2007	39,592	92.2%	35,801	89.8%	43,436	97.9%	41,431	99.3%	41,093	98.9%	51,039	96.4%	253,123	96.1%
2009	41,110	97.9%	40,236	99.5%	38,970	89.2%	35,802	91.5%	36,621	90.8%	49,834	96.4%	242,866	94.4%
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "Are you covered for prescription drugs." Asked of those who report having any type of health care coverage.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Time During Past Year Without Insurance [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Had no insurance in past yr.													25,806	10.8%
Insurance only part of past yr.													16,726	7.0%
Had insurance entire past yr.													196,174	82.1%
2003:														
Had no insurance in past yr.													35,937	14.0%
Insurance only part of past yr.													§	§
Had insurance entire past yr.													210,232	81.9%
2005:														
Had no insurance in past yr.	§	§	§	§	§	§	§	§	§	§	§	§	11,379	4.3%
Insurance only part of past yr.	§	§	§	§	§	§	§	§	§	§	§	§	16,407	6.2%
Had insurance entire past yr.	35,039	81.7%	35,406	90.3%	37,639	85.3%	42,020	97.5%	41,339	97.1%	45,993	87.2%	236,850	89.5%
2007:														
Had no insurance in past yr.	§	§	§	§	§	§	§	§	§	§	§	§	8,692	3.3%
Insurance only part of past yr.	§	§	§	§	§	§	§	§	§	§	§	§	16,594	6.3%
Had insurance entire past yr.	35,469	82.6%	39,190	98.3%	39,709	89.5%	38,719	92.8%	35,982	86.6%	49,821	94.1%	238,109	90.4%
2009:														
Had no insurance in past yr.	§	§	§	§	§	§	§	§	§	§	§	§	5,917	2.3%
Insurance only part of past yr.	§	§	§	§	§	§	§	§	§	§	§	§	10,805	4.2%
Had insurance entire past yr.	39,808	94.8%	38,416	95.0%	41,198	94.3%	35,606	91.0%	35,976	89.2%	49,834	96.4%	240,550	93.5%
2011-2012:														
Had no insurance in past yr.	§	§	§	§	§	§	§	§	§	§	§	§	13,099	5.2%
Insurance only part of past yr.	§	§	§	§	§	§	§	§	§	§	§	§	12,091	4.8%
Had insurance entire past yr.	§	§	§	§	§	§	§	§	§	§	§	§	226,707	90.0%
2013														
Had no insurance in past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
Insurance only part of past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
Had insurance entire past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2014														
Had no insurance in past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
Insurance only part of past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
Had insurance entire past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2015														
Had no insurance in past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
Insurance only part of past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§
Had insurance entire past yr.	§	§	§	§	§	§	§	§	§	§	§	§	§	§

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Reveals whether persons are currently uninsured, experienced uninsurance at some point during the last 12 months, or were insured all of the last 12 months. Variable was created from multiple health insurance questions.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Access & Utilization

CHIS

Have Usual Place to Go When Sick or Need Health Advice [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													215,051	90.0%
2003													200,735	78.2%
2005	31,094	72.5%	29,603	75.5%	35,300	80.0%	33,874	78.6%	32,569	76.5%	47,311	89.7%	207,475	78.4%
2007	38,947	90.7%	34,247	85.9%	40,597	91.5%	37,592	90.1%	36,522	87.9%	45,109	85.2%	232,841	88.4%
2009	36,911	87.9%	38,295	94.7%	31,455	72.0%	31,655	80.9%	37,791	93.7%	47,611	92.1%	224,599	87.3%
2011-2012	\$	\$	\$	\$	22,590	61.1%	\$	\$	\$	\$	\$	\$	\$	\$
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	200,000	84.4%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† This variable was created by consolidating the multiple yes/no questions about usual source of care in the questionnaire items.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Type of Usual Source of Care [†] , (Adolescents ages 12-17yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:													136,438	57.1%
Doctor's Office/HMO/Kaiser													71,206	29.8%
Community Clinic/Gov't Clinic													\$	\$
Emergency Room/Urgent Care													\$	\$
Some Other Place/No One Place													\$	\$
No Usual Source of Care													23,895	10.0%
2003:													142,208	55.4%
Doctor's Office/HMO/Kaiser													48,002	18.7%
Community Clinic/Gov't Clinic													\$	\$
Emergency Room/Urgent Care													\$	\$
Some Other Place/No One Place													\$	\$
No Usual Source of Care													55,959	21.8%
2005:													143,169	54.1%
Doctor's Office/HMO/Kaiser	22,816	53.2%	19,291	49.2%	22,063	50.0%	25,729	59.7%	23,969	56.3%	30,170	57.2%	143,169	54.1%
Community Clinic/Gov't Clinic	\$	\$	7,999	20.4%	\$	\$	\$	\$	\$	\$	15,454	29.3%	57,956	21.9%
Emergency Room/Urgent Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,970	1.5%
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,646	1.0%
No Usual Source of Care	11,794	27.5%	9,606	24.5%	\$	\$	\$	\$	10,005	23.5%	\$	\$	57,162	21.6%
2007:													155,403	59.0%
Doctor's Office/HMO/Kaiser	30,660	71.4%	27,987	70.2%	24,979	56.3%	18,901	45.3%	23,434	56.4%	30,549	57.7%	155,403	59.0%
Community Clinic/Gov't Clinic	\$	\$	\$	\$	13,932	31.4%	18,400	44.1%	\$	\$	12,548	23.7%	69,273	26.3%
Emergency Room/Urgent Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,107	0.8%
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,058	2.3%
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,836	14.8%	30,554	11.6%
2009:													168,257	65.4%
Doctor's Office/HMO/Kaiser	27,295	65.0%	32,067	79.3%	22,106	50.6%	21,833	55.8%	27,426	68.0%	36,445	70.5%	168,257	65.4%
Community Clinic/Gov't Clinic	\$	\$	6,066	15.0%	\$	\$	\$	\$	\$	\$	11,166	21.6%	52,741	20.5%
Emergency Room/Urgent Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,602	1.4%
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	12,233	28.0%	\$	\$	\$	\$	\$	\$	32,674	12.7%
2011-2012:													124,689	49.5%
Doctor's Office/HMO/Kaiser	20,597	51.3%	\$	\$	13,717	37.1%	20,038	44.0%	19,563	48.9%	22,314	43.3%	124,689	49.5%
Prepared by County of San Diego	13,732	34.2%	\$	\$	\$	\$	17,989	39.5%	15,962	39.9%	20,046	38.9%	78,592	31.2%
Emergency Room/Urgent Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,527	1.4%
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	14,382	38.9%	\$	\$	\$	\$	\$	\$	44,838	17.8%
2013													115,000	48.5%
Doctor's Office/HMO/Kaiser	25,000	64.6%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	115,000	48.5%
Community Clinic/Gov't Clinic	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	71,000	29.7%
Emergency Room/Urgent Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,000	15.6%
2014													130,000	56.1%
Doctor's Office/HMO/Kaiser	\$	\$	\$	\$	\$	\$	30,000	47.3%	\$	\$	\$	\$	130,000	56.1%
Community Clinic/Gov't Clinic	\$	\$	\$	\$	17,000	48.0%	\$	\$	\$	\$	\$	\$	57,000	24.5%
Emergency Room/Urgent Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015													133,000	59.9%
Doctor's Office/HMO/Kaiser	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	133,000	59.9%
Community Clinic/Gov't Clinic	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Emergency Room/Urgent Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

†2001, 2003 Respondents were asked several questions about last doctors visit. 2005, 2007, 2009 Respondents were asked "What kind of place do you go to most often? Is your doctor in a private doctor's office, a clinic or hospital clinic, an emergency room, or some other place?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adolescents - Access & Utilization continued...

CHIS

Number of Doctor Visits in Past Year [†] , (Adolescents ages 12-17yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003:														
0 visits													60,836	23.7%
1 to 3 visits													145,289	56.6%
4 to 8 visits													\$	\$
9 to 12 visits													\$	\$
13 or more visits													\$	\$
2005:														
0 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	59,808	22.6%
1 to 3 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	148,461	56.1%
4 to 8 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	45,782	17.3%
9 to 12 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,822	2.2%
13 or more visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	4,499	1.7%
2007:														
0 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	31,344	11.9%
1 to 3 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	174,367	66.2%
4 to 8 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	44,250	16.8%
9 to 12 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,638	2.9%
13 or more visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,531	2.1%
2009:														
0 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	30,615	11.9%
1 to 3 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	151,019	58.7%
4 to 8 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	57,629	22.4%
9 to 12 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,805	4.2%
13 or more visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,461	2.9%
2011-2012:														
0 visits	8,030	20.0%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,999	13.1%
1 to 3 visits	21,039	52.4%	\$	\$	\$	\$	32,471	71.3%	29,604	74.0%	\$	\$	175,824	69.8%
4 to 8 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,495	12.9%
9 to 12 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,313	3.3%
13 or more visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,267	0.9%
2013														
0 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1 to 3 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	183,000	77.1%
4 to 8 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	22,000	9.1%
9 to 12 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
13 or more visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
0 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1 to 3 visits	\$	\$	\$	\$	19,000	55.1%	\$	\$	\$	\$	\$	\$	160,000	68.6%
4 to 8 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
9 to 12 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
13 or more visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
0 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1 to 3 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
4 to 8 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
9 to 12 visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
13 or more visits	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "During the past 12 months, how many times have you seen a medical doctor?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Visited Emergency Room in the Past 12 Months [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	12,155	31.0%	\$	\$	6,982	16.2%	16,178	38.0%	\$	\$	56,103	21.2%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,389	23.4%	55,050	20.9%
2009	14,865	35.4%	12,900	31.9%	\$	\$	14,243	36.4%	9,720	24.1%	8,581	16.6%	71,522	27.8%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,533	14.9%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	35,000	14.6%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	33,000	14.2%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "During the past 12 months, did you visit a hospital emergency room for your own health?" And "During the past 12 months, have you had to visit a hospital emergency room or urgent care clinic because of you asthma?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHIS

Delayed or Did Not Get Other Medical Care [†] , (Adolescents ages 12-17 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	19,848	7.5%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,902	3.0%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	14,922	5.8%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,870	6.3%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "During the past 12 months, did you delay or not get other medical care you felt you needed-- such as seeing a doctor, a specialist, or other health professional?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.