

San Diego County – Public Health Data

California Health Interview Survey Estimates: Adults



LIVE WELL
SAN DIEGO

California Health Interview Survey (CHIS)*

County of San Diego By HHS Region

REGIONS:
North Coastal
North Central
Central
South
East
North Inland

*CHIS is conducted by the UCLA Center for Health Policy Research in collaboration with the California Department of Public Health, and the Department of Health Care Services.

Important Information for Data Users

Please Review This Section Before Using the Following Public Health Data

The California Health Interview Survey (CHIS) is an important source of information on health and access to health care services. CHIS is a telephone survey of adults, adolescents, and children from all parts of the state. The survey is conducted every two years. CHIS is the largest state health survey and one of the largest health surveys in the United States. The survey provides state and county level information for health planning and comparison. Region level information is available for many variables for the 2005, 2007, 2009, 2011-2012, 2013-2014, and 2015 surveys. A list of CHIS questionnaire topics is included. To see the actual survey questions, go to <http://healthpolicy.ucla.edu/chis/design/Pages/survey-topics.aspx>. Data can also be accessed from the [askCHIS website](#).

In this document, information from CHIS is presented and used to estimate the number of residents represented in each variable. Both County level and Health and Human Services Agency (HHSA) Region level information are provided. For more information on CHIS, go to <http://chis.ucla.edu/what-chis.html>.

California Health Interview Survey Topics

For list of topics for data included in this document, see the **CHIS Data Topic Page Index** of the Community Profiles.

More data is available via askCHIS. For list of all available topics, see below.
Excerpted from [CHIS website](#):

CHIS covers hundreds of health topics:

CHIS is conducted every two years with many core questions repeated in each survey in order to measure significant shifts over time. New questions are also added each survey year to address emerging concerns that are important for planning and policy development.

Click on any of the following links to see what CHIS topics have changed - and remained the same - over time.

- [2015 Survey Topics](#) (PDF 178k)
- [2013-2014 Survey Topics](#) (PDF 447k)
- [2011-2012 Survey Topics](#) (PDF 153k)
- [2009 Survey Topics](#) (PDF 646k)
- [2007 Survey Topics](#) (PDF 190k)
- [2005 Survey Topics](#) (PDF 254k)
- [2003 Survey Topics](#) (PDF 303k)
- [2001 Survey Topics](#) (PDF 76k)

Note:

2001, 2003 surveys provide County wide data.

2005, 2007, 2009, 2011-2012, 2013-2014, and 2015 surveys provide data for HHSAs

Regions when statistically possible.

California Health Interview Survey Data Topic Page Index

Survey Data

General Health & Disability
Heart Disease & Stroke
Diabetes
Asthma
Cancer
Cancer Screening
Infectious Diseases
Vaccine
Women's Health
Other Health Conditions
Drinking
Smoking
Physical Activity & Exercise
Weight
Nutrition & Food Security
Public Program Participation
Insurance
Access & Utilization

More California Health Interview Survey (CHIS) data available online at www.chis.ucla.edu, using askCHIS query system.

Contact Us:

County of San Diego,
Health and Human Services Agency,
Public Health Services,
Community Health Statistics Unit
6255 Mission Gorge Road, San Diego, CA 92120
(619) 285-6479

Leslie.Ray@sdcounty.ca.gov
Ryan.Smith@sdcounty.ca.gov
Maria.Pena@sdcounty.ca.gov
www.SDHealthStatistics.com

CHIS Adults - General Health & Disability

CHIS

General Health Status [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
Excellent	98,001	25.7%	125,507	26.8%	77,461	21.5%	68,211	20.8%	71,627	21.1%	93,290	23.6%	534,065	23.5%
Very Good	129,651	34.0%	161,098	34.4%	99,078	27.5%	125,927	38.4%	102,519	30.2%	123,728	31.3%	738,600	32.5%
Good	93,425	24.5%	126,443	27.0%	107,004	29.7%	85,591	26.1%	106,592	31.4%	126,100	31.9%	647,696	28.5%
Fair	48,047	12.6%	40,275	8.6%	54,403	15.1%	40,992	12.5%	44,810	13.2%	42,692	10.8%	270,441	11.9%
Poor	12,202	3.2%	14,986	3.2%	22,337	6.2%	\$	\$	13,918	4.1%	9,882	2.5%	81,814	3.6%
2007:														
Excellent	98,342	24.7%	138,978	29.8%	69,414	19.0%	66,110	19.9%	66,266	19.2%	92,083	22.3%	528,990	22.8%
Very Good	139,351	35.0%	163,696	35.1%	111,794	30.6%	102,654	30.9%	120,798	35.0%	142,047	34.4%	779,564	33.6%
Good	103,518	26.0%	122,655	26.3%	110,698	30.3%	101,989	30.7%	104,921	30.4%	115,620	28.0%	658,917	28.4%
Fair	45,787	11.5%	29,381	6.3%	60,646	16.6%	50,496	15.2%	42,107	12.2%	54,919	13.3%	283,056	12.2%
Poor	11,546	2.9%	\$	\$	12,422	3.4%	11,295	3.4%	10,699	3.1%	8,671	2.1%	67,284	2.9%
2009:														
Excellent	96,685	23.3%	114,057	23.3%	76,927	20.7%	74,714	22.2%	78,477	22.0%	95,124	22.1%	535,154	22.3%
Very Good	156,855	37.8%	199,233	40.7%	113,346	30.5%	100,292	29.8%	124,850	35.0%	166,144	38.6%	859,126	35.8%
Good	109,549	26.4%	118,953	24.3%	108,143	29.1%	101,975	30.3%	100,237	28.1%	111,050	25.8%	650,344	27.1%
Fair	41,911	10.1%	46,504	9.5%	44,224	11.9%	47,454	14.1%	40,666	11.4%	37,017	8.6%	259,178	10.8%
Poor	\$	\$	10,280	2.1%	\$	\$	\$	\$	12,485	3.5%	\$	\$	98,392	4.1%
2011-2012:														
Excellent	107,714	27.7%	132,512	26.7%	78,621	20.9%	55,931	16.2%	76,235	21.4%	117,218	27.3%	569,344	23.8%
Very Good	126,380	32.5%	209,935	42.3%	106,459	28.3%	97,361	28.2%	123,258	34.6%	130,529	30.4%	791,818	33.1%
Good	97,993	25.2%	105,712	21.3%	128,653	34.2%	117,386	34.0%	103,665	29.1%	121,512	28.3%	676,993	28.3%
Fair	47,052	12.1%	35,734	7.2%	48,151	12.8%	54,205	15.7%	47,379	13.3%	42,508	9.9%	275,103	11.5%
Poor	9,333	2.4%	12,904	2.60%	\$	\$	20,370	5.90%	5,344	1.50%	17,604	4.10%	78,943	3.30%
2013														
Excellent	103,000	27.9%	118,000	25.3%	75,000	20.2%	69,000	20.4%	82,000	22.4%	113,000	26.3%	562,000	23.9%
Very Good	146,000	39.6%	147,000	31.4%	97,000	26.0%	93,000	27.2%	115,000	31.2%	115,000	26.7%	713,000	30.3%
Good	67,000	18.2%	141,000	30.2%	137,000	36.0%	83,000	24.5%	118,000	31.9%	116,000	26.9%	663,000	28.2%
Fair	47,000	12.8%	56,000	12.0%	51,000	13.6%	76,000	22.4%	37,000	10.1%	65,000	15.0%	333,000	14.2%
Poor	\$	\$	5,000	1.10%	\$	\$	\$	\$	\$	\$	\$	\$	79,000	3.4%
2014-2015 [^]														
Excellent	\$	26.8%	\$	22.7%	\$	22.0%	\$	20.9%	\$	17.8%	\$	26.4%	\$	22.9%
Very Good	\$	32.9%	\$	37.5%	\$	27.5%	\$	18.7%	\$	32.4%	\$	29.3%	\$	30.3%
Good	\$	20.7%	\$	24.5%	\$	30.3%	\$	32.8%	\$	30.3%	\$	30.6%	\$	28.0%
Fair	\$	\$	\$	12.2%	\$	16.4%	\$	23.5%	\$	13.6%	\$	9.6%	\$	14.5%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	6.0%	\$	\$	\$	4.2%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "In general, would you say your health is excellent, very good, good, fair or poor?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.
[^]Population numbers unavailable for pooled statistics for these years

CHIS

Disabled Due to Physical, Mental, or Emotional Condition [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	112,491	29.5%	121,760	26.0%	100,519	27.9%	77,721	23.7%	112,363	33.1%	101,591	25.7%	627,242	27.6%
2007	107,898	27.1%	111,462	23.9%	91,700	25.1%	96,674	29.1%	105,612	30.6%	118,923	28.8%	631,076	27.2%
2009	89,216	21.5%	116,505	23.8%	115,204	31.0%	107,359	31.9%	87,752	24.6%	117,076	27.2%	635,945	26.5%
2011-2012	86,327	22.20%	139,461	28.10%	99,687	26.50%	110,135	31.90%	94,759	26.60%	112,495	26.20%	641,110	26.80%
2013	84,000	22.9%	113,000	24.3%	75,000	20.1%	117,000	34.5%	134,000	36.4%	116,000	26.9%	640,000	27.3%
2014	77,000	21.2%	132,000	27.3%	109,000	32.6%	99,000	30.6%	139,000	35.0%	107,000	22.8%	663,000	28.0%
2015	\$	\$	168,000	34.3%	129,000	34.0%	118,000	33.7%	142,000	39.2%	126,000	28.8%	828,000	34.1%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked a series of questions about physical, emotional and mental limitations. Asked of all adults; those 65+ were not asked about work limitations.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Couldn't Work At Least a Year Due to Physical / Mental Impairment [†] , (Adults ages 18-64 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	13,206	4.1%	12,352	3.1%	19,828	6.2%	\$	\$	16,350	5.7%	11,193	3.4%	81,391	4.2%
2007														
2009	9,835	2.8%	9,036	2.2%	\$	\$	\$	\$	12,564	4.2%	20,748	5.8%	105,761	5.2%
2011-2012	14,725	4.5%	\$	\$	\$	\$	15,088	5.1%	12,505	4.2%	15,608	4.4%	97,454	4.8%
2013-2015 [^]	\$	\$	\$	\$	\$	5.5%	\$	8.2%	\$	8.7%	\$	\$	\$	6.0%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "Do you have a physical or mental condition that has kept you from working for at least a year?". Asked of adults who are 18 to 64 years of age.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.
[^]Population numbers unavailable for pooled statistics for these years

San Diego County - Public Health Data

CHS

Legally Blind [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	22,726	1.0%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,521	1.1%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	43,196	1.8%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	16,745	0.7%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	26,000	1.1%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Are you legally blind?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 § statistically unstable, percent not reported.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Heart Disease & Stroke

CHIS

Ever Diagnosed with Any Diseases of the Heart† (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													138,247	6.5%
2003													146,289	6.6%
2005	18,304	4.8%	30,908	6.6%	22,698	6.3%	16,069	4.9%	27,157	8.0%	19,370	4.9%	134,084	5.9%
2007	23,491	5.9%	23,785	5.1%	19,363	5.3%	23,587	7.1%	30,027	8.7%	28,492	6.9%	148,488	6.4%
2009	19,503	4.7%	25,455	5.2%	\$	\$	18,174	5.4%	18,549	5.2%	\$	\$	153,587	6.4%
2011-2012	22,165	5.7%	23,822	4.8%	10,533	2.8%	15,536	4.5%	27,430	7.7%	37,355	8.7%	138,748	5.8%
2013	21,000	5.7%	23,000	5.0%	13,000	3.4%	\$	\$	16,000	4.4%	29,000	6.8%	141,000	6.0%
2014	\$	\$	20,000	4.1%	\$	\$	18,000	5.5%	\$	\$	\$	\$	134,000	5.6%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	215,000	8.9%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Has a doctor ever told you that you had any kind of heart disease?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 3/2014); SANDAG, Current Population Estimates, 10/2011.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever Diagnosed with Stroke† (Adults ages 65+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													27,268	8.4%
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,105	7.5%
2007														
2009														
2011-2012	5,856	9.5%	2,800	3.8%	\$	\$	\$	\$	3,802	6.5%	\$	\$	23,524	6.5%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Has a doctor ever told you that you had a stroke?", among those age 65+.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 3/2014); SANDAG, Current Population Estimates, 10/2011.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever Diagnosed with High Blood Pressure† (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													461,531	21.7%
2003													507,577	22.9%
2005	93,044	24.4%	111,458	23.8%	88,990	24.7%	73,458	22.4%	97,087	28.6%	81,036	20.5%	545,428	24.0%
2007	93,963	23.6%	114,727	24.6%	102,295	28.0%	93,684	28.2%	101,815	29.5%	94,973	23.0%	603,234	26.0%
2009	100,835	24.3%	112,099	22.9%	111,488	30.0%	86,157	25.6%	90,606	25.4%	128,697	29.9%	631,146	26.3%
2011-2012	84,383	21.7%	114,149	23.0%	74,483	19.8%	108,754	31.5%	102,240	28.7%	129,241	30.1%	617,188	25.8%
2013	93,000	25.1%	106,000	22.6%	118,000	31.7%	127,000	37.3%	119,000	32.4%	85,000	19.8%	648,000	27.6%
2014	81,000	22.4%	142,000	29.4%	66,000	19.5%	114,000	35.4%	141,000	35.3%	138,000	29.4%	682,000	28.7%
2015	123,000	30.4%	\$	\$	84,000	22.0%	87,000	24.9%	122,000	33.7%	122,000	28.0%	660,000	27.2%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Has a doctor ever told you that you have high blood pressure?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 3/2014); SANDAG, Current Population Estimates, 10/2011.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Currently Taking Medicine To Control High Blood Pressure, Among those with High Blood Pressure†, (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													300,918	65.2%
2003													328,910	64.8%
2005	58,257	62.0%	82,259	71.7%	73,141	71.5%	69,607	74.3%	67,198	66.0%	59,263	62.4%	370,346	67.9%
2007	63,519	67.6%	75,031	65.4%	60,252	58.9%	66,047	70.5%	69,132	67.9%	63,252	66.6%	397,531	65.9%
2009	60,299	59.8%	85,308	76.1%	86,961	78.0%	62,119	72.1%	66,414	73.3%	85,069	66.1%	448,113	71.0%
2011-2012	58,730	69.6%	78,877	69.1%	50,500	67.8%	75,911	69.8%	65,740	64.3%	80,388	62.2%	411,664	66.7%
2013	49,000	52.5%	77,000	72.8%	\$	\$	87,000	68.4%	\$	\$	\$	\$	458,000	70.6%
2014-2015	\$	67.8%	\$	\$	\$	\$	\$	\$	\$	71.7%	\$	73.4%	\$	70.2%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Are you now taking any medications to control your high blood pressure?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 3/2014); CHIS and SANDAG, Current Population Estimates, 10/2011.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

§ statistically unstable, percent not reported.

CHIS Adults - Heart Disease & Stroke continued...

CHIS

Last Blood Cholesterol Check† (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
1-12 months ago	251,675	66.0%	292,693	62.5%	220,853	61.3%	240,377	73.3%	198,248	58.4%	246,270	62.3%	1,445,384	63.6%
13 - 24 months ago	36,989	9.7%	56,665	12.1%	50,439	14.0%	33,449	10.2%	58,049	17.1%	58,504	14.8%	295,440	13.0%
25 months - 5 years ago	29,743	7.8%	36,528	7.8%	34,587	9.6%	20,988	6.4%	33,607	9.9%	30,043	7.6%	186,355	8.2%
more that 5 years ago	19,448	5.1%	22,947	4.9%	§	§	10,822	3.3%	8,826	2.6%	12,650	3.2%	90,905	4.0%
never	43,471	11.4%	59,944	12.8%	38,550	10.7%	22,300	6.8%	40,396	11.9%	47,436	12.0%	254,533	11.2%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked "About how long ago did you have your blood cholesterol checked?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

§ statistically unstable, percent not reported.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Diagnosed with High Blood Cholesterol‡ (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	60,179	18.9%	87,210	22.6%	55,058	18.0%	56,899	19.3%	62,039	21.4%	62,276	18.6%	383,508	19.9%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

‡ Respondents were asked: "The last time your cholesterol was checked, did a doctor tell you your blood cholesterol was high?" Asked of adults who have had cholesterol checked within past 5 years.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Diabetes

CHIS

Ever Diagnosed with Diabetes, Pre-Diabetes/Borderline†, (Adults, ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
Diabetes	16,397	4.3%	21,074	4.5%	28,462	7.9%	16,397	5.0%	30,552	9.0%	17,788	4.5%	131,812	5.8%
Pre-diabetes/Borderline														
2007:														
Diabetes	23,491	5.9%	17,722	3.8%	32,150	8.8%	27,574	8.3%	20,018	5.8%	25,189	6.1%	146,168	6.3%
Pre-diabetes/Borderline														
2009:														
Diabetes	20,748	5.0%	36,224	7.4%	44,595	12.0%	31,972	9.5%	16,052	4.5%	§	§	187,184	7.8%
Pre-diabetes/Borderline														
2011-2012:														
Diabetes	24,498	6.3%	35,734	7.2%	32,728	8.7%	37,978	11.0%	30,280	8.5%	27,480	6.4%	186,592	7.8%
Pre-diabetes/Borderline	24,498	6.3%	35,734	7.2%	32,728	8.7%	37,978	11.0%	30,280	8.5%	27,480	6.4%	186,592	7.8%
2013														
Diabetes	§	§	27,000	5.7%	§	§	48,000	14.2%	22,000	6.0%	52,000	12.1%	201,000	8.5%
Pre-diabetes/Borderline	20,000	5.6%	43,000	9.2%	28,000	7.4%	§	§	34,000	9.3%	47,000	10.8%	215,000	9.2%
2014-2015														
Diabetes	§	§	§	§	§	§	§	11.9%	§	11.5%	§	§	§	8.4%
Pre-diabetes/Borderline	§	13.2%	§	10.0%	§	10.9%	§	20.0%	§	14.3%	§	7.7%	§	12.3%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked "(Other than during pregnancy,) has a doctor ever told you that you have diabetes or sugar diabetes?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHIS

Age First Told Have Diabetes [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
10-19	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,272	4.0%
20-29	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,336	8.6%
30-39	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,717	14.2%
40-49	\$	\$	\$	\$	13,121	46.1%	6,444	39.3%	\$	\$	\$	\$	36,512	27.7%
50-59	\$	\$	\$	\$	\$	\$	\$	\$	10,479	34.3%	\$	\$	24,517	18.6%
60-69	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	20,694	15.7%
70+	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,863	9.0%
2007:														
0-9	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	877	0.6%
10-19	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,116	3.5%
20-29	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,793	6.7%
30-39	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	24,118	16.5%
40-49	\$	\$	\$	\$	\$	\$	6,204	22.5%	6,206	31.0%	\$	\$	35,519	23.3%
50-59	\$	\$	6,522	36.8%	\$	\$	6,949	25.2%	4,684	23.4%	\$	\$	34,496	23.6%
60-69	\$	\$	\$	\$	\$	\$	6,287	22.8%	\$	\$	\$	\$	18,710	12.8%
70+	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,540	12.0%
2009:														
0-9	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,300	3.9%
10-19	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	22,649	12.1%
20-29	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,487	4.0%
30-39	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	33,319	17.8%
40-49	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	42,304	22.6%
50-59	5,664	27.3%	\$	\$	\$	\$	\$	\$	4,350	27.1%	\$	\$	35,378	18.9%
60-69	4,834	23.3%	\$	\$	\$	\$	\$	\$	4,077	25.4%	\$	\$	22,462	12.0%
70+	3,382	16.3%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	16,472	8.8%
2011-2012:														
0-9	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,239	1.2%
10-19	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,382	6.1%
20-29	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,382	6.1%
30-39	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	30,228	16.2%
40-49	8,501	34.7%	\$	\$	\$	\$	12,419	32.7%	9,417	31.1%	\$	\$	49,074	26.3%
50-59	4,263	17.4%	12,900	36.1%	8,967	27.4%	9,494	25.0%	4,572	15.1%	10,030	36.5%	49,447	26.5%
60-69	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	21,271	11.4%
70+	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,755	6.3%
2013														
0-9	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
10-19	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
20-29	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
30-39	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	27,000	13.7%
40-49	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	46,000	22.9%
50-59	\$	\$	\$	\$	\$	\$	\$	\$	9,000	41.0%	24,000	46.6%	58,000	28.8%
60-69	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	30,000	14.8%
70+	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	24,000	11.8%
2014														
0-9	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
10-19	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
20-29	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
30-39	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
40-49	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	47,000	29.0%
50-59	10,000	40.9%	\$	\$	\$	\$	10,000	36.5%	\$	\$	\$	\$	53,000	32.7%
60-69	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	34,000	20.7%
70+	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
0-9	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
10-19	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
20-29	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
30-39	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
40-49	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
50-59	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
60-69	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
70+	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "How old were you when a doctor first told you that you have diabetes?" Asked of respondents who have been told by a doctor that they have diabetes.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHS

Now Taking Insulin for Diabetes [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	28,471	21.6%
2007	7,212	30.7%	\$	\$	\$	\$	7,279	26.4%	7,166	35.8%	\$	\$	40,489	27.7%
2009	3,859	18.6%	\$	\$	\$	\$	\$	\$	5,458	34.0%	\$	\$	64,766	34.6%
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked "Are you now taking insulin?" Asked of respondents who have been told by a doctor that they have diabetes.
[§] statistically unstable, percent not reported.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Asthma

CHIS

Ever Diagnosed with Asthma [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	56,055	14.7%	59,007	12.6%	43,954	12.2%	29,514	9.0%	35,644	10.5%	43,087	10.9%	268,169	11.8%
2007	31,454	7.9%	61,094	13.1%	41,283	11.3%	43,188	13.0%	48,664	14.1%	60,700	14.7%	285,376	12.3%
2009	56,019	13.5%	67,064	13.7%	34,190	9.2%	29,953	8.9%	52,437	14.7%	40,460	9.4%	278,376	11.6%
2011-2012	49,774	12.8%	67,993	13.7%	57,555	15.3%	33,144	9.6%	42,036	11.8%	46,801	10.9%	296,633	12.4%
2013	47,000	12.7%	54,000	11.5%	\$	\$	59,000	17.4%	42,000	11.3%	39,000	9.1%	289,000	12.3%
2014	51,000	14.2%	62,000	12.8%	46,000	13.8%	72,000	22.4%	93,000	23.3%	45,000	9.5%	369,000	15.6%
2015	75,000	18.5%	\$	\$	\$	\$	\$	\$	59,000	16.4%	\$	\$	377,000	15.5%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Has a doctor EVER told you that you have asthma?".
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.
 § statistically unstable, percent not reported.

CHIS

Currently Have Asthma, Among Those Ever Diagnosed with Asthma [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	35,931	64.1%	35,522	60.2%	22,549	51.3%	24,615	83.4%	19,248	54.0%	19,217	44.6%	156,611	58.4%
2007	18,809	59.8%	31,280	51.2%	26,958	65.3%	30,620	70.9%	32,410	66.6%	30,654	50.5%	170,370	59.7%
2009	19,103	34.1%	32,124	47.9%	22,770	66.6%	15,875	53.0%	28,159	53.7%	26,056	64.4%	144,477	51.9%
2011-2012	20,009	40.2%	24,954	36.7%	30,735	53.4%	19,522	58.9%	20,892	49.7%	31,872	68.1%	148,910	50.2%
2013	23,000	48.9%	31,000	57.4%	\$	\$	\$	\$	15,000	37.1%	\$	\$	168,000	58.1%
2014-2015	\$	\$	\$	43.0%	\$	\$	\$	47.2%	\$	49.7%	\$	45.3%	\$	51.4%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Do you still have asthma?". Asked of those who have been told by a doctor they have asthma.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 § statistically unstable, percent not reported.
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Asthma Symptoms in the Past 12 Months, Among Current Asthmatics [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	34,063	94.8%	34,492	97.1%	21,872	97.0%	22,203	90.2%	18,536	96.3%	14,643	76.2%	145,178	92.7%
2007	16,025	85.2%	30,123	96.3%	23,400	86.8%	27,895	91.1%	29,818	92.0%	29,090	94.9%	155,888	91.5%
2009	16,352	85.6%	23,900	74.4%	22,406	98.4%	12,097	1	24,217	86.0%	24,884	95.5%	124,684	86.3%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	138,933	93.3%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Have you had an asthma episode/attack in past 12 months" among current asthmatics.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Asthma Symptom Frequency in the Past 12 Months, Among Current Asthmatics [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
every day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	21,769	13.9%
every week	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,384	11.1%
every month	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,732	20.9%
less than every month	18,289	50.9%	19,821	55.8%	\$	\$	\$	\$	8,354	43.4%	10,781	56.1%	73,294	46.8%
not at all	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,433	7.3%
2007:														
every day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,948	7.6%
every week	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,200	18.9%
every month	5,568	29.6%	9,791	31.3%	\$	\$	\$	\$	\$	\$	6,683	21.8%	44,466	26.1%
less than every month	4,458	23.7%	15,671	50.1%	9,408	34.9%	14,851	48.5%	\$	\$	13,120	42.8%	66,274	38.9%
not at all	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	14,481	8.5%
2009														
2011-2012														
2013														
2014-2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "How often had asthma symptoms in past 12 months". Asked of those ever told they have asthma and still have asthma &/or had an episode in the last 12 months.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 § statistically unstable, percent not reported.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Asthma continued...

CHIS

Taking Daily Medication to Control Asthma, Among Current Asthmatics [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	13,762	38.3%	13,427	37.8%	16,911	75.0%	\$	\$	9,200	47.8%	6,630	34.5%	64,993	41.5%
2007	10,458	55.6%	15,359	49.1%	15,636	58.0%	15,432	50.4%	19,122	59.0%	11,281	36.8%	87,570	51.4%
2009	8,462	44.3%	11,821	36.8%	\$	\$	8,303	52.3%	13,037	46.3%	10,188	39.1%	58,080	40.2%
2011-2012	7,724	38.6%	\$	\$	\$	\$	12,065	61.8%	6,811	32.6%	10,677	33.5%	71,774	48.2%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	59,000	35.3%
2014-2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	35.4%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Are you now taking a daily medication to control your asthma that was prescribed or given to you by a doctor?". Asked of those ever told they have asthma and still have asthma &/or had an episode in the last 12 months.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Health Professional Ever Gave Asthma Management Plan [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	16,816	30.0%	18,292	31.0%	17,142	39.0%	\$	\$	8,626	24.2%	14,693	34.1%	83,132	31.0%
2007	10,600	33.7%	28,348	46.4%	12,385	30.0%	\$	\$	15,427	31.7%	17,603	29.0%	97,884	34.3%
2009	30,026	53.6%	27,429	40.9%	17,984	52.6%	14,947	0	29,732	56.7%	18,531	45.8%	138,074	49.6%
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Has a doctor or other health professional ever given you an asthma management plan?". Asked of those ever told they have asthma.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

ER/Urgent Care Visit for Asthma in the Past 12 Months [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	27,563	17.6%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,881	19.3%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,513	5.2%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	19,656	13.2%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "During the past 12 months, have you had to visit a hospital emergency room or urgent care clinic because of your asthma?". Asked of those ever told they have asthma and still have asthma &/or had an episode in the last 12 months.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 \$ statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Cancer

CHIS

Ever Diagnosed with Cancer [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	48,428	12.7%	53,856	11.5%	27,021	7.5%	24,923	7.6%	33,607	9.9%	37,949	9.6%	224,989	9.9%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Has a doctor ever told you that you had cancer of any kind?".
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Type of Cancer [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
Skin	25,328	52.3%	23,589	43.8%	11,025	40.8%	8,873	35.6%	14,149	42.1%	16,356	43.1%	98,995	44.0%
Breast	\$	\$	8,725	16.2%	\$	\$	\$	\$	\$	\$	\$	\$	24,524	10.9%
Cervical	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,224	8.1%
Prostate	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,024	4.9%
Colon	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,000	4.0%
Uterine	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,400	2.4%
Other	\$	\$	9,694	18.0%	\$	\$	\$	\$	\$	\$	\$	\$	37,798	16.8%
Multiple Types	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	19,799	8.8%
2007														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "What kind of cancer was it?". Asked of respondents who have ever had cancer.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 \$ statistically unstable, percent not reported.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Cancer continued...

CHIS

Doctor Examined Breasts for Lumps in the Past 12 Months†, (Women ages 30+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
2007	117,670	79.5%	140,656	77.2%	87,908	68.9%	92,551	75.1%	100,372	72.3%	125,412	77.7%	665,356	75.5%
2009	126,889	81.4%	159,783	80.8%	98,754	71.5%	88,578	68.9%	109,224	75.6%	136,137	79.2%	715,621	76.4%
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "In the past 12 months, has a doctor examined your breasts for lumps?". Asked of adult women 30 years and older.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever Had a Mammogram†, (Women ages 30+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
Within past 2 years	96,208	65.0%	119,521	65.6%	65,325	51.2%	82,446	66.9%	91,626	66.0%	97,650	60.5%	554,316	62.9%
Over 2 years ago	15,541	10.5%	19,859	10.9%	10,717	8.4%	10,968	8.9%	14,854	10.7%	24,211	15.0%	96,939	11.0%
Never	36,115	24.4%	42,816	23.5%	51,546	40.4%	29,823	24.2%	32,208	23.2%	39,544	24.5%	230,010	26.1%
2007:														
Within past 2 years	104,241	68.0%	105,630	55.7%	76,522	57.3%	75,719	59.8%	103,273	73.1%	113,294	67.6%	580,927	63.7%
Over 2 years ago	24,527	16.0%	21,619	11.4%	19,498	14.6%	14,435	11.4%	13,421	9.5%	18,435	11.0%	111,261	12.2%
Never	24,680	16.1%	62,392	32.9%	37,526	28.1%	36,467	28.8%	24,582	17.4%	35,865	21.4%	219,786	24.1%
2009:														
Within past 2 years	105,533	67.7%	131,307	66.4%	89,638	64.9%	87,164	67.8%	98,966	68.5%	110,010	64.0%	622,890	66.5%
Over 2 years ago	16,524	10.6%	19,775	10.0%	14,502	10.5%	\$	\$	16,326	11.3%	16,330	9.5%	96,478	10.3%
Never	33,827	21.7%	46,669	23.6%	33,977	24.6%	28,926	22.5%	29,184	20.2%	45,551	26.5%	217,309	23.2%
2011-2012:														
Within past 2 years	95,241	63.9%	114,506	64.2%	73,526	56.0%	95,087	71.3%	84,475	58.8%	117,349	66.0%	581,006	63.6%
Over 2 years ago	17,737	11.9%	17,301	9.7%	\$	\$	15,070	11.3%	21,406	14.9%	21,692	12.2%	108,710	11.9%
Never	35,920	24.1%	46,373	26.0%	42,409	32.3%	23,205	17.4%	37,784	26.3%	38,761	21.8%	223,815	24.5%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Within past 2 years	\$	\$	\$	\$	\$	\$	\$	\$	109,000	83.8%	\$	\$	624,000	77.9%
Over 2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	117,000	14.7%
Never	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Have you EVER had a mammogram?", if yes, asked "How long ago did you have your most recent mammogram?". Asked of adult women 30 years and older.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.
 § statistically unstable, percent not reported.

CHIS

Main Reason for Having Mammogram†, (Women ages 30+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
Routine exam/screening	89,064	79.7%	113,595	81.5%	55,511	73.0%	79,869	85.5%	88,059	82.7%	96,757	79.4%	524,912	80.6%
Specific breast problem	5,252	4.7%	6,830	4.9%	\$	\$	\$	\$	\$	\$	10,724	8.8%	34,517	5.3%
Follow-up previous problem	10,057	9.0%	9,896	7.1%	\$	\$	\$	\$	\$	\$	\$	\$	46,890	7.2%
Family history	7,487	6.7%	8,920	6.4%	11,102	14.6%	\$	\$	7,347	6.9%	5,606	4.6%	44,285	6.8%
2007:														
2009:														
Routine exam/screening	97,645	80.0%	124,642	82.5%	89,248	85.7%	\$	\$	89,812	77.9%	100,061	79.2%	581,969	80.9%
Specific breast problem	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	48,198	6.7%
Follow-up previous problem	12,572	10.3%	11,784	7.8%	\$	\$	\$	\$	\$	\$	9,349	7.4%	51,075	7.1%
Family history	6,469	5.3%	9,518	6.3%	\$	\$	4,881	5.6%	5,649	4.9%	6,443	5.1%	38,127	5.3%
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Tell me the main reason you had a mammogram." Asked of women who have ever had a mammogram. Does not include responses made by proxy.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 § statistically unstable, percent not reported.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Cancer continued...

CHIS

Main Reason for Not Having Mammogram [†] , (Women ages 30+ yrs)															
Year	North Coastal		North Central		Central		South		East		North Inland		County		
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	
2001															
2003															
2005:															
No reason	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	22,511	6.8%	
Didn't know it was needed	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,938	2.7%	
Doctor didn't say needed	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,931	3.0%	
Haven't had any problems	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,870	5.7%	
Put it off/laziness	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	27,205	50.1%	81,769	24.7%
Expensive/no insurance	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	48,664	14.7%	
Painful/embarrassing	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	48,002	14.5%	
Too young	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,614	2.3%	
Other	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	84,748	25.6%	
2007															
2009:															
No reason	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	16,317	5.2%	
Didn't know it was needed	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	
Doctor didn't say needed	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,103	8.0%	
Haven't had any problems	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,572	5.6%	
Put it off/laziness	\$	\$	\$	\$	11,926	24.6%	\$	\$	21,117	46.4%	\$	\$	69,033	22.0%	
Expensive/no insurance	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	14,120	4.5%	
Painful/embarrassing	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	24,789	7.9%	
Too young	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,531	2.4%	
Other	15,911	31.6%	49,036	73.8%	14,301	29.5%	17,847	61.7%	\$	\$	\$	\$	137,125	43.7%	
2011-2012:															
2013															
2014															
2015															

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked: "What is the ONE most important reason why you have (NEVER had a mammogram/NOT had a mammogram in the past 2 years)?" Asked of adult women age 30 or older who have never had a mammogram or who have not had a mammogram in the past 2 years (even though the doctor recommended it).

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

\$ statistically unstable, percent not reported.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Colorectal Cancer Screening Compliance [†] , (Adults ages 50+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	89,262	64.9%	94,075	68.4%	76,333	55.5%	85,273	62.0%	79,084	57.5%	92,012	66.9%	498,727	63.1%
2007	98,375	66.0%	96,934	55.9%	65,676	60.1%	80,725	69.7%	88,490	64.3%	100,918	59.9%	530,118	62.1%
2009	113,132	72.2%	127,374	68.5%	61,562	53.5%	81,157	67.7%	108,870	74.6%	134,488	75.3%	619,762	68.7%
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Compliance based on the American Cancer Society (ACS) recommendations and/or the U.S. Preventive Services Task Force (USPSTF) guidelines for the 50+ population.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever Had Sigmoidoscopy, Colonoscopy, or FOBT [†] , (Adults ages 50+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	109,755	79.8%	131,613	81.5%	69,276	68.6%	78,133	72.7%	91,338	70.9%	121,711	79.0%	601,476	76.1%
2007	114,473	76.8%	117,569	67.8%	85,455	78.2%	89,875	77.6%	106,380	77.3%	127,032	75.4%	640,239	75.0%
2009	131,309	83.8%	146,898	79.0%	80,894	70.3%	90,028	75.1%	122,150	83.7%	146,990	82.3%	714,485	79.2%
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked: "Have you ever had a Sigmoidoscopy or Colonoscopy?" and "Have you ever done a blood stool test, using a HOME test kit?". Asked of adults age 50 years and older.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 3/2014); SANDAG, Current Population Estimates, 10/2011.

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Cancer continued...

CHIS

Never had a Hysterectomy†, (Women ages 30+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													634,365	77.9%
2003														
2005	104,644	70.7%	150,677	82.7%	104,495	81.9%	94,892	77.0%	103,704	74.7%	133,805	82.9%	691,794	78.5%
2007														
2009														
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Have you had a hysterectomy?". Asked of adult women 30 years and older.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever had a Pap Test, Among Women who have Never had a Hysterectomy†, (Women ages 30+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													617,872	97.4%
2003													n/a	97.9%
2005	103,179	98.6%	146,609	97.3%	98,016	93.8%	90,907	95.8%	100,074	96.5%	130,727	97.7%	669,656	96.8%
2007	n/a	98.8%	n/a	94.7%	n/a	93.2%	n/a	96.2%	n/a	97.8%	n/a	98.2%	n/a	96.5%
2009														
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "To your knowledge, are you now pregnant?" and then "Have you had a hysterectomy?" and if not, then asked "Have you ever had a PAP smear?", if yes, asked "How long ago did you have your most recent PAP smear test?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

PAP Test in Past 3 Years, Among Women who have Never had a Hysterectomy†, (Women ages 30+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													565,854	89.2%
2003													n/a	87.9%
2005	92,506	88.4%	137,869	91.5%	88,298	84.5%	78,191	82.4%	88,459	85.3%	120,424	90.0%	606,011	87.6%
2007	n/a	92.3%	n/a	86.4%	n/a	87.3%	n/a	90.2%	n/a	91.3%	n/a	90.2%	n/a	89.5%
2009														
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "To your knowledge, are you now pregnant?" and then "Have you had a hysterectomy?" and if not, then asked "Have you ever had a PAP smear?", if yes, asked "How long ago did you have your most recent PAP smear test?". Asked of women of varying ages depending on year, who have never had a hysterectomy.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Cancer continued...

CHIS

Main Reason for Not having pap screen in past 3 years, Among Women who have Never had a Hysterectomy†, (Women ages 30+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
No reason	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,725	16.0%
Didn't know it was needed	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Haven't had problems	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,346	3.9%
Put it off/laziness	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,039	15.2%
Expensive/no insurance	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,061	5.9%
Painful/embarrassing	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,519	7.6%
Didn't have a doctor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Other	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	41,690	48.6%
2007														
2009														
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked: "What is the ONE most important reason why you have (NEVER had a Pap smear/NOT had a Pap smear in the last 3 years)?" Asked of adult women who have never had a hysterectomy, not had a Pap ever or in the past 3 years.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

\$ statistically unstable, percent not reported.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

PSA Screening in the Past Year†, (Males ages 40+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	41,548	41.0%	41,286	34.5%	25,905	31.3%	30,269	37.9%	29,206	30.9%	31,604	28.1%	199,630	33.8%
2007														
2009	29,115	26.5%	54,772	41.1%	19,600	21.1%	24,707	29.0%	34,546	34.5%	36,860	30.0%	199,709	31.0%
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked a series of questions on prostate cancer screening. Asked of all men 40 years and older.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Infectious Diseases

CHIS

Tested for STD, other than HIV, in the Past 12 Months, Among those Sexually Active†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	67,495	17.7%	87,105	18.6%	86,468	24.0%	68,867	21.0%	54,315	16.0%	49,412	12.5%	411,343	18.1%
2007	72,463	18.2%	111,929	24.0%	130,061	35.6%	97,670	29.4%	68,337	19.8%	64,004	15.5%	549,871	23.7%
2009														
2011-2012:														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Now thinking about other sexually transmitted diseases, besides HIV, in the past 12 months, have you ever been tested for a sexually transmitted disease?" Asked of adult respondents who have had sex in the past year.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Number of Sexual Partners in Past 12 Months†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	72,463	18.2%	111,929	24.0%	130,061	35.6%	97,670	29.4%	68,337	19.8%	64,004	15.5%	549,871	23.7%
2009:														
0 Partners	67,223	16.2%	87,624	17.9%	67,264	18.1%	55,867	16.6%	57,074	16.0%	54,664	12.7%	388,766	16.2%
1 Partner	332,382	80.1%	353,431	72.2%	276,119	74.3%	232,220	69.0%	261,115	73.2%	324,540	75.4%	1,778,247	74.1%
2 Partners	\$	\$	18,112	3.7%	\$	\$	\$	\$	\$	\$	\$	\$	88,792	3.7%
3+ Partners	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	141,588	5.9%
2011-2012:														
0 Partners	61,829	15.9%	89,830	18.1%	70,345	18.7%	56,967	16.5%	54,504	15.3%	74,711	17.4%	406,674	17.0%
2 Partners	24,498	6.3%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	119,610	5.0%
3+ Partners	32,275	8.3%	46,156	9.3%	31,599	8.4%	\$	\$	\$	\$	\$	\$	160,277	6.7%
2013														
0 Partners	42,000	13.1%	92,000	22.8%	82,000	24.2%	58,000	19.6%	71,000	23.4%	63,000	16.6%	409,000	20.0%
1 Partner	233,000	72.7%	255,000	63.3%	222,000	65.2%	187,000	62.8%	205,000	67.3%	277,000	73.1%	1,381,000	67.4%
2 Partners	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	102,000	5.0%
3+ Partners	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	155,000	7.6%
2014-2015														
0 Partners	\$	19.1%	\$	18.3%	\$	17.8%	\$	19.7%	\$	29.3%	\$	18.8%	\$	20.3%
1 Partner	\$	64.9%	\$	70.6%	\$	71.4%	\$	70.8%	\$	63.2%	\$	75.1%	\$	69.6%
2 Partners	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	4.2%
3+ Partners	\$	9.8%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5.9%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "In the past 12 months, how many sexual partners have you had?"
 respondents who have had sex in the past year.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Vaccine

CHIS

Had Flu Shot in the Past 12 Months [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	115,160	30.2%	165,781	35.4%	100,158	27.8%	94,774	28.9%	111,345	32.8%	107,916	27.3%	695,420	30.6%
2007	126,213	31.7%	175,821	37.7%	122,023	33.4%	121,257	36.5%	119,417	34.6%	142,460	34.5%	807,406	34.8%
2009	157,269	37.9%	211,961	43.3%	163,516	44.0%	164,236	48.8%	129,844	36.4%	159,688	37.1%	986,315	41.1%
2011-2012	153,211	39.4%	204,476	41.2%	123,011	32.7%	122,219	35.4%	121,476	34.1%	152,427	35.5%	875,545	36.6%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "During the past 12 months, have you had a flu shot?".
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Type of Flu Vaccine in the Past 12 Months [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007														
2009:														
Flu shot	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	872,889	88.5%
Nasal or Flumist	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	57,206	5.8%
Both	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	49,906	5.7%
2011-2012:														
Flu shot	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	841,399	96.1%
Nasal or Flumist	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	30,644	3.5%
Both	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,502	0.4%
2013														
2014														
2015														

† Respondents were asked: "Did you (he/she) have the flu shot or the nasal flu vaccine?".
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Women's Health (Maternal & Child Health)

CHIS

Currently Pregnant†, (Women ages 18-44 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													29,392	4.7%
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,229	4.2%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,816	3.2%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	30,770	5.1%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	14,517	2.4%
2013														
2014														
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "To your knowledge, are you now pregnant?". Asked of adult women of child bearing age who have not had a hysterectomy.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 § statistically unstable, percent not reported.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Given Birth to a Live Infant†, (Women ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													787,492	73.9%
2003														
2005	143,175	76.3%	145,538	62.3%	122,805	70.0%	116,802	71.4%	130,599	74.2%	142,618	70.3%	800,828	70.3%
2007														
2009	145,000	72.7%	171,753	69.5%	124,016	67.8%	144,158	84.4%	133,129	72.2%	168,296	76.3%	884,656	73.4%
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Have you ever given birth to a live infant?".
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Age When First Child Born†, (Women ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
Never given birth	44,472	23.7%	88,070	37.7%	52,631	30.0%	46,786	28.6%	45,410	25.8%	60,253	29.7%	338,330	29.7%
10-19 years	41,658	22.2%	17,988	7.7%	40,701	23.2%	33,699	20.6%	41,890	23.8%	27,185	13.4%	200,492	17.6%
20-34 years	93,261	49.7%	116,337	49.8%	76,841	43.8%	74,433	45.5%	82,900	47.1%	108,536	53.5%	553,631	48.6%
35 and older	8,444	4.5%	11,213	4.8%	5,263	3.0%	8,670	5.3%	5,808	3.3%	6,898	3.4%	45,566	4.0%
2007														
2009														
Never given birth	54,450	27.3%	75,374	30.5%	58,898	32.2%	26,645	15.6%	51,260	27.8%	52,275	23.7%	320,598	26.6%
10-19 years	28,322	14.2%	20,512	8.3%	39,144	21.4%	33,819	19.8%	33,559	18.2%	25,145	11.4%	188,020	15.6%
20-34 years	107,504	53.9%	139,380	56.4%	75,726	41.4%	106,239	62.2%	92,563	50.2%	128,372	58.2%	642,400	53.3%
35 and older	6,582	3.3%	\$	\$	\$	\$	\$	\$	5,532	3.0%	13,896	6.3%	54,236	4.5%
2011-2012														
2013														
2014														
2015														

† Respondents were asked: "Have you ever given birth to a live infant?" AND "How old were you when your first child was born?".
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Had Hysterectomy†, (Women ages 40+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													173,032	29.3%
2003													n/a	32.3%
2005	42,671	37.7%	30,166	22.9%	24,308	28.2%	24,381	26.7%	32,258	30.0%	27,166	21.5%	181,798	27.7%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked: "Have you had a hysterectomy?". Asked of women of varying ages depending on year and for 2003, may exclude responses may by proxy or who are currently pregnant.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Other Health Conditions

CHIS

Ever Diagnosed with Arthritis, Gout, Lupus or Fibromyalgia[†], (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	91,137	23.9%	76,334	16.3%	49,719	13.8%	53,782	16.4%	72,306	21.3%	65,619	16.6%	409,071	18.0%
2007														
2009														
2011-2012	64,551	16.6%	89,334	18.0%	61,317	16.3%	67,324	19.5%	79,084	22.2%	93,174	21.7%	456,910	19.1%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Have you EVER been told by a doctor that you have some form of arthritis, gout, lupus or fibromyalgia?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Had Joint Pain/ Stiffness during Past Month[†], (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007														
2009														
2011-2012	136,490	35.1%	186,609	37.6%	130,910	34.8%	115,314	33.4%	143,919	40.4%	154,144	35.9%	868,369	36.3%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "In the past 30 days, did you have any pain, aching, or stiffness in or around a joint?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever Diagnosed with Seizure Disorder or Epilepsy[†], (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	27,271	1.2%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Has a doctor ever told you that you have seizure disorder or epilepsy?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Seen a Neurologist or Epilepsy Specialist in the Past Year, Among those with Epilepsy or Seizure Disorder[†], (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,945	21.8%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "In the past 12 months, have you seen a neurologist or epilepsy specialist for your epilepsy or seizure disorder?". Asked of adults who currently have seizure disorder or epilepsy.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHHS

Currently Taking Medicine to Control Seizure Disorder or Epilepsy, Among those with Seizure Disorder or Epilepsy [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,563	42.4%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Are you now taking any medicine to control your seizure disorder or epilepsy?". Asked of those told by a doctor that they have have a seizure disorder or epilepsy.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

§ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Behaviors...Drinking

CHIS

Drank Alcohol in the Past Month [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	263,496	69.1%	337,651	72.1%	239,588	66.5%	170,199	51.9%	192,138	56.6%	260,105	65.8%	1,465,837	64.5%
2007	120,639	30.3%	163,696	35.1%	123,119	33.7%	97,338	29.3%	93,187	27.0%	120,988	29.3%	719,241	31.0%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "During the past month, have you had at least one drink of any alcoholic beverage such as beer, wine, wine coolers, or liquor?". Asked of all adults except those who answered by proxy through another person.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Binge drinking in the Past Month [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	64,444	16.9%	85,232	18.2%	85,747	23.8%	50,174	15.3%	54,993	16.2%	59,295	15.0%	399,980	17.6%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Males are considered binge drinkers if they consumed 5 or more alcoholic drinks on at least one occasion in the past month. Females are considered binge drinkers if they consumed 4 or more alcoholic drinks on at least one occasion in the past month.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

CHIS

Binge drinking in the Past Year [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	120,639	30.3%	163,696	35.1%	123,119	33.7%	97,338	29.3%	93,187	27.0%	120,988	29.3%	719,241	31.0%
2009	128,637	31.0%	170,841	34.9%	124,867	33.6%	121,831	36.2%	126,277	35.4%	161,409	37.5%	835,128	34.8%
2011-2012	123,269	31.7%	172,713	34.8%	144,077	38.3%	112,897	32.7%	128,245	36.0%	153,715	35.8%	834,878	34.9%
2013	131,000	35.6%	178,000	38.1%	134,000	35.9%	146,000	42.9%	112,000	30.4%	109,000	25.4%	811,000	34.5%
2014	146,000	40.1%	196,000	40.5%	144,000	42.9%	94,000	29.1%	61,000	15.4%	159,000	33.8%	800,000	33.7%
2015	131,000	32.4%	184,000	37.6%	127,000	33.5%	128,000	39.3%	114,000	31.4%	127,000	29.0%	821,000	33.9%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Males are considered binge drinkers if they consumed 5 or more alcoholic drinks on at least one occasion in the past year. Females are considered binge drinkers if they consumed 4 or more alcoholic drinks on at least one occasion in the past year.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Behaviors continued...Smoking

CHIS

Smoking Status [†] , (Adults age 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Current Smoker													367,949	17.3%
Former Smoker													555,113	26.1%
Never Smoker													1,203,808	56.6%
2003:														
Current Smoker													372,371	16.8%
Former Smoker													536,392	24.2%
Never Smoker													1,307,731	59.0%
2005:														
Current Smoker	52,242	13.7%	63,690	13.6%	70,255	19.5%	49,190	15.0%	61,443	18.1%	50,203	12.7%	347,710	15.3%
Former Smoker	109,822	28.8%	125,507	26.8%	87,188	24.2%	68,211	20.8%	85,545	25.2%	79,059	20.0%	554,518	24.4%
Never Smoker	218,881	57.4%	279,112	59.6%	202,839	56.3%	210,535	64.2%	192,477	56.7%	266,035	67.3%	1,370,387	60.3%
2007:														
Current Smoker	54,546	13.7%	58,296	12.5%	48,590	13.3%	43,852	13.2%	57,983	16.8%	61,113	14.8%	324,818	14.0%
Former Smoker	111,083	27.9%	86,278	18.5%	80,740	22.1%	88,368	26.6%	90,426	26.2%	96,212	23.3%	552,191	23.8%
Never Smoker	232,120	58.3%	321,795	69.0%	236,009	64.6%	199,992	60.2%	196,728	57.0%	255,602	61.9%	1,443,122	62.2%
2009:														
Current Smoker	41,496	10.0%	56,294	11.5%	58,345	15.7%	39,713	11.8%	58,858	16.5%	48,638	11.3%	307,174	12.8%
Former Smoker	105,400	25.4%	104,757	21.4%	82,501	22.2%	75,051	22.3%	91,676	25.7%	113,202	26.3%	573,551	23.9%
Never Smoker	268,064	64.6%	328,466	67.1%	230,409	62.0%	221,786	65.9%	206,181	57.8%	268,585	62.4%	1,521,469	63.4%
2011-2012:														
Current Smoker	46,663	12.0%	47,149	9.5%	62,070	16.5%	37,287	10.8%	52,010	14.6%	59,683	13.9%	306,202	12.8%
Former Smoker	84,772	21.8%	108,690	21.9%	75,612	20.1%	62,145	18.0%	100,459	28.2%	114,642	26.7%	550,206	23.0%
Never Smoker	257,037	66.1%	340,959	68.7%	238,497	63.4%	245,819	71.2%	203,767	57.2%	255,046	59.4%	1,533,400	64.1%
2013														
Current Smoker	31,000	8.5%	69,000	14.8%	36,000	9.6%	\$	\$	50,000	13.5%	85,000	19.6%	314,000	13.4%
Former Smoker	111,000	30.1%	123,000	26.3%	84,000	22.6%	70,000	20.7%	105,000	28.5%	91,000	21.0%	584,000	24.9%
Never Smoker	226,000	61.4%	276,000	58.9%	253,000	67.8%	227,000	66.8%	214,000	58.0%	256,000	59.3%	1,451,000	61.8%
2014-2015														
Current Smoker	\$	11.5%	\$	12.0%	\$	\$	\$	10.3%	\$	14.0%	\$	\$	\$	11.6%
Former Smoker	\$	26.0%	\$	27.5%	\$	28.8%	\$	23.0%	\$	20.3%	\$	19.9%	\$	24.1%
Never Smoker	\$	62.5%	\$	60.5%	\$	55.6%	\$	66.7%	\$	65.7%	\$	72.9%	\$	64.2%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked about smoking status/history: current smokers, former smokers, or never smoked (or less than 100 cigarettes).
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Ever Smoker - Smoked 100+ Cigarettes in Lifetime [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	166,027	41.7%	145,041	31.1%	129,330	35.4%	132,885	40.0%	148,408	43.0%	157,326	38.1%	879,330	37.9%
2009	146,895	35.4%	162,030	33.1%	142,333	38.3%	114,764	34.1%	150,534	42.2%	162,270	37.7%	880,724	36.7%
2011-2012	133,379	34.3%	159,809	32.2%	138,058	36.7%	100,123	29.0%	152,469	42.8%	174,754	40.7%	863,584	36.1%
2013	142,000	38.6%	192,000	41.1%	122,000	32.6%	113,000	33.2%	155,000	42.0%	175,000	40.7%	899,000	38.3%
2014	146,000	40.4%	170,000	35.1%	155,000	46.2%	103,000	31.8%	114,000	28.8%	115,000	24.4%	803,000	33.8%
2015	141,000	34.7%	227,000	46.2%	162,000	42.5%	125,000	35.6%	144,000	39.8%	130,000	29.8%	928,000	38.3%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Altogether, have you smoked at least 100 or more cigarettes in your entire lifetime?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Behaviors continued...Smoking

CHIS

Daily Smoking, Among those who have Smoked 100+ Cigarettes in Lifetime [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007:														
Every Day	40,179	24.2%	39,596	27.3%	32,850	25.4%	32,955	24.8%	43,335	29.2%	39,803	25.3%	229,505	26.1%
Some Days	14,610	8.8%	\$	\$	15,778	12.2%	11,561	8.7%	14,692	9.9%	21,396	13.6%	97,606	11.1%
Not at all	111,238	67.0%	86,444	59.6%	80,702	62.4%	88,368	66.5%	90,381	60.9%	96,126	61.1%	553,099	62.9%
2009:														
Every Day	21,153	14.4%	38,563	23.8%	39,426	27.7%	\$	\$	38,988	25.9%	32,779	20.2%	201,686	22.9%
Some Days	\$	\$	18,471	11.4%	\$	\$	\$	\$	20,021	13.3%	16,065	9.9%	106,568	12.1%
Not at all	105,471	71.8%	104,996	64.8%	82,696	58.1%	75,055	65.4%	91,525	60.8%	113,427	69.9%	572,471	65.0%
2011-2012:														
Every Day	32,278	24.2%	26,209	16.4%	46,525	33.7%	21,526	21.5%	40,404	26.5%	40,368	23.1%	209,851	24.3%
Some Days	16,139	12.1%	24,930	15.6%	\$	\$	16,520	16.5%	\$	\$	19,922	11.4%	104,494	12.1%
Not at all	84,963	63.7%	108,670	68.0%	75,518	54.7%	62,076	62.0%	100,477	65.9%	114,464	65.5%	549,240	63.6%
2013														
Every Day	21,000	14.7%	28,000	14.5%	22,000	17.7%	\$	\$	30,000	19.4%	\$	\$	142,000	15.8%
Some Days	\$	\$	41,000	21.5%	\$	\$	\$	\$	\$	\$	68,000	38.9%	173,000	19.2%
Not at all	111,000	77.9%	123,000	64.0%	84,000	69.4%	\$	\$	105,000	67.8%	91,000	51.8%	584,000	65.0%
2014-2015														
Every Day	\$	\$	\$	\$	\$	\$	\$	\$	\$	28.3%	\$	\$	\$	21.2%
Some Days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11.7%
Not at all	\$	69.2%	\$	67.9%	\$	\$	\$	68.6%	\$	58.8%	\$	73.7%	\$	67.2%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Do you now smoke cigarettes every day, some days, or not at all?". Asked of adults who have smoked at least 100 cigarettes (or refused or did not know if they had).
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 \$ Statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Indoor Smoking at Home [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	31,650	8.3%	54,324	11.6%	47,557	13.2%	29,514	9.0%	38,360	11.3%	23,323	5.9%	224,989	9.9%
2007	24,287	6.1%	27,049	5.8%	33,977	9.3%	27,574	8.3%	48,319	14.0%	26,840	6.5%	190,251	8.2%
2009	19,088	4.6%	31,819	6.5%	\$	\$	\$	\$	27,824	7.8%	\$	\$	170,385	7.1%
2011-2012	15,166	3.9%	35,734	7.2%	43,637	11.6%	13,810	4.0%	32,774	9.2%	18,892	4.4%	160,277	6.7%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Adult respondents were asked about the presence of smoking inside their home.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Physical Activity & Exercise

CHIS

Walked for Transport or Fun/Exercise†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	310,399	81.4%	387,292	82.7%	306,240	85.0%	257,758	78.6%	232,874	68.6%	310,308	78.5%	1,804,457	79.4%
2007														
2009	303,335	73.1%	406,299	83.0%	284,295	76.5%	234,239	69.6%	271,103	76.0%	316,793	73.6%	1,816,643	75.7%
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked a series of questions related to walking; time frame is in the past 7 days. Asked of adults who are able to walk.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

No Physical Activity†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	37,751	9.9%	37,465	8.0%	23,779	6.6%	37,057	11.3%	59,067	17.4%	39,134	9.9%	234,079	10.3%
2007	40,611	10.2%	72,754	15.6%	36,534	10.0%	43,520	13.1%	52,461	15.2%	70,198	17.0%	315,538	13.6%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked a series of questions related to physical activity to determine if level is none, some, moderate or vigorous.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Engaged in Moderate Physical Activity†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	67,876	17.8%	81,017	17.3%	64,490	17.9%	48,207	14.7%	45,828	13.5%	59,690	15.1%	365,891	16.1%
2007	82,018	20.6%	73,220	15.7%	61,377	16.8%	45,845	13.8%	70,753	20.5%	65,243	15.8%	399,063	17.2%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked a series of questions on level of physical activity. Moderate activities refer to activities that take moderate physical effort, such as bicycling, swimming, dancing, and gardening, at least 5 days/week and 30 min/day.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Engaged in Vigorous Physical Activity†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	65,588	17.2%	82,891	17.7%	44,315	12.3%	57,717	17.6%	40,736	12.0%	59,295	15.0%	349,983	15.4%
2007	82,018	20.6%	108,198	23.2%	79,279	21.7%	66,110	19.9%	47,629	13.8%	85,476	20.7%	466,347	20.1%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
 † Respondents were asked a series of questions on physical activity. Vigorous activities refer to activities that take hard physical effort, such as aerobics, running, soccer, fast bicycling, or fast swimming, at least 3 days/week and 20 min/day.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Weight

CHIS

Body Mass Index†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
Overweight (25.0 - 29.99)	139,947	36.7%	176,084	37.6%	109,526	30.4%	118,057	36.0%	134,429	39.6%	146,655	37.1%	824,960	36.3%
Obese (30.0+)	61,012	16.0%	63,690	13.6%	78,902	21.9%	73,458	22.4%	76,719	22.6%	65,224	16.5%	418,161	18.4%
2007:														
Overweight (25.0 - 29.99)	127,009	31.9%	138,978	29.8%	122,023	33.4%	109,630	33.0%	125,630	36.4%	140,808	34.1%	765,644	33.0%
Obese (30.0+)	80,028	20.1%	72,287	15.5%	94,988	26.0%	83,717	25.2%	86,284	25.0%	84,237	20.4%	503,469	21.7%
2009:														
Overweight (25.0 - 29.99)	151,045	36.4%	147,345	30.1%	128,583	34.6%	113,081	33.6%	128,774	36.1%	132,571	30.8%	801,531	33.4%
Obese (30.0+)	82,577	19.9%	70,490	14.4%	108,887	29.3%	83,464	24.8%	94,173	26.4%	81,781	19.0%	525,555	21.9%
2011-2012:														
Overweight (25.0 - 29.99)	148,934	38.3%	157,327	31.7%	117,744	31.3%	134,994	39.1%	143,919	40.4%	165,737	38.6%	870,761	36.4%
Obese (30.0+)	68,051	17.5%	82,386	16.6%	89,154	23.7%	91,837	26.6%	95,471	26.8%	98,326	22.9%	528,676	22.1%
2013														
Overweight (25.0 - 29.99)	114,000	31.0%	149,000	31.8%	164,000	44.0%	79,000	23.2%	125,000	34.0%	161,000	37.2%	792,000	33.7%
Obese (30.0+)	67,000	18.3%	84,000	18.1%	74,000	19.9%	138,000	40.7%	100,000	27.3%	92,000	21.4%	557,000	23.7%
2014														
Overweight (25.0 - 29.99)	125,000	34.4%	167,000	34.5%	153,000	45.5%	120,000	37.2%	125,000	31.4%	133,000	28.3%	822,000	34.6%
Obese (30.0+)	68,000	18.8%	97,000	20.0%	86,000	25.5%	107,000	33.2%	83,000	20.9%	147,000	31.3%	588,000	24.8%
2015														
Overweight (25.0 - 29.99)	133,000	32.9%	§	§	122,000	32.0%	127,000	36.1%	153,000	42.1%	181,000	41.5%	886,000	36.5%
Obese (30.0+)	111,000	27.4%	80,000	16.2%	82,000	21.6%	117,000	33.4%	103,000	28.4%	§	§	571,000	23.5%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked to report their height and weight. This variable provides a four level descriptive of body mass index for adults, calculated by dividing WEIGHT(in kilograms) by HEIGHT SQUARED(in meters).

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Body Mass Index-2 Levels†, (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2011-2012:														
Not Overweight or Obese	171,877	44.2%	257,084	51.8%	169,281	45.0%	118,767	34.4%	116,845	32.8%	165,308	38.5%	992,763	41.5%
Overweight or Obese	216,984	55.8%	239,217	48.2%	206,898	55.0%	226,485	65.6%	239,391	67.2%	264,063	61.5%	1,399,437	58.5%
2013														
Not Overweight or Obese	187,000	50.8%	234,000	50.1%	135,000	36.2%	123,000	36.2%	143,000	38.7%	178,000	41.4%	1,000,000	42.6%
Overweight or Obese	182,000	49.2%	233,000	49.9%	238,000	63.8%	217,000	63.8%	226,000	61.3%	253,000	58.6%	1,349,000	57.4%
2014														
Not Overweight or Obese	170,000	46.8%	220,000	45.5%	98,000	29.1%	95,000	29.6%	190,000	47.7%	190,000	40.5%	963,000	40.6%
Overweight or Obese	193,000	53.2%	264,000	54.5%	238,000	70.9%	227,000	70.4%	208,000	52.3%	280,000	59.5%	1,410,000	59.4%
2015														
Not Overweight or Obese	161,000	39.7%	240,000	48.9%	176,000	46.4%	107,000	30.5%	§	§	177,000	40.7%	968,000	39.9%
Overweight or Obese	244,000	60.3%	251,000	51.1%	204,000	53.6%	244,000	69.5%	§	§	259,000	59.3%	1,457,000	60.1%

† Respondents were asked to report their height and weight. This variable provides a four level descriptive of body mass index for adults, calculated by dividing WEIGHT(in kilograms) by HEIGHT SQUARED(in meters).

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Nutrition & Food Security

CHIS

Consumes 5 or More Servings of Fruits or Vegetables per Day[†], (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	183,799	48.2%	230,408	49.2%	174,016	48.3%	142,980	43.6%	147,668	43.5%	178,279	45.1%	1,056,766	46.5%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked several questions about diet.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Health Provider Talked About Diet the Past Year[†], (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	69,783	18.3%	108,179	23.1%	92,232	25.6%	76,409	23.3%	69,930	20.6%	100,405	25.4%	518,156	22.8%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked: "In the last 12 months, did your health provider talk with you or give you information about how much or what kinds of food you eat?". Asked of adults who visited the doctor in the past year.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Fast Food Eaten in Past Week[†], (Adults ages 18+ yrs)

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007:														
No times	176,379	44.3%	198,207	42.5%	122,754	33.6%	112,288	33.8%	111,134	32.2%	140,808	34.1%	858,449	37.0%
One Time	106,703	26.8%	109,597	23.5%	103,756	28.4%	101,657	30.6%	79,381	23.0%	120,988	29.3%	619,475	26.7%
Two Times	41,805	10.5%	72,287	15.5%	54,070	14.8%	59,134	17.8%	74,549	21.6%	75,979	18.4%	378,182	16.3%
Three Times	36,231	9.1%	24,718	5.3%	43,475	11.9%	30,231	9.1%	30,027	8.7%	28,079	6.8%	192,571	8.3%
Four or More Times	37,426	9.4%	61,561	13.2%	41,283	11.3%	28,570	8.6%	50,045	14.5%	47,074	11.4%	269,135	11.6%
2009:														
No times	177,602	42.8%	173,289	35.4%	120,407	32.4%	85,820	25.5%	120,320	33.7%	132,571	30.8%	808,730	33.7%
One Time	115,774	27.9%	139,512	28.5%	113,718	30.6%	116,110	34.5%	104,161	29.2%	133,862	31.1%	724,737	30.2%
Two Times	56,434	13.6%	73,428	15.0%	53,886	14.5%	56,877	16.9%	67,062	18.8%	64,133	14.9%	371,968	15.5%
Three Times	37,761	9.1%	61,679	12.6%	43,852	11.8%	38,703	11.5%	26,397	7.4%	46,916	10.9%	254,378	10.6%
Four or More Times	27,387	6.6%	41,609	8.5%	39,392	10.6%	39,376	11.7%	38,525	10.8%	53,373	12.4%	239,979	10.0%
2011-2012:														
No times	143,879	37.0%	180,654	36.4%	137,305	36.5%	102,195	29.6%	125,395	35.2%	157,150	36.6%	846,839	35.4%
One Time	99,937	25.7%	122,090	24.6%	92,540	24.6%	92,528	26.8%	98,677	27.7%	130,529	30.4%	638,717	26.7%
Two Times	61,051	15.7%	88,838	17.9%	64,327	17.1%	80,444	23.3%	51,654	14.5%	70,417	16.4%	413,851	17.3%
Three Times	34,220	8.8%	39,208	7.9%	\$	\$	31,418	9.1%	32,061	9.0%	32,203	7.5%	200,945	8.4%
Four or More Times	50,163	12.9%	65,512	13.2%	48,903	13.0%	39,013	11.3%	48,448	13.6%	39,073	9.1%	289,456	12.1%
2013														
No times	159,000	43.2%	215,000	45.9%	151,000	40.4%	134,000	39.4%	84,000	22.7%	125,000	29.1%	868,000	36.9%
One Time	99,000	26.9%	101,000	21.7%	76,000	20.3%	94,000	27.7%	88,000	23.8%	91,000	21.2%	549,000	23.4%
Two Times	69,000	18.6%	51,000	10.9%	52,000	14.0%	40,000	11.8%	86,000	23.4%	96,000	22.3%	395,000	16.8%
Three Times	29,000	7.9%	45,000	9.7%	35,000	9.4%	\$	\$	\$	\$	64,000	14.8%	231,000	9.8%
Four or More Times	\$	\$	55,000	11.8%	60,000	16.0%	\$	\$	84,000	22.8%	\$	\$	306,000	13.0%
2014														
No times	135,000	37.3%	208,000	42.9%	133,000	39.5%	115,000	35.7%	124,000	31.3%	175,000	37.2%	890,000	37.5%
One Time	118,000	32.4%	155,000	32.0%	90,000	26.7%	93,000	29.0%	84,000	21.0%	117,000	24.9%	656,000	27.6%
Two Times	63,000	17.4%	52,000	10.7%	40,000	12.0%	\$	\$	66,000	16.5%	117,000	25.0%	384,000	16.2%
Three Times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	180,000	7.6%
Four or More Times	38,000	10.5%	\$	\$	\$	\$	30,000	9.2%	\$	\$	\$	\$	263,000	11.1%
2015														
No times	188,000	46.5%	194,000	39.5%	140,000	36.8%	\$	\$	146,000	40.4%	134,000	30.6%	923,000	38.1%
One Time	\$	\$	97,000	19.8%	\$	\$	\$	\$	\$	\$	129,000	29.6%	558,000	23.0%
Two Times	\$	\$	89,000	18.1%	\$	\$	\$	\$	\$	\$	\$	\$	411,000	17.0%
Three Times	\$	\$	\$	\$	\$	\$	\$	\$	33,000	9.1%	\$	\$	201,000	8.3%
Four or More Times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	87,000	19.9%	331,000	13.7%

† Respondents were asked: "In the past 7 days, how many times did you eat fast food? Include fast food meals eaten at work (school), at home, or at fast food restaurants, carryout or drive thru."

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHIS

Income Below 200% Federal Poverty Level (FPL) [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	88,849	23.3%	72,120	15.4%	149,517	41.5%	85,919	26.2%	91,656	27.0%	85,384	21.6%	572,699	25.2%
2007	89,185	22.4%	79,749	17.1%	137,002	37.5%	93,684	28.2%	82,142	23.8%	82,586	20.0%	568,432	24.5%
2009	99,175	23.9%	100,351	20.5%	141,218	38.0%	114,764	34.1%	80,974	22.7%	96,415	22.4%	635,945	26.5%
2011-2012	118,603	30.5%	115,142	23.2%	173,042	46.0%	137,756	39.9%	112,571	31.6%	118,506	27.6%	775,073	32.4%
2013	98,000	26.5%	115,000	24.6%	168,000	45.1%	102,000	29.9%	75,000	20.3%	111,000	25.8%	669,000	28.5%
2014	121,000	33.3%	121,000	24.9%	169,000	50.3%	167,000	51.7%	123,000	30.8%	133,000	28.3%	833,000	35.1%
2015	90,000	22.3%	109,000	22.3%	156,000	41.0%	185,000	52.7%	153,000	42.3%	118,000	27.1%	811,000	33.5%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked a series of income related items to determine income as a percentage of FPL.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Food Security, Among those with Income Below 200% FPL [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	52,510	59.1%	61,013	84.6%	101,223	67.7%	60,745	70.7%	66,542	72.6%	61,477	72.0%	403,753	70.5%
2007	58,327	65.4%	64,198	80.5%	93,024	67.9%	74,104	79.1%	45,507	55.4%	57,975	70.2%	393,924	69.3%
2009	69,323	69.9%	83,091	82.8%	67,785	48.0%	70,924	61.8%	53,200	65.7%	69,130	71.7%	412,728	64.9%
2011-2012	67,841	57.2%	74,612	64.8%	90,674	52.4%	90,505	65.7%	63,828	56.7%	73,474	62.0%	459,618	59.3%
2013	46,844	47.8%	\$	\$	96,432	57.4%	52,836	51.8%	41,550	55.4%	65,823	59.3%	386,013	57.7%
2014	\$	\$	\$	\$	73,515	43.5%	132,264	79.2%	49,815	40.5%	76,741	57.7%	515,627	61.9%
2015	\$	\$	\$	\$	88,920	57.0%	91,205	49.3%	89,811	58.7%	\$	\$	463,081	57.1%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked a series of questions to determine if the respondent has a consistent ability to afford enough food. Asked of adults whose income is less than 200% FPL.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

Public Health Data

CHIS

Receiving Food Stamp Benefits, Among those with Income At or Below 300% FPL [†] (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	11,585	5.9%	\$	\$	8,029	5.4%	\$	\$	36,619	4.1%
2007	\$	\$	\$	\$	13,592	7.1%	13,366	9.4%	\$	\$	\$	\$	51,744	5.9%
2009	\$	\$	\$	\$	17,427	8.7%	\$	\$	7,009	5.0%	\$	\$	45,116	4.7%
2011-2012	10,694	7.9%	3,385	2.6%	30,435	15.5%	16,305	11.3%	6,245	4.2%	14,888	10.7%	80,382	9.0%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	107,000	9.7%
2014	\$	\$	\$	\$	\$	\$	35,000	15.6%	57,000	24.6%	\$	\$	164,000	12.5%
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "Are you receiving Food Stamp benefits?" Asked of all people in a household with total annual household income less than 300% of the Federal Poverty Level.
 EstN is the estimated number, calculated from percent of respondents and previously calculated estimate of those below 300% of FPL (note: not at or below 300% FPL).
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Currently on WIC, Among those with Income At or Below 300% FPL, with Young Child or Pregnant [†] (Women 18+)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	n/a	49.1%	n/a	42.1%	n/a	42.9%	n/a	56.5%	n/a	60.5%	n/a	54.5%	n/a	51.1%
2007														
2009	\$	\$	\$	\$	n/a	35.6%	n/a	59.0%	n/a	58.8%	n/a	50.2%	n/a	43.5%
2011-2012	n/a	58.8%	\$	\$	n/a	53.7%	\$	\$	n/a	51.4%	n/a	48.9%	n/a	48.5%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "Are you on WIC?". Asked of adult women whose total annual household income is equal to or less than 300% FPL and who has a child under age 7 or who is pregnant.
 EstN is the estimated number, calculated from percent of respondents and previously calculated estimate. For this indicator, calculation is not available.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Insurance

CHIS

Currently Insured [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	319,933	83.9%	417,263	89.1%	279,579	77.6%	278,418	84.9%	301,106	88.7%	327,306	82.8%	1,922,633	84.6%
2007	342,406	86.0%	416,935	89.4%	285,695	78.2%	282,380	85.0%	291,640	84.5%	348,511	84.4%	1,965,152	84.7%
2009	359,769	86.7%	442,523	90.4%	300,275	80.8%	269,577	80.1%	308,915	86.6%	356,822	82.9%	2,035,024	84.8%
2011-2012	306,422	78.8%	444,686	89.6%	287,025	76.3%	261,356	75.7%	294,607	82.7%	350,796	81.7%	1,944,859	81.3%
2013	306,000	83.0%	393,000	84.1%	295,000	79.0%	259,000	76.0%	\$	\$	336,000	77.9%	1,926,000	82.0%
2014	324,000	89.4%	421,000	87.0%	269,000	80.1%	\$	\$	\$	\$	408,000	86.8%	2,071,000	87.3%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,201,000	90.8%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked as series of health insurance questions.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Insured All of Past Year [†] , (Adults ages 18-64 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	294,765	77.3%	403,682	86.2%	267,329	74.2%	262,021	79.9%	284,473	83.8%	315,052	79.7%	1,829,456	80.5%
2007	322,499	81.0%	404,809	86.8%	253,545	69.4%	257,464	77.5%	281,286	81.5%	341,491	82.7%	1,858,426	80.1%
2009	351,055	84.6%	404,341	82.6%	287,639	77.4%	255,778	76.0%	294,290	82.5%	335,732	78.0%	1,927,034	80.3%
2011-2012	276,869	71.2%	416,397	83.9%	248,654	66.1%	227,521	65.9%	272,164	76.4%	311,294	72.5%	1,748,698	73.1%
2013	223,000	73.0%	296,000	76.9%	221,000	69.7%	174,000	62.0%	232,000	81.7%	248,000	69.1%	1,394,000	72.2%
2014	216,000	77.0%	314,000	78.0%	175,000	61.6%	157,000	64.5%	213,000	72.6%	293,000	72.5%	1,369,000	71.7%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	285,000	78.8%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked a series of questions to determine the percent of respondents who had insurance coverage for 12 of the past 12 months.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Covered for Prescription Drugs, Among Insured [†] , (Adults 18+)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	301,056	94.1%	386,803	92.7%	253,578	90.7%	260,877	93.7%	283,943	94.3%	310,613	94.9%	1,795,739	93.4%
2007	327,683	95.7%	389,834	93.5%	259,983	91.0%	266,849	94.5%	275,600	94.5%	335,616	96.3%	1,853,138	94.3%
2009	338,903	94.2%	415,087	93.8%	282,558	94.1%	249,089	92.4%	295,941	95.8%	343,977	96.4%	1,923,098	94.5%
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked: "Are you covered for prescription drugs." Asked of those who report having any type of health care coverage.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Not Currently Insured [†] , (Adults ages 18-64 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	62,807	19.5%	51,000	12.8%	80,909	25.3%	48,701	17.3%	39,297	13.7%	64,196	19.5%	346,881	17.9%
2007	55,822	16.6%	48,721	12.4%	78,118	24.2%	49,606	17.5%	53,432	18.4%	62,419	18.2%	350,449	17.8%
2009	55,848	15.9%	46,825	11.4%	70,527	21.5%	68,298	23.8%	46,965	15.7%	70,115	19.6%	359,994	17.7%
2011-2012	97,215	25.0%	61,541	12.4%	98,935	26.3%	96,671	28.0%	71,603	20.1%	97,897	22.8%	526,284	22.0%
2013	63,000	17.0%	74,000	15.9%	78,000	21.0%	82,000	24.0%	\$	\$	95,000	22.1%	423,000	18.0%
2014	39,000	10.6%	63,000	13.0%	67,000	19.9%	\$	\$	\$	\$	62,000	13.2%	302,000	12.7%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	224,000	9.2%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked as series of health insurance questions.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHHS

Insured by Medicare [†] , (Adults ages 65+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	55,388	93.5%	68,055	97.4%	40,401	99.8%	44,431	95.7%	48,575	92.3%	63,707	96.4%	320,004	95.6%
2007	58,343	94.3%	69,269	94.3%	38,708	91.0%	45,823	94.0%	51,404	93.9%	65,976	94.3%	329,535	93.8%
2009	61,866	97.1%	76,567	97.2%	38,754	88.9%	47,302	95%	55,214	95.9%	70,440	96.9%	350,196	95.7%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	344,536	95.2%
2013	67,000	18.2%	88,000	18.8%	59,000	15.7%	59,000	17.5%	100,000	27.1%	70,000	16.3%	443,000	18.9%
2014	84,000	23.1%	76,000	15.7%	50,000	15.0%	83,000	25.6%	107,000	26.8%	79,000	16.8%	479,000	20.2%
2015	\$	\$	\$	\$	\$	\$	62,000	17.7%	\$	\$	75,000	17.3%	459,000	18.9%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Respondents were asked as series of health insurance questions. These data include adults 65+ with Medicare only, Medicare & Med-Cal, or Medicare & other insurance.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Insurance continued...

CHIS

Medi-Cal (Medicaid)/Healthy Families Eligibility, Among Uninsured [†] (Adults ages 18-64 yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
Medi-Cal Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,522	5.0%
Healthy Families Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,308	1.8%
Not Eligible	54,092	96.9%	47,649	97.8%	71,244	91.2%	45,935	92.6%	47,074	88.1%	57,488	92.1%	326,619	93.2%
2007:														
Medi-Cal Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	28,737	8.2%
Healthy Families Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,915	3.4%
Not Eligible	53,477	95.8%	47,991	98.5%	57,573	73.7%	41,421	83.5%	49,852	93.3%	57,863	92.7%	309,447	88.3%
2009:														
Medi-Cal Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	29,879	8.3%
Healthy Families Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,880	0.8%
Not Eligible	53,893	96.5%	43,079	92.0%	64,815	91.9%	65,498	95.9%	45,744	97.4%	53,498	76.3%	327,234	90.9%
2011-2012:														
Medi-Cal Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	36,314	6.9%
Healthy Families Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,105	0.4%
Not Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	487,339	92.6%
2013														
Medi-Cal Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Not Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
Medi-Cal Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Not Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Medi-Cal Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Not Eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
[†] Respondents were asked a series of questions (age, insurance, family type, citizenship) to estimate eligibility to reflect criteria in these programs. The estimates are not based on annual household income. Asked of respondents who are uninsured and under 65 years of age.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 \$ statistically unstable, percent not reported.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.
 *Table is pre-ACA, and may not accurately represent those who became eligible under ACA.

CHIS

Currently Employed [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	236,803	62.1%	310,489	66.3%	242,110	67.2%	232,507	70.9%	222,011	65.4%	255,362	64.6%	1,497,654	65.9%
2007	249,240	62.6%	309,203	66.3%	233,086	63.8%	212,948	64.1%	206,736	59.9%	282,443	68.4%	1,491,845	64.3%
2009	253,125	61.0%	308,885	63.1%	215,544	58.0%	210,680	62.6%	235,075	65.9%	253,090	58.8%	1,475,873	61.5%
2011-2012	263,648	67.8%	343,937	69.3%	236,617	62.9%	229,938	66.6%	234,047	65.7%	246,030	57.3%	1,550,146	64.8%
2013	231,000	62.6%	340,000	72.7%	225,000	60.4%	172,000	50.7%	205,000	55.5%	277,000	64.4%	1,451,000	61.8%
2014	200,000	55.1%	325,000	67.2%	213,000	63.5%	174,000	53.8%	229,000	57.6%	285,000	60.6%	1,426,000	60.1%
2015	264,000	65.0%	244,000	49.7%	243,000	63.9%	223,000	63.7%	218,000	60.3%	276,000	63.3%	1,468,000	60.5%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
[†] Respondents were asked a series of questions related to current employment. Data here include persons employed full time, part time and those employed but not at work last week. Asked of all adults except those who answered by proxy through another person.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Accepted Employer Based Insurance, Among Employed [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	160,316	67.7%	213,616	68.8%	151,076	62.4%	128,809	55.4%	138,313	62.3%	165,474	64.8%	958,499	64.0%
2007	171,477	68.8%	203,456	65.8%	131,927	56.6%	129,259	60.7%	123,422	59.7%	191,779	67.9%	945,830	63.4%
2009	151,369	59.8%	195,524	63.3%	137,948	64.0%	97,756	46.4%	145,512	61.9%	175,138	69.2%	906,186	61.4%
2011-2012	168,471	63.9%	211,865	61.6%	145,519	61.5%	124,396	54.1%	133,641	57.1%	160,411	65.2%	942,489	60.8%
2013	125,000	61.7%	194,000	64.5%	150,000	68.8%	106,000	60.4%	131,000	63.3%	138,000	57.3%	845,000	62.8%
2014	138,000	68.3%	169,000	55.5%	128,000	63.7%	73,000	44.2%	113,000	51.0%	143,000	52.1%	765,000	55.8%
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.
[†] Respondents were asked about insurance coverage as well as employer benefits. Asked of adults who work for wages.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

San Diego County - Public Health Data

CHS

Covered by Employer Based Plans, Among Employed [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	202,103	53.0%	294,566	62.9%	167,531	46.5%	183,972	56.1%	181,954	53.6%	234,016	59.2%	1,265,847	55.7%
2007	226,147	56.8%	288,683	61.9%	172,075	47.1%	192,683	58.0%	184,993	53.6%	243,628	59.0%	1,303,914	56.2%
2009														
2011-2012	195,208	50.2%	272,469	54.9%	155,362	41.3%	158,816	46.0%	193,792	54.4%	217,262	50.6%	1,193,708	49.9%
2013	175,000	57.2%	242,000	62.9%	185,000	58.3%	141,000	50.5%	170,000	59.6%	189,000	52.8%	1,102,000	57.1%
2014	154,000	55.0%	226,000	56.1%	149,000	52.4%	108,000	44.4%	170,000	58.2%	227,000	56.1%	1,035,000	54.2%
2015	194,000	59.9%	212,000	54.8%	153,000	47.3%	116,000	39.2%	145,000	49.6%	200,000	55.3%	1,020,000	51.4%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
 † Respondents were asked a series of questions about insurance. These data reflect those covered by specified plan amongst all, and doesn't exclude unemployment or uninsured.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Adults - Access & Utilization

CHIS

Have Usual Place to Go When Sick or Need Health Advice [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													1,856,758	87.3%
2003													1,943,865	87.7%
2005	323,364	84.8%	424,288	90.6%	292,549	81.2%	289,567	88.3%	300,427	88.5%	346,280	87.6%	1,977,176	87.0%
2007														
2009	360,599	86.9%	436,160	89.1%	314,396	84.6%	308,616	91.7%	319,973	89.7%	380,065	88.3%	2,119,017	88.3%
2011-2012	327,032	84.1%	439,723	88.6%	300,191	79.8%	291,738	84.5%	310,282	87.1%	377,846	88.0%	2,047,723	85.6%
2013	288,000	78.0%	384,000	82.1%	336,000	90.1%	290,000	85.3%	314,000	85.3%	358,000	83.2%	1,971,000	83.9%
2014	304,000	83.8%	424,000	87.7%	224,000	66.6%	240,000	74.5%	\$	\$	\$	\$	1,959,000	82.6%
2015	\$	\$	420,000	85.6%	\$	\$	281,000	80.1%	\$	\$	\$	\$	2,081,000	85.8%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked a series of questions about usual source of care.
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Usual Source of Care is a Doctor's Office/HMO/Kaiser [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													1,429,257	67.2%
2003													1,471,752	66.4%
2005	250,913	65.8%	302,996	64.7%	206,802	57.4%	195,122	59.5%	222,690	65.6%	241,131	61.0%	1,418,112	62.4%
2007														
2009	286,737	69.1%	320,634	65.5%	202,165	54.4%	174,333	51.8%	242,566	68.0%	262,129	60.9%	1,485,472	61.9%
2011-2012	233,317	60.0%	311,181	62.7%	188,090	50.0%	182,293	52.8%	232,978	65.4%	263,204	61.3%	1,413,790	59.1%
2013	218,000	59.2%	286,000	61.1%	194,000	52.1%	180,000	52.8%	258,000	69.9%	261,000	60.6%	1,397,000	59.5%
2014	227,000	62.5%	300,000	62.0%	171,000	50.8%	148,000	45.9%	285,000	71.6%	299,000	63.6%	1,429,000	60.2%
2015	263,000	65.0%	298,000	60.7%	202,000	53.1%	171,000	48.7%	241,000	66.5%	270,000	61.9%	1,445,000	59.6%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "What kind of place do you go most often - a doctor's office, a clinic or hospital clinic, an emergency room, or some other place?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Usual Source of Care is a Community/Government Clinic or Community Hospital [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													380,710	17.9%
2003													410,051	18.5%
2005	71,689	18.8%	111,926	23.9%	83,225	23.1%	89,199	27.2%	75,361	22.2%	101,196	25.6%	531,792	23.4%
2007														
2009	69,298	16.7%	109,162	22.3%	109,258	29.4%	124,187	36.9%	73,127	20.5%	113,632	26.4%	599,948	25.0%
2011-2012	90,993	23.4%	118,120	23.8%	105,330	28.0%	108,754	31.5%	71,603	20.1%	107,343	25.0%	600,442	25.1%
2013	68,000	18.6%	78,000	16.8%	138,000	36.9%	98,000	28.9%	55,000	15.0%	91,000	21.1%	529,000	22.5%
2014	76,000	20.9%	100,000	20.7%	53,000	15.7%	90,000	27.9%	\$	\$	105,000	22.4%	491,000	20.7%
2015	73,000	18.0%	104,000	21.1%	\$	\$	102,000	29.2%	70,000	19.3%	110,000	25.3%	562,000	23.2%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "What kind of place do you go most often - a doctor's office, a clinic or hospital clinic, an emergency room, or some other place?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.

CHIS

Visited a Doctor in the Past 12 Months [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	312,687	82.0%	401,341	85.7%	273,814	76.0%	265,956	81.1%	286,170	84.3%	326,911	82.7%	1,868,090	82.2%
2007	333,647	83.8%	374,961	80.4%	289,348	79.2%	282,380	85.0%	290,259	84.1%	347,272	84.1%	1,916,429	82.6%
2009	340,681	82.1%	415,110	84.8%	295,815	79.6%	260,490	77.4%	293,933	82.4%	370,596	86.1%	1,975,030	82.3%
2011-2012	311,478	80.1%	411,930	83.0%	287,025	76.3%	288,631	83.6%	276,439	77.6%	363,248	84.6%	1,937,682	81.0%
2013	293,000	79.5%	363,000	77.7%	328,000	88.1%	285,000	83.8%	303,000	82.1%	343,000	79.6%	1,916,000	81.6%
2014	296,000	81.5%	376,000	77.6%	242,000	72.2%	274,000	84.9%	356,000	89.4%	384,000	81.6%	1,927,000	81.2%
2015	\$	\$	\$	\$	303,000	79.7%	275,000	78.4%	\$	\$	368,000	84.4%	2,001,000	82.5%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.
[†] Respondents were asked: "During the past 12 months, how many times have you seen a medical doctor?"
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.
 ** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Difficulty Understanding Written Information from the Doctor's Office [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	45,389	11.4%	38,709	8.3%	36,899	10.1%	41,194	12.4%	32,788	9.5%	54,506	13.2%	248,254	10.7%
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied "somewhat difficult" or "very difficult" to the question. This sample is representative of Regional population.

† Respondents were asked: "When you get written information at a doctor's office, would you say it is very easy, somewhat easy, somewhat difficult, or very difficult to understand?". These data represent somewhat or very difficult. EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 4/7/2015.

CHIS Adults - Access & Utilization continued...

CHIS

Visited an Emergency Room for Own Health in Past 12 Months [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	66,732	17.5%	89,915	19.2%	64,490	17.9%	62,964	19.2%	60,764	17.9%	66,015	16.7%	411,343	18.1%
2007	79,231	19.9%	82,547	17.7%	61,742	16.9%	73,419	22.1%	61,089	17.7%	92,496	22.4%	447,785	19.3%
2009	67,223	16.2%	63,148	12.9%	71,352	19.2%	77,743	23%	78,477	22.0%	80,489	18.7%	439,162	18.3%
2011-2012	48,608	12.5%	95,786	19.3%	77,117	20.5%	75,610	21.9%	65,547	18.4%	85,874	20.0%	449,734	18.8%
2013	62,000	16.7%	83,000	17.8%	55,000	14.7%	70,000	20.5%	51,000	13.9%	80,000	18.5%	401,000	17.1%
2014	78,000	21.6%	85,000	17.6%	55,000	16.5%	59,000	18.3%	130,000	32.6%	86,000	18.3%	494,000	20.8%
2015	\$	\$	107,000	21.7%	105,000	27.6%	116,000	33%	87,000	24.1%	\$	\$	567,000	23.4%

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "During the past 12 months, did you visit a hospital emergency room for your own health?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Saw Health Professional or Needed Help for Emotional/Mental Problems [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	80,841	21.2%	95,535	20.4%	101,960	28.3%	45,255	13.8%	67,554	19.9%	75,502	19.1%	468,159	20.6%
2007														
2009														
2011-2012	46,663	12.0%	63,527	12.8%	42,508	11.3%	42,121	12.2%	50,586	14.2%	48,948	11.4%	294,241	12.3%
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "Not counting overnight stays, emergency room visits, or visits for drug or alcohol problems, in the past 12 months, have you seen a psychiatrist, psychologist, social worker, worker or counselor for emotional or mental health problems?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Had difficulties or delays getting mental health treatment in the past 12 months [†] , (Adults ages 18+ yrs)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	30,898	6.6%
2007														
2009														
2011-2012														
2013														
2014														
2015														

* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "During the past 12 months, did you have difficulties or delays in getting mental health treatment?". Asked of adults who needed or received help for emotional/ mental/ substance abuse problems in the past 12 months.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate.

\$ statistically unstable, percent not reported.

** Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.