

# San Diego County – Public Health Data

## California Health Interview Survey Estimates: Children



# **California Health Interview Survey (CHIS)\***

## **County of San Diego By HHS Region**

**REGIONS:**  
North Coastal  
North Central  
Central  
South  
East  
North Inland

\*CHIS is conducted by the UCLA Center for Health Policy Research in collaboration with the California Department of Public Health, and the Department of Health Care Services.

## **Important Information for Data Users**

---

### **Please Review This Section Before Using the Following Public Health Data**

The California Health Interview Survey (CHIS) is an important source of information on health and access to health care services. CHIS is a telephone survey of adults, adolescents, and children from all parts of the state. The survey is conducted every two years. CHIS is the largest state health survey and one of the largest health surveys in the United States. The survey provides state and county level information for health planning and comparison. Region level information is available for many variables for the 2005, 2007, 2009, 2011-2012, 2013-2014, and 2015 surveys. A list of CHIS questionnaire topics is included. To see the actual survey questions, go to <http://healthpolicy.ucla.edu/chis/design/Pages/survey-topics.aspx>. Data can also be accessed from the [askCHIS website](#).

In this document, information from CHIS is presented and used to estimate the number of residents represented in each variable. Both County level and Health and Human Services Agency (HHSA) Region level information are provided. For more information on CHIS, go to <http://chis.ucla.edu/what-chis.html>.

## **California Health Interview Survey Topics**

---

For list of topics for data included in this document, see the **CHIS Data Topic Page Index** of the Community Profiles.

More data is available via askCHIS. For list of all available topics, see below.  
Excerpted from [CHIS website](#):

### **CHIS covers hundreds of health topics:**

CHIS is conducted every two years with many core questions repeated in each survey in order to measure significant shifts over time. New questions are also added each survey year to address emerging concerns that are important for planning and policy development.

Click on any of the following links to see what CHIS topics have changed - and remained the same - over time.

- [2015 Survey Topics](#) (PDF 178k)
- [2013-2014 Survey Topics](#) (PDF 447k)
- [2011-2012 Survey Topics](#) (PDF 153k)
- [2009 Survey Topics](#) (PDF 646k)
- [2007 Survey Topics](#) (PDF 190k)
- [2005 Survey Topics](#) (PDF 254k)
- [2003 Survey Topics](#) (PDF 303k)
- [2001 Survey Topics](#) (PDF 76k)

Note:

2001, 2003 surveys provide County wide data.

2005, 2007, 2009, 2011-2012, 2013-2014, and 2015 surveys provide data for HHSA Regions when statistically possible.

## **California Health Interview Survey Data Topic Page Index**

---

### **Survey Data**

General Health & Disability  
Asthma  
Dental  
Physical Activity & Exercise  
Weight  
Nutrition & Food Security  
Public Program Participation  
Insurance  
Access & Utilization

More California Health Interview Survey (CHIS) data available online at [www.chis.ucla.edu](http://www.chis.ucla.edu), using askCHIS query system.

### **Contact Us:**

County of San Diego,  
Health and Human Services Agency,  
Public Health Services,  
Community Health Statistics Unit  
6255 Mission Gorge Road, San Diego, CA 92120  
(619) 285-6479

[Leslie.Ray@sdcounty.ca.gov](mailto:Leslie.Ray@sdcounty.ca.gov)  
[Ryan.Smith@sdcounty.ca.gov](mailto:Ryan.Smith@sdcounty.ca.gov)  
[www.SDHealthStatistics.com](http://www.SDHealthStatistics.com)

CHIS Children - General Health & Disability

General Health Status <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Excellent													258,104	53.0%
Very Good													137,331	28.2%
Good													64,283	13.2%
Fair													24,836	5.1%
Poor													\$	\$
2003:														
Excellent													294,155	60.3%
Very Good													89,271	18.3%
Good													72,197	14.8%
Fair													30,245	6.2%
Poor													\$	\$
2005:														
Excellent	46,764	54.9%	47,202	60.7%	26,451	31.6%	38,651	49.3%	44,987	60.9%	46,047	50.3%	250,627	51.1%
Very Good	23,084	27.1%	18,819	24.2%	26,367	31.5%	17,170	21.9%	14,183	19.2%	27,555	30.1%	126,539	25.8%
Good	13,118	15.4%	8,632	11.1%	23,689	28.3%	18,581	23.7%	12,780	17.3%	12,999	14.2%	90,245	18.4%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	21,580	4.4%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2007:														
Excellent	52,747	60.2%	45,033	57.3%	38,090	45.2%	47,483	57.5%	40,770	56.2%	53,303	58.1%	278,018	55.9%
Very Good	19,627	22.4%	22,320	28.4%	22,332	26.5%	26,508	32.1%	20,602	28.4%	22,661	24.7%	134,284	27.0%
Good	11,916	13.6%	9,745	12.4%	22,163	26.3%	8,175	9.9%	\$	\$	11,468	12.5%	73,110	14.7%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,936	2.4%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2009:														
Excellent	47,146	52.4%	50,452	62.6%	53,364	61.4%	53,987	61.9%	33,879	46.6%	56,215	60.8%	293,168	57.5%
Very Good	28,342	31.5%	17,892	22.2%	14,601	16.8%	14,129	16.2%	27,409	37.7%	23,485	25.4%	129,504	25.4%
Good	13,226	14.7%	11,203	13.9%	16,253	18.7%	13,780	15.8%	10,469	14.4%	8,506	9.2%	72,400	14.2%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,766	2.7%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2011-2012:														
Excellent	42,751	52.9%	60,146	79.4%	26,360	36.4%	40,982	52.1%	40,414	57.4%	54,417	58.1%	264,159	56.0%
Very Good	18,587	23.0%	\$	\$	22,884	31.6%	12,743	16.2%	21,193	30.1%	21,355	22.8%	107,551	22.8%
Good	17,618	21.8%	\$	\$	21,001	29.0%	18,171	23.1%	\$	\$	\$	\$	77,833	16.5%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	19,812	4.2%
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,359	0.5%
2013														
Excellent	\$	\$	32,000	45.1%	34,000	50.8%	\$	\$	45,000	55.0%	31,000	38.7%	254,000	52.8%
Very Good	\$	\$	35,000	49.9%	\$	\$	\$	\$	\$	\$	32,000	40.4%	156,000	32.5%
Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	63,000	13.2%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
Excellent	60,000	57.7%	\$	\$	\$	\$	43,000	50.5%	\$	\$	36,000	48.5%	236,000	47.6%
Very Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	37,000	49.4%	157,000	31.7%
Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	86,000	17.40%
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Excellent	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	345,000	67.9%
Very Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Good	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Fair	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Poor	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "In general, would you say your health is excellent, very good, good, fair or poor?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

CHIS Children - Asthma

CHIS

Ever Diagnosed with Asthma <sup>†</sup> , (Children ages 1-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													56,681	12.5%
2003													43,500	9.8%
2005	\$	\$	7,067	10.0%	6,524	8.6%	10,944	15.6%	6,592	9.8%	11,159	13.4%	48,034	10.8%
2007	\$	\$	8,423	11.8%	\$	\$	8,008	10.9%	9,152	13.8%	9,173	11.0%	51,804	11.5%
2009	8,894	10.8%	\$	\$	\$	\$	11,551	14.7%	5,747	8.7%	6,652	7.9%	49,093	10.6%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	19,588	30.0%	\$	\$	65,915	15.1%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	78,000	17.3%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Has a doctor EVER told you that you have asthma?".  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Currently Have Asthma, Among Those Ever Diagnosed with Asthma <sup>†</sup> , (Children ages 1-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													31,798	73.1%
2003													30,741	64.0%
2005	\$	\$	4,622	65.4%	4,926	75.5%	6,315	57.7%	4,667	70.8%	6,863	61.5%	27,612	53.3%
2007	n/a	65.7%	4,371	51.9%	n/a	61.2%	\$	\$	6,397	69.9%	\$	\$	36,623	74.6%
2009	6,760	76.0%	n/a	68.7%	n/a	77.2%	9,876	85.5%	3,787	65.9%	4,517	67.9%	49,700	75.4%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Do you [Does child] still have asthma?" Asked of those who have been told by a doctor they have asthma.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Asthma Symptoms in the Past 12 Months, Among Current Asthmatics <sup>†</sup> , (Children ages 1-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													26,997	84.9%
2003													28,036	91.2%
2005	n/a	87.5%	4,308	93.2%	n/a	83.3%	5,702	90.3%	4,667	100.0%	6,259	91.2%	27,225	98.6%
2007	n/a	100.0%	4,371	100.0%	n/a	100.0%	n/a	96.3%	6,276	98.1%	n/a	95.5%	33,986	92.8%
2009	5,901	87.3%	n/a	100.0%	n/a	100.0%	9,007	91.2%	3,450	91.1%	3,907	86.5%	55,698	84.5%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Had asthma symptoms in past 12 months?" among current asthmatics.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

# San Diego County - Public Health Data

CHHS

School Days Missed Due to Asthma in Past 12 Months, Among Current Asthmatics <sup>†</sup> , (Children ages 1-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005:														
0 days	n/a	74.2%	3,124	67.6%	n/a	52.4%	3,536	56.0%	3,864	82.8%	4,317	62.9%	20,043	65.2%
1 or 2 days	§	§	§	§	§	§	§	§	§	§	§	§	2,828	9.2%
3 or 4 days	§	§	§	§	§	§	§	§	§	§	§	§	1,752	5.7%
5 to 10 days	§	§	§	§	§	§	§	§	§	§	§	§	4,826	15.7%
11 days or more	§	§	§	§	§	§	§	§	§	§	§	§	1,322	4.3%
2007:														
0 days	n/a	64.8%	3,261	74.6%	n/a	62.1%	n/a	85.7%	§	§	n/a	72.6%	18,251	66.1%
1 or 2 days	§	§	§	§	§	§	§	§	§	§	§	§	3,424	12.4%
3 or 4 days	§	§	§	§	§	§	§	§	§	§	§	§	1,298	4.7%
5 to 10 days	§	§	§	§	§	§	§	§	§	§	§	§	2,816	10.2%
11 days or more	§	§	§	§	§	§	§	§	§	§	§	§	1,822	6.6%
2009:														
0 days	4,759	70.4%	n/a	86.7%	n/a	83.6%	4,454	45.1%	2,507	66.2%	2,882	63.8%	25,233	68.9%
1 or 2 days	§	§	§	§	§	§	§	§	§	§	§	§	2,380	6.5%
3 or 4 days	§	§	§	§	§	§	§	§	§	§	§	§	2,820	7.7%
5 to 10 days	§	§	§	§	§	§	§	§	§	§	§	§	3,186	8.7%
11 days or more	§	§	§	§	§	§	§	§	§	§	§	§	3,003	8.2%
2011-2012:														
0 days	§	§	§	§	§	§	§	§	§	§	§	§	30,913	62.2%
1 or 2 days	§	§	§	§	§	§	§	§	§	§	§	§	11,182	22.5%
3 or 4 days	§	§	§	§	§	§	§	§	§	§	§	§	2,833	5.7%
5 to 10 days	§	§	§	§	§	§	§	§	§	§	§	§	3,727	7.5%
11 days or more	§	§	§	§	§	§	§	§	§	§	§	§	1,044	2.1%
2013														
0 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
1 or 2 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 to 10 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
11 days or more	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2014														
0 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
1 or 2 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 to 10 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
11 days or more	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2015														
0 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
1 or 2 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
3 or 4 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
5 to 10 days	§	§	§	§	§	§	§	§	§	§	§	§	§	§
11 days or more	§	§	§	§	§	§	§	§	§	§	§	§	§	§

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup> Respondents were asked: "During the past 12 months, how many days of day care or school did (CHILD) miss due to asthma?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Asthma continued...

CHIS

**Taking Daily Medication to Control Asthma, Among Current Asthmatics†, (Children ages 1-11)**

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	1,909	41.3%	3,034	61.6%	\$	\$	\$	\$	\$	\$	11,774	38.3%
2007	\$	\$	2,540	58.1%	\$	\$	\$	\$	\$	\$	\$	\$	11,707	42.4%
2009	\$	\$	\$	\$	\$	\$	5,056	51.2%	\$	\$	\$	\$	12,269	33.5%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Are you [is child] now taking daily medication to control your [his/her] asthma that was prescribed or given to you by a doctor?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

**Health Professional Ever Gave Asthma Management Plan, Among Those Ever Diagnosed with Asthma†, (Children ages 1-11)**

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													16,660	38.3%
2003													23,729	49.4%
2005	n/a	69.3%	3,795	53.7%	\$	\$	\$	\$	2,927	44.4%	7,198	64.5%	27,145	52.4%
2007	n/a	60.4%	6,031	71.6%	\$	\$	\$	\$	5,354	58.5%	\$	\$	31,812	64.8%
2009	4,981	56.0%	n/a	90.8%	n/a	70.4%	8,016	69.4%	\$	\$	3,858	58.0%		
2011-2012														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Has a doctor or other health professional ever given you an asthma management plan [for child]?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

**Had Emergency Room / Urgent Care Visit for Asthma within Past 12 Months, Among Current Asthmatics†, (Children ages 1-11)**

Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,419	32.1%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	15,956	30.8%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,235	12.7%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Had asthma symptoms in past 12 months?" among current asthmatics.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Dental

CHIS

Could Not Afford Dental Care that was Needed <sup>†</sup> , (Children ages 2-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													32,016	8.0%
2005														
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	34,781	8.6%
2009														
2011-2012														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "During the past 12 months, was there any time you needed dental care, but could not afford it?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

\*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Current Dental Insurance <sup>†</sup> , (Children ages 2-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													323,986	78.0%
2003													316,960	79.2%
2005	57,371	83.1%	55,023	85.8%	60,243	88.6%	49,593	80.0%	45,708	75.1%	60,313	79.9%	326,793	81.8%
2007	53,559	74.9%	58,542	90.9%	58,193	85.2%	52,995	81.3%	48,344	80.7%	62,205	82.8%	334,868	82.8%
2009														
2011-2012														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† In 2005 and 2007, respondents were asked: "Do you now have any type of insurance that pays for part or all of (CHILD/TEEN) dental care?" In 2001 and 2003, respondents were asked: "Do you have any kind of dental insurance?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

\*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Days Missed School Due to Dental Problem in Past Year <sup>†</sup> , (Children ages 5-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													31,453	10.8%
2005														
2007:														
0 days	43,651	93.1%	42,801	96.3%	42,881	94.6%	38,694	94.0%	34,653	84.2%	49,830	96.6%	253,518	93.7%
1 day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,528	5.0%
2+ days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,517	1.3%
2009														
2011-2012:														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† Respondents were asked: "During the past 12 months, did you (he/she) miss any time from school because of a dental problem? Do not count time missed for cleaning or a check-up."

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.

\*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Dental continued...

Time Since Last Dental Visit <sup>†</sup> , (Children ages 2-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
<b>2001:</b>														
Never been to dentist													84,735	20.4%
Less than 6 months ago													199,792	48.1%
6 months up to 1 year ago													107,995	26.0%
1 year up to 2 years ago													17,030	4.1%
2 years up to 5 years ago													\$	\$
More than 5 years ago													\$	\$
<b>2003:</b>														
Never been to dentist													60,030	15.0%
Less than 6 months ago													244,924	61.2%
6 months up to 1 year ago													67,634	16.9%
1 year up to 2 years ago													16,808	4.2%
2 years up to 5 years ago													\$	\$
More than 5 years ago													\$	\$
<b>2005:</b>														
Never been to dentist	7,525	10.9%	7,182	11.2%	12,851	18.9%	6,013	9.7%	8,886	14.6%	11,398	15.1%	54,332	13.6%
Less than 6 months ago	45,428	65.8%	41,812	65.2%	37,873	55.7%	39,736	64.1%	35,057	57.6%	45,594	60.4%	244,096	61.1%
6 months up to 1 year ago	14,015	20.3%	11,928	18.6%	12,647	18.6%	14,010	22.6%	12,051	19.8%	12,833	17.0%	77,503	19.4%
1 year up to 2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,978	4.5%
2 years up to 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,194	1.3%
More than 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
<b>2007:</b>														
Never been to dentist	9,582	13.4%	11,464	17.8%	\$	\$	\$	\$	9,465	15.8%	6,386	8.5%	48,936	12.1%
Less than 6 months ago	46,266	64.7%	42,120	65.4%	37,703	55.2%	40,349	61.9%	39,119	65.3%	51,462	68.5%	257,622	63.7%
6 months up to 1 year ago	11,513	16.1%	9,081	14.1%	19,739	28.9%	15,058	23.1%	9,285	15.5%	16,077	21.4%	80,077	19.8%
1 year up to 2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,751	3.4%
2 years up to 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,427	0.6%
More than 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	1,213	0.3%
<b>2009:</b>														
Never been to dentist	\$	\$	\$	\$	\$	\$	\$	\$	8,964	15.0%	6,760	8.9%	54,868	13.2%
6 months ago or less	51,044	69.4%	49,339	74.8%	47,100	66.5%	52,695	75.7%	40,041	67.0%	59,854	78.8%	300,112	72.2%
1 year ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	48,217	11.6%
2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,223	2.7%
5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	1,247	0.3%
More than 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
<b>2011-2012:</b>														
Never been to dentist	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,747	6.5%
6 months ago or less	50,019	73.9%	\$	\$	\$	\$	51,711	78.2%	45,483	76.7%	53,894	67.4%	295,894	74.7%
1 year ago	13,199	19.5%	\$	\$	\$	\$	\$	\$	\$	\$	10,075	12.6%	55,852	14.1%
2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
More than 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
<b>2013:</b>														
Never been to dentist	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
6 months ago or less	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	274,000	66.0%
1 year ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	79,000	19.1%
2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
More than 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
<b>2014:</b>														
Never been to dentist	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
6 months ago or less	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	334,000	80.7%
1 year ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	51,000	12.3%
2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
More than 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
<b>2015:</b>														
Never been to dentist	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
6 months ago or less	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	284,000	70.1%
1 year ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
More than 5 years ago	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup> Respondents ages 2-11 years and those under 2 years old who have teeth were asked: "How long has it been since your child last visited a dentist or dental clinic? Include dental hygienists and all types of dental specialists."  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

CHIS Children- Physical Activity & Exercise

Number of Days Physically Active at Least One Hour (Past Week) <sup>†</sup> , (Children ages 5-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007:														
0 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,162	9.3%
1 day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,717	4.7%
2 days	\$	\$	\$	\$	\$	\$	9,715	23.6%	\$	\$	\$	\$	36,526	13.5%
3 days	6,423	13.7%	6,578	14.8%	\$	\$	4,240	10.3%	\$	\$	6,500	12.6%	37,067	13.7%
4 days	8,486	18.1%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	28,139	10.4%
5 days	\$	\$	\$	\$	\$	\$	4,610	11.2%	\$	\$	7,583	14.7%	32,468	12.0%
6 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,905	4.4%
7 days	12,284	26.2%	15,200	34.2%	\$	\$	15,889	38.6%	16,915	41.1%	17,796	34.5%	86,580	32.0%
2009:														
0 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	34,302	12.3%
1 day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,127	6.5%
2 days	\$	\$	5,823	13.0%	\$	\$	\$	\$	\$	\$	10,180	19.8%	35,975	12.9%
3 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	38,763	13.9%
4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	45,178	16.2%
5 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	33,465	12.0%
6 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,386	4.8%
7 days	\$	\$	12,005	26.8%	13,071	27.3%	\$	\$	12,987	31.8%	8,123	15.8%	60,237	21.6%
2011-2012:														
0 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	33,702	12.3%
1 day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,590	3.5%
2 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	29,592	10.8%
3 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	45,210	16.5%
4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	40,004	14.6%
5 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	38,634	14.1%
6 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
7 days	15,714	33.9%	\$	\$	\$	\$	9,044	19.3%	\$	\$	9,646	17.2%	60,554	22.1%
2013														
0 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1 day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
3 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	40,000	13.5%
4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	36,000	12.2%
5 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	43,000	14.4%
6 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	84,000	28.2%
2014														
0 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1 day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	58,000	20.0%
3 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	46,000	15.8%
4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
5 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	41,000	14.2%
6 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	67,000	23.1%
2015														
0 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1 day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
3 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
4 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
5 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
6 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
7 days	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Not including school PE, on how many days of the past 7 days was (CHILD) physically active for at least 60 minutes total?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Visited a Park, Playground or Open Space in the Last Month <sup>†</sup> , (Children ages 1-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007														
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	72,081	85.6%	402,003	86.8%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	386,759	88.6%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	410,000	91.1%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "In the past 30 days, did you go to a park, playground or open space?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

CHIS

# San Diego County - Public Health Data

Public Health Data

CHIS

Vigorous Physical Activity at Least 3 Days Per Week <sup>†</sup> , (Children ages 5-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007	36,337	77.5%	35,823	80.6%	27,787	61.3%	27,251	66.2%	28,892	70.2%	40,029	77.6%	196,159	72.5%
2009	35,637	72.8%	24,906	55.6%	33,180	69.3%	31,362	69.7%	32,346	79.2%	33,366	64.9%	190,750	68.4%
2011-2012														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup> Respondents were asked: "Not including school PE, on how many days of the past 7 days was (CHILD) physically active for at least 60 minutes total?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Amount of TV Watched/Video Games Played on Weekdays <sup>†</sup> , (Children ages 3-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
0 hours													18,485	4.9%
Less than 1 hour/day													143,357	38.0%
2 hours/day													131,285	34.8%
3 hours/day													48,289	12.8%
4-5 hours/day													29,049	7.7%
6-20 hours/day													\$	\$
Doesn't have a TV													\$	\$
2003														
2005:														
0 hours	5,911	9.7%	4,671	8.1%	\$	\$	\$	\$	\$	\$	4,696	6.9%	23,489	6.6%
Less than 1 hour/day	31,016	50.9%	25,837	44.8%	29,340	48.7%	20,745	38.3%	23,519	42.9%	28,788	42.3%	158,731	44.6%
2 hours/day	15,599	25.6%	19,262	33.4%	18,134	30.1%	21,828	40.3%	19,901	36.3%	24,501	36.0%	119,938	33.7%
3 hours/day	5,179	8.5%	4,960	8.6%	\$	\$	\$	\$	6,469	11.8%	6,193	9.1%	31,675	8.9%
4-5 hours/day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,151	5.1%
6-20 hours/day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	3,559	1.0%
Doesn't have a TV	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2007														
2009														
2011-2012														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup> Respondents were asked: "Thinking about your free time on MONDAY THROUGH FRIDAY, on a typical day, about how many hours do you usually watch TV or play video games (such as Playstation)?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

## CHIS Children- Physical Activity & Exercise continued

CHIS

Amount of TV Watched/Video Games Played on Weekends <sup>†</sup> , (Children ages 3-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
0 hours													23,013	6.1%
Less than 1 hour/day													61,870	16.4%
2 hours/day													116,949	31.0%
3 hours/day													64,511	17.1%
4-5 hours/day													88,278	23.4%
6-20 hours/day													22,635	6.0%
Doesn't have a TV													\$	\$
2003														
2005:														
0 hours	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,168	3.7%
Less than 1 hour/day	11,334	18.6%	10,093	17.5%	13,797	22.9%	\$	\$	9,320	17.0%	11,910	17.5%	63,706	17.9%
2 hours/day	23,399	38.4%	15,283	26.5%	17,291	28.7%	13,649	25.2%	17,214	31.4%	23,820	35.0%	110,328	31.0%
3 hours/day	9,323	15.3%	13,207	22.9%	\$	\$	15,274	28.2%	14,857	27.1%	13,475	19.8%	76,162	21.4%
4-5 hours/day	9,567	15.7%	11,592	20.1%	13,797	22.9%	13,541	25.0%	7,675	14.0%	13,952	20.5%	69,400	19.5%
6-20 hours/day	\$	\$	4,671	8.1%	\$	\$	\$	\$	\$	\$	\$	\$	22,422	6.3%
Doesn't have a TV	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2007														
2009														
0 hours	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	19,204	5.2%
Less than 1 hour/day	23,870	36.6%	12,830	21.8%	\$	\$	\$	\$	\$	\$	10,786	15.9%	71,275	19.3%
2 hours/day	16,566	25.4%	16,302	27.7%	18,490	29.4%	27,161	44.6%	20,262	37.8%	25,980	38.3%	125,562	34.0%
3 hours/day	13,370	20.5%	14,596	24.8%	\$	\$	\$	\$	13,347	24.9%	12,074	17.8%	69,428	18.8%
4-5 hours/day	\$	\$	\$	\$	\$	\$	\$	\$	8,523	15.9%	15,330	22.6%	60,565	16.4%
6-20 hours/day	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	23,266	6.3%
Doesn't have a TV	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2011-2012														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup> Respondents were asked: "Now, thinking about a typical SATURDAY AND SUNDAY, about how many hours per day do [you/CHILD] usually watch TV or play video games?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Weight

CHIS

Overweight for Age (Does Not Factor Height) <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003													60,977	12.5%
2005	7,837	9.2%	7,387	9.5%	15,988	19.1%	13,014	16.6%	7,092	9.6%	6,042	6.6%	56,894	11.6%
2007	9,726	11.1%	§	§	§	§	5,698	6.9%	7,109	9.8%	§	§	43,767	8.8%
2009	§	§	§	§	§	§	§	§	§	§	7,304	7.9%	49,966	9.8%
2011-2012	§	§	§	§	§	§	§	§	§	§	§	§	43,398	9.2%
2013	§	§	§	§	§	§	§	§	§	§	§	§	46,000	10.3%
2014	§	§	§	§	§	§	§	§	§	§	§	§	66,000	14.0%
2015	§	§	§	§	§	§	§	§	§	§	§	§	§	§

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup>This variable assigns overweight for age to children, and is constructed using sex, age (in months) and height. For more information, see <http://www.cdc.gov/nchs/about/major/nhanes/growthcharts/datafiles.htm>.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Diet & Nutrition

Fast Food Eaten in Past Week <sup>†</sup> , (Children ages 2-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005														
2007:														
No times	24,170	33.8%	16,487	25.6%	25,955	38.0%	15,579	23.9%	13,958	23.3%	18,181	24.2%	113,240	28.0%
One time	25,099	35.1%	19,707	30.6%	23,154	33.9%	24,379	37.4%	24,861	41.5%	34,408	45.8%	152,066	37.6%
Two times	13,658	19.1%	17,518	27.2%	14,480	21.2%	17,860	27.4%	14,258	23.8%	12,772	17.0%	90,592	22.4%
Three times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	35,590	8.8%
Four or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,942	3.2%
2009:														
No times	33,612	45.7%	29,485	44.7%	22,311	31.5%	18,029	25.9%	16,016	26.8%	16,711	22.0%	135,092	32.5%
One time	27,066	36.8%	21,635	32.8%	24,364	34.4%	31,185	44.8%	25,877	43.3%	30,307	39.9%	160,864	38.7%
Two times	9,194	12.5%	6,992	10.6%	14,024	19.8%	10,790	15.5%	11,116	18.6%	18,989	25.0%	71,079	17.1%
Three times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	36,163	8.7%
Four or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,470	3.0%
2011-2012:														
No times	23,690	35.0%	22,520	35.7%	21,644	36.1%	16,862	25.5%	17,078	28.8%	23,909	29.9%	125,567	31.7%
One time	27,345	40.4%	17,725	28.1%	10,133	16.9%	23,673	35.8%	19,095	32.2%	30,785	38.5%	127,151	32.1%
Two times	\$	\$	\$	\$	\$	\$	14,680	22.2%	\$	\$	23,189	29.0%	93,086	23.5%
Three times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,221	4.6%
Four or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	31,689	8.0%
2013														
No times	30,000	43.0%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	111,000	26.7%
One time	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	38,000	51.0%	140,000	33.5%
Two times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	87,000	21.0%
Three times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Four or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
No times	36,000	42.4%	33,000	52.4%	51,000	54.6%	\$	\$	\$	\$	\$	\$	162,000	39.2%
One time	\$	\$	19,000	31.0%	\$	\$	36,000	49.5%	\$	\$	24,000	40.4%	140,000	33.9%
Two times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	69,000	16.6%
Three times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Four or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
No times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	125,000	30.9%
One time	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	150,000	37.1%
Two times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Three times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Four or more times	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "In the past 7 days, how many times did (you/he/she) eat fast food? Include fast food meals eaten at work (school), at home, or at fast food restaurants, carryout or drive thru."  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Eats Five or More Servings of Fruits/Vegetables Daily <sup>†</sup> , (Children ages 2-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	33,415	48.4%	31,359	48.9%	33,861	49.8%	30,500	49.2%	31,223	51.3%	35,554	47.1%	196,155	49.1%
2007	36,684	51.3%	29,110	45.2%	35,244	51.6%	31,679	48.6%	32,050	53.5%	36,662	48.8%	200,597	49.6%
2009	38,834	52.8%	31,925	48.4%	33,076	46.7%	34,875	50.1%	29,583	49.5%	27,952	36.8%	195,780	47.1%
2011-2012	25,720	38.0%	35,829	56.8%	34,055	56.8%	32,733	49.5%	31,963	53.9%	43,020	53.8%	204,789	51.7%
2013	\$	\$	\$	\$	\$	\$	\$	\$	34,000	50.4%	\$	\$	144,000	34.7%
2014	\$	\$	40,000	63.3%	\$	\$	\$	\$	\$	\$	22,000	36.9%	152,000	36.6%
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	162,000	39.9%

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † This variable was created based on multiple diet questions asked for prior 24 hour eating habits.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.  
 \*2013-2015 used variable CC13, \*This variable was created based on multiple diet questions asked for prior 24 hour eating habits (juice or french potato consumption no longer included.\*

CHIS

CHIS

CHIS Children - Public Programs

Household Income as Percentage of Federal Poverty Level†, (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
0-99% FPL													99,833	20.5%
100-199% FPL													106,164	21.8%
200-299% FPL													85,710	17.6%
300% FPL and above													195,283	40.1%
2003:														
0-99% FPL													102,442	21.0%
100-199% FPL													98,052	20.1%
200-299% FPL													63,416	13.0%
300% FPL and above													223,909	45.9%
2005:														
0-99% FPL	9,370	11.0%	\$	\$	28,460	34.0%	10,427	13.3%	9,234	12.5%	10,711	11.7%	73,079	14.9%
100-199% FPL	13,118	15.4%	9,876	12.7%	19,755	23.6%	20,698	26.4%	20,757	28.1%	14,647	16.0%	100,545	20.5%
200-299% FPL	9,881	11.6%	11,276	14.5%	12,472	14.9%	10,741	13.7%	13,370	18.1%	10,344	11.3%	68,665	14.0%
300% FPL and above	52,812	62.0%	52,257	67.2%	23,103	27.6%	36,456	46.5%	30,434	41.2%	55,842	61.0%	248,174	50.6%
2007:														
0-99% FPL	\$	\$	\$	\$	16,180	19.2%	12,139	14.7%	10,664	14.7%	12,202	13.3%	64,158	12.9%
100-199% FPL	15,596	17.8%	11,396	14.5%	29,747	35.3%	13,213	16.0%	18,789	25.9%	7,706	8.4%	94,496	19.0%
200-299% FPL	14,282	16.3%	\$	\$	16,180	19.2%	19,819	24.0%	10,591	14.6%	9,450	10.3%	75,597	15.2%
300% FPL and above	50,644	57.8%	53,050	67.5%	22,079	26.2%	37,408	45.3%	32,500	44.8%	62,385	68.0%	263,097	52.9%
2009:														
0-99% FPL	12,866	14.3%	\$	\$	24,422	28.1%	18,490	21.2%	\$	\$	18,122	19.6%	85,146	16.7%
100-199% FPL	15,925	17.7%	8,785	10.9%	29,637	34.1%	25,903	29.7%	25,373	34.9%	8,876	9.6%	112,678	22.1%
200-299% FPL	\$	\$	8,301	10.3%	\$	\$	\$	\$	10,178	14.0%	10,263	11.1%	69,850	13.7%
300% FPL and above	45,077	50.1%	57,222	71.0%	21,380	24.6%	28,694	32.9%	29,081	40.0%	55,198	59.7%	242,182	47.5%
2011-2012:														
0-99% FPL	21,982	27.2%	\$	\$	49,606	68.5%	20,767	26.4%	\$	\$	21,167	22.6%	137,268	29.1%
100-199% FPL	14,628	18.1%	\$	\$	10,500	14.5%	19,351	24.6%	22,108	31.4%	14,611	15.6%	90,569	19.2%
200-299% FPL	\$	\$	\$	\$	\$	\$	9,518	12.1%	\$	\$	20,699	22.1%	54,719	11.6%
300% FPL and above	38,064	47.1%	52,344	69.1%	\$	\$	29,026	36.9%	24,643	35.0%	37,183	39.7%	188,685	40.0%
2013														
0-99% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	71,000	14.7%
100-199% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	118,000	24.5%
200-299% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	61,000	12.7%
300% FPL and above	48,000	53.8%	47,000	65.7%	\$	\$	\$	\$	38,000	46.5%	38,000	47.5%	232,000	48.2%
2014														
0-99% FPL	\$	\$	\$	\$	46,000	46.7%	\$	\$	\$	\$	\$	\$	110,000	22.1%
100-199% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	107,000	21.7%
200-299% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	84,000	16.9%
300% FPL and above	44,000	41.8%	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	195,000	39.4%
2015														
0-99% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	92,000	18.1%
100-199% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	125,000	24.7%
200-299% FPL	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
300% FPL and above	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	246,000	48.4%

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Income as percentage of the Federal Poverty Level (FPL).  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

Currently Receiving Food Stamps, Among Those in Households At or Below 300% FPL†, (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	5,984	13.8%	\$	\$	26,652	11.0%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	26,236	11.2%
2009	\$	\$	\$	\$	n/a	25.7%	\$	\$	\$	\$	\$	\$	41,222	15.4%
2011-2012	\$	\$	\$	\$	31,863	44.0%	22,261	28.3%	\$	\$	\$	\$	122,645	26.0%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	103,000	25.9%
2014	\$	\$	\$	\$	37,000	50.8%	\$	\$	\$	\$	\$	\$	73,000	30.9%
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Are you [teen/child] receiving Food Stamp benefits?" Asked of all people in a household with total annual household income less than 300% of the Federal Poverty Level.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

CHIS

CHIS Children - Public Programs continued...

CHIS

Currently on TANF or Calworks <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	19,383	8.0%
2007	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	18,272	7.8%
2009	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	17,131	6.4%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	77,361	16.4%
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Are you now receiving TANF or CalWORKS?". Asked of respondents whose total annual household income is equal to or less than 300% of the Federal Poverty Level.  
 EstN is the estimated number, calculated from percent of respondents and previously calculated estimate of those below 300% of FPL (note: not at or below 300% FPL).  
 § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Currently on WIC <sup>†</sup> , (Children ages 0-6)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													66,188	24.4%
2003													112,416	40.9%
2005														
2007														
2009	\$	\$	16,168	32.9%	12,228	22.4%	36,228	62.5%	27,329	61.9%	25,484	45.1%	136,675	42.8%
2011-2012	21,980	45.8%	\$	\$	\$	\$	\$	\$	\$	\$	22,090	41.2%	115,456	41.7%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	43,000	27.9%
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	71,000	38.1%
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Respondents were asked: "Is child on WIC now?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Insurance

CHIS

Currently Insured <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													434,881	89.3%
2003													452,208	92.7%
2005	79,388	93.2%	75,197	96.7%	77,595	92.7%	73,853	94.2%	67,443	91.3%	87,516	95.6%	460,545	93.9%
2007	79,909	91.2%	77,649	98.8%	80,731	95.8%	77,211	93.5%	70,078	96.6%	87,156	95.0%	473,475	95.2%
2009	84,396	93.8%	78,176	97.0%	78,829	90.7%	85,821	98.4%	69,794	96.0%	89,038	96.3%	486,404	95.4%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	442,467	93.8%
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † Constructed using the various health insurance questions. This variable is a simple breakdown of currently insured versus currently uninsured people.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Type of Current Health Insurance Coverage <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Uninsured													52,108	10.7%
Medicaid													93,989	19.3%
Healthy Families/ CHIP													23,862	4.9%
Employment- based													299,011	61.4%
Privately purchased													11,688	2.4%
Other public													\$	\$
2003:														
Uninsured													35,611	7.3%
Medicaid													108,784	22.3%
Healthy Families/ CHIP													24,391	5.0%
Employment- based													269,764	55.3%
Privately purchased													31,708	6.5%
Other public													\$	\$
2005:														
Uninsured	5,792	6.8%	2,566	3.3%	\$	\$	\$	\$	6,427	8.7%	\$	\$	29,918	6.1%
Medicaid	8,774	10.3%	9,176	11.8%	35,408	42.3%	18,424	23.5%	13,075	17.7%	16,936	18.5%	102,507	20.9%
Healthy Families/ CHIP	5,281	6.2%	3,111	4.0%	5,022	6.0%	\$	\$	5,097	6.9%	5,859	6.4%	33,842	6.9%
Employment- based	60,393	70.9%	55,134	70.9%	34,487	41.2%	40,925	52.2%	41,810	56.6%	55,109	60.2%	286,430	58.4%
Privately purchased	4,515	5.3%	5,443	7.0%	\$	\$	\$	\$	4,506	6.1%	8,422	9.2%	27,956	5.7%
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,809	2.0%
2007:														
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	23,873	4.8%
Medicaid	10,339	11.8%	11,317	14.4%	29,242	34.7%	17,920	21.7%	17,701	24.4%	10,275	11.2%	94,993	19.1%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	7,980	11.0%	\$	\$	26,359	5.3%
Employment- based	56,077	64.0%	58,944	75.0%	38,259	45.4%	48,309	58.5%	39,609	54.6%	68,624	74.8%	313,827	63.1%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	28,349	5.7%
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,444	2.1%
2009:														
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	23,453	4.6%
Medicaid	16,645	18.5%	9,671	12.0%	27,203	31.3%	27,386	31.4%	18,466	25.4%	16,550	17.9%	113,188	22.2%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	8,070	11.1%	\$	\$	36,710	7.2%
Employment- based	40,668	45.2%	50,371	62.5%	36,851	42.4%	40,032	45.9%	35,188	48.4%	58,804	63.6%	264,106	51.8%
Privately purchased	\$	\$	6,206	7.7%	\$	\$	\$	\$	\$	\$	\$	\$	29,062	5.7%
Other public	\$	\$	7,737	9.6%	\$	\$	\$	\$	\$	\$	\$	\$	42,828	8.4%
2011-2012:														
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	29,246	6.2%
Medicaid	28,124	34.8%	\$	\$	49,606	68.5%	28,161	35.8%	\$	\$	28,192	30.1%	155,665	33.0%
Healthy Families/ CHIP	\$	\$	\$	\$	3,983	5.5%	\$	\$	\$	\$	\$	\$	26,888	5.7%
Employment- based	40,650	50.3%	\$	\$	9,197	12.7%	36,971	47.0%	47,173	67.0%	48,235	51.5%	244,347	51.8%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,604	1.4%
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,963	1.9%
2013														
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Medicaid	\$	\$	\$	\$	33,000	50.6%	\$	\$	\$	\$	36,000	44.6%	153,000	31.7%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Employment- based	49,000	54.7%	\$	\$	\$	\$	55,000	59.0%	46,000	55.8%	40,000	50.0%	270,000	56.2%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Medicaid	\$	\$	\$	\$	\$	\$	37,000	44.2%	\$	\$	31,000	41.2%	180,000	36.4%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Employment- based	\$	\$	\$	\$	\$	\$	37,000	43.3%	\$	\$	41,000	54.3%	280,000	56.5%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Uninsured	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Medicaid	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	223,000	44.0%
Healthy Families/ CHIP	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Employment- based	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	219,000	43.1%
Privately purchased	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Other public	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
 † This variable was constructed from a variety of source variables, to provide an all-encompassing look at type of coverage for all children and adults, including those 65 years and older.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Insurance continued...

CHIS

Covered for Prescription Drugs, Among Insured <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													425,314	97.8%
2003													443,164	98.0%
2005	77,244	97.3%	71,963	95.7%	70,534	90.9%	71,342	96.6%	65,353	96.9%	82,965	94.8%	438,899	95.3%
2007	77,193	96.6%	77,105	99.3%	77,179	95.6%	75,744	98.1%	69,096	98.6%	84,628	97.1%	462,112	97.6%
2009	79,332	94.0%	72,626	92.9%	72,444	91.9%	76,724	89.4%	67,770	97.1%	81,737	91.8%	451,869	92.9%
2011-2012														
2013														
2014														
2015														

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.  
 † Respondents were asked: "Are you covered for your prescription drugs?" Asked of those who report having any type of health care coverage.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Any Time During Past Year Without Insurance <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Had no insurance the entire past year													33,602	6.9%
Had insurance only part of the past year													37,498	7.7%
Had insurance entire past year													415,889	85.4%
2003:														
Had no insurance the entire past year													\$	\$
Had insurance only part of the past year													32,196	6.6%
Had insurance entire past year													438,549	89.9%
2005:														
Had no insurance the entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	13,243	2.7%
Had insurance only part of the past year	6,644	7.8%	\$	\$	\$	\$	6,350	8.1%	\$	\$	6,683	7.3%	33,842	6.9%
Had insurance entire past year	76,236	89.5%	73,097	94.0%	75,084	89.7%	70,482	89.9%	65,744	89.0%	82,756	90.4%	442,888	90.3%
2007:														
Had no insurance the entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,439	2.3%
Had insurance only part of the past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	29,841	6.0%
Had insurance entire past year	77,982	89.0%	75,763	96.4%	73,821	87.6%	74,651	90.4%	66,740	92.0%	85,688	93.4%	456,068	91.7%
2009:														
Had no insurance the entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,237	2.4%
Had insurance only part of the past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	31,611	6.2%
Had insurance entire past year	78,277	87.0%	75,758	94.0%	77,526	89.2%	83,030	95.2%	67,322	92.6%	83,768	90.6%	466,009	91.4%
2011-2012:														
Had no insurance the entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	20,755	4.4%
Had insurance only part of the past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	25,001	5.3%
Had insurance entire past year	\$	\$	\$	\$	\$	\$	73,076	92.9%	\$	\$	\$	\$	425,957	90.3%
2013														
Had no insurance the entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Had insurance only part of the past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	32,000	6.6%
Had insurance entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	437,000	90.9%
2014														
Had no insurance the entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Had insurance only part of the past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Had insurance entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Had no insurance the entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Had insurance only part of the past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Had insurance entire past year	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

† Respondents were asked a series of questions (age, insurance, family type, citizenship) to estimate eligibility to reflect criteria in these programs. The estimates are not based on annual household income. Asked of respondents who are uninsured and under 65 years of age.  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Insurance continued...

Months Covered By Health Insurance in the Past 12 Months <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
0 Months													33,602	6.9%
1-3 Months													\$	\$
4-6 Months													\$	\$
7-9 Months													\$	\$
10-11 Months													\$	\$
12 Months													418,811	86.0%
2003:														
0 Months													\$	\$
1-3 Months													\$	\$
4-6 Months													\$	\$
7-9 Months													\$	\$
10-11 Months													\$	\$
12 Months													439,525	90.1%
2005:														
0 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	16,185	3.3%
1-3 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,395	1.1%
4-6 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,338	1.7%
7-9 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,376	1.3%
10-11 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	9,319	1.9%
12 Months	77,003	90.4%	73,564	94.6%	75,168	89.8%	71,187	90.8%	65,744	89.0%	82,756	90.4%	444,850	90.7%
2007:														
0 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,439	2.3%
1-3 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,968	1.2%
4-6 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	5,471	1.1%
7-9 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,952	1.8%
10-11 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,963	1.4%
12 Months	79,471	90.7%	75,763	96.4%	74,242	88.1%	74,651	90.4%	67,611	93.2%	85,688	93.4%	458,555	92.2%
2009:														
0 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,746	2.5%
1-3 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,039	0.4%
4-6 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,746	2.5%
7-9 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,118	1.2%
10-11 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	10,707	2.1%
12 Months	78,277	87.0%	75,758	94.0%	77,526	89.2%	83,030	95.2%	67,322	92.6%	84,045	90.9%	466,009	91.4%
2011-2012:														
2013														
0 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1-3 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
4-6 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
7-9 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
10-11 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
12 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	437,000	90.9%
2014														
0 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1-3 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
4-6 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
7-9 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
10-11 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
12 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
0 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1-3 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
4-6 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
7-9 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
10-11 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
12 Months	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population  
 † This variable is created with multiple insurance questions. This variable indicates the number of months a respondent has been insured during the past 12 months. The purpose of the variable is to combine the responses from respondents with or without current health insurance.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

\*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

# San Diego County - Public Health Data

CHHS

Eligibility of Uninsured for Medi-Cal/Healthy Families <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Medi-Cal eligible													24,855	47.7%
Healthy Families eligible													\$	\$
Not eligible													15,111	29.0%
2003:														
Medi-Cal eligible													\$	\$
Healthy Families eligible													\$	\$
Not eligible													\$	\$
2005:														
Medi-Cal eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,638	38.9%
Healthy Families eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	7,031	23.5%
Not eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	11,249	37.6%
2007:														
Medi-Cal eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	6,780	28.4%
Healthy Families eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	4,966	20.8%
Not eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,127	50.8%
2009:														
Medi-Cal eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	8,865	37.8%
Healthy Families eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	12,266	52.3%
Not eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	2,322	9.9%
2011-2012:														
Medi-Cal eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Not eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	214,158	45.4%
2013														
Medi-Cal eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Not eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014														
Medi-Cal eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Not eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015														
Medi-Cal eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Healthy Families eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Not eligible	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHS Regional population.

† Asked series of questions asked of uninsured and based on eligibility criteria, not annual income.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

\*\* Regions here are HHS Regions, based on zip codes and not census tract or SRA aggregations.

\*2014 & 2015 constructed from revised Medi-Cal eligibility based on Modified Adjusted Gross Income. The ACA was also in effect during these years.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHS), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Access & Utilization

CHIS

Have Usual Place to Go When Sick or Need Health Advice <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001													480,171	98.6%
2003													473,672	97.1%
2005	83,732	98.3%	75,508	97.1%	78,433	93.7%	77,302	98.6%	71,728	97.1%	89,805	98.1%	476,240	97.1%
2007														
2009	87,815	97.6%	79,788	99.0%	79,177	91.1%	86,169	98.8%	71,030	97.7%	91,072	98.5%	495,581	97.2%
2011-2012	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2013	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† This variable was created by consolidating the multiple yes/no questions about usual source of care.

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

\*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Type of Usual Source of Care <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001:														
Doctor's Office/HMO/Kaiser													355,015	72.9%
Community Clinic/Gov't Clinic													122,234	25.1%
Emergency Room/Urgent care													\$	\$
Some Other Place/No One Place													\$	\$
No Usual Source of Care													\$	\$
2003:														
Doctor's Office/HMO/Kaiser													314,155	64.4%
Community Clinic/Gov't Clinic													152,687	31.3%
Emergency Room/Urgent care													\$	\$
Some Other Place/No One Place													\$	\$
No Usual Source of Care													\$	\$
2005:														
Doctor's Office/HMO/Kaiser	60,733	71.3%	56,845	73.1%	50,224	60.0%	46,256	59.0%	53,777	72.8%	62,616	68.4%	331,063	67.5%
Community Clinic/Gov't Clinic	22,913	26.9%	17,963	23.1%	27,707	33.1%	31,046	39.6%	17,729	24.0%	26,548	29.0%	143,215	29.2%
Emergency Room/Urgent care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	1,962	0.4%
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	14,223	2.9%
2007:														
2009:														
Doctor's Office/HMO/Kaiser	69,280	77.0%	68,827	85.4%	50,757	58.4%	61,400	70.4%	50,382	69.3%	68,235	73.8%	371,176	72.8%
Community Clinic/Gov't Clinic	18,535	20.6%	10,961	13.6%	27,290	31.4%	24,333	27.9%	20,357	28.0%	22,560	24.4%	122,366	24.0%
Emergency Room/Urgent care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	1,530	0.3%
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	14,276	2.8%
2011-2012:														
Doctor's Office/HMO/Kaiser	48,893	60.5%	\$	\$	24,187	33.4%	51,208	65.1%	\$	\$	67,998	72.6%	302,840	64.2%
Community Clinic/Gov't Clinic	30,548	37.8%	\$	\$	47,433	65.5%	22,890	29.1%	\$	\$	23,228	24.8%	157,552	33.4%
Emergency Room/Urgent care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2013:														
Doctor's Office/HMO/Kaiser	\$	\$	\$	\$	36,000	55.2%	\$	\$	\$	\$	48,000	60.3%	353,000	73.4%
Community Clinic/Gov't Clinic	\$	\$	\$	\$	29,000	44.3%	\$	\$	\$	\$	31,000	38.9%	121,000	25.1%
Emergency Room/Urgent care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2014:														
Doctor's Office/HMO/Kaiser	\$	\$	\$	\$	41,000	40.7%	52,000	61.0%	\$	\$	51,000	67.6%	334,000	67.4%
Community Clinic/Gov't Clinic	\$	\$	\$	\$	58,000	58.7%	\$	\$	\$	\$	\$	\$	150,000	30.2%
Emergency Room/Urgent care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
2015:														
Doctor's Office/HMO/Kaiser	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	328,000	64.6%
Community Clinic/Gov't Clinic	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	146,000	28.8%
Emergency Room/Urgent care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
Some Other Place/No One Place	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
No Usual Source of Care	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.

† In 2001 and 2003, this variable was created by consolidating the data elements collected in the insurance sections of the surveys. The variable combines questions about the respondent's last doctor's visit and, if needed, the type of clinic where the doctor was seen. In 2005 and 2009, respondents were asked: "(What kind of place do you go to most often - a medical/Is your doctor in a private) doctor's office, a clinic or hospital clinic, an emergency room, or some other place?"

EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. \$ statistically unstable, percent not reported.

\*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.

Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).

Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS Children - Access & Utilization continued...

CHIS

Visited Emergency Room in the Past 12 Months <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	17,462	20.5%	15,008	19.3%	13,142	15.7%	13,093	16.7%	16,178	21.9%	17,576	19.2%	104,881	21.5%
2007	13,493	15.4%	13,754	17.5%	18,118	21.5%	9,001	10.9%	12,042	16.6%	11,560	12.6%	78,084	15.7%
2009	7,918	8.8%	15,152	18.8%	§	§	19,449	22.3%	13,595	18.7%	18,492	20.0%	85,656	16.8%
2011-2012	§	§	§	§	§	§	24,936	31.7%	§	§	21,823	23.3%	81,606	17.3%
2013	§	§	§	§	§	§	§	§	§	§	§	§	79,000	16.4%
2014	§	§	§	§	§	§	§	§	§	§	§	§	69,000	14.0%
2015	§	§	§	§	§	§	§	§	§	§	§	§	§	§

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup> Respondents were asked: "During the past 12 months, did you visit a hospital emergency room for your own health?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Delayed or Didn't Get Other Medical Care <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	§	§	4,277	5.5%	5,273	6.3%	§	§	§	§	§	§	21,464	4.4%
2007	§	§	§	§	§	§	§	§	§	§	§	§	22,561	4.6%
2009	§	§	§	§	§	§	§	§	§	§	§	§	22,878	4.6%
2011-2012	§	§	§	§	§	§	§	§	§	§	§	§	20,394	4.0%
2013	§	§	§	§	§	§	§	§	§	§	§	§	24,057	5.1%
2014	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2015	§	§	§	§	§	§	§	§	§	§	§	§	§	§

\* % is proportion of respondents who replied with indicated response to question. This sample is representative of HHSA Regional population.  
<sup>†</sup> Respondents were asked: "During the past 12 months, did you delay or not get other medical care you felt you needed-- such as seeing a doctor, a specialist, or other health professional?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.

CHIS

Delayed or Didn't Get Prescription Medicine <sup>†</sup> , (Children ages 0-11)														
Year	North Coastal		North Central		Central		South		East		North Inland		County	
	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*	EstN	Percent*
2001														
2003														
2005	§	§	3,966	5.1%	§	§	§	§	§	§	§	§	22,071	4.5%
2007	5,958	6.8%	§	§	§	§	§	§	§	§	§	§	22,878	4.6%
2009	§	§	§	§	§	§	§	§	§	§	4,900	5.3%	19,884	3.9%
2011-2012	§	§	§	§	§	§	§	§	§	§	§	§	29,246	6.2%
2013	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2014	§	§	§	§	§	§	§	§	§	§	§	§	§	§
2015	§	§	§	§	§	§	§	§	§	§	§	§	§	§

\* % is proportion of respondents who replied "somewhat difficult" or "very difficult" to the question. This sample is representative of Regional population.  
<sup>†</sup> Respondents were asked: "During the past 12 months, did you either delay or not get a medicine that a doctor prescribed for you?"  
 EstN is the estimated number, calculated from percent of respondents and population in an area or a previously calculated estimate. § statistically unstable, percent not reported.  
 \*\* Regions here are HHSA Regions, based on zip codes and not census tract or SRA aggregations.  
 Source: UCLA Center for Health Policy Research, California Health Interview Survey, <http://www.chis.ucla.edu/> (accessed 6/2017).  
 Prepared by County of San Diego (CoSD), Health & Human Services Agency (HHSA), Public Health Services (PHS), Community Health Statistics, 6/5/2017.