

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2020

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	4,939	20.1%	Diseases of the Heart	2,772	21.3%	Malignant Neoplasms	2,356	20.4%
2	Diseases Of The Heart	4,853	19.8%	Malignant Neoplasms	2,583	19.9%	Diseases Of The Heart	2,081	18.0%
3	COVID-19	1,728	7.0%	Accidents/Unintentional Injuries	1,067	8.2%	Alzheimer's Disease	1,027	8.9%
4	Cerebrovascular Diseases	1,722	7.0%	COVID-19	1,020	7.9%	Cerebrovascular Diseases	980	8.5%
5	Alzheimer's Disease	1,521	6.2%	Cerebrovascular Diseases	742	5.7%	COVID-19	708	6.1%
6	Accidents/Unintentional Injuries	1,513	6.2%	Alzheimer's Disease	494	3.8%	Chronic Lower Respiratory Diseases	492	4.3%
7	Chronic Lower Respiratory Diseases	930	3.8%	Diabetes Mellitus	452	3.5%	Accidents/Unintentional Injuries	445	3.8%
8	Diabetes Mellitus	852	3.5%	Chronic Lower Respiratory Diseases	438	3.4%	Diabetes Mellitus	400	3.5%
9	Essential Hypertension And Hypertensive Renal Disease	453	1.8%	Intentional Self-Harm (Suicide)	301	2.3%	Essential Hypertension And Hypertensive Renal Disease	234	2.0%
10	Parkinson's Disease	429	1.7%	Parkinson's Disease	285	2.2%	Chronic Liver Disease And Cirrhosis	181	1.6%
11	Chronic Liver Disease And Cirrhosis	411	1.7%	Chronic Liver Disease And Cirrhosis	230	1.8%	Parkinson's Disease	144	1.2%
12	Intentional Self-Harm (Suicide)	391	1.6%	Essential Hypertension And Hypertensive Renal Disease	219	1.7%	Influenza and Pneumonia	137	1.2%
13	Influenza And Pneumonia	297	1.2%	Influenza And Pneumonia	160	1.2%	Intentional Self-Harm (Suicide)	90	0.8%
14	Pneumonitis Due To Solids And Liquids	163	0.7%	Pneumonitis Due To Solids And Liquids	95	0.7%	Nutritional Deficiencies	82	0.7%
15	Nutritional Deficiencies	138	0.6%	Assault (Homicide)	88	0.7%	Pneumonitis Due To Solids and Liquids	68	0.6%
16	All other causes (not rankable)	4,209	17.1%	All other causes (not rankable)	2,041	15.7%	All other causes (not rankable)	2,136	18.5%
Total Deaths³		24,549	100.0%		12,987	100.0%		11,561	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2020.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 11 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System. Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, 2021.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2019

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	5,018	22.9%	Malignant Neoplasms	2,663	23.3%	Malignant Neoplasms	2,355	22.4%
2	Diseases Of The Heart	4,689	21.4%	Diseases Of The Heart	2,576	22.6%	Diseases Of The Heart	2,113	20.1%
3	Cerebrovascular Diseases	1,620	7.4%	Accidents/Unintentional Injuries	856	7.5%	Alzheimer's Disease	1,009	9.6%
4	Alzheimer's Disease	1,546	7.0%	Cerebrovascular Diseases	678	5.9%	Cerebrovascular Diseases	942	9.0%
5	Accidents/Unintentional Injuries	1,273	5.8%	Alzheimer's Disease	537	4.7%	Chronic Lower Respiratory Diseases	537	5.1%
6	Chronic Lower Respiratory Diseases	1,007	4.6%	Chronic Lower Respiratory Diseases	470	4.1%	Accidents/Unintentional Injuries	417	4.0%
7	Diabetes Mellitus	760	3.5%	Diabetes Mellitus	440	3.9%	Diabetes Mellitus	320	3.0%
8	Essential Hypertension And Hypertensive Renal Disease	437	2.0%	Intentional Self-Harm (Suicide)	329	2.9%	Essential Hypertension And Hypertensive Renal Disease	248	2.4%
9	Intentional Self-Harm (Suicide)	417	1.9%	Parkinson's Disease	237	2.1%	Parkinson's Disease	144	1.4%
10	Parkinson's Disease	381	1.7%	Chronic Liver Disease And Cirrhosis	232	2.0%	Influenza And Pneumonia	128	1.2%
11	Chronic Liver Disease And Cirrhosis	357	1.6%	Essential Hypertension And Hypertensive Renal Disease	189	1.7%	Chronic Liver Disease And Cirrhosis	125	1.2%
12	Influenza And Pneumonia	286	1.3%	Influenza And Pneumonia	158	1.4%	Intentional Self-Harm (Suicide)	88	0.8%
13	Pneumonitis Due To Solids And Liquids	185	0.8%	Pneumonitis Due To Solids And Liquids	101	0.9%	Pneumonitis Due To Solids And Liquids	84	0.8%
14	Nephritis, Nephrotic Syndrome And Nephrosis	136	0.6%	Nephritis, Nephrotic Syndrome And Nephrosis	77	0.7%	Nutritional Deficiencies	65	0.6%
15	Nutritional Deficiencies	112	0.5%	Assault (Homicide)	63	0.6%	Nephritis, Nephrotic Syndrome And Nephrosis	59	0.6%
				In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	63	0.6%			
16	All other causes (not rankable)	3,716	16.9%	All other causes (not rankable)	1,754	15.4%	All other causes (not rankable)	1,883	17.9%
Total Deaths³		21,940	100.0%		11,423	100.0%		10,517	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2019.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁵ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, 2021.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2018

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	4,988	23.1%	Malignant Neoplasms	2,625	23.5%	Malignant Neoplasms	2,363	22.7%
2	Diseases Of The Heart	4,655	21.6%	Diseases Of The Heart	2,612	23.4%	Diseases Of The Heart	2,043	19.6%
3	Alzheimer's Disease	1,461	6.8%	Accidents/Unintentional Injuries	801	7.2%	Alzheimer's Disease	976	9.4%
4	Cerebrovascular Diseases	1,446	6.7%	Cerebrovascular Diseases	605	5.4%	Cerebrovascular Diseases	841	8.1%
5	Accidents/Unintentional Injuries	1,250	5.8%	Alzheimer's Disease	485	4.3%	Chronic Lower Respiratory Diseases	552	5.3%
6	Chronic Lower Respiratory Diseases	1,007	4.7%	Chronic Lower Respiratory Diseases	455	4.1%	Accidents/Unintentional Injuries	449	4.3%
7	Diabetes Mellitus	775	3.6%	Diabetes Mellitus	450	4.0%	Diabetes Mellitus	325	3.1%
8	Essential Hypertension And Hypertensive Renal Disease	453	2.1%	Intentional Self-Harm (Suicide)	337	3.0%	Essential Hypertension And Hypertensive Renal Disease	261	2.5%
9	Influenza And Pneumonia	451	2.1%	Parkinson's Disease	240	2.1%	Influenza And Pneumonia	216	2.1%
10	Intentional Self-Harm (Suicide)	435	2.0%	Influenza And Pneumonia	235	2.1%	Parkinson's Disease	127	1.2%
11	Parkinson's Disease	367	1.7%	Chronic Liver Disease And Cirrhosis	214	1.9%	Chronic Liver Disease And Cirrhosis	107	1.0%
12	Chronic Liver Disease And Cirrhosis	321	1.5%	Essential Hypertension And Hypertensive Renal Disease	192	1.7%	Intentional Self-Harm (Suicide)	98	0.9%
13	Pneumonitis Due To Solids And Liquids	163	0.8%	Pneumonitis Due To Solids And Liquids	91	0.8%	Pneumonitis Due To Solids And Liquids	72	0.7%
14	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	103	0.5%	Assault (Homicide)	63	0.6%	Certain Conditions Originating In The Perinatal Period	54	0.5%
15	Certain Conditions Originating In The Perinatal Period	100	0.5%	Aortic Aneurysm And Dissection	53	0.5%	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	51	0.5%
16	All other causes (not rankable)	3,625	16.8%	All other causes (not rankable)	1,714	15.3%	All other causes (not rankable)	1,893	18.2%
Total Deaths³		21,600	100.0%		11,172	100.0%		10,428	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2018.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, October, 2020.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2017

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	5,033	23.3%	Malignant Neoplasms	2,620	23.9%	Malignant Neoplasms	2,413	22.8%
2	Diseases Of The Heart	4,764	22.1%	Diseases Of The Heart	2,556	23.3%	Diseases Of The Heart	2,208	20.8%
3	Alzheimer's Disease	1,450	6.7%	Accidents/Unintentional Injuries	773	7.1%	Alzheimer's Disease	973	9.2%
4	Cerebrovascular Diseases	1,376	6.4%	Cerebrovascular Diseases	566	5.2%	Cerebrovascular Diseases	810	7.6%
5	Accidents/Unintentional Injuries	1,188	5.5%	Alzheimer's Disease	477	4.4%	Chronic Lower Respiratory Diseases	554	5.2%
6	Chronic Lower Respiratory Diseases	1,025	4.8%	Chronic Lower Respiratory Diseases	471	4.3%	Accidents/Unintentional Injuries	415	3.9%
7	Diabetes Mellitus	799	3.7%	Diabetes Mellitus	427	3.9%	Diabetes Mellitus	372	3.5%
8	Essential Hypertension And Hypertensive Renal Disease	469	2.2%	Intentional Self-Harm (Suicide)	329	3.0%	Essential Hypertension And Hypertensive Renal Disease	256	2.4%
9	Intentional Self-Harm (Suicide)	428	2.0%	Chronic Liver Disease And Cirrhosis	223	2.0%	Influenza And Pneumonia	220	2.1%
10	Influenza And Pneumonia	393	1.8%	Parkinson's Disease	220	2.0%	Parkinson's Disease	142	1.3%
11	Chronic Liver Disease And Cirrhosis	364	1.7%	Essential Hypertension And Hypertensive Renal Disease	213	1.9%	Chronic Liver Disease And Cirrhosis	141	1.3%
12	Parkinson's Disease	362	1.7%	Influenza And Pneumonia	173	1.6%	Intentional Self-Harm (Suicide)	99	0.9%
13	Pneumonitis Due To Solids And Liquids	216	1.0%	Pneumonitis Due To Solids And Liquids	117	1.1%	Pneumonitis Due To Solids And Liquids	99	0.9%
14	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	117	0.5%	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	57	0.5%	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	60	0.6%
15	Septicemia	95	0.4%	Assault (Homicide)	56	0.5%	Septicemia	54	0.5%
				Aortic Aneurysm And Dissection	56	0.5%			
16	All other causes (not rankable)	3,479	16.1%	All other causes (not rankable)	1,627	14.8%	All other causes (not rankable)	1,780	16.8%
Total Deaths³		21,558	100.0%		10,961	100.0%		10,596	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2017.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁵ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, October, 2019.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2016

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	5,096	24.1%	Malignant Neoplasms	2,589	24.0%	Malignant Neoplasms	2,507	24.1%
2	Diseases Of The Heart	4,808	22.7%	Diseases Of The Heart	2,586	24.0%	Diseases Of The Heart	2,222	21.3%
3	Alzheimer's Disease	1,403	6.6%	Accidents/Unintentional Injuries	699	6.5%	Alzheimer's Disease	959	9.2%
4	Cerebrovascular Diseases	1,363	6.4%	Cerebrovascular Diseases	579	5.4%	Cerebrovascular Diseases	784	7.5%
5	Accidents/Unintentional Injuries	1,071	5.1%	Chronic Lower Respiratory Diseases	485	4.5%	Chronic Lower Respiratory Diseases	542	5.2%
6	Chronic Lower Respiratory Diseases	1,027	4.8%	Alzheimer's Disease	444	4.1%	Accidents/Unintentional Injuries	372	3.6%
7	Diabetes Mellitus	734	3.5%	Diabetes Mellitus	414	3.8%	Diabetes Mellitus	320	3.1%
8	Chronic Liver Disease And Cirrhosis	412	1.9%	Intentional Self-Harm (Suicide)	305	2.8%	Essential Hypertension And Hypertensive Renal Disease	217	2.1%
9	Intentional Self-Harm (Suicide)	407	1.9%	Chronic Liver Disease And Cirrhosis	235	2.2%	Influenza And Pneumonia	178	1.7%
10	Essential Hypertension And Hypertensive Renal Disease	400	1.9%	Parkinson's Disease	202	1.9%	Chronic Liver Disease And Cirrhosis	177	1.7%
11	Influenza And Pneumonia	359	1.7%	Essential Hypertension And Hypertensive Renal Disease	183	1.7%	Parkinson's Disease	117	1.1%
12	Parkinson's Disease	319	1.5%	Influenza And Pneumonia	181	1.7%	Intentional Self-Harm (Suicide)	102	1.0%
13	Pneumonitis Due To Solids And Liquids	182	0.9%	Pneumonitis Due To Solids And Liquids	96	0.9%	Pneumonitis Due To Solids And Liquids	86	0.8%
14	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	124	0.6%	Assault (Homicide)	77	0.7%	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	71	0.7%
15	Congenital Malformations, Deformations And Chromosomal Abnormalities	101	0.5%	Septicemia	53	0.5%	Congenital Malformations, Deformations And Chromosomal Abnormalities	50	0.5%
16	All other causes (not rankable)	3,378	15.9%	All other causes (not rankable)	1,643	15.3%	All other causes (not rankable)	1,709	16.4%
Total Deaths³		21,184	100.0%		10,771	100.0%		10,413	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2016.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, June, 2018.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2015

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	5,028	24.3%	Malignant Neoplasms	2,644	25.1%	Malignant Neoplasms	2,384	23.4%
2	Diseases Of The Heart	4,713	22.8%	Diseases Of The Heart	2,471	23.5%	Diseases Of The Heart	2,242	22.0%
3	Alzheimer's Disease	1,400	6.8%	Accidents/Unintentional Injuries	659	6.3%	Alzheimer's Disease	912	9.0%
4	Cerebrovascular Diseases	1,163	5.6%	Alzheimer's Disease	488	4.6%	Cerebrovascular Diseases	681	6.7%
5	Accidents/Unintentional Injuries	1,035	5.0%	Cerebrovascular Diseases	482	4.6%	Chronic Lower Respiratory Diseases	559	5.5%
6	Chronic Lower Respiratory Diseases	995	4.8%	Chronic Lower Respiratory Diseases	436	4.1%	Accidents/Unintentional Injuries	376	3.7%
7	Diabetes Mellitus	709	3.4%	Diabetes Mellitus	388	3.7%	Diabetes Mellitus	321	3.2%
8	Intentional Self-Harm (Suicide)	409	2.0%	Intentional Self-Harm (Suicide)	307	2.9%	Essential Hypertension And Hypertensive Renal Disease	223	2.2%
9	Chronic Liver Disease And Cirrhosis	387	1.9%	Chronic Liver Disease And Cirrhosis	239	2.3%	Influenza And Pneumonia	176	1.7%
10	Essential Hypertension And Hypertensive Renal Disease	383	1.8%	Parkinson's Disease	177	1.7%	Chronic Liver Disease And Cirrhosis	148	1.5%
11	Influenza And Pneumonia	343	1.7%	Influenza And Pneumonia	167	1.6%	Intentional Self-Harm (Suicide)	102	1.0%
12	Parkinson's Disease	269	1.3%	Essential Hypertension And Hypertensive Renal Disease	160	1.5%	Parkinson's Disease	92	0.9%
13	Pneumonitis Due To Solids And Liquids	185	0.9%	Pneumonitis Due To Solids And Liquids	112	1.1%	Pneumonitis Due To Solids And Liquids	73	0.7%
14	Septicemia	113	0.5%	Septicemia	61	0.6%	Septicemia	52	0.5%
15	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	102	0.5%	Assault (Homicide)	61	0.6%	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	49	0.5%
16	All other causes (not rankable)	3,469	16.8%	All other causes (not rankable)	1,677	15.9%	All other causes (not rankable)	1,783	17.5%
Total Deaths³		20,703	100.0%		10,529	100.0%		10,173	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2015.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, June, 2018.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2014

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	4,862	24.6%	Malignant Neoplasms	2,536	24.9%	Malignant Neoplasms	2,326	24.2%
2	Diseases Of The Heart	4,534	22.9%	Diseases Of The Heart	2,525	24.8%	Diseases Of The Heart	2,009	20.9%
3	Alzheimer's Disease	1,311	6.6%	Accidents/Unintentional Injuries	675	6.6%	Alzheimer's Disease	899	9.4%
4	Cerebrovascular Diseases	1,138	5.7%	Cerebrovascular Diseases	471	4.6%	Cerebrovascular Diseases	667	7.0%
5	Accidents/Unintentional Injuries	1,074	5.4%	Chronic Lower Respiratory Diseases	449	4.4%	Chronic Lower Respiratory Diseases	535	5.6%
6	Chronic Lower Respiratory Diseases	984	5.0%	Alzheimer's Disease	412	4.0%	Accidents/Unintentional Injuries	399	4.2%
7	Diabetes Mellitus	582	2.9%	Diabetes Mellitus	344	3.4%	Diabetes Mellitus	238	2.5%
8	Intentional Self-Harm (Suicide)	405	2.0%	Intentional Self-Harm (Suicide)	311	3.1%	Essential Hypertension And Hypertensive Renal Disease	178	1.9%
9	Chronic Liver Disease And Cirrhosis	316	1.6%	Chronic Liver Disease And Cirrhosis	215	2.1%	Influenza And Pneumonia	155	1.6%
10	Essential Hypertension And Hypertensive Renal Disease	312	1.6%	Parkinson's Disease	161	1.6%	Parkinson's Disease	107	1.1%
11	Influenza And Pneumonia	298	1.5%	Influenza And Pneumonia	143	1.4%	Chronic Liver Disease And Cirrhosis	101	1.1%
12	Parkinson's Disease	268	1.4%	Essential Hypertension And Hypertensive Renal Disease	134	1.3%	Intentional Self-Harm (Suicide)	94	1.0%
13	Pneumonitis Due To Solids And Liquids	134	0.7%	Viral Hepatitis	84	0.8%	Pneumonitis Due To Solids And Liquids	57	0.6%
14	Viral Hepatitis	117	0.6%	Pneumonitis Due To Solids And Liquids	77	0.8%	Nephritis, Nephrotic Syndrome And Nephrosis	50	0.5%
15	Nephritis, Nephrotic Syndrome And Nephrosis	110	0.6%	Assault (Homicide)	65	0.6%	Septicemia	47	0.5%
16	All other causes (not rankable)	3,347	16.9%	All other causes (not rankable)	1,593	15.6%	All other causes (not rankable)	1,735	18.1%
Total Deaths³		19,792	100.0%		10,195	100.0%		9,597	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2014.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, June, 2018.

Leading Causes of Death ^{1,2} Among San Diego County Residents by Gender, 2013									
RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	5,010	24.6%	Malignant Neoplasms	2,662	25.5%	Malignant Neoplasms	2,348	23.6%
2	Diseases Of The Heart	4,778	23.4%	Diseases Of The Heart	2,533	24.2%	Diseases Of The Heart	2,245	22.6%
3	Alzheimer's Disease	1,279	6.3%	Accidents/Unintentional Injuries	663	6.3%	Alzheimer's Disease	837	8.4%
4	Cerebrovascular Diseases	1,109	5.4%	Chronic Lower Respiratory Diseases	496	4.7%	Cerebrovascular Diseases	614	6.2%
5	Chronic Lower Respiratory Diseases	1,090	5.3%	Cerebrovascular Diseases	495	4.7%	Chronic Lower Respiratory Diseases	594	6.0%
6	Accidents/Unintentional Injuries	1,004	4.9%	Alzheimer's Disease	442	4.2%	Accidents/Unintentional Injuries	341	3.4%
7	Diabetes Mellitus	614	3.0%	Intentional Self-Harm (Suicide)	318	3.0%	Diabetes Mellitus	296	3.0%
8	Intentional Self-Harm (Suicide)	427	2.1%	Diabetes Mellitus	318	3.0%	Essential Hypertension And Hypertensive Renal Disease	197	2.0%
9	Influenza And Pneumonia	333	1.6%	Chronic Liver Disease And Cirrhosis	227	2.2%	Influenza And Pneumonia	160	1.6%
10	Essential Hypertension And Hypertensive Renal Disease	324	1.6%	Influenza And Pneumonia	173	1.7%	Intentional Self-Harm (Suicide)	109	1.1%
11	Chronic Liver Disease And Cirrhosis	319	1.6%	Parkinson's Disease	149	1.4%	Parkinson's Disease	97	1.0%
12	Parkinson's Disease	246	1.2%	Essential Hypertension And Hypertensive Renal Disease	127	1.2%	Chronic Liver Disease And Cirrhosis	92	0.9%
13	Pneumonitis Due To Solids And Liquids	129	0.6%	Pneumonitis Due To Solids And Liquids	70	0.7%	Pneumonitis Due To Solids And Liquids	59	0.6%
14	Septicemia	113	0.6%	Viral Hepatitis	70	0.7%	Septicemia	56	0.6%
15	Viral Hepatitis	113	0.6%	Assault (Homicide)	64	0.6%	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Beha	52	0.5%
16	All other causes (not rankable)	3,503	17.2%	All other causes (not rankable)	1,644	15.7%	All other causes (not rankable)	1,843	18.5%
Total Deaths³		20,391	100.0%		10,451	100.0%		9,940	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2013.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System. Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, June, 2018.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2012

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	4,929	24.9%	Malignant Neoplasms	2,556	25.3%	Malignant Neoplasms	2,373	24.4%
2	Diseases Of The Heart	4,587	23.2%	Diseases Of The Heart	2,476	24.5%	Diseases Of The Heart	2,111	21.7%
3	Alzheimer's Disease	1,160	5.9%	Accidents/Unintentional Injuries	616	6.1%	Alzheimer's Disease	758	7.8%
4	Chronic Lower Respiratory Diseases	1,021	5.2%	Chronic Lower Respiratory Diseases	472	4.7%	Cerebrovascular Diseases	600	6.2%
5	Cerebrovascular Diseases	998	5.0%	Alzheimer's Disease	402	4.0%	Chronic Lower Respiratory Diseases	549	5.7%
6	Accidents/Unintentional Injuries	962	4.9%	Cerebrovascular Diseases	398	3.9%	Accidents/Unintentional Injuries	346	3.6%
7	Diabetes Mellitus	648	3.3%	Diabetes Mellitus	352	3.5%	Diabetes Mellitus	296	3.0%
8	Intentional Self-Harm (Suicide)	405	2.0%	Intentional Self-Harm (Suicide)	304	3.0%	Essential Hypertension And Hypertensive Renal Disease	206	2.1%
9	Chronic Liver Disease And Cirrhosis	352	1.8%	Chronic Liver Disease And Cirrhosis	227	2.3%	Influenza And Pneumonia	160	1.6%
10	Essential Hypertension And Hypertensive Renal Disease	329	1.7%	Parkinson's Disease	163	1.6%	Chronic Liver Disease And Cirrhosis	125	1.3%
11	Influenza And Pneumonia	302	1.5%	Influenza And Pneumonia	142	1.4%	Intentional Self-Harm (Suicide)	101	1.0%
12	Parkinson's Disease	262	1.3%	Essential Hypertension And Hypertensive Renal Disease	123	1.2%	Parkinson's Disease	99	1.0%
13	Pneumonitis Due To Solids And Liquids	148	0.7%	Assault (Homicide)	88	0.9%	Pneumonitis Due To Solids And Liquids	81	0.8%
14	Septicemia	129	0.7%	Viral Hepatitis	83	0.8%	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	63	0.6%
15	In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior	124	0.6%	Septicemia	73	0.7%	Septicemia	56	0.6%
16	All other causes (not rankable)	3,444	17.4%	All other causes (not rankable)	1,611	16.0%	All other causes (not rankable)	1,790	18.4%
Total Deaths³		19,800	100.0%		10,086	100.0%		9,714	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2012.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, June, 2018.

Leading Causes of Death^{1,2} Among San Diego County Residents by Gender, 2011

RANK	All			Male			Female		
	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%	Underlying Cause of Death	n	%
1	Malignant Neoplasms	4,796	24.3%	Diseases Of The Heart	2,543	25.6%	Malignant Neoplasms	2,283	23.3%
2	Diseases Of The Heart	4,734	24.0%	Malignant Neoplasms	2,513	25.2%	Diseases Of The Heart	2,191	22.4%
3	Alzheimer's Disease	1,217	6.2%	Accidents/Unintentional Injuries	636	6.4%	Alzheimer's Disease	815	8.3%
4	Chronic Lower Respiratory Diseases	1,040	5.3%	Chronic Lower Respiratory Diseases	443	4.5%	Cerebrovascular Diseases	630	6.4%
5	Cerebrovascular Diseases	1,025	5.2%	Alzheimer's Disease	402	4.0%	Chronic Lower Respiratory Diseases	597	6.1%
6	Accidents/Unintentional Injuries	1,005	5.1%	Cerebrovascular Diseases	395	4.0%	Accidents/Unintentional Injuries	369	3.8%
7	Diabetes Mellitus	580	2.9%	Diabetes Mellitus	299	3.0%	Diabetes Mellitus	281	2.9%
8	Intentional Self-Harm (Suicide)	381	1.9%	Intentional Self-Harm (Suicide)	291	2.9%	Essential Hypertension And Hypertensive Renal Disease	168	1.7%
9	Chronic Liver Disease And Cirrhosis	326	1.7%	Chronic Liver Disease And Cirrhosis	205	2.1%	Influenza And Pneumonia	148	1.5%
10	Influenza And Pneumonia	310	1.6%	Influenza And Pneumonia	162	1.6%	Chronic Liver Disease And Cirrhosis	121	1.2%
11	Essential Hypertension And Hypertensive Renal Disease	267	1.4%	Parkinson's Disease	113	1.1%	Parkinson's Disease	96	1.0%
12	Parkinson's Disease	209	1.1%	Essential Hypertension And Hypertensive Renal Disease	99	1.0%	Intentional Self-Harm (Suicide)	90	0.9%
13	Pneumonitis Due To Solids And Liquids	147	0.7%	Viral Hepatitis	80	0.8%	Pneumonitis Due To Solids And Liquids	82	0.8%
14	Septicemia	128	0.6%	Nephritis, Nephrotic Syndrome And Nephrosis	66	0.7%	Septicemia	71	0.7%
15	Viral Hepatitis	112	0.6%	Assault (Homicide)	65	0.7%	Congenital Malformations, Deformations And Chromosomal Abnormalities	51	0.5%
16	All other causes (not rankable)	3,471	17.6%	All other causes (not rankable)	1,641	16.5%	All other causes (not rankable)	1,802	18.4%
Total Deaths³		19,748	100.0%		9,953	100.0%		9,795	100.0%

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2011.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

⁴ Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System.

Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, June, 2018.