FAITH-BASED ORGANIZATIONS SECTOR TELEBRIEFING

County of San Diego

Last Updated: 11/3/2021

LIVE WELL SAN DIEGO

When is the next telebriefing?

LIVE WELL SAN DIEGO

Faith-Based Telebriefings: 1st Wednesdays of the Month

Next telebriefing: December 1, 2021 | 1pm-2pm

December 2021

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1 FBO Tele	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

Agenda:

- Welcome & Announcements
- Medical Updates
- Shigella Update
- Reopening Updates
- Q&A
- Closing

Our Speakers:

MAYA SHAHAR
Community Health Promotion Specialist
Community & Faith-Based
Organizations Sector

GARY JOHNSTON
Chief Resilience Officer, County
COVID-19 Response Incident
Commander, COVID-19
Reopening Lead



JENNIFER M. TUTEUR, MD
County of San Diego
Deputy Chief Medical Officer

Welcome to the Faith-Based Organizations Telebriefing

A few reminders before we begin:

This telebriefing is being recorded.

Your lines are muted.

Please enter your questions in the Q&A Box and your comments in the chat box.

You can email us at: COVID-CBO-FAITH@sdcounty.ca.gov

ANNOUNCEMENTS

LIVE WELL
SAN DIEGO

CERTIFICATION TRAINING OPPORTUNITY

LIVE WELL SAN DIEGO

Are you interested in collaborating and co-creating an FBO Safe Practices certification program?

- Preparation of safe environments for employees and congregants/customers
- Cal OSHA guidelines for events or Businesses
- Health Literacy – best practices of increasing access to trusted health information

Contact: Sharon.Hughes@sdcounty.ca.gov if interested in participating.

Thanksgiving Meals & Supplies

San Diego County

SAN DIEGO RESCUE MISSION

Saturday, November 20th, 2021
1:00pm-3:00pm
120 Elm St, San Diego, CA 92101
Hot Thanksgiving Meals to go, Medical Care and Giveaways

BAYVIEW BAPTIST CHURCH OF SAN DIEGO

Sunday, November 21st, 2021
12:00-4:00pm
6134 Pastor Timothy J Winters St, San Diego, CA, 92114
Thanksgiving Drive Thru Food Distribution

THE SALVATION ARMY, CITADEL CORPS

Thursday, November 25th, 2021
11:00am-1:00pm
4170 Balboa Ave, San Diego, CA, 92117
Hot Thanksgiving Day Meal

THE SALVATION ARMY, EL CAJON CORPS

Thursday, November 25th, 2021
11:00am-1:00pm
1011 E Main St, El Cajon, CA, 92021
Hot Thanksgiving Day Meal

THE SALVATION ARMY, CENTRE CITY CORPS

Thursday, November 25th, 2021
11:00am-1:00pm
825 7th Ave, San Diego, CA, 92101
Hot Thanksgiving Day Meal

CITY OF SAN DIEGO PARKS AND RECREATION

November 18th, 2021
5:30-7:30pm
6508 Wunderlin Ave, San Diego, CA 92114
Thanksgiving Meals, Raffles, and Prizes
*MUST be an Encanto Resident to Attend

THE SALVATION ARMY, OCEANSIDE CORPS

Thursday, November 25th, 2021
11:00am-1:00pm
3935 Lake Blvd, Oceanside, CA 92056
Hot Thanksgiving Day Meal

WALMART & IBOTTA

November 2021
Free Thanksgiving Meal Supplies
Click Here for More Information

The County of San Diego is not responsible for the information on the flyer.
Please check and confirm with each individual organization for details on events.

LIVE WELL SAN DIEGO

THANKSGIVING MEALS & SUPPLIES

- Hot meals
- Food distribution
- Giveaways

**varies at each location*

Virtual Live Well Advance & Schools Summit

LIVE WELL SAN DIEGO

November 17 (12:15pm-5:00pm) | November 18 (8:00am-12:00)

KEYNOTE
Wednesday, November

Trabian Shorters
Founder & CEO

BMe Community

"Asset Framing for Equity"

KEYNOTE
Thursday, November 18

Trier Bryant
Founder & CEO

Just Work

Kim Scott
Founder & Author

Just Work

"Workplace Diversity, Equity, and Inclusion"

REGISTRATION NOW OPEN! **LiveWellSD.org/Advance**

Virtual Live Well Advance & Schools Summit

LIVE WELL SAN DIEGO

November 17 (12:15pm-5:00pm) | November 18 (8:00am-12:00)

- Attendance Supports
- Mental Health and Wellness
- Developing Health Literacy
- Youth Engagement in ATOD

REGISTRATION NOW OPEN! **LiveWellSD.org/Advance**

MEDICAL UPDATES

JENNIFER M. TUTEUR, MD, FAAFP
DEPUTY CHIEF MEDICAL OFFICER
MEDICAL CARE SERVICES DIVISION
COUNTY OF SAN DIEGO HEALTH & HUMAN SERVICES AGENCY

LIVE WELL
SAN DIEGO

OVER 5 MILLION COVID-19 DEATHS WORLDWIDE



11/1/21 - Johns Hopkins University COVID-19 Dashboard

Equivalent to the population of Melbourne or the nation of Singapore

LEADING CAUSES OF DEATH IN CHILDREN 5-11 YEARS OF AGE IN THE UNITED STATES

LIVE WELL SAN DIEGO

Leading Causes of Death in Children 5-11 Years of Age, NCHS, 2019

Causes of Death	Death (n)	Crude rate per 100,000
Accidents (unintentional injuries)	969	3.4
Malignant neoplasms	525	1.8
Congenital malformations, deformations and chromosomal abnormalities	274	1.0
Assault (homicide)	207	0.7
Diseases of the heart	115	0.4
Chronic lower respiratory diseases	107	0.4
Influenza and pneumonia	84	0.3
Intentional self-harm (suicide)	66	0.2
Cerebrovascular diseases	56	0.2
Septicemia	48	0.2

66 COVID-19 associated deaths in children 5-11 10/3/20-10/2/2021

Total population 5-17 years, 2019: 52,715,248

CDC NCHS WONDER Online Database. Accessed at http://wonder.cdc.gov/ucd-icd10.html on May 6, 2021

Epidemiology of COVID-19 in Children Aged 5 – 11 years

COVID-19 CASE RATE BY VACCINATION STATUS

LIVE WELL SAN DIEGO

Case rate for not fully vaccinated residents is ***3 times higher*** than fully vaccinated residents

Average Daily Cases per 100,000 (7-day average with 14-day lag: 10/3/2021– 10/9/2021)		
Not Fully Vaccinated*	Fully Vaccinated**	County Overall
23.1	7.5	13.6



*Not fully vaccinated includes individuals with one dose of the two-dose series, no doses, or unknown vaccination status. Individuals less than 12 years of age who are not yet eligible for the vaccine are also included.

**Cases who first tested positive (based on specimen collection date) greater than or equal to 14 days after receiving the final dose of COVID-19 vaccine.

***If case did not have symptoms or illness onset date is unavailable, the earliest of specimen collection date, date of death, or date reported is used instead.

For more information see the COVID-19 Watch and the Summary of Cases by Vaccination Status.

Prepared by the County of San Diego. Data through 10/23/2021, updated 10/27/2021.

COVID-19 HOSPITALIZATION RATE BY VACCINATION STATUS

LIVE WELL SAN DIEGO

Hospitalization rate for not fully vaccinated residents is ***14 times higher*** than fully vaccinated

Average Daily Hospitalizations per 100,000 (7-day average with 21-day lag: 9/26/2021 – 10/2/2021)		
Not Fully Vaccinated*	**Fully Vaccinated****	**County Overall**
0.71	**0.05**	**0.31**



*Not fully vaccinated includes individuals with one dose of the two-dose series, no doses, or unknown vaccination status. Individuals less than 12 years of age who are not yet eligible for the vaccine are also included. **Cases who first tested positive (based on specimen collection date) greater than or equal to 14 days after receiving the final dose of COVID-19 vaccine.

For more information see the COVID-19 Watch and the Summary of Cases by Vaccination Status.

Prepared by the County of San Diego. Data through 10/23/2021, updated 10/27/2021.

COVID-19 HOSPITALIZATION AND DEATH BY VACCINATION STATUS



Published in the UT 11/3/21

PFIZER COVID-19 VACCINE FOR 5-11 YEAR OLDS

1. On 10/6, Pfizer and BioNTech submitted an application for an emergency use authorization

DONE !

2. FDA Advisory Committee (10/26) – Committee recommended emergency use authorization

DONE !

3. FDA Decision (10/29) – FDA granted emergency use authorization

DONE !

4. CDC Advisory Committee (11/2) – Unanimous vote in favor of the vaccine

DONE !

5. CDC Decision (11/2) – **The CDC recommends the vaccine for all children 5-11 years old**

6. Western States Scientific Review Decision

Who is eligible to receive a COVID-19 booster dose?



You are eligible for a **Pfizer or Moderna** booster dose if you:

- Received your second dose at least **six months ago**, AND
- Are 65 or older, or
- Age 18+ who live in long-term care settings, or
- Age 18+ who have underlying medical conditions, or
- Age 18+ who are at increased risk due to social inequity, or
- Age 18+ who work or live in high-risk settings



You are eligible for a **Johnson & Johnson** booster dose if you:

- Received your first dose of the Johnson & Johnson vaccine at least **two months ago**, AND
- Are 18 or older

COVID-19 Booster Vaccines

COVID-19 Vaccine Booster Questions & Answers

MIX AND MATCH BOOSTERS



COVID-19 Booster Toolkit

THIRD DOSE & BOOSTER SHOTS FOR IMMUNOCOMPROMISED PEOPLE

[Interim Clinical Considerations for Use of COVID-19 Vaccines Currently Approved or Authorized in the United States]

Third doses are for people who are immunocompromised.

- The third dose of Pfizer or Moderna is identical to the first two doses and can be given as soon as 28 days after the second dose is received.

Booster doses for people who are immunocompromised & aged 18+ years:

- Those who got the Moderna or Pfizer vaccine for their primary series AND received a 3rd dose **may** receive a COVID-19 booster dose (Pfizer, Moderna, or J&J) at least 6 months after completing their 3rd dose.

INFECTION-INDUCED AND VACCINE-INDUCED IMMUNITY

Science Brief: SARS-CoV-2 Infection-induced and Vaccine-induced Immunity



Laboratory-Confirmed COVID-19 Among Adults Hospitalized with COVID-19–Like Illness with Infection-Induced or mRNA Vaccine-Induced SARS-CoV-2 Immunity — Nine States, January–September 2021

- The CDC released a review of more than 90 published reports and pre-print studies about COVID-19 immunity after infection and immunity from vaccination.
- The data show that vaccination can provide a higher and more consistent level of immunity to protect people from COVID-19 than infection alone.
- Vaccination after infection significantly improves protection from reinfection.

WHAT TO DO WITH A RAPID ANTIGEN TEST RESULT

Rapid Antigen Test	Symptoms present (+)	No symptoms present (-)
Test Positive (+)	**NO PCR test required**. Isolate for 10 days and quarantine close contacts.	**NEEDS PCR within 48 hours.**
Test Negative (-)	**NEEDS PCR** confirmation.	**NO PCR test required.** You can continue your daily routine.

*Applicable to unvaccinated individuals who are not identified as a close contact.

EARLY THERAPY FOR COVID-19 AVAILABLE AT NO COST

LIVE WELL SAN DIEGO

Who can benefit from monoclonal antibodies?	
Treatment	**Prevention**
• People who have a positive test for COVID-19 and have mild to moderate symptoms, **AND** • Have had COVID-19 symptoms for less than 10 days, **AND** • Are at high-risk of getting very sick from COVID-19 • Examples include: 65 years of age or older, obese, pregnant, diabetes, heart disease, and high blood pressure	• People who have been in close contact with someone with a positive test for COVID-19 **OR** at high risk of exposure, **AND** • Are not fully vaccinated **OR** not expected to mount an immune response
AND must be at least 12 years old	

Clinical studies show **≥ 70 % prevention** of hospitalization and death with monoclonal antibody treatment, and **≥ 70 % prevention** of transmission with monoclonal antibody prevention.

MONOCLONAL ANTIBODY REGIONAL CENTER (MARC)

LIVE WELL SAN DIEGO

WAYS TO ACCESS MONOCLONAL ANTIBODIES

- Call **(619) 685-2500** with questions or to make an appointment
- For additional information visit: www.sandiegocounty.gov/COVIDHealthProfessionals
- Email us at: **CovidTreatment@sdcounty.ca.gov**
- If a skilled nursing facility is interested in monoclonal antibody treatment, contact the Mobile Monoclonal Antibody Administration Team at **mcsdnursingmabinfusion.hhsa@sdcounty.ca.gov**

In addition to monoclonal antibody treatment, the **Clairemont Friendship Center** can provide monoclonal antibodies for **post-exposure prophylaxis**. If you have been in close contact with someone who has COVID-19, call the Clairemont MARC site to see if you qualify to receive monoclonal antibodies.

LOCATIONS

MARC at Vista Community Clinic

Vista

MARC at Clairemont Friendship Center

OPEN SATURDAYS

Clairemont

Family Health Centers of San Diego

Hillcrest & Chula Vista

MOVING SERVICES INDOORS

- **What should we do when someone tests positive?**
  - *Best practices*: Know who's at the service (everyone signs in, create a seating chart, make reservations, etc.); Let close contacts know that the County will call them; Send a general letter to the congregation
- **How can we reduce risk of spreading COVID-19 when indoors?**



SHIGELLA UPDATE

LIVE WELL
SAN DIEGO

WHAT IS SHIGELLA?

What is Shigella?

- *Shigella* is a bacteria that can easily spread from person to person and cause an infection called shigellosis.
- The most common symptoms of a *Shigella* infection are diarrhea, stomach pain or cramps, fever, and a strong urge to pass stool (poop).
- Symptoms usually start 1-2 days after contact with *Shigella* germs and last about a week.
- Outbreaks tend to occur in overcrowded settings where personal hygiene is challenging.

WHAT IS SHIGELLA?

How does *Shigella* spread?

Shigella spreads when a person gets poop from a sick person into their mouth. Even microscopic amounts of poop could make someone sick.

Hands
Getting *Shigella* bacteria on your hands then touching your food or mouth.

Food
Eating food that was prepared by someone who is sick (or recently sick) with *Shigella*.

Water
Swallowing water while swimming or drinking water contaminated with poop that has *Shigella* bacteria.

Sex
Contact with germs from poop during sexual contact with someone sick or recently sick with *Shigella*.

Groups at increased risk for shigellosis:

- Children attending daycare
- Travelers to low-income countries
- Men who have sex with men
- Persons experiencing homelessness

SHIGELLA OUTBREAK IN SAN DIEGO COUNTY

LIVE WELL SAN DIEGO

29 confirmed cases among persons experiencing homelessness

Onset of illness between **Aug. 16 – Oct. 21**

The 29 cases in this outbreak represent **10.5%** of the 313 total cases reported to date in San Diego County

The outbreak cases are among individuals experiencing homelessness, with the majority located in central San Diego. No source of the outbreak has been identified. It is likely spreading from person to person, a common way for Shigella to spread.

SHIGELLOSIS IN SAN DIEGO COUNTY



SHIGELLOSIS IN SAN DIEGO COUNTY

LIVE WELL SAN DIEGO

32
PERSONS
EXPERIENCING
HOMELESSNESS

0 Deaths

24 Hospitalizations

28 Use Methamphetamines

PUBLIC HEALTH RESPONSE

LIVE WELL SAN DIEGO

Coordinate

- Relocation of deployed handwashing stations to areas frequented by persons experiencing homelessness (PEH)
- Outreach and education to over 20 Sectors interacting with PEH

Collaborate

- Weekly meetings with impacted municipalities and CDPH
- Sharing Shigella and sanitation best practices and materials

Communicate

- Released CAHAN (10/11/21)
- County News Center media releases: October 11th, 19th, 21st

Response

- Active investigation of cases
- Activated Medical Operations Center (10/15/21)
- Linked PEH cases to temporary housing
- Distributed information & hygiene kits through homeless outreach teams
- Testing of cases through public health lab

HOW TO PREVENT SHIGELLA

The best way to prevent *Shigella* infection is to carefully wash your hands with soap and water after using the bathroom, before preparing food and eating, and after changing a diaper.

Other ways to help prevent *Shigella* infection:

- Do not prepare food or share your food with others if you are sick with shigellosis.
- Avoid swallowing water from ponds, lakes, or untreated swimming pools.
- Do not swim in water if you have diarrhea.
- Avoid having sex of any kind with someone who currently has symptoms of shigellosis or has had shigellosis in the past few weeks.
- When traveling internationally, stick to safe eating and drinking habits, and wash hands often with soap and water. For more information, see Travelers' Health – Food and Water Safety.

WHEN TO SEE YOUR DOCTOR

- Contact your healthcare provider if you or one of your family members have bloody diarrhea or severe stomach cramping or tenderness, especially if you also have fever or feel very sick.
- People with *Shigella* infection should drink plenty of fluids to prevent dehydration.
- People with bloody diarrhea should not use anti-diarrheal medication, because it may make symptoms worse.
- Antibiotics can shorten the time you have fever and diarrhea, but consult with your physician first because not everyone needs antibiotics.

RESOURCES

LIVE WELL SAN DIEGO

Shigella - San Diego County (data updated every Thursday)

City of San Diego Handwashing Stations, Restrooms, and Public Libraries



For more information, visit the CDC Shigella or CDPH Shigellosis websites.

REOPENING UPDATES

GARY JOHNSTON
CHIEF RESILIENCE OFFICER
COUNTY COVID-19 RESPONSE INCIDENT COMMANDER
COVID-19 REOPENING LEAD

LIVE WELL
SAN DIEGO

BEYOND THE BLUEPRINT

LIVE WELL SAN DIEGO

OVERVIEW

CDPH
TOMÁS J. ARAGÓN, M.D., Dr.P.H.
State Public Health Officer & Director

State of California—Health and Human Services Agency
California Department of Public Health

GAVIN NEWSOM
Governor

UPDATED ON 10/27

- Vaccine verification or negative testing requirement to Indoor Mega Events involving 1,000 or more participants.
  - Beginning December 1, 2021, attendees 18 y/o+ must provide identification with proof of vaccination or negative test results

- Removed date for requirements and recommendations to remain in place to November 1, 2021 –
  UPDATE: recommend/require indefinitely.

LIGHTNING ROUND Q&A

CLOSING

LIVE WELL
SAN DIEGO

CBO TELEBRIEFING

LIVE WELL SAN DIEGO

Community-Based Organizations & Rural Communities Telebriefing

Introduction to the Department of Homeless Solutions & Equitable Communities
Barbara Jiménez, Community Operations Officer
County of San Diego

Holiday Meal Distribution & Mobile Pantry Sites
Jessica Murray, FEED Lead Coordinator
San Diego Food Bank

COVID-19 Medical Updates & Shigella Outbreak Updates
Dr. Mark Beatty, Medical Consultant
County of San Diego

NEW DATE! JOIN US ON
THURSDAY 11/4/21
1:00PM - 2:00PM

LIVE WELL SAN DIEGO

STAY CONNECTED!

- For additional questions and resources, please email: Covid-CBO-Faith@sdcounty.ca.gov
- Faith-Based Organizations Website
- Sign up for email updates
- View the full list of COVID-19 Faith-Based FAQs