SAN DIEGO REGIONAL FULL SCALE EXERCISE

INITIAL AAR BRIEFING
JUNE 18, 2015

SCENARIO

- Cyber attack results in a long-term region-wide blackout
- Only facilities with functioning back-up generation have power
- Scenario starts with shift change briefing 12 hours into the power outage

OBJECTIVES

- Response Objectives:
  - `EOC Management
    - Demonstrate the ability to direct and control EOC operations
    - Assess the ability to activate the EOC
    - Demonstrate the ability to gather and provide information to maintain situational awareness in the EOC
    - Demonstrate the ability to coordinate and resolve multi-agency/multi-jurisdictional issues

OBJECTIVES

- Response objectives:
  - Emergency Public Information and Warning
    - Demonstrate the ability to establish a JIC
    - Conduct JIC operations
    - Issue Alerts, Warnings and Notifications
    - Provide rumor control
  - Hazardous Materials Response/Decontamination
    - Activate HazMat Response and Decontamination
    - Assess Hazard and Evaluate Risk
    - Conduct Decontamination Operations

OBJECTIVES

- Response objectives:
  - Medical Surge
    - Activate Mass Casualty Response
    - Demonstrate ability to direct and manage medical surge operations
    - Assess ability to make protective action decisions
- Recovery Objectives:
  - Restoration of Lifelines

AFTER-ACTION REPORT



Objectives
Observations
Innovations

- Distribution
  - Federal, State, Local and Private Sector partners
- Purpose
  - Document exercise discussion
  - Identify shortfalls and gaps in plans
  - Pass on lessons learned

WHAT WENT WELL

- CAO, City Manager Conference Call
- Use of commercial VTC software
  - Blue Jeans
  - Adobe Connect
- First test of Energy Resiliency Plan
- First test of the Cyber Annex to the EOP
- Use of Regional Vehicles

WHAT WENT WELL (CONT.)

- First use of the Business Liaison Position in the OA EOC
- LECC coordination with OA EOC
- Translators in the JIC
- Pre-scripted messages for the public
- Use of Community Partner Relay for risk communications

NEEDS IMPROVEMENT

- Refresher Training for WebEOC users
- Updates for forms on WebEOC
- LECC integration into OA EOC needs refinement
- A/V equipment requires upgrade
- Establish consistent regional policy for fuel rationing
- Establishment of "Charging Station" locations
- Better define role of AFN positions in the OA EOC

QUESTIONS?