

APPENDIX A

APPENDIX CA
MEADOWOOD FLORAL COMPENDIUM

| SCIENTIFIC NAME | COMMON NAME |
|-------------------------------------|----------------------------------|
| FERNS AND FERN ALLIES | |
| PTERIDACEAE - BRAKE FAMILY | |
| <i>Pentagramma triangularis</i> | goldenback fern |
| SELAGINELLACEAE - SPIKE-MOSS FAMILY | |
| <i>Selaginella bigelovii</i> | Bigelow's spike-moss |
| ANGIOSPERMS: DICOTYLEDONS | |
| ADOXACEAE - ELDERBERRY FAMILY | |
| <i>Sambucus mexicana</i> | Mexican elderberry |
| AMARANTHACEAE - AMARANTH FAMILY* | |
| <i>Amaranthus albu</i> | stumbling pigweed* |
| <i>Chenopodium album</i> | lamb's quarters* |
| <i>Chenopodium murale</i> | nettle-leaved goosefoot* |
| <i>Salsola tragus</i> | Russian thistle |
| ANACARDIACEAE - SUMAC FAMILY | |
| <i>Malosma laurina</i> | laurel sumac |
| <i>Rhus integrifolia</i> | lemonadeberry |
| <i>Rhus ovata</i> | sugar bush* |
| <i>Schinus molle</i> | Peruvian pepper tree |
| APIACEAE - CARROT FAMILY | |
| <i>Daucus pusilus</i> | rattlesnake weed* |
| <i>Foeniculum vulgare</i> | sweet fennel |
| ASTERACEAE - SUNFLOWER FAMILY | |
| <i>Ambrosia acanthicarpa</i> | annual bur-sage |
| <i>Artemisia californica</i> | California sagebrush |
| <i>Baccharis pilularis</i> | coyote brush |
| <i>Baccharis salicifolia</i> | mulefat |
| <i>Bebbia junceas</i> | weetbush |
| <i>Brickellia californica</i> | California brickellbush* |
| <i>Carduus pycnocephalus</i> | Italian thistle* |
| <i>Centaurea melitensis</i> | toçalote* |
| <i>Conyza bonariensis</i> | flax-leaved horseweed* |
| <i>Conyza Canadensis</i> | common horseweed |
| <i>Deinandra fasciculata</i> | fascicled tarplant |
| <i>Eriophyllum confertiflorum</i> | golden yarrow |
| <i>Filago californica</i> | California filago* |
| <i>Filago gallica</i> | narrow-leaved filago |
| <i>Gnaphalium canescens</i> | felty everlasting |
| <i>Gutierrezia sp</i> | matchweed |
| <i>Hazardia</i> | squarrosasaw-toothed goldenbush* |
| <i>Hedypnois cretica</i> | Crete hedypnois |
| <i>Heterotheca grandiflora</i> | telegraph weed* |
| <i>Lactuca serriola</i> | wild lettuce |
| <i>Lessingia filaginifolia</i> | California-aster |

| | |
|--|-----------------------|
| <i>Porophyllym gracile</i> | odora |
| <i>Rafinesquia californica</i> | California chicory* |
| <i>Silybum marianum</i> | milk thistle* |
| <i>Stephanomeria virgata</i> | prickly sow thistle |
| <i>Sonchus asper</i> ssp. <i>Asper</i> | twiggy wreathplant |
| BORAGINACEAE - BORAGE FAMILY | |
| <i>Amsinckia menziesii</i> | common fiddleneck |
| <i>Phacelia cicutaria</i> | caterpillar phacelia |
| <i>Plagiobothrys sp</i> | popcornflower |
| BRASSICACEAE - MUSTARD FAMILY* | |
| <i>Brassica nigra</i> | black mustard* |
| <i>Hirschfeldia incana</i> | short-podded mustard* |
| <i>Raphanus sativus</i> | wild radish |
| CACTACEAE - CACTUS FAMILY* | |
| <i>Opuntia ficus-indica</i> | Indian fig |
| <i>Opuntia littoralis</i> | coastal prickly pear |
| <i>Opuntia parryi</i> | valley cholla |
| CAPRIFOLIACEAE - HONEYSUCKLE FAMILY | |
| <i>Lonicera subspicata</i> | wild honeysuckle |
| CARYOPHYLLACEAE - PINK FAMILY | |
| <i>Silene laciniata</i> | fringed pink |
| CISTACEAE - ROCK-ROSE FAMILY | |
| <i>Helianthemum scoparium</i> | peak rush-rose |
| CONVOLVULACEAE - MORNING-GLORY FAMILY | |
| <i>Calystegia macrostegia</i> | wild morning-glory |
| <i>Cuscuta californica</i> | California dodder |
| CRASSIFOLIACEAE - STONECROP FAMILY | |
| <i>Dudleya lanceolata</i> | lance-leafed dudleya |
| <i>Dudleya pulverulenta</i> | chalk dudleya |
| CUCURBITACEAE - CUCUMBER FAMILY | |
| <i>Marah macrocarpus</i> | wild cucumber |
| ERICACEAE - HEATH FAMILY | |
| <i>Xylococcus bicolor</i> | mission manzanita |
| EUPHORBIACEAE - SPURGE FAMILY | |
| <i>Chamaesyce sp.</i> | spurge |
| <i>Eremocarpus setigerus</i> | dove weed* |
| <i>Ricinus communis</i> | castor-bean |
| FABACEAE - LEGUME FAMILY | |
| <i>Lathyrus laetiflorus</i> | San Diego sweetpea |
| <i>Lotus scoparius</i> | Deerweed |
| <i>Melilotus albus</i> | white sweet clover |
| FAGACEAE - OAK FAMILY | |
| <i>Quercus agrifolia</i> | coast live oak |
| <i>Quercus berberidifolia</i> | California scrub-oak |
| GERANIACEAE - GERANIUM FAMILY* | |
| <i>Erodium botrys</i> | long-beaked filaree* |
| <i>Erodium cicutaria</i> | red-stemmed filaree |
| LAMIACEAE - MINT FAMILY* | |
| <i>Marrubium vulgare</i> | horehound |
| <i>Salvia apiana</i> | white sage |

| | |
|-------------------------------------|------------------------|
| <i>Salvia columbariae</i> | chia |
| <i>Salvia mellifera</i> | black sage |
| LAURACEAE - LAUREL FAMILY* | |
| <i>Persea Americana</i> | avocado |
| MALVACEAE - MALLOW FAMILY | |
| <i>Malacothamnus fasciculatus</i> | mesa bushmallow* |
| <i>Malva parviflora</i> | cheeseweed |
| MYRTACEAE - MYRTLE FAMILY* | |
| <i>Eucalyptus sp.</i> | gum tree |
| NYCTAGINACEAE - FOUR-O-CLOCK FAMILY | |
| <i>Mirabilis californicus</i> | wishbone plant |
| PHRYMACEAE - MONKEYFLOWER FAMILY | |
| <i>Mimulus aurantiacus</i> | bush monkey-flower |
| PLANATAACEAE - SYCAMORE FAMILY | |
| <i>Platanus racemosa</i> | western sycamore |
| POLYGONACEAE - BUCKWHEAT FAMILY | |
| <i>Eriogonum fasciculatum</i> | California buckwheat |
| <i>Eriogonum gracile</i> | slender buckwheat |
| <i>Chorizanthe fimbriata</i> | Turkish rugging |
| RHAMNACEAE - BUCKTHORN FAMILY | |
| <i>Rhamnus ilicifolia</i> | holly-leaf redberry |
| <i>Ceanothus tomentosus</i> | Ramona lilac |
| ROSACEAE - ROSE FAMILY | |
| <i>Adenostoma fasciculatum</i> | chamise |
| <i>Cercocarpus sp.</i> | mountain mahogany |
| <i>Heteromeles arbutifolia</i> | Toyon |
| <i>Prunus ilicifolia</i> | holly-leaf cherry |
| RUBIACEAE - MADDER FAMILY | |
| <i>Galium angustifolium</i> | narrow-leaved bedstraw |
| RUTACEAE - RUE FAMILY* | |
| <i>Citrus limonia</i> | lemon* |
| <i>Citrus sinensis</i> | orange |
| SCROPHULARIACEAE - FIGWORT FAMILY* | |
| <i>Myoporum laetum</i> | shrub myoporum |
| SOLANACEAE - NIGHTSHADE FAMILY | |
| <i>Datura wrightii</i> | datura* |
| <i>Nicotiana glauca</i> | tree tobacco |
| <i>Solanum xanti</i> | chaparral nightshade |
| TAMARICACEAE - TAMARISK FAMILY* | |
| <i>Tamarix sp.</i> | tamarisk |
| VERONICACEAE - VERONICA FAMILY | |
| <i>Keckiella antirrhinoides</i> | yellow bush-penstemon |
| ANGIOSPERMS: MONOCOTYLEDONS | |
| AGAVACEAE - AGAVE FAMILY | |
| <i>Hesperoyucca whipplei</i> | foothill yucca |
| <i>Calochortus sp.</i> | mariposa lily |
| <i>Chlorogalum sp.</i> | amole |
| <i>Bloomeria crocea</i> | common goldenstars |

| | |
|--------------------------------|-----------------------|
| <i>Dichelostemma capitatum</i> | blue-dicks |
| ARECACEAE - PALM FAMILY* | |
| <i>Phoenix dactylifera</i> | date palm* |
| <i>Washingtonia robusta</i> | Mexican fan palm |
| POACEAE - GRASS FAMILY | |
| <i>Achnatherum coronatum</i> | giant needlegrass* |
| <i>Avena sp.</i> | wild oat* |
| <i>Bromus diandrus</i> | ripgut grass* |
| <i>Bromus hordeaceus</i> | soft chess* |
| <i>Bromus madritensis</i> | foxtail chess* |
| <i>Cynodon dactylon</i> | Bermuda grass |
| <i>Leymus condensatus</i> | giant wild rye |
| <i>Melica sp.</i> | melic |
| <i>Nassella lepida</i> | foothill needlegrass* |
| <i>Pennisetum setaceum</i> | purple fountain grass |
| <i>Vulpia myuros</i> | rattail fescue |

APPENDIX B

APPENDIX DB
MEADOWOOD FAUNAL COMPENDIUM

| SCIENTIFIC NAME | COMMON NAME |
|--|--------------------------------|
| INVERTEBRATES | |
| HOMOPTERA - CICADAS, LEAFHOPPERS & ALLIES | |
| Family <i>Cicadidae</i> | cicada |
| ORTHOPTERA - GRASSHOPPERS, CRICKETS & KATYDIDS | |
| <i>Gryllus</i> sp. | field cricket |
| <i>Trimerotropis pallidipennis</i> | pallid band-winged grasshopper |
| LEPIDOPTERA – BUTTERFLIES & MOTHS | |
| <i>Apodemia virgulti</i> | Behr's metalmark |
| <i>Euphilotes bernardino</i> | Bernardino blue |
| <i>Eurema nicippe</i> | sleepy orange |
| <i>Junonia coenia</i> | buckeye |
| <i>Leptotes marina</i> | marine blue |
| <i>Nathalis iole</i> | dainty sulphur |
| <i>Papilio cresphontes</i> | giant swallowtail |
| <i>Pieris rapae</i> | cabbage white |
| <i>Pontia protodice</i> | checkered white |
| <i>Pyrgus albescens</i> | white checkered skipper |
| <i>Vanessa cardui</i> | painted lady |
| <i>Nymphalis antiopa</i> | mourning cloak |
| <i>Vanessa annabella</i> | west coast lady |
| Family <i>Geometridae</i> | geometrid moth |
| DIPTERA - GNATS, MIDGES & FLIES | |
| <i>Dilophus orbatus</i> | little black march fly |
| Family <i>Muscidae</i> | muscid fly |
| <i>Parasarcophaga</i> sp. | flesh fly |
| HYMENOPTERA - ANTS, WASPS & BEES | |
| <i>Apis mellifera</i> | European honeybee |
| <i>Bombus crotchii</i> | Crotch's bumblebee |
| <i>Bombus vosnesenskii</i> | Vosnesenski's bumblebee |
| <i>Iridomyrmex humilis</i> | Argentine ant |
| <i>Pepsis</i> sp. | spider wasp |
| <i>Pogonomyrmex</i> sp. | harvester ant |
| <i>Xylocopa californica</i> | California carpenter bee |
| Family <i>Sphecidae</i> | sphecid wasp |
| ARANEAE - SPIDERS | |
| <i>Argiope argentata</i> | silver orb weaver |
| GASTROPODA - SNAILS & SLUGS | |
| <i>Helix aspera</i> | brown garden snail |
| AMPHIBIANS | |
| BUFONIDAE – TRUE TOADS | |
| <i>Bufo californicus</i> | arroyo toad |
| PELOBATIDAE – SPADEFOOT TOADS AND RELATIVES | |
| <i>Spea (=Scaphiopus) hammondi</i> | western spadefoot toad |

HYLIDAE - TREEFROGS

Pseudacris regilla Pacific chorus frog

REPTILES

COLUBRIDAE - COLUBRIDS

Diadophis punctatus similis San Diego ringneck snake

Thamnophis hammondi two-striped garter snake

VIPERIDAE - VIPERS

Crotalus ruber ruber northern red rattlesnake

IGUANIDAE - IGUANID LIZARDS

Sceloporus occidentalis western fence lizard

PHRYNOSOMATIDAE – ZEBRA-TAILED, EARLESS, FRINGE-TOED, SPINY, TREE, SIDE-BLOTCHED, AND HORNED LIZARDS

Phrynosoma coronatum (blainvillei) coast (San Diego) horned lizard

Uta stansburiana side-blotched lizard

SCINCIDAE - SKINKS

Eumeces skiltonianus interparietalis Coronado western skink

TEIIDAE - WHIPTAIL LIZARDS

Apisdoscelis hyperythrus orange-throated whiptail

Aspidoscelis tigris stejnegeri coastal western whiptail

BIRDS

CATHARTIDAE – NEW WORLD VULTURES

Cathartes aura turkey vulture

ACCIPITRIDAE - HAWKS

Circus cyaneus northern harrier

Buteo lineatus red-shouldered hawk

Buteo jamaicensis red-tailed hawk

FALCONIDAE - FALCONS

Falco sparverius American kestrel

ODONTOPHORIDAE - QUAILS

Callipepla californica California quail

COLUMBIDAE - PIGEONS & DOVES

Zenaida macroura mourning dove

CUCULIDAE - CUCKOOS & ROADRUNNERS

Geococcyx californianus greater roadrunner

TYTONIDAE – BARN OWLS

Tyto alba barn owl

APODIDAE - SWIFTS

Aeronautes saxatalis white-throated swift

TROCHILIDAE - HUMMINGBIRDS

Calypte anna Anna's hummingbird

Calypte costae Costa's hummingbird

PICIDAE - WOODPECKERS

Melanerpes formicivorus acorn woodpecker

Picoides nuttallii Nuttall's woodpecker

Colaptes auratus northern flicker

TYRANNIDAE - TYRANT FLYCATCHERS

| | |
|---|-------------------------------|
| <i>Empidonax difficilis</i> | Pacific-slope flycatcher |
| <i>Myiarchus cinerascens</i> | ash-throated flycatcher |
| <i>Sayornis nigricans</i> | black phoebe |
| <i>Sayornis saya</i> | Say's phoebe |
| <i>Tyrannus verticalis</i> | western kingbird |
| <i>Tyrannus vociferans</i> | Cassin's kingbird |
| VIREONIDAE - VIREOS | |
| <i>Vireo huttoni</i> | Hutton's vireo |
| CORVIDAE - JAYS & CROWS | |
| <i>Aphelocoma californica</i> | western scrub-jay |
| <i>Corvus brachyrhynchos</i> | American crow |
| <i>Corvus corax</i> | common raven |
| HIRUNDINIDAE - SWALLOWS | |
| <i>Petrochelidon pyrrhonota</i> | cliff swallow |
| <i>Stelgidopteryx serripennis</i> | northern rough-winged swallow |
| AEGITHALIDAE - BUSHTITS | |
| <i>Psaltriparus minimus</i> | bushtit |
| TROGLODYTIDAE - WRENS | |
| <i>Catherpes mexicanus</i> | canyon wren |
| <i>Thryomanes bewicki</i> | Bewick's wren |
| <i>Troglodytes aedon</i> | house wren |
| REGULIDAE - KINGLETS | |
| <i>Regulus calendula</i> | ruby-crowned kinglet |
| SYLVIIDAE - OLD WORLD WARBLERS AND GNATCATCHERS | |
| <i>Polioptila caerulea</i> | blue-gray gnatcatcher |
| <i>Polioptila californica</i> | California gnatcatcher |
| TURDIDAE - THRUSHES | |
| <i>Catharus guttatus</i> | hermit thrush |
| <i>Sialia mexicana</i> | western bluebird |
| TIMILLIDAE - BABBLERS | |
| <i>Chamaea fasciata</i> | wrentit |
| MIMIDAE - THRASHERS | |
| <i>Mimus polyglottos</i> | northern mockingbird |
| <i>Toxostoma redivivum</i> | California thrasher |
| MOTACILLIDAE - PIPITS | |
| <i>Anthus rufescens</i> | American pipit |
| PTIOGONATIDAE – SILKY FLYCATCHERS | |
| <i>Phainopepla nitens</i> | phainopepla |
| PARULIDAE - WOOD WARBLERS | |
| <i>Vermivora celata</i> | orange-crowned warbler |
| <i>Dendroica coronata</i> | yellow-rumped warbler |
| EMBERIZIDAE - TOWHEES & AMERICAN SPARROWS | |
| <i>Pipilo crissalis</i> | California towhee |
| <i>Pipilo maculatus</i> | spotted towhee |
| <i>Aimophila ruficeps</i> | rufous-crowned sparrow |
| <i>Chondestes grammacus</i> | lark sparrow |
| <i>Spizella atrogularis</i> | black-chinned sparrow |
| <i>Passerculus sandwichensis</i> | savannah sparrow |
| <i>Melospiza melodia</i> | song sparrow |
| <i>Melospiza lincolni</i> | Lincoln's sparrow |

| | |
|---|-----------------------|
| <i>Zonotrichia leucophrys</i> | white-crowned sparrow |
| <i>Junco hyemalis</i> | dark-eyed junco |
| CARDINALIDAE – CARDINALS, GROSBEAKS, & BUNTINGS | |
| <i>Guiraca caerulea</i> | blue grosbeak |
| <i>Passerina amoena</i> | lazuli bunting |
| ICTERIDAE – BLACKBIRDS, ORIOLES, & ALLIES | |
| <i>Agelaius phoeniceus</i> | red-winged blackbird |
| FRINGILLIDAE - FINCHES | |
| <i>Carpodacus mexicanus</i> | house finch |
| <i>Carduelis psaltria</i> | lesser goldfinch |

MAMMALS

| | |
|--|-------------------------------------|
| HETEROMYIDAE – POCKET MICE | |
| <i>Chaetodipus fallax fallax</i> | northwestern San Diego pocket mouse |
| CRICETIDAE – NEW WORLD RATS, MICE, & RELATIVES | |
| <i>Neotoma spp.</i> | woodrat |
| GEOMYIDAE - POCKET GOPHERS | |
| <i>Thomomys bottae</i> | Botta's pocket gopher |
| SCIURIDAE - SQUIRRELS | |
| <i>Spermophilus beecheyi</i> | California ground squirrel |
| LEPORIDAE - HARES & RABBITS | |
| <i>Sylvilagus audubonii</i> | Audubon's cottontail |
| CANIDAE – WOLVES & FOXES | |
| <i>Canis latrans</i> | coyote |
