

I-422 Bob Winje

I -422-1 The comment states that the Project does not conform to the General Plan. Please refer to **Topical Response LU-1**. The comment does not raise any specific issue regarding that analysis and, therefore, no more specific response can be provided or is required. The County will include the comment as part of the Final EIR for review and consideration by the decision-makers prior to a final decision on the project.

I -422-2 The comment states that there would be 10 years of construction dust and debris.

The Draft EIR's Air Quality chapter, and particularly **Section 2.3.5, Impact Analysis** therein, comprehensively evaluates the project's construction-related air quality impacts, including those attributable to blasting. As the comment does not raise any specific issue regarding that analysis, no more specific response can be provided or is required. The County will include the comment as part of the Final EIR for review and consideration by the decision-makers prior to a final decision on the project.

I -422-3 The comment states that there would be unparalleled traffic congestion.

The comment addresses traffic issues, which received extensive analysis in the Draft EIR, specifically in Section 2.13 Transportation and Traffic. The comment does not raise any specific issue regarding that analysis and, therefore, no more specific response can be provided or is required. The County will include the comment as part of the Final EIR for review and consideration by the decision-makers prior to a final decision on the project.

I -422-4 The comment states that there are potential fire and safety problems.

Potential impacts associated with fire hazards and evacuations have been adequately analyzed in Section 2.8 Hazards and Hazardous Materials as well as, Appendix N, Fire Protection Plan and Evacuation Plan. Mitigation has been provided when necessary to avoid or lessen potentially significant impacts. The comment does not raise any specific issue regarding that analysis and, therefore, no more specific response can be provided or is required. The County will include the comment as part of the Final EIR for review and consideration by the decision-makers prior to a final decision on the project.

I -422-5 The comment states that others make this project incompatible with any common sense evaluation.

The County acknowledges the comment and notes it expresses the opinions of the commenter, and does not raise an issue related to the adequacy of any specific section or analysis of the Draft EIR. The County will include the comment as part of the

Comment Letter Responses

Final EIR for review and consideration by the decision-makers prior to a final decision on the project. No further response is required or necessary.

I -422-6 The comment states that the Project should be rejected.

The County acknowledges the comment and notes it expresses the opinions of the commenter, and does not raise an issue related to the adequacy of any specific section or analysis of the Draft EIR. The County will include the comment as part of the Final EIR for review and consideration by the decision-makers prior to a final decision on the project. No further response is required or necessary.