FOR CONTINUATION SEE SHEET NO. 12

FOR CONTINUATION SEE SHEET NO. 9

FOR CONTINUATION SEE SHEET NO. 11

FOR CONTINUATION SEE SHEET NO. 7

MSCP BOUNDARY

OS-30a PRESERVE 26.18 AC (INCLUDES 1.12 AC OF PRVT ACCESS ESMT.)

SCHOOL

TP-17 0.0-1.0' Topsoil 1.0'-9.0' Tof 9.0'-9.5' Jsp? Refusal @ 9.5' No Caving/No Water

TP-15 0.0-1.0' Topsoil 1.0'-8.5' Qoal No Caving/No Water

TP-5 0.0-3.0' Topsoil/Qoal 3.0'-7.5' Tof No Caving/No Water

EX-23 0.0-1.0' Topsoil 1.0'-17.0' Tof No Caving/No Water

EX-21 0.0-6.0' Tof Refusal @ 6.0' No Caving/No Water

EX-4A 0.0-1.0' Topsoil 1.0'-8.5' Tof No Caving/No Water

EX-3A 0.0-1.0' Topsoil 1.0'-9.0' Tof 9.0'-11.5' Jsp Refusal @ 11.5' No Caving/No Water

BA-2 0.0-1.0' Topsoil 1.0'-19.5' Tof No Caving/No Water

BA-3 0.0-1.0' Topsoil 1.0'-46.0' Tof No Caving/No Water

BA-5 0.0-1.0' Topsoil 1.0'-79.0' Tof No Caving/No Water

EX-15 0.0-1.0' Topsoil 1.0'-13.0' Tof No Caving/No Water

EX-22 0.0-3.0' Qal 3.0'-17.0' Tof Refusal @ 17.0' No Caving/No Water

EX-2A 0.0-1.0' Topsoil 1.0'-7.0' Jsp Refusal @ 7.0' No Caving/No Water

EX-14 0.0-1.0' Topsoil 1.0'-17.5' Tof Refusal @ 17.5' No Caving/No Water

EX-1A 0.0-2.0' Topsoil 2.0'-16.5' Tof No Caving/No Water

BA-1 0.0-1.0' Topsoil 1.0'-62.5' Tof No Caving/No Water

TP-16 0.0-4.0' Topsoil/Qoal 4.0'-7.5' Qoal No Caving/No Water

EX-12 0.0-0.5' Topsoil 0.5'-15.0' Tof 15.0'-16.0' Jsp

SL-5 SL-6

P-3a PARK afu

R-1 R-3 R-5 R-6 R-7 R-8 R-9

PP-2 PVT. PARK

OS-2 OS-5 OS-6 OS-7 OS-8 OS-13 OS-15a OS-15b OS-16 OS-17a OS-17b OS-18 OS-19 OS-20a OS-23 OS-24 OS-26 OS-27 OS-28

Qal Qoal Tof Jsp (Tof) (Jsp) Qal (Tof) Qal (Qoal)

PROCTOR VALLEY ROAD

ST. 'A' ST. 'F' ST. 'K' ST. 'M' ST. 'N' ST. 'P' ST. 'S' ST. 'T' ST. 'U1' ST. 'V' ST. 'W'

10' FMZ 100' FMZ

SDG&E ESMT.

EASEMENT FOR POTENTIAL FUTURE TRAIL ACCESS

PROPOSED MEDIAN BREAK FOR EMERGENCY ACCESS

POTENTIAL SCHOOL DRIVEWAY ACCESS

SUBJECT TO INUNDATION BY THE 100 YEAR FLOOD. FLOWAGE EASEMENT TO BE GRANTED TO THE CITY OF SAN DIEGO COUNTY FLOOD CONTROL DISTRICT.

SEE PLATE 1 FOR LEGEND

PLATE 6

ADVANCED GEOTECHNICAL SOLUTIONS, INC.
485 Corporate Drive, Suite B
Escondido, California 92029
Telephone: (714) 786-5661 Fax: (714) 409-3287

Project#	Report#	Date:
P/W 1312-02	1312-02-B-6R2	FEB. 2018

SHEET INDEX



PREPARED BY:

HUNSAKER & ASSOCIATES SAN DIEGO, INC.

PLANNING 9707 Waples Street
ENGINEERING San Diego, Ca 92121
SURVEYING PH(858)558-4500 FX(858)558-1414

PRELIMINARY GRADING PLAN
OTAY RANCH
VILLAGE 14 AND PLANNING AREAS 16 & 19
County Of San Diego, California

SHEET 10 OF 22