

Project Boundary

Onsite Development

Offsite Development

MSCP Preserve Impacted

Otay Ranch RMP Preserve

Conserved Open Space

LDA Non-Impacted

Quino Survey Area

Vegetation

CC=Chamise Chaparral

CSS=Diegan Coastal Sage Scrub

DH=Disturbed Habitat

MFS=Mulefat Scrub

NNG=Non-Native Grassland

SWS=Southern Willow Scrub

CNDDDB Quino Data

Host Plants

Castilleja spp. (*C. exserta*; *C. densiflora*)

1-99

Plantago erecta



1-99

100-999


Plantago erecta

100-999

1,000 - 9,999



INTENTIONALLY LEFT BLANK



SOURCE: NAIP 2016, Hunsacker 2017, HELIX 2016

Figure 2.4-12g
2016 Quino Host Plant Mapping and Historical Locations

INTENTIONALLY LEFT BLANK

Project Boundary

Onsite Development

Offsite Development

Otay Ranch RMP Preserve

Conserved Open Space

LDA Non-Impacted

LDA Impacted

Quino Survey Area

Vegetation

CSS=Diegan Coastal Sage Scrub



SMX=Southern Mixed Chaparral

CNDDDB Quino Data

Host Plants

Castilleja spp. (*C. exserta*; *C. densiflora*)

1-99



INTENTIONALLY LEFT BLANK





Figure 2.4-12i
2016 Quino Host Plant Mapping and Historical Locations

SOURCE: NAIP 2016, Hunsacker 2017, HELIX 2016

Otay Ranch Village 14 and Planning Areas 16/19

INTENTIONALLY LEFT BLANK



SOURCE: NAIP 2016, Hunsacker 2017, HELIX 2016

2016 Quino Host Plant Mapping and Historical Locations

INTENTIONALLY LEFT BLANK



SOURCE: NAIP 2016, Hunsacker 2017, HELIX 2016

Figure 2.4-12k
2016 Quino Host Plant Mapping and Historical Locations

INTENTIONALLY LEFT BLANK




Figure 2.4-121
2016 Quino Host Plant Mapping and Historical Locations

SOURCE: NAIP 2016, Hunsacker 2017, HELIX 2016

Otay Ranch Village 14 and Planning Areas 16/19

INTENTIONALLY LEFT BLANK