

PCOMMENTS	RESPONSES
<p style="text-align: right;">Comment Letter I35</p> <p>From: Andria Sanchez To: Smith, Ashley Subject: Harmony Grove Village South Date: Tuesday, June 20, 2017 1:53:11 PM</p> <hr/> <p>This new possible development is absurd! I welcome growth, but there darn sure better be growth with infrastructure as well!! We don't want families to die trying to evacuate from a fire! I know everybody is aware this is in a major fire zone! How can there be no new roads being planned as well? Is this a sick joke from a wealthy billionaire development meat head? With the rains there has been new growth and new potential for greenery catching fire again! I will not have my kids and friends and families go down in flames!!!!</p> <p style="text-align: right;">I35-1</p>	<p>Response to Comment I35-1</p> <p>The County acknowledges the comment and opposition to the Project. Section 3.1.3, <i>Hazards and Hazardous Materials</i>, of the FEIR and the Project's <i>Fire Protection Plan</i>, Appendix L of the EIR discuss Project design features, including widening of Country Club Drive to provide three travel lanes, exceeding the County and Rancho Santa Fe Fire Protection District (RSFFPD) Fuel Modification Zone requirements, and contribution through developer fees to RSFFPD. At their discretion, RSFFPD uses developer fees to support infrastructure such as the new permanent fire station to cover the Project area. Please see the Global Responses to Fire Hazards Impact Analysis and Adequacy of Emergency Evacuation and Access.</p> <p>While this comment does not raise specific issues regarding the content of the EIR, the County acknowledges the comment and opposition to the Project. The comment will be included as part of the administrative record and made available to the decision makers prior to a final decision on the Proposed Project. No further response is required.</p>