COMMENTS
Comment Letter 123  Frem: Marcha Coday: Te: MALES: Ce: South Jehler, Achaesi, Sarah: Hom, Bil; Ron-Boberts: Jacob, Dienes Car, Greey Gassar, Kristics ethotological Core in Control Co

## Comment Letter I23 the additional vehicular traffic. Please explain how our personal safety will not be many times worse if this project goes through. Please look at the tragedy this last weekend in Portugal where more than 60 people died trying to evacuate a wild fire. This is what can very well happen if the project goes through. You can read about it at this link (<a href="https://www.nytimes.com/2017/06/18/world/europe/portugal-pedrogao-grande-forest-fires.html">https://www.nytimes.com/2017/06/18/world/europe/portugal-pedrogao-grande-forest-fires.html</a>) and the pictures tell the story. We hope this story does not get told in Harmony Grove where we have a serious fire once a decade that have cost property damage and even fatalities. Please do not approve this project. Our lives depend on it and our way of life too. I 123-6 Signed,

Marilyn Johnson-Kozlow, Concerned Resident

## RESPONSES

## Response to Comment I23-5

The comment requests review of a recent fire and evacuation in Portugal. A comparison between Portugal and Harmony Grove Village South is not valid as the factors and conditions related to each location are different or unknown. For example, the wildfire in Portugal had different roadway conditions, evacuation process, emergency management oversite, wildland fuels, number of persons and vehicles, distance to safe areas, and options for temporarily refuging on-site. The Portugal wildfire was burning in eucalyptus and pine forest, which would produce a much more aggressive fire than the coastal sage scrub and grasslands around the Project site and larger Harmony Grove Valley. Many other fire protection features built into the Project and measures routinely enacted by emergency personnel in San Diego County are not available and were not employed in the Portugal fire. Therefore, neither the Fire Protection Plan (FPP) or EIR was revised to include this information.

## Response to Comment 123-6

The County acknowledges this comment and its opposition to the Project. This comment does not raise specific issues regarding the substantive environmental analysis conducted within the EIR. The comment will be included as part of the administrative record and made available to the decision makers prior to a final decision on the Proposed Project. No additional response is required.