

County of San Diego Planning & Development Services BUILDING DIVISION

ACCESSIBILITY CORRECTION LIST

Public Accommodations & Commercial Buildings

Existing and Historical Buildings

RECORD ID:		OWNER ON APPLICATION:					
EX	EXISTING BUILDINGS						
1.	All new construction in existing buildings and facilities shall com	nply with current disabled access provisions.	CBC 11B-201.1				
2.	No alteration, structural repair, or addition shall be made to an extraction of the building or facility below requirements for new construction of	at the time of alteration, structural repair, or additio	ility or usability of on. CBC 11B-202.3.1				
3.	When alterations, structural repairs, or additions are made to exaccessible: Exception: Items among the following list and constructed or a immediately preceding edition of the California Building Code Exception: Cases of disproportionate cost per items 11 and 13 Exception: Projects consisting exclusively of work listed in item Route of travel from public way to building/facility entrance Building/facility entrance serving area of alteration, structur Primary path of travel within building/facility to area of alteration. Sanitary facilities serving area of alteration, structural repail Signs on routes and paths to and within area of alteration. If required or provided, drinking fountains serving area of alteration or provided, public telephones serving area of alteration.	Iltered in compliance with disabled access provision as 14, 15, and/or 16 serving area of alteration, structural repair, or addition ation, structural repair, or addition ir, or addition structural repair, or addition structural repair, or addition structural repair, or addition structural repair, or addition alteration, structural repair, or addition	ns in the				
4.	Using TETRIFIE or equivalent symbol, identify on site accessible entrance serving area of alteration, structural repair, or addition		to building/facility CBC 11B-202.4				
5.	Identify the following accessible elements serving area of alteral Sanitary facilities Signage Drinking fountains (if required or provided) Public telephones (if required or provided)	ation, structural repair, or addition via accessible ro	ute(s): CBC 11B-202.4				
6.	Identify on site accessibility plan location of accessible parking	spaces serving area of alteration, structural repair,	or addition. CBC 11B-202.4				
7.	For each element specified in items 4 through 6, indicate if elen	nent is existing or new.	CBC 11B-202.4				

Add the following note to site accessibility plan:

"If the building inspector determines noncompliance with any current accessibility provision of the law, he/she shall require submittal of complete and detailed plans to the County of San Diego, Building Division, for further review. Plans must clearly show all existing non-compliant conditions serving the alteration, structural repair, or addition and proposed mitigation of deficiencies to meet current accessibility provisions."

CBC 11B-202.4

THIS DOCUMENT IS FOR PLAN REVIEW ONLY. CORRECTION LIST ITEMS AND FIGURES MAY NOT BE REPRODUCED OR COPIED ON PLANS. IF CONFLICTS EXIST BETWEEN CODE TEXT AND FIGURES, THE CODE TEXT SHALL GOVERN.

9.	If existing route(s) from public way to area of alteration, structural repair, or addition are fully compliant with current accessibility provisions, add the following note to site accessibility plan: "I am the designer/owner in responsible charge of this project. I have inspected the site/premises and determined that exconditions are in full compliance with current accessibility provisions to the extent required by the law. Signature: Date:	-
	CBC 11B-	-202.4
10.	If existing sanitary facilities serving area of alteration, structural repair, or addition are fully compliant with current accessibility provisions, add the following note to site accessibility plan: "I am the designer/owner in responsible charge of this project. I have inspected the site/premises and determined that expressions is serving the area of alteration are in full compliance with current accessibility provisions to the extent required the law." Signature: Date:	xisting
	Date:	-202.4
11.	When the adjusted construction cost of alterations, structural repairs, or additions does not exceed a valuation threshold of \$186,172.00 (as of January 2022), existing elements serving the area of alteration, structural repair, or addition may be upgraper the following as an alternative to item 3:	ıded
	 □ An additional amount equaling at least 20% of adjusted construction cost shall be spent on disabled access upgrades □ Accessibility upgrade costs shall be dedicated to elements in the following order of priority: ○ Accessible parking stall and access aisle ○ Accessible route to entrance ○ Accessible entrance ○ Accessible route to area of alteration ○ At least one accessible restroom for each sex or one accessible unisex restroom ○ If required or provided, accessible public telephones ○ If required or provided, accessible drinking fountains ○ Additional accessible elements (e.g., additional parking spaces, storage, alarms) CBC 11B-202.4 and CBC 11B-202.4	-213.2
12.	 The adjusted construction cost specified in item 11 shall be calculated per the following: □ Includes all costs directly related to the construction of the project, including labor, material, equipment, services, utilities, contractor financing, contractor overhead and profit, and construction management costs. The costs shall not be reduced the value of components, assemblies, building equipment, or construction not directly associated with accessibility or usal Includes cost of any alterations, structural repairs, or additions to the building or facility within preceding three years □ Does not include cost of accessibility improvements □ Does not include project management fees and expenses, architectural and engineering fees, testing and inspection fees utility connection or service district fees 	
13.	In alteration projects involving buildings or facilities previously approved and built without elevators, the 20% upgrade cost limitem 11 may be used for areas above and below the ground floor in the following projects regardless of valuation (i.e., above \$186,172.00 valuation threshold as of January 2022): ☐ Office buildings and passenger vehicle service stations of three stories or more and 3000 square feet or more per floor ☐ Offices of physicians and surgeons ☐ Shopping centers ☐ Other building and facilities three stories or more and 3000 square feet or more per floor if reasonable portion of services	nit of the
	sought and used by public is available on an accessible level CBC 11B-	
14.	Additions or alterations to meet disabled access requirements and consisting exclusively of one or more of the following items not trigger additional disabled access upgrades per item 3: Altering one building entrance Altering one existing toilet facility Altering existing elevators Altering existing steps Altering existing handrails	shall
	CBC 11B	-202.4
15.	Alterations solely for the purpose of disabled access barrier removal and consisting exclusively of one or more of the following items shall not trigger additional disabled access upgrades item 3: Installing ramps Making curb cuts in sidewalks and/or entrance Repositioning shelves	3

	Rearranging tables, chairs, vending machines, display racks, and other furniture Repositioning telephones Adding raised markings on elevator control buttons Installing flashing alarm lights Widening doors Installing offset hinges to widen doorways Eliminating a turnstile or providing an alternative accessible route Installing accessible door hardware Installing grab bars in toilet stalls Rearranging toilet partitions to increase maneuvering space Insulating lavatory pipes under sinks to prevent burns Installing a raised toilet seat Installing a full-length bathroom mirror Repositioning a paper towel dispenser in a bathroom Creating designated accessible parking spaces Removing high-pile, low-density carpeting	CBC 11B-202.4
16.	 Projects consisting exclusively of the following work shall not trigger disabled access upgrades in existing by provided the work does not affect accessibility or usability of building or facility: Heating Ventilation Air conditioning Reroofing (non-structural) Electrical work not involving placement of switches or outlets Cosmetic work not affecting items regulated by the CBC (e.g., painting, office equipment) 	
	2 Soomens work not anosting terms regulated by the GDS (s.g., painting, emos equipment)	CBC 11B-202.4
17.	Projects consisting exclusively of the installation of electric vehicle charging stations shall not trigger disabled access upgrades in existing building and facilities <u>unless</u> the primary function of the facility is vehicle fueling, recharging, parking, or storage. CBC 11B-202	
18.	Submit the following for any project providing limited accessibility upgrades per item 11 or 13: Completed "Application for Unreasonable Hardship Exception to Disabled Access Requirements" (form PDS 644) Documentation supporting estimates of adjusted construction cost and itemized costs of accessibility upgrades CBC 11B-20.	
19.	If "Application for Unreasonable Hardship Exception to Disabled Access Requirements" (form PDS 644) substitution for Unreasonable Hardship Exception to Disabled Access Requirements" (form PDS 644) substitution for Unreasonable Hardship Exception to Disable Requirements (form PDS 644): (List each applicable disabled access element upgraded in same order as priority list of item 11 Signature:	cient disabled access bled Access
	Date:	CBC 11B-202.4
20.	 Provide complete details, dimensions, and notes for all disabled access elements designated for upgrades I 19. 	
		CBC 11B-202.4
21.	If completed "Application for Unreasonable Hardship Exception to Disabled Access Requirements" (form PDS 644) indicates tot construction cost applies only to work proposed under this permit, add the following note to site accessibility plan:	
	"I am the tenant/owner in responsible charge of this project. I certify that no alterations, structural repair been performed at this building/facility within the last three years. Signature:	rs, or additions have
	Date:	CBC 11B-202.4
HIS	STORICAL BUILDINGS	
22.	. Provide documentation qualifying building as historical.	
		CHBC 8-601.1
23.	 The accessibility provisions of CBC Chapter 11B shall apply to qualified historical buildings unless strict con chapter will threaten or destroy the historical significance or character-defining features of the building, facility 	

24. If historical significance or character-defining features of building, facility, or property would be threatened by applying the

PDS 639B REV: 01/01/2022 PAGE 3 of 4

accessibility provisions of CBC Chapter 11B, alternative accessibility provisions of the <i>California Historical Buildi</i> per items 25 through 29 may be applied provided the following conditions are met: Provisions applied only on item-by-item or case-by-case basis Provisions applied only to existing historical buildings and not new construction or reconstruction of historical provisions applied only to exist the provisions applied only the provisions applied only the provisions applied only to exist the provisions applied only the provisions applie		
	□ Documentation provided stating reasons for application of alternative provisions CHBC 8-601.3 and C	CHBC 8-602.2
25.	In lieu of compliance with CBC Chapter 11B for access to building/facility entrances, provide entrance complying with one of the following (listed in order of priority):	
	 Access to any entrance used by general public and no further than 200 feet from primary entrance Access to any entrance not used by general public but open and unlocked with directional signs at primary entrance close as possible and within 200 feet of primary entrance 	ice and as
	Accessible entrance with notification system (remote monitoring acceptable at locations with security issues)	CHBC 8-603.2
26.	In lieu of compliance with CBC Chapter 11B for doors, provide door(s) complying with the following (listed in order of possible single-leaf door with minimum 30-inch clear width Single-leaf door with minimum 29-1/2-inch clear width Double door with one leaf with minimum 29-1/2-inch clear width Double door operable with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device to provide 29-1/2-inch clear width when both door leafs in open possible with power-assist device with the power-assist	
27.	 In lieu of compliance with CBC Chapter 11B for level landings, strike-edge clearances, and opening forces at doors, provide assisted door(s). 	
		CHBC 8-603.4
28.	In lieu of compliance with CBC Chapter 11B for separate-gender toilet facilities, provide accessible unisex toilet facility per accessibility correction list 9B.	
		CHBC 8-603.5
29.	In lieu of compliance with CBC Chapter 11B for exterior and interior pedestrian ramps and platform/wheelchair lifts, proor lift complying with one of the following (listed in order of priority): Ramp or lift per the following: Maximum 10% slope Maximum 60-inch ramp run measured horizontally Signs posted at upper and lower landings of ramp or lift indicating steepness of slope Ramp per the following: Maximum 16.7% slope Maximum 13-inch ramp run measured horizontally Signs posted at upper and lower landings of ramp or lift indicating steepness of slope	ovide ramp CHBC 8-603.6
30.	If the alternatives of items 25 through 29 would threaten the historical significance or character-defining features of the building,	

30. If the alternatives of items 25 through 29 would threaten the historical significance or character-defining features of the building, facility, or property, alternative designs providing equivalent facilitation may be proposed to the County of San Diego, Building Division, for consideration.

CHBC 8-604