

## County of San Diego Sensitive Plant List

*Updated September 2006*

### LIST A (Plants rare, threatened or endangered in California and elsewhere)

- Abronia villosa* var. *aurita*, Foothill sand-verbena -- chaparral and CSS, sandy
- Acanthomintha ilicifolia*, San Diego thornmint [FT][CE][MSCP narrow endemic] -- vernal pools, grassy areas, chaparral and CSS, clay and gabbro soils
- Ambrosia pumila*, San Diego ambrosia [FE][MSCP narrow endemic] -- chaparral, CSS, grasslands, and valley bottoms, often in disturbed areas
- Aphanisma blitoides*, Aphanisma -- coastal bluffs, scrub, and dunes
- Arctostaphylos glandulosa* ssp. *crassifolia*, Del Mar manzanita [FE] -- maritime chaparral, sandy
- Arctostaphylos otayensis*, Otay manzanita -- mixed chaparral on gabbro and metavolcanic rock
- Arctostaphylos rainbowensis*, Rainbow manzanita -- chaparral, north county inland areas
- Astragalus deanei*, Dean's milkvetch -- CSS and riparian along Sweetwater, Otay and Tijuana Rivers and tributaries
- Astragalus douglasii* var. *perstrictus*, Jacumba milkvetch -- desert transition in southern part of County
- Astragalus magdalenae* var. *peirsonii*, Pierson's milkvetch [FE][CE] -- desert dunes
- Astragalus oocarpus*, San Diego Milkvetch -- Lower mountain slopes
- Astragalus pachypus* var. *jaegeri*, Jaeger's astragalus -- Near Riverside County border, chaparral, cismontane woodlands, CSS, grasslands, sandy or rocky
- Astragalus tener* var. *titi*, Coastal dunes milkvetch [CE] -- coastal strand
- Atriplex coulteri*, Coulter's saltbush -- coastal mesas and Ramona grasslands
- Atriplex pacifica*, South coast saltbush -- coastal sandy areas
- Atriplex parishii*, Parish brittlescale -- coastal areas and Ramona grasslands
- Atriplex serenana* var. *davidsonii*, Davidson's saltscale -- coastal areas
- Baccharis vanessae*, Encinitas baccharis [FT][CE][MSCP narrow endemic] -- coastal mixed chaparral, central coast & foothills
- Berberis nevini*, Nevin's barberry [FE][CE][MSCP narrow endemic] -- mixed chaparral near Riverside County border, also cismontane woodland, CSS, and riparian scrub, sandy or gravelly
- Boechera hirschbergiae* (= *Arabis h.*), Hirshberg's rockcress -- endemic, east of Cuyamaca Lake, on heavy clay overlaid with pebbles
- Brodiaea filifolia*, Thread-leaved brodiaea [FT][CE][MSCP narrow endemic] -- clay soils and near vernal pools, North County
- Brodiaea orcuttii*, Orcutt's brodiaea -- vernal pools and foothill springs
- Calochortus dunnii*, Dunn's mariposa lily [CA rare][MSCP narrow endemic] -- montane and foothill, gabbro and metavolcanic soils
- Ceanothus cyaneus*, Lakeside ceanothus [MSCP narrow endemic] -- Lakeside, Crest, Alpine chaparral
- Centromadia (Hemizonia) pungens* ssp. *laevis*, Smooth tarplant -- Fall-flowering in coastal valley bottoms
- Centromedia (Hemizonia) parryi* ssp. *australis*, Southern tarplant -- Fall-flowering in coastal and interior valley bottoms including Ramona
- Chaenactis carphoclina* var. *peirsonii*, Peirson's pincushion flower -- desert slopes near Santa Rosa Mountains
- Chaenactis glabriuscula* var. *orcuttiana*, Orcutt's pincushion -- coastal bluffs and dunes
- Chaenactis parishii*, Parish's pincushion flower -- peak tops in the mountains, chaparral, rocky
- Chamaesyce platysperma*, Flat-seeded spurge -- sandy desert scrub
- Chorizanthe orcuttiana*, Orcutt's chorizanthe [FE][CE] -- sand soils; Point Loma and Encinitas, older records at Torrey Pines State Park
- Chorizanthe parryi* var. *fernandina*, San Fernando spineflower -- north coastal valleys (old record may have been misidentified)
- Chorizanthe polygonoides* var. *longispina*, Long-spined spineflower -- clay soils; scattered distribution
- Clarkia delicata*, Campo clarkia -- central and southern oak woodlands, chaparral
- Comarostaphylos diversifolia* ssp. *diversifolia*, Summer holly -- coastal and foothill canyons in heavy chaparral

## County of San Diego Sensitive Plant List

*Updated September 2006*

- Cordylanthus maritimus* ssp. *maritimus*, Salt marsh bird's beak [FE][CE] -- coastal salt marsh  
*Corethrogyne (Lessingia) filaginifolia* var. *linifolia*, San Dieguito sand aster -- north coastal sandy areas  
*Corethrogyne filaginifolia* (=Lessingia f.), San Diego sand aster -- coastal sandy areas  
*Cryptantha ganderi*, Gander's cryptantha -- desert dunes  
*Cupressus forbesii*, Tecate cypress -- Otay, Tecate, and Guatay Mountains  
*Cupressus stephensonii*, Cuyamaca cypress -- west slope of Cuyamaca Peak  
*Deinandra (Hemizonia) conjugens*, Otay tarplant [FT][CE][MSCP narrow endemic] -- grasslands near Otay and Bonita  
*Deinandra (Hemizonia) floribunda*, Tecate tarplant -- Fall-flowering in valleys and arroyos in interior, southern chaparral  
*Deinandra (Hemizonia) mohavensis*, Mojave tarplant [CE] -- drainages in 3,000 ft. elevation chaparral, Chihuahua Valley, Palomar Mtn.  
*Delphinium hesperium* ssp. *cuyamacae*, Cuyamaca larkspur [CA rare] -- montane meadows  
*Downingia concolor* var. *brevior*, Cuyamaca downingia [CE] -- Cuyamaca Lake  
*Dudleya blochmaniae* var. *blochmaniae*, Blochman's dudleya -- MCAS Camp Pendleton, clay soils and terraces  
*Dudleya blochmaniae* var. *brevifolia*, Short-leaved dudleya [CE][MSCP narrow endemic] -- sandstone terraces near Torrey Pines and Del Mar  
*Dudleya multicaulis*, Many-stemmed dudleya -- MCAS Camp Pendleton  
*Dudleya variegata*, Variegated dudleya [MSCP narrow endemic] -- coastal mesas, CSS and grasslands on foothill slopes among rocks, especially metavolcanics  
*Dudleya viscida*, Sticky dudleya -- North County coastal canyon slopes  
*Ericameria cuneata* var. *macrocephala*, Laguna Mountain goldenbush -- rocky mountain peaks  
*Eriogonum foliosum*, Leafy buckwheat -- sandy montane desert soils  
*Eryngium aristulatum* var. *parishii*, San Diego button-celery [FE][CE] -- vernal pools  
*Eryngium pendletonensis*, Pendleton button-celery -- MCAS Camp Pendleton; coastal bluffs, grasslands and sparse CSS  
*Fremontodendron mexicanum*, Mexican flannelbush [FE][CA rare] -- metavolcanic canyons on Otay and Jamul Mountains  
*Galium angustifolium borregoense*, Borrego bedstraw [CA rare] -- Palm Canyon  
*Galium angustifolium* ssp. *jacinticum*, San Jacinto Mountains bedstraw -- montane areas  
*Grindelia hirsutula hallii*, Hall's gumplant -- montane grassy and meadow areas  
*Hazardia orcuttii*, Orcutt's hazardia [CT] -- CSS in Encinitas  
*Heuchera brevistaminea*, Mt. Laguna alumroot -- rocky mountain cliff slopes  
*Horkelia cuneata* ssp. *puberula*, Mesa horkelia -- chaparral, CSS, cismontane woodland, sandy, gravelly  
*Horkelia truncata*, Ramona horkelia -- gabbro and metavolcanic foothill slopes and peaks  
*Hulsea californica*, San Diego sunflower -- chaparral slopes in montane areas  
*Isocoma menziesii* var. *decumbens*, Decumbent goldenbush -- CSS  
*Lasthenia glabrata* ssp. *coulteri*, Coulter's goldfields -- coastal saltmarsh  
*Lepechinia ganderi*, Gander's pitcher sage [MSCP narrow endemic] -- metavolcanic soils, Otay and San Miguel Mountains  
*Lepechinia cardiophylla*, Heart-leaved pitcher sage [MSCP narrow endemic] -- metavolcanic soils near Mt. Woodson  
*Lepidium flavum* var. *felipense*, Borrego pepper-grass -- dry lake bottom, Little Blaire Valley  
*Lepidium virginicum* var. *robinsonii*, Robinson pepper-grass -- CSS and grassy areas  
*Lessingia glandulifera* var. *tomentosa*, Warner Springs lessingia -- valleys near Warner Springs; chaparral, sandy  
*Lilium parryi*, Lemon lily -- moist montane meadows  
*Limnanthes gracilis* ssp. *parishii*, Cuyamaca meadowfoam [CE] -- montane meadows  
*Linanthus floribundus* ssp. *hallii*, Santa Rosa Mtn. linanthus -- Santa Rosa Mountains  
*Linanthus orcuttii*, Orcutt's linanthus -- montane forest openings  
*Lotus crassifolius* var. *otayensis*, Otay Mountain lotus -- top of Otay Mountain  
*Lotus haydonii*, Pygmy lotus -- desert canyons, pinyon juniper, rocky  
*Lotus nuttallianus*, Nuttall's lotus -- south coastal strand and sandy soils

## County of San Diego Sensitive Plant List

Updated September 2006

- Lupinus excubitus* var. *medius*, Mtn. Springs bush lupine -- eastern edge of County near I-8  
*Malacothamnus aboriginum*, Indian Valley bush mallow -- montane chaparral  
*Mimulus latidens*, Vernal pool monkeyflower -- vernal pools  
*Monardella hypoleuca* ssp. *lanata*, Felt-leaved rock mint -- southern foothill peak tops  
*Monardella macrantha* ssp. *hallii*, Hall's monardella -- montane forest  
*Monardella nana* ssp. *leptosiphon*, San Felipe monardella -- montane chaparral and conifer forest, near Riverside border  
*Monardella stoneae*, -- in canyons around Otay and Tecate Mountains  
*Monardella viminea* (= *M. linoides* ssp. *viminea*), Willowy monardella [FE][CE][MSCP narrow endemic] -- coastal canyons  
*Muilla clelandii*, San Diego goldenstar -- coastal mesas and clay soils  
*Navarretia fossalis*, Spreading navarretia [FT] -- vernal pools  
*Navarretia peninsularis*, Peninsular navarretia -- moist montane areas near Cuyamaca Lake  
*Navarretia prostrata*, Prostrate navarretia -- vernal pools  
*Nemacaulis denudata* var. *denudata*, Coast woolly-heads -- sandy coastal areas  
*Nolina cismontana*, Chaparral beargrass -- Magee Ridge, Viejas Mtn.  
*Nolina interrata*, Dehesa beargrass [CE][MSCP narrow endemic] -- chaparral and CSS on gabbro soils in southern foothills  
*Opuntia parryi* var. *serpentina* (*Cylindropuntia californica*), Snake cholla [MSCP narrow endemic] -- south CSS  
*Orcuttia californica*, California Orcutt grass [FE][CE] -- large vernal pools in California  
*Packera ganderi* (= *Senecio g.*), Gander's butterweed [CA rare] -- gabbro soils in interior regions  
*Phacelia stellaris*, Brand's phacelia -- sandy soils near the coast  
*Pinus torreyana* ssp. *torreyana*, Torrey pine -- Coastal mixed chaparral at Del Mar (applies to naturally occurring trees)  
*Poa atropurpurea*, San Bernardino bluegrass [FE] -- montane meadows  
*Pogogyne abramsii*, San Diego mesa mint [FE][CE] -- vernal pools  
*Pogogyne nudiuscula*, Otay mesa mint [FE][CE] -- vernal pools in Otay Mesa  
*Quercus dumosa*, Nuttall's scrub oak -- maritime chaparral  
*Ribes canthariforme*, Morena currant -- moist areas in southern interior chaparral  
*Ribes viburnifolium*, Santa Catalina Island currant -- coastal canyons, chaparral, woodlands, Santa Catalina Island, Imperial Beach, and Baja California  
*Rorippa gambellii*, Gambel's watercress [FE][CT] -- montane streams, marshes, lake margins, Julian  
*Rubus glaucifolius* var. *ganderi*, Cuyamaca raspberry -- montane forest near Cuyamaca  
*Satureja chandleri*, San Miguel savory -- gabbro and metavolcanic soils in interior foothills, Jamul/Dulzura and Fallbrook areas  
*Scutellaria bolanderi* ssp. *austromontana*, Southern skullcap -- wet chaparral and montane areas  
*Sibaropsis hammittii*, Hammitt's claycress -- gabbro foothills, Viejas Mtn  
*Streptanthus campestris*, Southern jewelflower -- pinyon-juniper area  
*Stylocline citroleum*, Oil neststraw -- coastal areas, last collected in 1935  
*Suaeda esteroa*, Estuary seablite -- coastal salt marsh  
*Tetracoccus dioicus*, Parry's tetracoccus -- chaparral on gabbro and metavolcanic soils  
*Thermopsis californica* var. *semota*, Velvety false lupine -- montane meadows  
*Viguiera purissimae*, La Purissima viguiera -- found on MCAS Camp Pendleton, near Orange Co.  
*Xylorhiza orcuttii*, Orcutt's woody aster -- gypsum soils in desert canyons

### LIST B (Plants rare, threatened or endangered in California but more common elsewhere)

- Adolphia californica*, San Diego adolphia -- clay soils in CSS, chaparral and grasslands  
*Agave shawii*, Shaw's agave [MSCP narrow endemic] -- coastal terraces  
*Ambrosia chenopodiifolia*, San Diego bur-sage -- CSS around Otay

## County of San Diego Sensitive Plant List

Updated September 2006

- Astragalus insularis* var. *harwoodii*, Harwood's milkvetch -- desert dunes at eastern base of mountains, sandy or gravelly
- Ayenia compacta*, Ayenia -- desert canyons
- Bergerocactus emoryi*, Golden snake cactus -- coastal bluff and near Otay Mountain in maritime succulent scrub
- Bursera microphylla*, Elephant tree -- desert slopes
- Calliandra eriophylla*, Fairy duster -- desert canyons, sandy or rocky
- Carlownrightia arizonica*, Arizona carlowrightia -- desert scrub, sandy, granitic alluvium
- Ceanothus verrucosus*, Wart-stemmed ceanothus -- coastal mixed chaparral
- Chamaesyce arizonica*, Arizona spurge -- sandy desert scrub
- Colubrina californica*, Las Animas colubrina -- high desert scrub
- Cordylanthus orcuttianus*, Orcutt's bird's-beak -- CSS in South County near Otay, Chula Vista and Imperial Beach
- Coreopsis maritima*, Sea dahlia -- coastal bluff
- Dudleya attenuata* ssp. *orcuttii*, Orcutt's dudleya -- Border Field State Park
- Ericameria palmeri* ssp. *palmeri*, Palmer's goldenbush [MSCP narrow endemic] -- south coastal and interior arroyos, mesic
- Erodium macrophyllum*, Large-leaf fillary -- cismontane woodland, grasslands
- Eucnide rupestris*, Rock nettle -- desert canyons and cliff bottoms
- Euphorbia misera*, Cliff spurge -- coastal bluff
- Ferocactus viridescens*, Coast barrel cactus -- coastal mesas and hillsides
- Frankenia palmeri*, Palmer's frankenia/yerba reuma -- salt marsh near South Bay
- Geraea viscida*, Sticky geraea -- southern foothill and desert transition, chaparral, often in disturbed areas
- Herissantia crispa*, Curly herissantia -- eastern desert slopes
- Heuchera rubescens* var. *versicolor*, San Diego County alumroot -- rocky mountain cliff slopes, conifer forest, chaparral, Hot Springs & Palomar Mts.
- Hulsea mexicana*, Mexican hulsea -- desert mountain areas near Jacumba
- Ipomopsis tenuifolia*, Slender-leaved ipomopsis -- desert transition in SE part of County
- Iva hayesiana*, San Diego marsh-elder -- south coastal arroyos and ravines
- Lewisia brachycalyx*, Southwestern bitterroot -- near Cuyamaca Lake, conifer forests and meadows/seeps
- Linanthus bellus*, Desert beauty -- interior and desert transition chaparral in southern edge of County, sandy
- Lycium parishii*, Parish's desert-thorn -- low desert flats
- Machaeranthera asteroides* var. *lagunensis*, Laguna Mountain aster [CA rare] -- meadows and openings in forest on Mt. Laguna
- Malperia tenuis*, Brown turbins -- desert pavement
- Matelea parvifolia*, Climbing spearleaf -- desert washes and canyons
- Mentzelia hirsutissima*, Hairy stickleaf -- sandy soil, low desert
- Nama stenocarpum*, Mud nama -- muddy, lake edges
- Nemacaulis denudata* var. *gracilis*, Slender woolly-heads -- sandy desert areas and coastal dunes
- Ornithostaphylos oppositifolia*, Palo blanco -- hills south of Tijuana River valley
- Quercus cedrosensis*, Cedros Island oak -- south slope of Otay Mountain
- Rhus trilobata* var. *simplicifolia*, Single-leaf basketbush -- pinyon juniper, Pinyon and Vallecito Mts.
- Rosa minutifolia*, Small-leaved rose [CA rare] -- Otay Mesa, CSS/chaparral,
- Salvia munzii*, Munz's sage -- southern CSS/chaparral near Otay Mountain and Otay Mesa, also Dictionary Hill and Jamul Mts.
- Selaginella eremophila*, Desert spike-moss -- desert slopes, gravelly/rocky
- Senecio aphanactis*, Rayless ragwort -- coastal scrub, chaparral, woodlands, alkaline
- Senna covesii*, Cove's cassia -- desert valley edges
- Spermolepis echinata*, Spermolepis -- Borrego Valley, sandy or rocky
- Stemodia durantifolia*, Blue streamwort -- mesic, sandy areas
- Viola aurea*, Golden violet -- pinyon-juniper areas, sandy

## County of San Diego Sensitive Plant List

*Updated September 2006*

### LIST C (Plants which may be quite rare, but need more information to determine their true rarity status)

*Berberis fremontii*, Fremont barberry -- interior chaparral, pinyon-juniper woodland, rocky  
*Camissonia lewisii*, Lewis's sun cup -- CSS (?), grasslands, cismontane woodlands, coastal areas, sandy or clay  
*Ditaxis serrata* var. *californica*, California ditaxis -- desert scrub  
*Dudleya alainiae*, Reiser's dudleya -- rocky leeward slopes of mountains  
*Githopsis diffusa* ssp. *filicaulis*, Mission Canyon bluecup -- CSS in Mission Valley, but also in Silverwood Wildlife Sanctuary  
*Hordeum intercedens*, Vernal barley -- seeps and vernal pools  
*Myosurus minimus* (*apus*), Little mousetail -- vernal pools  
*Opuntia wigginsii* (*Cylindropuntia*), Wiggins cholla -- low desert, eastern edge of County, sandy

### LIST D (Plants of limited distribution and are uncommon, but not presently rare or endangered)

*Abronia maritima*, Red sand-verbena -- sandy beach areas  
*Achnatherum diegoense*, San Diego needlegrass -- clay soils in native grassy areas, chaparral and CSS, rocky, often mesic  
*Androsace elongata* ssp. *acuta*, California androsace -- montane grassy slopes  
*Artemisia palmeri*, Palmer's sage -- arroyo bottoms in chaparral, CSS, and riparian, sandy, mostly south part of County  
*Asplenium vespertinum*, Western spleenwort -- chaparral, woodland, CSS, rocky  
*Astragalus crotalariae*, Salton milkvetch -- desert transition  
*Astragalus lentiginosus* var. *borreganus*, Borrego milkvetch -- desert dunes  
*Azolla mexicana*, Mexican mosquito fern -- standing water on ponds  
*Calandrinia breweri*, Brewer's calandrinia -- burned areas  
*Calandrinia maritima*, Seaside calandrinia -- coastal bluff scrub, CSS, grassland, sandy areas  
*Calochortus catalinae*, Catalina mariposa lily -- coastal grasslands, cismontane woodland, CSS, chaparral  
*Caulanthus simulans*, Payson's jewelflower -- sandy, granitic locations in foothills and desert  
*Chamaebatia australis*, Southern mountain misery -- chaparral, gabbro and metavolcanic soils  
*Chamaesyce revoluta*, Thread-stemmed spurge -- Mojave Desert scrub, rocky  
*Chorizanthe leptotheca*, Peninsular spineflower -- CSS and chaparral  
*Convolvulus simulans*, Small-flowered morning glory -- coastal clay areas and serpentine seeps, chaparral, CSS, grasslands  
*Cryptantha costata*, Ribbed cryptantha -- desert sandy soils  
*Cryptantha holoptera*, Winged cryptantha -- desert gravels  
*Cynanchum utahense*, Utah vine milkweed -- desert bajadas  
*Deinandra (Hemizonia) paniculata*, Paniculate tarplant -- grassy areas, coast & foothills, Bonsall to Otay  
*Delphinium parishii* ssp. *subglobosum*, Desert larkspur -- desert transition and rocky locations  
*Dichondra occidentalis*, Western dichondra -- coastal mixed chaparral and North County CSS, grasslands, woodlands  
*Fritillaria biflora*, Chocolate lily -- grasslands, usually on clay soils  
*Galium johnstonii*, Johnston's bedstraw -- Palomar Mtn.  
*Gilia caruifolia*, Caraway-leaved gilia -- east slopes of Palomar Mtn.  
*Harpagonella palmeri*, Palmer's grappling hook -- CSS in South County, chaparral, grassland, clay  
*Heterotheca sessiliflora* ssp. *sanjacintensis*, San Jacinto golden-aster -- North Mtn Ecoregion, mixed chaparral and mixed conifer  
*Holocarpha virgata elongata*, Graceful tarplant -- coastal mesas and foothills  
*Horsfordia newberryi*, Newberry's velvet-mallow -- Sonoran Desert scrub  
*Hulsea vestita callicarpha*, Beautiful hulsea -- chaparral and coniferous forest

## County of San Diego Sensitive Plant List

*Updated September 2006*

*Hymenothrix wrightii*, Wright's hymenothrix -- lower mountain woodlands and conifer forests  
*Juglans californica*, California black walnut -- riparian areas near DeLuz  
*Juncus acutus* var. *leopoldii*, Southwestern spiny rush -- marshes, seeps and riparian areas  
*Juncus cooperi*, Cooper's rush -- desert alkaline areas  
*Lathyrus splendens*, Pride of California -- southern interior chaparral  
*Lilium humboldtii* ssp. *ocellatum*, Ocellated Humboldt lily -- shaded montane canyons  
*Lycium californicum*, California box-thorn -- coastal bluffs and scrub  
*Lyrocarpa coulteri* var. *palmeri*, Palmer's lyrepod -- desert canyons  
*Machaeranthera juncea*, Rush-like bristleweed -- chaparral and CSS in South County  
*Microseris douglasii* var. *platycarpha*, Small-flowered microseris -- CSS and clay soils  
*Mimulus aridus*, Desert monkey flower -- desert transition  
*Mimulus clevelandii*, Cleveland's monkeyflower -- foothill and mountain peaks  
*Mimulus diffusus*, Palomar monkeyflower -- montane and coastal mixed chaparral  
*Mirabilis tenuiloba*, Slender-lobed four o'clock -- desert canyons  
*Mucronea californica*, California spineflower -- coastal sandy soils (also inland)  
*Ophioglossum californicum*, California adder's tongue fern -- vernal pools, coastal mesas, and coastal mixed chaparral, mesic  
*Opuntia wolfii* (*Cylindropuntia*), Wolf's cholla -- low desert scrub  
*Orobanche parishii* ssp. *brachyloba*, Short-lobed broomrape -- sandy bluffs  
*Pectocarya peninsularis*, Baja California bur-comb -- rare in Borrego Valley  
*Penstemon clevelandii* var. *connatus*, San Jacinto beardtongue -- rocky desert slopes and mountains  
*Penstemon thurberi*, Thurber's beardtongue -- pinyon juniper areas, chaparral  
*Pentachaeta aurea*, Golden-rayed pentachaeta -- woodlands, lower conifer forests, CSS, grasslands  
*Perideridia gairdneri* ssp. *gairdneri*, Gairdner's yampah -- moist coastal and montane areas  
*Pilostyles thurberi*, Thurber's pilostyles -- Carrizo Badlands Overlook, grows on *Psoralea emoryi*  
*Piperia cooperi*, Cooper's rein orchid -- chaparral, woodland, grassland, elev. 15-1585m  
*Piperia leptopetala*, Narrow-petaled rein orchid -- woodlands and conifer forests  
*Polygala cornuta* var. *fishiae*, Fish's milkwort -- foothill peaks (chaparral, woodlands, riparian) especially metavolcanic and gabbro  
*Proboscidea althaeifolia*, Desert unicorn-plant -- desert washes, sandy  
*Quercus engelmannii*, Engelmann oak -- interior valleys and slopes  
*Romneya coulteri*, Coulter's matilija poppy -- chaparral and CSS, often in burns  
*Rupertia rigida*, Parish psoralea -- montane forest near Cuyamaca  
*Salvia eremostachya*, Desert sage -- northern desert canyons, rocky/gravelly  
*Selaginella asprella*, Bluish spike-moss -- montane chaparral, granitic/rocky  
*Selaginella cinerascens*, Ashy spike-moss -- undisturbed CSS  
*Streptanthus bernardinus*, Laguna Mtns. Jewelflower -- montane peak tops  
*Suaeda taxifolia*, Woolly seablite -- margins of coastal salt marshes  
*Viguiera laciniata*, San Diego sunflower -- CSS in southern part of County

### Key to abbreviations

FE – Federally Endangered  
FT – Federally Threatened  
CE – California Endangered  
CT – California Threatened  
CA rare – rare in California, but not listed  
NE – MSCP Narrow Endemic  
CSS – Coastal sage scrub