















NOTES:

1) PERMANENT AUTOMATIC RIRICATION SYSTEMS SHALL BE INSTALLED ON ALL LANDSCAPED AREAS, INCLUDION ON COMMON MEAS, DETENTION BASINS, V WEATHER STORAGE AND DRY POND AREAS REQUIRING RIRICATION. LOW WAS USE SYSTEMS SHALL BE IMPLEMENTED RIRICATION SYSTEM SHALL BE CESSIO TO PREVENT OVERSIPATY ONTO MALKWAYS, PARKING AREAS, BUILDINGS ARE PENCES. INCCCLED WATER SHALL BUILDINGS AND ALL DASSOARE MEASAS, IF PENCES INCCCLED WATER SHALL BUILDINGS AND ALL DASSOARE MEASAS. METER BY PRIVATE OWNER, ALL RESIDENTIAL HOMES SHALL BE INSTALLED M LOW WATER LISE RIPROLATION AND ANY ENGLISH OLD THOUGH LIFE.

) ALL TREES SHALL BE MINIMUM DOUBLE-STAKED. WEAKER AND LOW-GROWING TREES SHALL BE STEEL-STAKED.

3) STREETSCAPE TREES SHALL BE PLANTED AT MIN. 30 FEET O.C. TO MAX. 40°C THE AVERAGE SPACING SHALL BE 35°O.C.

4) ALL UTILITIES SHALL BE SCREENED WITH APPROPRIATE PLANT MATERIAL



















