



# INFLUENZA WATCH

The purpose of the weekly *Influenza Watch* is to summarize current influenza surveillance in San Diego County. **Please note that reported weekly data are preliminary and may change due to delayed submissions and additional laboratory results.**

**Contents**

- Page 1: Current Season Summary
- Page 2: Communiqué
- Page 3: Activity Level Indicator
- Pages 4-9: Trend Graphs
- Page 9: Reporting Information

Current Week

**Current Week 48 (ending 12/1/2018)**


- 106 new influenza detections reported: *Expected level*
- 3% influenza-like-illness (ILI) among emergency department visits: *Expected level*
- No new influenza-related deaths reported this week
- 4% of deaths registered with pneumonia and/or influenza: *Expected level*

Current Season Summary

**463**  
Total Cases

**2**  
Deaths<sup>†</sup>

**0**  
Outbreaks\*



<sup>†</sup> Flu deaths less than 18 years of age are reportable to CDPH.  
\* At least one case of laboratory-confirmed influenza in a setting experiencing two or more cases of influenza like illness (ILI) within a 72-hour period.


**Table 1. Influenza Surveillance Indicators.**

Indicator	2018-19 Season			2017-18 Season		Prior 3-Year Average**	
	Week 48	Week 47	Total To Date	Week 48	Total To Date	Week 48	Total To Date
All influenza detections reported (rapid or PCR)	106	108	463	181	856	78	412
Percent of emergency department visits for ILI	3%	3%		3%		3%	
Percent of deaths registered with pneumonia and/or influenza	4%	5%		7%		6%	
Number of influenza-related deaths reported <sup>^</sup>	0	0	2	0	4	0	2

Influenza season is July 1 - June 30, Weeks 27-26. Total deaths reported in prior seasons: 342 in 2017-18, 87 in 2016-17, and 68 in 2015-16.  
\* Previous weeks case counts or percentages may change due to delayed processing or reporting.  
\*\* Includes FYs 2015-16, 2016-17, and 2017-18.  
<sup>^</sup> Current FY deaths are shown by week of report; by week of death for prior FYs.

## National Influenza Vaccination Week

This week (December 2-8) is National Influenza Vaccination Week (NIVW), an opportunity to remind everyone six months and older that it's not too late to get a flu vaccine. NIVW is a national observance established in 2005 by the Centers for Disease Control and Prevention (CDC) to highlight the importance of continuing influenza vaccination after the holiday season into January and beyond. Learn more by going to the [CDC NIVW webpage](#).



Some of the available resources include:

[Frequently Asked Questions 2018-19 Influenza Season](#)

[NIVW Digital Media Toolkit](#) – newsletter and social media messages, flyers, and posters for use during NIVW

[NIVW Videos](#) – public service announcements in English and Spanish

[NIVW Web Tools](#) – flu vaccine finder widget, Facebook images, buttons, banners, & badges for download

[NIVW Communication Resources](#) – printed material, matte article, animated images, images to share


**Table 2. Influenza Detections Reported, FY 2018-19\***

Positive Test Type/Subtype	Count	Percent
Influenza A	290	62.6%
Influenza A (H1N1)pdm09	85	18.4%
Influenza A (H3) Seasonal	18	3.9%
Influenza B	60	13.0%
Influenza B/Yamagata	2	0.4%
Influenza B/Victoria	1	0.2%
Influenza A/B	7	1.5%
<b>Total</b>	<b>463</b>	<b>100%</b>

\* Season is July 1 - June 30

# INFLUENZA WATCH

Figure 1. Influenza Activity Level for Emergency Department ILI.




Legend	Minimal			Low		Moderate		High		
	LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	LEVEL 5	LEVEL 6	LEVEL 7	LEVEL 8	LEVEL 9	LEVEL 10
	< mean	≥ mean and <1 standard deviation above mean	≥1 and <2 standard deviations above mean	≥2 and <3 standard deviations above mean	≥3 and <4 standard deviations above mean	≥4 and <5 standard deviations above mean	≥5 and <6 standard deviations above mean	≥6 and <7 standard deviations above mean	≥7 and <8 standard deviations above mean	≥8 standard deviations above mean

**Influenza Activity Indicator:**


The activity levels show how the current week’s ED ILI% (emergency department influenza-like-illness, percent of all visits) compares to the mean, and number of standard deviations above of the mean, of the non-influenza season weeks (CDC disease weeks 27-39) observed from the prior five seasons.

There are 10 activity levels, classified as: Minimal (levels 1-3), Low (levels 4-5), Moderate (levels 6-7), and High (levels 8-10). An activity level of 1 corresponds to when the ED ILI% is below the mean; level 2 corresponds to when the ED ILI% is less than 1 standard deviation above the mean; level 3 corresponds to when the ED ILI% is more than 1 but less than 2 standard deviations above the mean, and so on, with an activity level of 10 corresponding to when the ED ILI% is at 8 or more standard deviations above the mean.


**Figure 2. Percent of Emergency Department Visits for ILI Chief Complaint by Week and Season.**




**Figure 3. San Diego County Influenza Detections by Type and Week of Report, 2018-19 FYTD (N=463).**



**Figure 4. Proportion of Influenza Detections by Age and Season, 2014-15 to 2018-19.**




**Figure 5. Cumulative Influenza Case Reports by Episode Week & Season.**




# INFLUENZA WATCH


**Figure 6. Percent of San Diego County Emergency Department Visits for Influenza-like Illness by Week and Season Compared to 5-Year Baseline & Upper 95% Threshold Values (Serfling Method).**




**Figure 7. Percent of San Diego County Deaths Registered with Pneumonia and/or Influenza by Week and Season Compared to Prior 5-Year Baseline & Upper 95% Threshold Values (Serfling Method).**




**Figure 8. Influenza Deaths by Type and Season.**




**Figure 9. Influenza Deaths by Age and Season.**



**Figure 10. Number of Influenza Vaccinations Administered\* by Week and Season.**




**Figure 11. Cumulative Number of Influenza Vaccinations Administered\* by Week and Season.**



\* Influenza vaccinations administered and entered into the San Diego Immunization Registry ([SDIR](#))



**Figure 12. Percent of Emergency Department Visit Chief Complaints for Cough, Cold, Fever, or Respiratory Symptoms by Week.**



## Influenza Reporting in San Diego County

Local providers are encouraged to report laboratory-positive influenza detections to the County Epidemiology Program by **FAX (858) 715-6458**. Please fax a [Confidential Morbidity Report Form](#), or an [Influenza Case Report Form](#), and/or a printed laboratory result. If known, please indicate if the patient was admitted to ICU and/or died, and/or is a resident of a congregate living facility.

Regarding sending influenza specimens to [Public Health Laboratory](#) (PHL) for confirmation, please use the updated PHL [Test Request Form](#) and contact PHL at **(619) 692-8500** with any questions. Contact the Epidemiology Program by telephone **(619) 692-8499** or email to [EpiDiv.HHSA@sdcounty.ca.gov](mailto:EpiDiv.HHSA@sdcounty.ca.gov) with questions regarding influenza data.

### Resources

- County of San Diego Epidemiology Program website [www.sdepi.org](http://www.sdepi.org)
- County of San Diego [2017-18 Influenza Season Summary](#)
- Current Week Influenza Watch [Slide Deck](#) – A slide presentation version of this report
- County of San Diego Immunization Program (SDIZ) [www.sdiz.org](http://www.sdiz.org)

- California Department of Public Health (CDPH) [Influenza Update](#)
- Centers for Disease Control and Prevention (CDC) [Influenza Surveillance](#)