

Project Sediment Risk:

Soil Loss is determined by multiplying the R, K, and LS factors from the Revised Universal Soil Loss Equation (RUSLE).

The RUSLE equation is as follows:

$$A = (R)(K)(LS)(C)(P)$$

Where:

A = the rate of Soil Loss (tons/acre/year)

R = rainfall-runoff erosivity factor

K = soil erodibility factor

LS = length-slope factor


C = cover factor (erosion controls)

P = management operations and support practices (sediment controls)

The C and P factors are given values of 1.0 to simulate bare ground conditions.



National Pollutant Discharge Elimination System (NPDES)

[Recent Additions](#) | [Contact Us](#) | [Print Version](#) Search NPDES: [EPA Home](#) > [QW Home](#) > [QWM Home](#) > [NPDES Home](#) > [Stormwater](#) > Rainfall Erosivity Factor Calculator for Small Construction Sites[NPDES Topics](#)[Alphabetical Index](#)[Glossary](#)[About NPDES](#)

Rainfall Erosivity Factor Calculator for Small Construction Sites

Please enter the name of your construction project/site

Project/Site Name:


Select a construction period

Start Date:
(Format: mm/dd/yyyy)End Date:
(Format: mm/dd/yyyy)

The start date is the date of initial earth disturbance. The end date is the date of final site stabilization.

NOTE: If your construction project extends beyond the estimated end date, you will need to either recalculate the R factor based on a new end date, or apply for NPDES permit coverage.

Stormwater Information

[Recent Additions](#)[FAQs](#)[Publications](#)[Regulations](#)[Training & Meetings](#)[Links](#)[Contacts](#)

The documents on this site are best viewed with Acrobat 8.0

[Office of Water](#) | [Office of Wastewater Management](#) | [Disclaimer](#) | [Search EPA](#)[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on January 24, 2008 12:53 PM

URL: http://cfpub.epa.gov/npdes/stormwater/LEW/site_name_proj_date.cfm

Basic Information

[Municipal MS4s](#)[Construction Activities](#)[Industrial Activities](#)[Road-Related MS4s](#)[Menu of BMPs](#)[Green Infrastructure](#)[Urban BMP Tool](#)[Stormwater Home](#)



National Pollutant Discharge Elimination System (NPDES)

U.S. ENVIRONMENTAL PROTECTION AGENCY

[Recent Additions](#) | [Contact Us](#) | [Print Version](#) Search NPDES: [EPA Home](#) > [QW Home](#) > [QWM Home](#) > [NPDES Home](#) >

Basic Information

Municipal MS4s

Construction Activities

Industrial Activities

Road-Related MS4s

Menu of BMPs

Green Infrastructure

Urban BMP Tool

Stormwater Home

NPDES Topics

Alphabetical Index

Glossary

About NPDES

Rainfall Erosivity Factor Calculator for Small Construction Sites

☐ Please enter the Latitude/Longitude information of the project/site.

(Do not enter negative numbers)


☐ Latitude: ° ′ ″ N (Degrees/Minutes/Seconds)	☐ Longitude: ° ′ ″ W (Degrees/Minutes/Seconds)
☐ Latitude: ° ′ . ″ N (Degrees/Minutes.Decimal Minutes)	☐ Longitude: ° ′ . ″ W (Degrees/Minutes.Decimal Minutes)
☐ Latitude: ° ′ ″ N (Decimals)	☐ Longitude: ° ′ ″ W (Decimals)

☒ If you do NOT have the Latitude/Longitude information, please enter the project/site address.Address Line 1: Address Line 2: City: State: Zip Code: [Office of Water](#) | [Office of Wastewater Management](#) | [Disclaimer](#) | [Search EPA](#)[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on January 25, 2008 12:48 PM

URL: http://cfpub.epa.gov/npdes/stormwater/LEW/address_lat_long.cfm

Stormwater Information

[Recent Additions](#)[FAQs](#)[Publications](#)[Regulations](#)[Training & Meetings](#)[Links](#)[Contacts](#)

The documents on this site are best viewed with Acrobat 8.0



National Pollutant Discharge Elimination System (NPDES)

U.S. ENVIRONMENTAL PROTECTION AGENCY

[Recent Additions](#) | [Contact Us](#) | [Print Version](#) Search NPDES: [EPA Home](#) > [Q/W Home](#) > [Q/W Home](#) > [NPDES Home](#) >

Basic Information

Municipal MS4s

Construction Activities

Industrial Activities

Road-Related MS4s

Menu of BMPs

Green Infrastructure

Urban BMP Tool

Stormwater Home

NPDES Topics

Alphabetical Index

Glossary

About NPDES



Rainfall Erosivity Factor Calculator for Small Construction Sites

Facility Information

Facility Name: San Diego COC

Start Date: 07/01/2010

End Date: 07/01/2011

Address: 5555 Overland Ave., San Diego, California 92123

Latitude: 32.8339377

Longitude: -117.1306751

Erosivity Index Calculator Results

AN EROSIIVITY INDEX VALUE OF 45 HAS BEEN DETERMINED FOR THE CONSTRUCTION PERIOD OF 07-01-2010 - 07-01-2011.

A rainfall erosivity factor of 5.0 or greater has been calculated for your site and period of construction. You do not qualify for a waiver from NPDES permitting requirements.

Stormwater Information


[Recent Additions](#)[FAQs](#)[Publications](#)[Regulations](#)[Training & Meetings](#)[Links](#)[Contacts](#)

The documents on this site are best viewed with Acrobat 8.0

[Office of Water](#) | [Office of Wastewater Management](#) | [Disclaimer](#) | [Search EPA](#)[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on August 07, 2009 3:37 PM

URL: http://cfpub.epa.gov/npdes/stormwater/LEW/erosivity_index_result.cfm



http://www.waterboards.ca.gov/water_issues/programs/stormwater/docs/constpermits/draft_construction/app1_riskcalc.xls

• KLS Map

- http://www.waterboards.ca.gov/water_issues/programs/stormwater/docs/constpermits/draft_construction/app1_riskcalc.xls
- From map and project location
KLS = 1.4

Sediment Risk Results

$$\text{Soil loss (A)} = (R)(K)(LS)(C)(P)$$

Where:

$$R = 45.00$$

$$KLS = 1.4$$

$$C = 1.0$$

$$P = 1.0$$

Therefore,

$$\text{Soil loss (A)} = 63.0 \text{ (tons/acre)}$$

Soil loss between 15 and 75 is **medium** risk.

Calculating K & LS from your site

$$A = (R)(K)(LS)(C)(P)$$

Where:

$$R = 45.00$$

K = soil erodibility factor

LS = length-slope factor

$$C = 1.0$$

$$P = 1.0$$

State Water Resources Control Board - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites Print Mail News RSS Feeds

Address http://www.swrcb.ca.gov/water_issues/programs/stormwater/constpermits.shtml Go Links

Google Search Sign In

CA.GOV CALIFORNIA ENVIRONMENTAL PROTECTION STATE WATER RESOURCES CONTROL BOARD

Skip to Content | Footer | Accessibility

Search California This Site

Home About Us Public Notices Board Info Board Decisions Water Issues Publications/Forms Press Release

Programs | Available Documents | Hot Topics |

GOVERNOR SCHWARZENEGGER Visit his Website

Home → Water Issues → Programs → Stormwater

Storm Water Program

2009-0009-DWQ CONSTRUCTION GENERAL PERMIT (NOT EFFECTIVE UNTIL JULY 1, 2010)

- [Response to Significant Comments](#)
- Adopted Order 2009-0009-DWQ
 - [Complete download with Attachments and Appendices](#)
 - [Fact Sheet](#)
 - [Order](#)
 - [Attachment A](#) – Linear Underground/Overhead Requirements
 - [Attachment A.1](#) – LUP Type Determination
 - [Attachment A.2](#) – LUP Permit Registration Documents
 - [Attachment B](#) – Permit Registration Documents
 - [Attachment C](#) – Risk Level 1 Requirements
 - [Attachment D](#) – Risk Level 2 Requirements
 - [Attachment E](#) – Risk Level 3 Requirements
 - [Attachment F](#) – Active Treatment System (ATS) Requirements
 - Appendix 1 – Risk Determination Worksheet ([PDF](#) | [Excel](#))
 - [303\(d\) List](#)
 - [Appendix 2](#) – Post-Construction Water Balance Performance Standard
 - Appendix 2.1 – Post-Construction Water Balance Performance Standard Spreadsheet ([PDF](#) | [Excel](#))

STORM WATER

- Stormwater Home
- Caltrans
- Construction
- Contacts
- Databases
- Industrial
- Municipal
- Preproduction Plastic

Internet

http://www.swrcb.ca.gov/water_issues/programs/stormwater/docs/constpermits/wqo_2009_0009_app_1. - Micro...

File Edit View Insert Format Tools Data Go To Favorites Help

Back

Search

Favorites

Address

http://www.swrcb.ca.gov/water_issues/programs/stormwater/docs/constpermits/wqo_2009_0009_app_1.xls

Go

Links

Google

Search

Sign In

A9

	B	C	D	E	F	G	H
1	10/2009						
2	Risk Determination Worksheet						
3							
4		Step 1	Determine Sediment Risk via one of the options listed:				
5			1. GIS Map Method - EPA Rainfall Erosivity Calculator & GIS map				
6			2. Individual Method - EPA Rainfall Erosivity Calculator & Individual Data				
7		Step 2	Determine Receiving Water Risk via one of the options listed:				
8			1. GIS map of Sediment Sensitive Watersheds provided (in development)				
9			2. List of Sediment Sensitive Watersheds provided				
10		Step 3	Determine Combined Risk Level				
11							

Start

1. Sediment Risk

Sed. - Map Option

2. Receiving Water Risk

Unknown Zone


Soil Erodibility Factor (K)

The K factor can be determined by using the nomograph method, which requires that a particle size analysis (ASTM D-422) be done to determine the percentages of sand, very fine sand, silt and clay. Use the figure below to determine appropriate K value.

Sand = 40%

Silt = 20%

Therefore, $K = 0.19$



Erickson triangular nomograph used to estimate soil erodibility (K) factor.

The figure above is the USDA nomograph used to determine the K factor for a soil, based on its texture (% silt plus very fine sand, % sand, % organic matter, soil structure, and permeability). Nomograph from Erickson 1977 as referenced in Goldman et. al., 1986.

LS length-slope factor = 2.43

http://www.swrcb.ca.gov/water_issues/programs/stormwater/docs/constpermits/wqo_2009_0009_app_1. - Microsoft Intern...

File Edit View Insert Format Tools Data Go To Favorites Help

Back Search Favorites

Address http://www.swrcb.ca.gov/water_issues/programs/stormwater/docs/constpermits/wqo_2009_0009_app_1.xls#LS!A1 Go Links

Google Search Sign In

117 2.43

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	Average Watershed Slope (%)												
2	Sheet Flow Length (ft)	0.2	0.5	1.0	2.0	3.0	4.0	5.0	6.0	8.0	10.0	12.0	14.0
3	<3	0.05	0.07	0.09	0.13	0.17	0.20	0.23	0.26	0.32	0.35	0.36	0.38
4	6	0.05	0.07	0.09	0.13	0.17	0.20	0.23	0.26	0.32	0.37	0.41	0.45
5	9	0.05	0.07	0.09	0.13	0.17	0.20	0.23	0.26	0.32	0.38	0.45	0.51
6	12	0.05	0.07	0.09	0.13	0.17	0.20	0.23	0.26	0.32	0.39	0.47	0.55
7	15	0.05	0.07	0.09	0.13	0.17	0.20	0.23	0.26	0.32	0.40	0.49	0.58
8	25	0.05	0.07	0.10	0.16	0.21	0.26	0.31	0.36	0.45	0.57	0.71	0.85
9	50	0.05	0.08	0.13	0.21	0.30	0.38	0.46	0.54	0.70	0.91	1.15	1.40
10	75	0.05	0.08	0.14	0.25	0.36	0.47	0.58	0.69	0.91	1.20	1.54	1.87
11	100	0.05	0.09	0.15	0.28	0.41	0.55	0.68	0.82	1.10	1.46	1.88	2.31
12	150	0.05	0.09	0.17	0.33	0.50	0.68	0.86	1.05	1.43	1.92	2.51	3.09
13	200	0.06	0.10	0.18	0.37	0.57	0.79	1.02	1.25	1.72	2.34	3.07	3.81
14	250	0.06	0.10	0.19	0.40	0.64	0.89	1.16	1.43	1.99	2.72	3.60	4.48
15	300	0.06	0.10	0.20	0.43	0.69	0.98	1.28	1.60	2.24	3.09	4.09	5.11
16	400	0.06	0.11	0.22	0.48	0.80	1.14	1.51	1.90	2.70	3.75	5.01	6.30
17	600	0.06	0.12	0.24	0.56	0.96	1.42	1.91	2.43	3.52	4.95	6.67	8.45
18	800	0.06	0.12	0.26	0.63	1.10	1.65	2.25	2.89	4.24	6.03	8.17	10.40
19	1000	0.06	0.13	0.27	0.69	1.23	1.86	2.55	3.30	4.91	7.02	9.57	12.23
20													

Start / 1. Sediment Risk / Sed. - Map Option / 2. Receiving Water Risk / 3. Cor

Unknown Zone

Sediment Risk Factor Worksheet		Entry
A) R Factor		
Analyses of data indicated that when factors other than rainfall are held constant, soil loss is directly proportional to a rainfall factor composed of total storm kinetic energy (E) times the maximum 30-min intensity (I30) (Wischmeier and Smith, 1958). The numerical value of R is the average annual sum of EI30 for storm events during a rainfall record of at least 22 years. "Isoerodent" maps were developed based on R values calculated for more than 1000 locations in the Western U.S. Refer to the link below to determine the R factor for the project site. http://cfpub.epa.gov/npdes/stormwater/LEW/lewCalculator.cfm		
R Factor Value		45
B) K Factor (weighted average, by area, for all site soils)		
The soil-erodibility factor K represents: (1) susceptibility of soil or surface material to erosion, (2) transportability of the sediment, and (3) the amount and rate of runoff given a particular rainfall input, as measured under a standard condition. Fine-textured soils that are high in clay have low K values (about 0.05 to 0.15) because the particles are resistant to detachment. Coarse-textured soils, such as sandy soils, also have low K values (about 0.05 to 0.2) because of high infiltration resulting in low runoff even though these particles are easily detached. Medium-textured soils, such as a silt loam, have moderate K values (about 0.25 to 0.45) because they are moderately susceptible to particle detachment and they produce runoff at moderate rates. Soils having a high silt content are especially susceptible to erosion and have high K values, which can exceed 0.45 and can be as large as 0.65. Silt-size particles are easily detached and tend to crust, producing high rates and large volumes of runoff. Use Site-specific data must be submitted. <u>Site-specific K factor guidance</u>		
K Factor Value		0.19
C) LS Factor (weighted average, by area, for all slopes)		
The effect of topography on erosion is accounted for by the LS factor, which combines the effects of a hillslope-length factor, L, and a hillslope-gradient factor, S. Generally speaking, as hillslope length and/or hillslope gradient increase, soil loss increases. As hillslope length increases, total soil loss and soil loss per unit area increase due to the progressive accumulation of runoff in the downslope direction. As the hillslope gradient increases, the velocity and erosivity of runoff increases. Use the LS table located in separate tab of this spreadsheet to determine LS factors. Estimate the weighted LS for the site prior to construction. <u>LS Table</u>		
LS Factor Value		2.43
Watershed Erosion Estimate (=R x K x LS) in tons/acre		20.7765
Site Sediment Risk Factor Low Sediment Risk: < 15 tons/acre Medium Sediment Risk: >=15 and <75 tons/acre High Sediment Risk: >= 75 tons/acre		Medium

Rate of soil loss = $RKLSCP$

$C \& P = 1.0$

$(45)(0.19)(2.43) = 20.8 \text{ tons/ac.}$

Between 15 & 75

Therefore,

Sediment risk = Medium

Receiving Water Risk

Receiving water risk is based on whether a project drains to a sediment-sensitive waterbody. A sediment-sensitive waterbody is either:

- 1) On the most recent 303d list for waterbodies impaired for sediment;
- 2) Has a USEPA-approved Total Maximum Daily Load implementation plan for sediment; **or**
- 3) Has the beneficial uses of COLD, SPAWN, and MIGRATORY.

A project that meets at least one of the three criteria has a “high” receiving water risk. If it does not meet any of these three criteria it is considered “low” receiving water risk.

Watershed Designation Map (Calwater Watershed)

S:\PCCCommon\WATERSHED PROTECTION\Numeric Watershed Designation Map.pdf




Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE															
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N	
Orange County Coastal Streams																	
Moro Canyon	1.11	+	●						○	●		●		●			
unnamed intermittent coastal streams	1.11	+	●						○	●		●		●			
Emerald Canyon	1.11	+	●						○	●		●		●			
Boat Canyon	1.11	+	●						○	●	●	●		●			
Laguna Canyon	1.12	+	●						○	●		●		●			
Blue Bird Canyon	1.12	+	●						○	●		●		●			
Rim Rock Canyon	1.12	+	●						○	●		●		●			
unnamed intermittent coastal streams	1.13	+	●						○	●		●		●			
Hobo Canyon	1.13	+	●						○	●		●		●			
Aliso Creek Watershed																	
Aliso Creek	1.13	+	●						○	●		●		●			
English Canyon	1.13	+	●						○	●		●		●			
Sulphur Creek	1.13	+	●						○	●		●		●			
Wood Canyon	1.13	+	●						○	●		●		●			
Aliso Creek Mouth	1.13	See Coastal Waters – Table 2-3															

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
Dana Point Watershed																
unnamed intermittent coastal streams	1.14	+	●						○	●		●		●		
Salt Creek	1.14	+	●						○	●		●		●		
San Juan Canyon	1.14	+	●						○	●		●		●		
Arroyo Salada	1.14	+	●						○	●		●		●		
San Juan Creek Watershed																
San Juan Creek	1.25	+	●	●					●	●		●	●	●		
Morrell Canyon	1.25	+	●	●					●	●		●	●	●		
Decker Canyon	1.25	+	●	●					●	●		●	●	●		
Long Canyon	1.25	+	●	●					●	●		●	●	●		
Lion Canyon	1.25	+	●	●					●	●		●	●	●		●
Hot Spring Canyon	1.25	+	●	●					●	●		●	●	●		●
Cold Spring Canyon	1.25	+	●	●					●	●		●	●	●		
Lucas Canyon	1.25	+	●	●					●	●		●	●	●		
Aliso Canyon	1.25	+	●	●					●	●		●	●	●		
Verdugo Canyon	1.25	+	●	●					●	●		●	●	●		
Bell Canyon	1.25	+	●	●					●	●		●	●	●		
Fox Canyon	1.25	+	●	●					●	●		●	●	●		

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GWR	FRSH	POW	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
San Juan Creek Watershed – continued																
Dove Canyon	1.24	+	●	●					●	●		●	●	●		
Crow Canyon	1.25	+	●	●					●	●		●	●	●		
San Juan Creek	1.26	+	●	●					●	●		●	●	●		
Trampas Canyon	1.26	+	●	●					●	●		●	●	●		
Canada Gobernadora	1.24	+	●	●					●	●		●	●	●		
Canada Chiquita	1.24	+	●	●					●	●		●	●	●		
San Juan Creek	1.28	+	●	●					●	●		●	●	●		
San Juan Creek	1.27	+	●	●					●	●		●	●	●		
Horno Creek	1.27	+	●	●					●	●		●	●	●		
Arroyo Trabuco Creek	1.22	+	●	●					●	●		●	●	●		●
Holy Jim Canyon	1.22	+	●	●					●	●		●	●	●		●
Falls Canyon	1.22	+	●	●					●	●		●	●	●		
Rose Canyon	1.22	+	●	●					●	●		●	●	●		
Hickey Canyon	1.22	+	●	●					●	●		●	●	●		
Live Oak Canyon	1.22	+	●	●					●	●		●	●	●		
Arroyo Trabuco Creek	1.23	+	●	●					●	●		●	●	●		
Tijeras Canyon	1.23	+	●	●					●	●		●	●	●		

● Existing Beneficial Use

† Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GRW	FRSH	POW	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
San Juan Creek Watershed – continued																
Arroyo Trabuco Creek	1.27	+	●	●					●	●		●	●	●		
Oso Creek	1.21	+	●	●					●	●		●	●	●		
La Paz Creek	1.21	+	●	●					●	●		●	●	●		
San Juan Creek Mouth	1.27	See Coastal Waters – Table 2-3														
Orange County Coastal Streams																
Prima Deshecha Canada	1.31	+	●						○	●		●		●		
unnamed intermittent coastal streams	1.30	+	●						○	●		●		●		
Segunda Deshecha Canada	1.32	+	●						○	●		●		●		
San Mateo Creek Watershed																
San Mateo Creek	1.40	+							○	●		●	●	●	●	●
Devil Canyon Creek	1.40	+							○	●		●	●	●		●
Cold Spring Canyon	1.40	+							○	●		●	●	●		
San Mateo Canyon	1.40	+							○	●		●	●	●	●	●
Los Alamos Canyon	1.40	+							○	●		●	●	●		●
Wildhorse Canyon	1.40	+							○	●		●	●	●		
Tenaja Canyon	1.40	+							○	●		●	●	●		●
Bluewater Canyon	1.40	+							○	●		●	●	●		

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
San Mateo Creek Watershed – continued																
Nickel Canyon	1.40	+							○	●		●	●	●		
Christianitos Creek	1.40	+							○	●		●	●	●		
Gabino Canyon	1.40	+							○	●		●	●	●		
La Paz Canyon	1.40	+							○	●		●	●	●		
Blind Canyon	1.40	+							○	●		●	●	●		
Talega Canyon	1.40	+							○	●		●	●	●		
San Mateo Creek Mouth	1.40	See Coastal Waters – Table 2-3														
San Onofre Creek Watershed																
San Onofre Creek	1.51	+	●						●	●		●	●	●		●
San Onofre Canyon North Fork	1.51	+	●						●	●		●	●	●		●
Jardine Canyon	1.51	+	●						●	●		●	●	●		
San Onofre Canyon	1.51	+	●						●	●		●	●	●		●
San Onofre Canyon South Fork	1.51	+	●						●	●		●	●	●	●	
San Onofre Creek Mouth	1.51	See Coastal Waters – Table 2-3														
unnamed intermittent coastal streams	1.51	+	●						●	●		●		●		
Foley Canyon	1.51	+	●						●	●		●		●		
Horno Canyon	1.51	+	●						●	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GRWR	FRESH	POWER	REC1	REC2	BIOLOG	WARM	COLD	WILDL	RAINF	SPRING
San Onofre Creek Watershed – continued																
Las Flores Creek	1.52	+	●						●	●		●	●	●	●	
Piedra de Lumbre Canyon	1.52	+	●						●	●		●	●	●	●	
unnamed intermittent coastal streams	1.52	+	●						●	●		●		●		
Aliso Canyon	1.53	+	●						●	●		●	●	●	●	
French Canyon	1.53	+	●						●	●		●		●	●	
Cocklebur Canyon	1.53	+	●						●	●		●		●		
Santa Margarita River Watershed																
Santa Margarita River	2.22	●	●	●					●	●		●	●	●	●	
Murrieta Creek	2.31	●	●	●	●				○	●		●		●		
Bundy Canyon	2.31	●	●	●	●				○	●		●		●		
Slaughterhouse Canyon	2.31	●	●	●	●				○	●		●		●		
Murrieta Creek	2.32	●	●	●	●				○	●		●		●		
Murrieta Creek	2.52	●	●	●	●	●			○	●		●		●		
Cole Canyon	2.32	●	●	●	●				○	●	●	●		●		
Miller Canyon	2.32	●	●	●	●				○	●		●		●		
Warm Springs Creek	2.36	●	●	●	●				○	●		●		●		
Diamond Valley	2.36	●	●	●	●				○	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE															
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N	
Santa Margarita River Watershed - continued																	
Goodhart Canyon	2.36	●	●	●	●				○	●		●		●			
Pixley Canyon	2.36	●	●	●	●				○	●		●		●			
Warm Springs Creek	2.35	●	●	●	●				○	●		●		●			
Domenigoni Valley	2.35	●	●	●	●				○	●		●		●			
Warm Springs Creek	2.34	●	●	●	●				○	●		●		●			
Warm Springs Creek	2.33	●	●	●	●				○	●		●		●			
French Valley	2.33	●	●	●	●				○	●		●		●			
Santa Gertrudis Creek	2.42	●	●	●	●	○			●	●		●		●			
Long Valley	2.42	●	●	●	●	○			●	●		●		●			
Glenoak Valley	2.42	●	●	●	●	○			●	●		●	●	●			
Tucalota Creek	2.43	●	●	●	●	○			●	●		●	●	●			
Willow Canyon	2.44	●	●	●	●	○			●	●		●	●	●			
Lake Skinner	2.41	See Reservoirs & Lakes – Table 2-4															
Tucalota Creek	2.41	●	●	●	●	○			●	●		●		●			
Crown Valley	2.41	●	●	●	●	○			●	●		●	●	●			
Rawson Canyon	2.41	●	●	●	●	○			●	●		●	●	●			
Tucalota Creek	2.42	●	●	●	●	○			●	●		●		●			

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
Santa Margarita River Watershed - continued																
Santa Gertrudis Creek	2.32	●	●	●	●				○	●		●		●		
Long Canyon	2.32	●	●	●	●				○	●		●		●		
Temecula Creek	2.93	●	●	●	●	●			○	●		●		●		
Kohler Canyon	2.93	●	●	●	●	●			○	●		●	●	●		
Rattlesnake Creek	2.93	●	●	●	●	●			○	●		●	●	●		
Temecula Creek	2.92	●	●	●	●	●			○	●		●		●		
Chihuahua Creek	2.94	●	●	●	●	●			○	●		●		●		
Chihuahua Creek	2.92	●	●	●	●	●			○	●		●		●		
Cooper Canyon	2.92	●	●	●	●	●			○	●		●		●		
Iron Spring Canyon	2.92	●	●	●	●	●			○	●		●		●		
Temecula Creek	2.91	●	●	●	●	●			○	●		●		●		
Culp Valley	2.91	●	●	●	●	●			○	●		●		●		
Temecula Creek	2.84	●	●	●	●	●			●	●		●	●	●		●
Tule Creek	2.84	●	●	●	●	●			●	●		●	●	●		
Million Dollar Canyon	2.84	●	●	●	●	●			●	●		●	●	●		
Cottonwood Creek	2.84	●	●	●	●	●			●	●		●	●	●		●
Temecula Creek	2.83	●	●	●	●	●			●	●		●	●	●		●

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GW R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
Santa Margarita River Watershed - continued																
Long Canyon	2.83	●	●	●	●	●			●	●		●	●	●		●
Vail Lake	2.81	See Reservoirs & Lakes – Table 2-4														
Wilson Creek	2.63	●	●	●	●	●			○	●		●		●		
Wilson Creek	2.61	●	●	●	●	●			○	●		●		●		
Cahuilla Creek	2.73	●	●	●	●	●			○	●		●		●		
Hamilton Creek	2.74	●	●	●	●	●			○	●		●		●		
Hamilton Creek	2.73	●	●	●	●	●			○	●		●		●		
Cahuilla Creek	2.72	●	●	●	●	●			○	●		●		●		
Cahuilla Creek	2.71	●	●	●	●	●			○	●		●		●		
Elder Creek	2.71	●	●	●	●	●			○	●		●		●		
Cahuilla Creek	2.61	●	●	●	●	●			○	●		●		●		
Wilson Creek	2.81	●	●	●	●	●			●	●		●	●	●		
Lewis Valley	2.62	●	●	●	●	●			○	●		●		●		
Arroyo Seco Creek	2.81	●	●	●	●	●			●	●		●	●	●		
Arroyo Seco Creek	2.82	●	●	●	●	●			●	●		●	●	●		●
Kolb Creek	2.81	●	●	●	●	●			●	●		●	●	●		
Temecula Creek	2.81	●	●	●	●	●			●	●		●	●	●		●

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE															
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R N	
Santa Margarita River Watershed - continued																	
Temecula Creek	2.51	●	●	●	●	●			○	●		●		●			
Temecula Creek	2.52	●	●	●	●	●			○	●		●		●			
Pechanga Creek	2.52	●	●	●	●	●			○	●		●		●			
Rainbow Creek ³	2.23	●	●	●					●	●		●	●	●		●	
Rainbow Creek ³	2.22	●	●	●					●	●		●	●	●		●	
Sandia Canyon	2.22	●	●	●					●	●		●	●	●		●	
Walker Basin	2.22	●	●	●					●	●		●	●	●			
Santa Margarita River	2.21	●	●	●					●	●		●	●	●	●		
DeLuz Creek	2.21	●	●	●					●	●		●	●	●	●	●	
Cottonwood Creek	2.21	●	●	●					●	●		●	●	●			
Camps Creek	2.21	●	●	●					●	●		●	●	●		●	
Fern Creek	2.21	●	●	●					●	●		●	●	●		●	
Roblar Creek	2.21	●	●	●					●	●		●	●	●			
O'Neill Lake	2.13	See Reservoirs & Lakes – Table 2-4															
Santa Margarita River	2.13	●	●	●	●				●	●		●	●	●	●		
Wood Canyon	2.13	●	●	●	●				●	●		●		●			
Santa Margarita River	2.12	●	●	●	●				●	●		●	●	●	●		

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

³ Rainbow Creek is designated as an impaired water body for total nitrogen and total phosphorus pursuant to Clean Water Act section 303(d). Total Maximum Daily Loads (TMDLs) have been adopted to address these impairments. See Chapter 3, Water Quality Objectives for Biostimulatory Substances and Chapter 4, Total Maximum Daily Loads.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
Santa Margarita River Watershed - continued																
Santa Margarita River	2.11	●	●	●	●				●	●		●	●	●	●	
Pueblitos Canyon	2.11	●	●	●	●				●	●		●		●	●	
Newton Canyon	2.11	●	●	●	●				●	●		●		●		
Santa Margarita Lagoon	2.11	See Coastal Waters – Table 2-3														
San Luis Rey River Watershed																
San Luis Rey River	3.32	●	●	●			●	●	●	●		●	●	●		
Johnson Canyon	3.32	●	●	●			●	●	●	●		●	●	●		
San Luis Rey River	3.31	●	●	●			●	●	●	●		●	●	●		
Canada Aguanga	3.31	●	●	●			●	●	●	●		●	●	●		
Dark Canyon	3.31	●	●	●			●	●	●	●		●	●	●		
Bear Canyon	3.31	●	●	●			●	●	●	●		●	●	●		
Cow Canyon	3.31	●	●	●			●	●	●	●		●	●	●		
Blue Canyon	3.31	●	●	●			●	●	●	●		●	●	●		
Rock Canyon	3.31	●	●	●			●	●	●	●		●	●	●		
Agua Caliente Creek	3.31	●	●	●			●	●	●	●		●	●	●		
unnamed Tributary	3.31	●	●	●			●	●	●	●		●	●	●		●
Canada Agua Caliente	3.31	●	●	●			●	●	●	●		●	●	●		

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE															
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G	
San Luis Rey River Watershed- continued																	
Canada Verde	3.31	●	●	●			●	●	●	●		●	●	●			
Ward Canyon	3.31	●	●	●			●	●	●	●		●	●	●			
Lake Henshaw	3.31	See Reservoirs & Lakes – Table 2-4															
West Fork San Luis Rey River	3.31	●	●	●			●	●	●	●		●	●	●		●	
Fry Creek	3.31	●	●	●			●	●	●	●		●	●	●			
Iron Springs Creek	3.31	●	●	●			●	●	●	●		●	●	●		●	
Buena Vista Creek	3.31	●	●	●			●	●	●	●		●	●	●			
Cherry Canyon	3.31	●	●	●			●	●	●	●		●		●			
Bertha Canyon	3.31	●	●	●			●	●	●	●		●		●			
Hoover Canyon	3.31	●	●	●			●	●	●	●		●		●			
Buck Canyon	3.31	●	●	●			●	●	●	●		●		●			
Bergstrom Canyon	3.31	●	●	●			●	●	●	●		●		●			
San Ysidro Creek	3.31	●	●	●			●	●	●	●		●		●			
Matagual Creek	3.31	●	●	●			●	●	●	●		●	●	●			
Carrizo Creek	3.31	●	●	●			●	●	●	●		●	●	●			
Carrista Creek	3.31	●	●	●			●	●	●	●		●		●			
Kumpohui Creek	3.31	●	●	●			●	●	●	●		●		●			

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
San Luis Rey River Watershed - continued																
San Luis Rey River	3.31	●	●	●			●	●	●	●		●	●	●		
San Luis Rey River	3.23	●	●	●				●	●	●		●	●	●		●
Wigham Creek	3.23	●	●	●				●	●	●		●	●	●		
Prisoner Creek	3.23	●	●	●				●	●	●		●	●	●		
Lusardi Canyon	3.23	●	●	●				●	●	●		●	●	●		
Cedar Creek	3.23	●	●	●				●	●	●		●	●	●		
San Luis Rey River	3.22	●	●	●				●	●	●		●	●	●		
Bee Canyon	3.22	●	●	●				●	●	●		●	●	●		
Paradise Creek	3.22	●	●	●				●	●	●		●	●	●		
Hell Creek	3.22	●	●	●				●	●	●		●	●	●		
Horsethief Canyon	3.22	●	●	●				●	●	●		●	●	●		
Potrero Creek	3.22	●	●	●				●	●	●		●	●	●		
Plaisted Creek	3.22	●	●	●				●	●	●	●	●	●	●		
Yuima Creek	3.22	●	●	●				●	●	●		●	●	●		
Sycamore Canyon	3.22	●	●	●				●	●	●		●	●	●		
Pauma Creek	3.22	●	●	●				●	●	●		●	●	●		●
Doane Creek	3.22	●	●	●				●	●	●		●	●	●		●

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
San Luis Rey River Watershed - continued																
Chimney Creek	3.22	●	●	●				●	●	●		●	●	●		
French Creek	3.22	●	●	●				●	●	●		●	●	●		●
Lion Creek	3.22	●	●	●				●	●	●		●	●	●		●
Harrison Canyon	3.22	●	●	●				●	●	●		●	●	●		
Jaybird Creek	3.22	●	●	●				●	●	●		●	●	●		
Frey Creek	3.22	●	●	●				●	●	●		●	●	●		
Agua Tibia Creek	3.22	●	●	●				●	●	●		●	●	●		●
San Luis Rey River	3.21	●	●	●					●	●		●	●	●		
Marion Canyon	3.21	●	●	●					●	●		●	●	●		
Magee Creek	3.21	●	●	●					●	●		●	●	●		
Castro Canyon	3.21	●	●	●					●	●		●	●	●		
Trujillo Creek	3.21	●	●	●					●	●		●	●	●		
Pala Creek	3.21	●	●	●					●	●		●	●	●		●
Gomez Creek	3.21	●	●	●					●	●		●	●	●		
Couser Canyon	3.21	●	●	●					●	●		●	●	●		
Double Canyon	3.21	●	●	●					●	●		●	●	●		
Rice Canyon	3.21	●	●	●					●	●		●	●	●		

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GWR	FRSH	POW	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
San Luis Rey River Watershed – continued																
San Luis Rey River	3.12	+	●	●					●	●	●	●		●	●	
Live Oak Creek	3.12	+	●	●					●	●		●		●	●	
Keys Creek	3.12	+	●	●					●	●		●		●		
Moosa Canyon	3.15	+	●	●					●	●		●		●		
unnamed intermittent streams	3.16	+	●	●				●	●			●		●		
Moosa Canyon	3.14	+	●	●				●	●			●		●		
Moosa Canyon	3.13	+	●	●				●	●			●		●		
Turner Lake	3.13	See Reservoirs & Lakes – Table 2-4														
South Fork Moosa Canyon	3.13	+	●	●				●	●			●		●		
Moosa Canyon	3.12	+	●	●				●	●			●		●		
Gopher Canyon	3.12	+	●	●				●	●			●		●		
South Fork Gopher Canyon	3.12	+	●	●				●	●			●		●		
San Luis Rey River	3.11	+	●	●				●	●			●		●	●	
Pilgrim Creek	3.11	+	●	●				●	●		●	●	●	●	●	
Windmill Canyon	3.11	+	●	●				●	●			●	●	●		
Tuley Canyon	3.11	+	●	●				●	●			●		●		
Lawerence Canyon	3.11	+	●	●				●	●			●		●		
Mouth of San Luis Rey River	3.11	See Coastal Waters – Table 2-3														

● Existing Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GRWR	FRSH	POW	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
San Diego County Coastal Streams																
Loma Alta Creek	4.10	+							○	●		●		●		
Loma Alta Slough	4.10	See Coastal Waters – Table 2-3														
Buena Vista Lagoon	4.21	See Coastal Waters – Table 2-3														
Buena Vista Creek	4.22	+	●	●					●	●		●		●		
Buena Vista Creek	4.21	+	●	●					●	●		●		●	●	
Agua Hedionda	4.31	See Coastal Waters – Table 2-3														
Agua Hedionda Creek	4.32	●	●	●					●	●		●		●		
Buena Creek	4.32	●	●	●					●	●		●		●		
Agua Hedionda Creek	4.31	●	●	●					●	●	●	●		●		
Letterbox canyon	4.31	●	●	●					●	●		●		●		
Canyon de las Encinas	4.40	+							○	●		●		●		
Cottonwood Creek	4.51	+	●						●	●		●		●		
Moonlight Creek	4.51	+	●						●	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE															
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G	
San Marcos Creek Watershed																	
Batiquitos Lagoon	4.51	See Coastal Waters – Table 2-3															
San Marcos Creek	4.52	+	●						●	●		●		●			
unnamed intermittent streams	4.53	+	●						●	●		●		●			
San Marcos Creek	4.51	+	●						●	●		●		●			
Encinitas Creek	4.51	+	●						●	●		●		●			
Escondido Creek Watershed																	
San Elijo Lagoon	4.61	See Coastal Waters – Table 2-3															
Escondido Creek	4.63	●	●	○				●	●	●		●	●	●			
Lake Wohlford	4.63	See Reservoirs & Lakes – Table 2-4															
Lake Dixon	4.62	See Reservoirs & Lakes – Table 2-4															
Escondido Creek	4.62	●	●	○					●	●		●	●	●			
Reidy Canyon	4.62	●	●	○					●	●		●	●	●			
Escondido Creek	4.61	●	●	○					●	●	●	●	●	●			

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
San Dieguito Creek Watershed																
Santa Ysabel Creek	5.54	●	●	●	●				●	●		●	●	●		●
Dan Price Creek	5.54	●	●	●	●				●	●		●	●	●		
Santa Ysabel Creek	5.53	●	●	●	●				●	●		●	●	●		
Witch Creek	5.53	●	●	●	●				●	●		●	●	●		●
Sutherland Lake	5.53	See Reservoirs & Lakes – Table 2-4														
Bloomdale Creek	5.53	●	●	●	●				●	●		●	●	●		
Santa Ysabel Creek	5.52	●	●	●	●				●	●		●	●	●	●	
Lake Poway	5.52	See Reservoirs & Lakes – Table 2-4														
Black Canyon	5.52	●	●	●	●				●	●		●	●	●		●
Scholder Creek	5.52	●	●	●	●				●	●		●	●	●		
Temescal Creek	5.52	●	●	●	●				●	●		●	●	●		
Bear Creek	5.52	●	●	●	●				●	●		●	●	●		
Quail Canyon	5.52	●	●	●	●				●	●		●	●	●		
Carney Canyon	5.52	●	●	●	●				●	●		●	●	●		
Santa Ysabel Creek	5.51	●	●	●	●				●	●	●	●	●	●		
Boden Canyon	5.51	●	●	●	●				●	●	●	●	●	●		
Clevenger Canyon	5.51	●	●	●	●				●	●	●	●	●	●		

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
San Dieguito River Watershed – continued																
Santa Ysabel Creek	5.32	●	●	●	●				○	●		●		●	●	
Tims Canyon	5.32	●	●	●	●				○	●		●		●		
Schoolhouse Canyon	5.32	●	●	●	●				○	●		●		●		
Rockwood Canyon	5.35	●	●	●	●				○	●		●		●		
Guejito Creek	5.35	●	●	●	●				○	●		●		●		
unnamed intermittent streams	5.36	●	●	●	●				○	●		●		●		
Rockwood Canyon	5.32	●	●	●	●				○	●		●		●		
Santa Maria Creek	5.41	●	●	●	●				●	●		●		●		
Hatfield Creek	5.45	●	●	●	●				●	●		●		●		
Hatfield Creek	5.44	●	●	●	●				●	●		●		●		
Wash Hollow Creek	5.43	●	●	●	●				●	●		●		●		
Wash Hollow Creek	5.44	●	●	●	●				●	●		●		●		
Hatfield Creek	5.42	●	●	●	●				●	●		●		●		
Santa Teresa Valley	5.46	●	●	●	●				●	●		●		●		
unnamed intermittent streams	5.47	●	●	●	●				●	●		●		●		
Hatfield Creek	5.41	●	●	●	●				●	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
San Dieguito River Watershed – continued																
Santa Maria Creek	5.32	●	●	●	●				○	●		●		●		
unnamed intermittent streams	5.33	●	●	●	●				○	●		●		●		
unnamed intermittent streams	5.34	●	●	●	●				○	●		●		●		
San Dieguito River	5.32	●	●	●	●				○	●		●		●	●	
Cloverdale Creek	5.32	●	●	●	●				○	●		●		●	●	
San Dieguito River	5.21	●	●	●	●				●	●	●	●	●	●	●	
Highland Valley	5.31	●	●	●	●				○	●		●		●		
Lake Hodges	5.21	See Reservoirs & Lakes – Table 2-4														
Kit Carson Creek	5.21	●	●	●	●	○			●	●		●		●	●	
West Branch Kit Carson Creek	5.24	●	●	●	●	○			●	●		●		●		
East Branch Kit Carson Creek	5.24	●	●	●	●	○			●	●		●		●		
Green Valley Creek	5.21	●	●	●	●	○			●	●		●		●		
Green Valley Creek	5.22	●	●	●	●	○			●	●		●		●		
Felicita Creek	5.23	●	●	●	●	○			●	●		●		●		
West Fork Felicita Creek	5.23	●	●	●	●	○			●	●		●		●		
East Fork Felicita Creek	5.23	●	●	●	●	○			●	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
San Dieguito River Watershed - continued																
San Dieguito Reservoir	5.21	See Reservoirs & Lakes – Table 2-4														
Warren Canyon	5.21	●	●	●	●				●	●	●	●	●	●		
San Bernardo Valley	5.21	●	●	●	●				●	●		●		●	●	
unnamed intermittent streams	5.24	●	●	●	●				●	●		●		●		
unnamed intermittent streams	5.23	●	●	●	●				●	●		●		●		
unnamed intermittent streams	5.22	●	●	●	●				●	●		●		●		
San Dieguito River	5.11	+	○	○					●	●		●	●	●		●
Lusardi Creek	5.12	+	○	○					●	●		●		●		
Lusardi Creek	5.11	+	○	○					●	●		●		●		
La Zanja Canyon	5.11	+	○	○					●	●		●		●		
Gonzales Canyon	5.11	+	○	○					●	●		●		●		
San Dieguito Lagoon	5.11	See Coastal Waters – Table 2-3														
Los Penasquitos Creek Watershed																
Los Penasquitos Lagoon	6.10	See Coastal Waters – Table 2-3														
Soledad Canyon	6.10	+	●	●					○	●		●	●	●		
Carol Canyon	6.10	+	●	●					○	●		●	●	●	●	

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
Los Penasquitos Creek Watershed – continued																
Miramar Reservoir	6.10	See Reservoirs & Lakes – Table 2-4														
Los Penasquitos Creek	6.20	+	●	○					●	●		●	●	●		
Rattlesnake Creek	6.20	+	●	○					●	●		●	●	●		
Poway Creek	6.20	+	●	○					●	●		●		●		
Beeler Creek	6.20	+	●	○					●	●		●		●		
Chicarita Creek	6.20	+	●	○					●	●		●		●		
Cypress Canyon	6.20	+	●	○					●	●		●		●		
Los Penasquitos Creek	6.10	+	●	●					○	●	●	●		●		
unnamed tributary	6.10	+	●	●					○	●		●		●	●	
Carmel Valley	6.10	+	●	●					○	●		●		●		
Deer Canyon	6.10	+	●	●					○	●		●		●		
McGonigle Canyon	6.10	+	●	●					○	●		●		●		
Bell Valley	6.10	+	●	●					○	●		●		●		
Shaw Valley	6.10	+	●	●					○	●		●		●		
San Diego County Coastal Streams																
unnamed intermittent coastal streams	6.30	+							○	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GRWR	FRSH	POW	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
Rose Canyon Watershed																
Rose Canyon	6.40	+		○					●	●		●		●		
San Clemente Canyon	6.40	+		○					●	●		●	●	●	●	●
Tecolote Creek Watershed																
Tecolote Creek	6.50	+							○	●		●		●		
San Diego River Watershed																
San Diego River	7.41	●	●	●	●				●	●		●	●	●		
Coleman Creek	7.42	●	●	●	●				●	●		●	●	●		
Eastwood Creek	7.42	●	●	●	●				●	●		●	●	●		
Jim Green Creek	7.42	●	●	●	●				●	●		●	●	●		
Mariette Creek	7.42	●	●	●	●				●	●		●	●	●		
Boring Creek	7.42	●	●	●	●				●	●		●	●	●		
Bailey Creek	7.42	●	●	●	●				●	●		●	●	●		
Coleman Creek	7.41	●	●	●	●				●	●		●	●	●		
Setenec Creek	7.42	●	●	●	●				●	●		●	●	●		
Setenec Creek	7.41	●	●	●	●				●	●		●	●	●		
Temescal Creek	7.41	●	●	●	●				●	●		●	●	●		
Paine Bottom	7.41	●	●	●	●				●	●		●	●	●		

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
San Diego River Watershed – continued																
Orinoco Creek	7.41	●	●	●	●				●	●		●	●	●		
Iron Springs Canyon	7.41	●	●	●	●				●	●		●	●	●		
Dye Canyon	7.41	●	●	●	●				●	●		●	●	●		
Richie Creek	7.41	●	●	●	●				●	●		●	●	●		
Cedar Creek	7.41	●	●	●	●				●	●		●	●	●		●
Sandy Creek	7.41	●	●	●	●				●	●		●	●	●		
Dehr Creek	7.41	●	●	●	●				●	●		●	●	●		●
Kelly Creek	7.41	●	●	●	●				●	●		●	●	●		
Cuyamaca Reservoir	7.43	See Reservoirs & Lakes – Table 2-4														
Little Stonewall Creek	7.43	●	●	●	●				●	●		●	●	●		●
Boulder Creek	7.41	●	●	●	●				●	●		●	●	●		●
Azalea Creek	7.41	●	●	●	●				●	●		●	●	●		
Johnson Creek	7.41	●	●	●	●				●	●		●	●	●		
Sheep Camp Creek	7.41	●	●	●	●				●	●		●	●	●		
San Diego River	7.31	●	●	●	●				●	●		●	●	●		
El Capitan Reservoir	7.31	See Reservoirs & Lakes – Table 2-4														
Isham Creek	7.31	●	●	●	●				●	●		●	●	●		

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
San Diego River Watershed – continued																
Sand Creek	7.31	●	●	●	●				●	●		●	●	●		
Conejos Creek	7.31	●	●	●	●				●	●		●	●	●		●
King Creek	7.31	●	●	●	●				●	●		●	●	●		
West Fork King Creek	7.31	●	●	●	●				●	●		●	●	●		
Echo Valley	7.31	●	●	●	●				●	●		●	●	●		
Peutz Valley	7.31	●	●	●	●				●	●		●	●	●		
Chocolate Canyon	7.32	●	●	●	●				●	●		●	●	●		
Alpine Creek	7.33	●	●	●	●				●	●		●	●	●		
Chocolate Canyon	7.31	●	●	●	●				●	●		●	●	●		
San Diego River	7.15	○		●					●	●		●		●	●	
San Diego River	7.12	○		●					●	●		●		●	●	
Lake Jennings	7.12	See Reservoirs & Lakes – Table 2-4														
Quail Canyon	7.12	○		●					●	●		●		●		
Wildcat Canyon	7.12	○		●					●	●		●		●		
San Vicente Creek	7.23	●	●	●	●				●	●		●		●		
Swartz Canyon	7.23	●	●	●	●				●	●		●		●		
Klondike Creek	7.23	●	●	●	●				●	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
San Diego River Watershed – continued																
San Vicente Creek	7.22	●	●	●	●				●	●		●		●		
Darney Canyon	7.22	●	●	●	●				●	●		●		●		
Longs Gulch	7.22	●	●	●	●				●	●		●		●		
San Vicente Reservoir	7.21	See Reservoirs & Lakes – Table 2-4														
West Branch San Vicente Creek	7.21	●	●	●	●				●	●		●		●		
Aqueduct Arm Creek	7.21	●	●	●	●	○			●	●		●		●		
Padre Barona Creek	7.24	●	●	●	●				●	●		●		●		
Wright Canyon	7.24	●	●	●	●				●	●		●		●		
Featherstone Canyon	7.24	●	●	●	●				●	●		●		●		
Padre Barona Creek	7.12	○		●					●	●		●		●		
Foster Canyon	7.21	●	●	●	●				●	●		●		●		
San Vicente Creek	7.12	○		●					●	●		●		●		
Slaughterhouse Canyon	7.12	○		●					●	●		●		●		
Los Coches Creek	7.14	○		●					●	●		●		●		
Rios Canyon	7.14	○		●					●	●	●	●		●		
Los Coches Creek	7.12	○		●					●	●		●		●		
Forrester Creek	7.13	○		●					●	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GRWR	FRESH	POW	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
San Diego River Watershed - continued																
Forrester Creek	7.12	○		●					●	●		●		●		
Sycamore Canyon	7.12	+	●	●					●	●		●		●	●	
unnamed tributary	7.12	+	●	●					●	●		●		●	●	
Clark Canyon	7.12	+	●	●					●	●		●		●	●	
West Sycamore Canyon	7.12	+	●	●					●	●		●		●		
Quail Canyon	7.12	+	●	●					●	●		●		●		
Little Sycamore Canyon	7.12	+	●	●					●	●		●		●		
Spring Canyon	7.12	+	●	●					●	●		●		●	●	
Oak Canyon	7.12	+	●	●					●	●		●		●		
San Diego River	7.11	+	●	●					●	●	●	●		●	●	
unnamed tributary	7.11	+	●	●					●	●		●		●	●	
Alvarado Canyon	7.11	+	●	●					●	●		●		●		
Lake Murray	7.11	See Reservoirs & Lakes – Table 2-4														
Murphy Canyon	7.11	+	●	●					●	●		●		●	●	
Shepherd Canyon	7.11	+	●	●					●	●		●		●		
Murray Canyon	7.11	+	●	●					●	●		●		●		
Mouth of San Diego River	7.11	See Coastal Waters – Table 2-3														

● Existing Beneficial Use

○ Potential Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
Pueblo San Diego Watershed																
unnamed intermittent coastal streams	8.10	+							○	●		●		●		
Powerhouse Canyon	8.21	+							○	●		●		●		
Chollas Creek	8.22	+							○	●		●		●		
South Chollas Valley	8.22	+							○	●		●		●		
unnamed intermittent streams	8.31	+							○	●		●		●		
Paradise Creek	8.32	+							○	●		●		●		
Paradise Valley	8.32	+							○	●		●		●		
Sweetwater River Watershed																
Sweetwater River	9.35	●	●	●	●				●	●		●	●	●		●
Stonewall Creek	9.35	●	●	●	●				●	●		●	●	●		●
Harper Creek	9.35	●	●	●	●				●	●		●	●	●		●
Cold Stream	9.35	●	●	●	●				●	●		●	●	●		●
Japacha Creek	9.35	●	●	●	●				●	●		●	●	●		●
Juaquapin Creek	9.35	●	●	●	●				●	●		●	●	●		●
Arroyo Seco	9.35	●	●	●	●				●	●		●	●	●		
Sweetwater River	9.34	●	●	●	●				●	●		●	●	●		●

● Existing Beneficial Use

○ Potential Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
Sweetwater River Watershed - continued																
Descanso Creek	9.34	●	●	●	●				●	●		●	●	●		
Samagatuma Creek	9.34	●	●	●	●				●	●		●	●	●		
Sweetwater River	9.31	●	●	●	●				●	●		●	●	●		●
Viejas Creek	9.33	●	●	●	●				●	●		●	●	●		
Viejas Creek	9.31	●	●	●	●				●	●		●	●	●		
Loveland Reservoir	9.31	See Reservoirs & Lakes – Table 2-4														
Taylor Creek	9.31	●	●	●	●				●	●		●		●		
Japatul Valley	9.32	●	●	●	●				●	●		●		●		
Sweetwater River	9.21	●	●	●	●				●	●	●	●		●	●	
unnamed tributary	9.21	●	●	●	●				●	●	●	●		●	●	
Lawson Creek	9.21	●	●	●	●				●	●	●	●		●		
Beaver Canyon	9.21	●	●	●	●				●	●		●		●		
Wood Valley	9.21	●	●	●	●				●	●		●		●		
Sycuan Creek	9.25	●	●	●	●				●	●		●		●		
North Fork Sycuan Creek	9.26	●	●	●	●				●	●		●		●		
North Fork Sycuan Creek	9.25	●	●	●	●				●	●		●		●		
Dehesa Valley	9.23	●	●	●	●				●	●		●		●		
Harbison Canyon	9.23	●	●	●	●				●	●		●		●		

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P R I N G
Sweetwater River Watershed - continued																
Galloway Valley	9.24	●	●	●	●				●	●		●		●		
Mexican Canyon	9.21	●	●	●	●				●	●		●		●		
unnamed intermittent streams	9.22	●	●	●	●				●	●		●		●		
Steel Canyon	9.21	●	●	●	●				●	●		●		●		
Sweetwater Reservoir	9.21	See Reservoirs & Lakes – Table 2-4														
Coon Canyon	9.21	●	●	●	●				●	●		●		●		
Sweetwater River	9.12	+		●					○	●		●		●		
Spring Valley	9.12	+		●					○	●		●		●		
Wild Mans Canyon	9.12	+		●					○	●		●		●		
Long Canyon	9.12	+		●					○	●		●		●		
Rice Canyon	9.12	+		●					○	●		●		●		
Telegraph Canyon	9.11	+		●					○	●		●		●		
San Diego County Coastal Streams																
unnamed intermittent coastal streams	10.10	+							○			●				

● Existing Beneficial Use

○ Potential Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
Otay River Watershed																
Jamul Creek	10.34	●	●	●	●				●	●		●		●		
Jamul Creek	10.33	●	●	●	●				●	●	●	●		●		
Jamul Creek	10.36	●	●	●	●				●	●	●	●		●		
Dulzura Creek	10.37	●	●	●	●				●	●		●		●		
Dulzura Creek	10.36	●	●	●	●				●	●	●	●		●	●	
Dutchman Canyon	10.36	●	●	●	●				●	●		●		●		
Pringle Canyon	10.36	●	●	●	●				●	●		●		●		
Sycamore Canyon	10.36	●	●	●	●				●	●	●	●		●		
Hollenbeck Canyon	10.36	●	●	●	●				●	●	●	●		●		
Lyons Valley	10.35	●	●	●	●				●	●		●		●		
Cedar Canyon	10.36	●	●	●	●				●	●	●	●	●	●		●
Little Cedar Canyon	10.36	●	●	●	●				●	●	●	●	●	●		
Jamul Creek	10.31	●	●	●	●				●	●		●		●	●	
Lower Otay Reservoir	10.31	See Reservoirs & Lakes – Table 2-4														
unnamed tributary	10.31	●	●	●	●				●	●	●	●		●	●	
Upper Otay Reservoir	10.32	See Reservoirs & Lakes – Table 2-4														
Proctor Valley	10.32	●	●	●	●				●	●	●	●		●		

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
Otay River Watershed – continued																
Otay River	10.20	+	●	○					○	●		●		●	●	
O'Neal Canyon	10.20	+	●	○					○	●		●		●		
Salt Creek	10.20	+	●	○					○	●		●		●		
Johnson Canyon	10.20	+	●	○					○	●		●		●		
Wolf Canyon	10.20	+	●	○					○	●		●		●		
Dennery Canyon	10.20	+	●	○					○	●		●		●		
Poggi Canyon	10.20	+	●	○					○	●		●		●		
Tijuana River Watershed																
Tijuana River	11.11	+		○					○	●	●	●		●	●	
Moody Canyon	11.11	+		○					○	●		●		●		
Smugglers Gulch	11.11	+		○					○	●		●		●		
Goat Canyon	11.11	+		○					○	●		●		●		
<i>Tijuana River Estuary</i>	11.11	See Coastal Waters – Table 2-3														
Spring Canyon	11.12	+	●	○					○	●		●		●		
Dillon Canyon	11.12	+	●	○					○	●		●		●		
Finger Canyon	11.12	+	●	○					○	●		●		●		
Wruck Canyon	11.12	+	●	○					○	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GRWR	FRSH	POW	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
Tijuana River Watershed - continued																
unnamed intermittent streams	11.12	+	●	○					○	●		●		●		
unnamed intermittent streams	11.21	+							●	●		●		●		
Tijuana River	11.21	+							●	●		●		●		
Tecate Creek	11.23	+							●	●		●		●		
Cottonwood Creek	11.60	●	●	●	●		●		○	●		●	●	●	●	
Kitchen Creek	11.60	●	●	●	●		●		○	●		●	●	●		●
Long Canyon	11.60	●	●	●	●		●		○	●		●	●	●		●
Troy Canyon	11.60	●	●	●	●		●		○	●		●	●	●		●
Fred Canyon	11.60	●	●	●	●		●		○	●		●	●	●		
Horse Canyon	11.60	●	●	●	●		●		○	●		●	●	●		
La Posta Creek	11.70	●	●	●	●		●		●	●		●	●	●		
Simmons Canyon	11.70	●	●	●	●		●		●	●		●	●	●		
La Posta Creek	11.60	●	●	●	●		●		○	●		●	●	●		
Morena Reservoir	11.50	See Reservoirs & Lakes – Table 2-4														
Morena Creek	11.50	●	●	●	●		●		●	●		●	●	●		●
Long Valley	11.50	●	●	●	●		●		●	●		●	●	●		
Bear Valley	11.50	●	●	●	●		●		●	●		●		●		

● Existing Beneficial Use

○ Potential Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
Tijuana River Watershed - continued																
Cottonwood Creek	11.30	●	●	●	●		●		●	●		●	●	●	●	●
Hauser Creek	11.30	●	●	●	●		●		●	●		●	●	●		●
Salazar Canyon	11.30	●	●	●	●		●		●	●		●	●	●		
Barrett Lake	11.30	See Reservoirs & Lakes – Table 2-4														
Boneyard Canyon	11.30	●	●	●	●		●		●	●		●	●	●		
Skye Valley	11.30	●	●	●	●		●		●	●		●	●	●		
Pine Valley Creek	11.41	●	●	●	●		●		●	●		●	●	●		●
Indian Creek	11.41	●	●	●	●		●		●	●		●	●	●		
Lucas Creek	11.41	●	●	●	●		●		●	●		●	●	●		
Noble Canyon	11.41	●	●	●	●		●		●	●		●	●	●		●
Los Rasalies Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Paloma Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Bonita Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Chico Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Madero Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Los Gatos Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Boiling Spring Ravine	11.42	●	●	●	●		●		●	●		●	●	●		

● Existing Beneficial Use

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		M U N	A G R	I N D	P R O C	G W R	F R S H	P O W	R E C 1	R E C 2	B I O L	W A R M	C O L D	W I L D	R A R E	S P W N
Tijuana River Watershed - continued																
Agua Dulce Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Escondido Ravine	11.42	●	●	●	●		●		●	●		●	●	●		
Scove Canyon	11.41	●	●	●	●		●		●	●		●	●	●		
Pine Valley Creek	11.30	●	●	●	●		●		●	●		●	●	●		●
Oak Valley	11.30	●	●	●	●		●		●	●		●	●	●		●
Nelson Canyon	11.30	●	●	●	●		●		●	●		●	●	●		
Secret Canyon	11.30	●	●	●	●		●		●	●		●	●	●		
Horsethief Canyon	11.30	●	●	●	●		●		●	●		●	●	●		
Espinosa Creek	11.30	●	●	●	●		●		●	●		●	●	●		
Wilson Creek	11.30	●	●	●	●		●		●	●		●	●	●		●
Pats Canyon	11.30	●	●	●	●		●		●	●		●	●	●		
Cottonwood Creek	11.23	+							●	●		●		●		
Dry Valley	11.23	+							●	●		●		●		
Bob Owens Canyon	11.23	+							●	●		●		●		
McAlmond Canyon	11.24	+							●	●		●		●		
McAlmond Canyon	11.23	+							●	●		●		●		

● Existing Beneficial Use

+ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-2. BENEFICIAL USES OF INLAND SURFACE WATERS

Inland Surface Waters ^{1, 2}	Hydrologic Unit Basin Number	BENEFICIAL USE														
		MUN	AGR	IND	PROC	GRWR	FRESH	POWER	REC1	REC2	BIO	WARM	COLD	WILD	RARE	SPWN
Tijuana River Watershed - continued																
Rattlesnake Canyon	11.23	+							●	●		●		●		
Potrero Creek	11.25	+							●	●		●		●		
Little Potrero Creek	11.25	+							●	●		●		●		
Potrero Creek	11.23	+							●	●		●		●		
Grapevine Creek	11.23	+							●	●		●		●		
Bee Canyon	11.22	+							●	●		●		●		
Bee Creek	11.23	+							●	●		●		●		
Mine Canyon	11.21	+							●	●		●		●		
unnamed intermittent streams	11.81	+							●	●		●		●		
unnamed intermittent streams	11.82	+							●	●		●		●		
Campo Creek	11.84	+							●	●		●	●	●		
Diablo Canyon	11.84	+							●	●		●		●		
Campo Creek	11.83	+							●	●		●		●		
Miller Creek	11.83	+							●	●		●		●		
Campo Creek	11.82	+							●	●		●		●		
Smith Canyon	11.82	+							●	●		●		●		
unnamed intermittent streams	11.85	+							●	●		●		●		

● Existing Beneficial Use

⊕ Excepted from MUN (See Text)

¹ Waterbodies are listed multiple times if they cross hydrologic area or sub area boundaries.

² Beneficial use designations apply to all tributaries to the indicated waterbody, if not listed separately.

Table 2-3. BENEFICIAL USES OF COASTAL WATERS

Coastal Waters	Hydrologic Unit Basin Number	BENEFICIAL USE														
		I N D	N A V	R E C 1	R E C 2	C O M M	B I O L	E S T	W I L D	R A R E	M A R	A Q U A	M I G R	S P W N	W A R M	S H E L L
Pacific Ocean		●	●	●	●	●	●		●	●	●	●	●	●		●
Dana Point Harbor		●	●	●	●	●			●	●	●		●	●		●
Del Mar Boat Basin		●	●	●	●	●			●	●	●		●	●		●
Mission Bay		●		●	●	●		●	●	●	●		●	●		●
Oceanside Harbor		●	●	●	●	●			●	●	●		●	●		●
San Diego Bay ^{1, 3}		●	●	●	●	●	●	●	●	●	●		●	●		●
Coastal Lagoons																
Tijuana River Estuary	11.11			●	●	●	●	●	●	●	●		●	●		●
Mouth of San Diego River	7.11			●	●	●		●	●	●	●		●	●		●
Famosa Slough and Channel	7.11			●	●	●		●	●	●	●		●	●		●
Los Penasquitos Lagoon ²	6.10			●	●		●	●	●	●	●		●	●		●
San Dieguito Lagoon	5.11			●	●		●	●	●	●	●		●	●		
Batiquitos Lagoon	4.51			●	●		●	●	●	●	●		●	●		
San Elijo Lagoon	4.61			●	●		●	●	●	●	●		●	●		
Agua Hedionda Lagoon	4.31	●		●	●	●	●	●	●	●	●	●	●	●		●

¹ Includes the tidal prisms of the Otay and Sweetwater Rivers.

² Fishing from shore or boat permitted, but other water contact recreational (REC-1) uses are prohibited.

³ The Shelter Island Yacht Basin portion of San Diego Bay is designated as an impaired water body for dissolved copper pursuant to Clean Water Act section 303(d). A Total Maximum Daily Load (TMDL) has been adopted to address this impairment. See Chapter 3, Water Quality Objectives for Pesticides, Toxicity and Toxic Pollutants and Chapter 4, Total Maximum Daily Loads.

● Existing Beneficial Use

Table 2-3. BENEFICIAL USES OF COASTAL WATERS

Coastal Waters	Hydrologic Unit Basin Number	BENEFICIAL USE														
		I N D	N A V	R E C 1	R E C 2	C O M M	B I O L	E S T	W I L D	R A R E	M A R	A Q U A	M I G R	S P W N	W A R M	S H E L L
Coastal Lagoons - continued																
Buena Vista Lagoon ²	4.21			●	●		●	○	●	●	●				●	
Loma Alta Slough	4.10			●	●			●	●	●	●					
Mouth of San Luis Rey River	3.11			●	●				●	●	●		●			
Santa Margarita Lagoon	2.11			●	●			●	●	●	●		●	●		
Aliso Creek Mouth	1.13			●	●				●	●	●					
San Juan Creek Mouth	1.27			●	●				●	●	●		●			●
San Mateo Creek Mouth	1.40			●	●		●		●	●	●		●	●		
San Onofre Creek Mouth	1.51			●	●				●	●	●		●	●		

² Fishing from shore or boat permitted, but other water contact recreational (REC-1) uses are prohibited.

● Existing Beneficial Use

○ Potential Beneficial Use

Table 2-4. BENEFICIAL USES OF RESERVOIRS AND LAKES

Reservoirs & Lakes	Hydrologic Unit Basin Number	BENEFICIAL USE												
		M U N	A G R	I N D	P R O C	G W R	F R S H	R E C 1	R E C 2	W A R M	C O L D	W I L D	R A R E	P O W
O'Neill Lake	2.13	●	●	●	●			●	●	●	●	●	●	
Diamond Valley Lake	2.35 & 2.36	●	●	●	●	●		● ¹	●	●	●	●		●
Lake Skinner	2.42	●	●	●	●	○		● ¹	●	●		●		
Vail Lake	2.81	●	●	●	●	●		● ¹	●	●		●		
Turner Lake	3.13	●	●	●				○	●	●				
Lake Henshaw	3.31	●	●	●	●		●	● ¹	●	●		●	●	●
Olivenhain Reservoir	5.21	●		●				● ¹	●	●	●	●		●
San Dieguito Reservoir	5.21	●	●	○				●	●	●	●	●		
Lake Dixon	4.62	●	●	○				● ¹	●	●	●	●		
Lake Wohlford	4.63	●	●	○				● ¹	●	●	●	●		●
Lake Hodges	5.21	●	●	●	●			● ¹	●	●	●	●	●	
Lake Poway	5.52	●	●	●	●			● ¹	●	●	●	●		
Sutherland Lake	5.53	●	●	●	●			● ¹	●	●	●	●	●	
Miramar Reservoir	6.10	●		●				● ¹	●	●		●		●
Lake Murray	7.11	●		●				● ¹	●	●	●	●		●
Lake Jennings	7.12	●		●				●	●	●	●	●		

¹ Fishing from shore or boat permitted, but other water contact recreational (REC-1) uses are prohibited.

● Existing Beneficial Use

○ Potential Beneficial Use

Table 2-4. BENEFICIAL USES OF RESERVOIRS AND LAKES

Reservoirs & Lakes	Hydrologic Unit Basin Number	BENEFICIAL USE												
		M U N	A G R	I N D	P R O C	G W R	F R S H	R E C 1	R E C 2	W A R M	C O L D	W I L D	R A R E	P O W
San Vicente Reservoir	7.21	●	●	●	●			● ¹	●	●	●	●		
El Capitan Reservoir	7.31	●	●	●	●			● ¹	●	●	●	●	●	
Cuyamaca Reservoir	7.43	●	●	●	●			● ¹	●	●	●	●	●	
Sweetwater Reservoir	9.21	●	●	●	●			●	●	●		●		
Loveland Reservoir	9.31	●	●	●	●			●	●	●	●	●		
Lower Otay Reservoir	10.31	●	●	●	●			● ¹	●	●	●	●		
Upper Otay Reservoir	10.32	●	●	●	●			●	●	●	●	●		
Lake Barrett	11.30	●	●	●	●		●	●	●	●	●	●	●	
Morena Reservoir	11.50	●	●	●	●		●	● ¹	●	●	●	●	●	

¹ Fishing from shore or boat permitted, but other water contact recreational (REC-1) uses are prohibited.

● Existing Beneficial Use